## **Guilherme Borges**

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3960853/guilherme-borges-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66 262 44,578 210 h-index g-index citations papers 279 55,104 7.77 5.9 L-index avg, IF ext. papers ext. citations

| #   | Paper  | IF  | Citations |
|-----|--|-----|-----------|
| 262 | Perceived helpfulness of service sectors used for mental and substance use disorders: Findings from the WHO World Mental Health Surveys <i>International Journal of Mental Health Systems</i> , <b>2022</b> , 16, 6  | 3.6 | 1         |
| 261 | Dropout from treatment for mental disorders in six countries of the Americas: A regional report from the World Mental Health Surveys <i>Journal of Affective Disorders</i> , <b>2022</b> , 303, 168-168  | 6.6 | 0         |
| 260 | Road traffic injuries and substance use in Latin America: A systematic review <i>Traffic Injury Prevention</i> , <b>2022</b> , 1-6   | 1.8 | O         |
| 259 | Barriers to treatment for mental disorders in six countries of the Americas: A regional report from the World Mental Health Surveys <i>Journal of Affective Disorders</i> , <b>2022</b> , 303, 273-285   | 6.6 | 0         |
| 258 | Understanding differences in prescription drug misuse between two Texas border communities. <i>Ethnicity and Health</i> , <b>2021</b> , 26, 1028-1044  | 2.2 | 4         |
| 257 | Global estimates of the attributable risk of alcohol consumption on road injuries. <i>Alcoholism:</i> Clinical and Experimental Research, <b>2021</b> , 45, 2080-2089  | 3.7 | О         |
| 256 | Current status of violence, suicide, alcohol use, and stigma in Mexico. Salud Mental, <b>2021</b> , 44, 41-42  | 0.5 |           |
| 255 | Suicide thought and behaviors, non-suicidal self-injury, and perceived life stress among sexual minority Mexican college students. <i>Journal of Affective Disorders</i> , <b>2021</b> , 281, 891-898  | 6.6 | 1         |
| 254 | (Internet) Gaming Disorder in -5 and -11: A Case of the Glass Half Empty or Half Full: (Internet) Le<br>trouble du jeu dans le -5 et la CIM-11: Un cas de verre limoitilivide et limoitiliplein. <i>Canadian</i><br>Journal of Psychiatry, <b>2021</b> , 66, 477-484 | 4.8 | 2         |
| 253 | Prevalence of 12-month mental and substance use disorders in sexual minority college students in Mexico. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2021</b> , 56, 247-257   | 4.5 | 2         |
| 252 | The role of ageing in the wish to be dead: disentangling age, period and cohort effects in suicide ideation in European population. <i>Epidemiology and Psychiatric Sciences</i> , <b>2021</b> , 30, e17   | 5.1 | 1         |
| 251 | Collaborative care for depression and suicide prevention: a feasible intervention within the Mexican health system. <i>Salud Publica De Mexico</i> , <b>2021</b> , 63, 274-280   | 1.7 | 0         |
| 250 | Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. <i>BMC Psychiatry</i> , <b>2021</b> , 21, 392   | 4.2 | 1         |
| 249 | Childhood adversities and suicidal thoughts and behaviors among first-year college students: results from the WMH-ICS initiative. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2021</b> , 1  | 4.5 | 0         |
| 248 | Traumatic life-events and suicidality among Mexican adolescents as they grow up: A longitudinal community survey. <i>Journal of Psychiatric Research</i> , <b>2021</b> , 142, 171-178  | 5.2 | 1         |
| 247 | Traumatic life-events and alcohol and drug use disorders among Mexican adolescents: Bidirectional associations over 8 years. <i>Drug and Alcohol Dependence</i> , <b>2021</b> , 228, 109051  | 4.9 |           |
| 246 | Unintentional injuries in Mexico, 1990-2017: findings from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , <b>2020</b> , 26, i154-i161   | 3.2 | 6         |

#### (2019-2020)

| 245         | Incidence and recurrence of depression from adolescence to early adulthood: A longitudinal follow-up of the Mexican Adolescent Mental Health Survey. <i>Journal of Affective Disorders</i> , <b>2020</b> , 263, 540-546                          | 6.6  | 13   |
|-------------|--|------|------|
| 244         | Global burden of 369 diseases and injuries in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , <b>2020</b> , 396, 1204-1222                                     | 40   | 1847 |
| 243         | Global burden of 87 risk factors in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , <b>2020</b> , 396, 1223-1249   | 40   | 1013 |
| 242         | The relationship between all-cause mortality and depression in different gender and age groups of the Spanish population. <i>Journal of Affective Disorders</i> , <b>2020</b> , 266, 424-428   | 6.6  | 2    |
| 241         | Toward measuring effective treatment coverage: critical bottlenecks in quality- and user-adjusted coverage for major depressive disorder. <i>Psychological Medicine</i> , <b>2020</b> , 1-11   | 6.9  | 12   |
| <b>2</b> 40 | Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. <i>Injury Prevention</i> , <b>2020</b> , 26, i125-i153   | 3.2  | 12   |
| 239         | Global injury morbidity and mortality from 1990 to 2017: results from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , <b>2020</b> , 26, i96-i114   | 3.2  | 39   |
| 238         | Cross-national prevalence and factors associated with suicide ideation and attempts in older and young-and-middle age people. <i>Aging and Mental Health</i> , <b>2020</b> , 24, 1533-1542   | 3.5  | 11   |
| 237         | Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , <b>2020</b> , 26, i12-i26 | 3.2  | 13   |
| 236         | Childhood generalized specific phobia as an early marker of internalizing psychopathology across the lifespan: results from the World Mental Health Surveys. <i>BMC Medicine</i> , <b>2019</b> , 17, 101   | 11.4 | 14   |
| 235         | The relationship between social inequalities, substance use and violence in border and non-border cities of northern Mexico. <i>Drug and Alcohol Dependence</i> , <b>2019</b> , 200, 1-5   | 4.9  | 5    |
| 234         | Epidemiological Challenges in the Study of Behavioral Addictions: a Call for High Standard Methodologies. <i>Current Addiction Reports</i> , <b>2019</b> , 6, 331-337  | 3.9  | 28   |
| 233         | Chronic childhood adversity and speed of transition through stages of alcohol involvement. <i>Drug and Alcohol Dependence</i> , <b>2019</b> , 205, 107669  | 4.9  | 3    |
| 232         | Psychopathology and self-harm among incoming first-year students in six Mexican universities. <i>Salud Publica De Mexico</i> , <b>2019</b> , 61, 16-26   | 1.7  | 16   |
| 231         | Suicide ideation and behavior in Mexico: Encodat 2016. Salud Publica De Mexico, 2019, 61, 6-15   | 1.7  | 18   |
| 230         | DSM-5 Internet gaming disorder among a sample of Mexican first-year college students. <i>Journal of Behavioral Addictions</i> , <b>2019</b> , 8, 714-724   | 6.3  | 10   |
| 229         | Misconceptions about substance use in the US-Mexico border area. <i>Nature Human Behaviour</i> , <b>2019</b> , 3, 4  | 12.8 | 1    |
| 228         | Twelve-month mental health service use in six countries of the Americas: A regional report from the World Mental Health Surveys. <i>Epidemiology and Psychiatric Sciences</i> , <b>2019</b> , 29, e53  | 5.1  | 8    |

| 227 | Association between attempted suicide and academic performance indicators among middle and high school students in Mexico: results from a national survey. <i>Child and Adolescent Psychiatry and Mental Health</i> , <b>2018</b> , 12, 9    | 6.8  | 16   |
|-----|--|------|------|
| 226 | Psychotic experiences and religiosity: data from the WHO World Mental Health Surveys. <i>Acta Psychiatrica Scandinavica</i> , <b>2018</b> , 137, 306-315   | 6.5  | 19   |
| 225 | Civilians in World War II and DSM-IV mental disorders: results from the World Mental Health Survey Initiative. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2018</b> , 53, 207-219   | 4.5  | 5    |
| 224 | Suicidal Thoughts and Behaviors Among First-Year College Students: Results From the WMH-ICS Project. <i>Journal of the American Academy of Child and Adolescent Psychiatry,</i> <b>2018</b> , 57, 263-273.e1                                 | 7.2  | 137  |
| 223 | Estimating the drink driving attributable fraction of road traffic deaths in Mexico. <i>Addiction</i> , <b>2018</b> , 113, 828-835   | 4.6  | 9    |
| 222 | Recovery from DSM-IV post-traumatic stress disorder in the WHO World Mental Health surveys. <i>Psychological Medicine</i> , <b>2018</b> , 48, 437-450  | 6.9  | 15   |
| 221 | Drinking context and cause of injury: Emergency department studies from 22 countries. <i>Journal of Substance Use</i> , <b>2018</b> , 23, 240-246  | 0.8  | 4    |
| 220 | Neuropsychiatric symptoms as risk factors of dementia in a Mexican population: A 10/66 Dementia Research Group study. <i>Alzheimerls and Dementia</i> , <b>2018</b> , 14, 271-279  | 1.2  | 23   |
| 219 | The associations of earlier trauma exposures and history of mental disorders with PTSD after subsequent traumas. <i>Molecular Psychiatry</i> , <b>2018</b> , 23, 1892-1899   | 15.1 | 34   |
| 218 | Including gaming disorder in the ICD-11: The need to do so from a clinical and public health perspective. <i>Journal of Behavioral Addictions</i> , <b>2018</b> , 7, 556-561   | 6.3  | 146  |
| 217 | A longitudinal study of reciprocal risk between mental and substance use disorders among Mexican youth. <i>Journal of Psychiatric Research</i> , <b>2018</b> , 105, 45-53  | 5.2  | 3    |
| 216 | Alcohol use and burden for 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , <b>2018</b> , 392, 1015-1035  | 40   | 1171 |
| 215 | Global Mortality From Firearms, 1990-2016. <i>JAMA - Journal of the American Medical Association</i> , <b>2018</b> , 320, 792-814  | 27.4 | 114  |
| 214 | Adolescent Predictors of Incidence and Persistence of Suicide-Related Outcomes in Young Adulthood: A Longitudinal Study of Mexican Youth. <i>Suicide and Life-Threatening Behavior</i> , <b>2018</b> , 48, 755                               | -766 | 11   |
| 213 | Drug use on both sides of the US-Mexico border. Salud Publica De Mexico, 2018, 60, 451-461   | 1.7  | 6    |
| 212 | Socio-economic variations in the mental health treatment gap for people with anxiety, mood, and substance use disorders: results from the WHO World Mental Health (WMH) surveys. <i>Psychological Medicine</i> , <b>2018</b> , 48, 1560-1571 | 6.9  | 73   |
| 211 | Prevalence and correlates of arrests or stops for drunk driving on both sides of the U.SMexico border. <i>Journal of Ethnicity in Substance Abuse</i> , <b>2018</b> , 17, 478-500  | 1.1  | 2    |
| 210 | Emerging adults not in education, employment or training (NEET): socio-demographic characteristics, mental health and reasons for being NEET. <i>BMC Public Health</i> , <b>2018</b> , 18, 1201  | 4.1  | 10   |

| 209 | Demographic and Clinical Characteristics of Completed Suicides in Mexico City 2014-2015. <i>Frontiers in Psychiatry</i> , <b>2018</b> , 9, 402  | 5    | 11  |
|-----|---|------|-----|
| 208 | Wanting and Getting Help for Substance Problems on Both Sides of the US-Mexico Border. <i>Journal of Immigrant and Minority Health</i> , <b>2017</b> , 19, 1174-1185  | 2.2  | 3   |
| 207 | Association of DSM-IV Posttraumatic Stress Disorder With Traumatic Experience Type and History in the World Health Organization World Mental Health Surveys. <i>JAMA Psychiatry</i> , <b>2017</b> , 74, 270-281                           | 14.5 | 120 |
| 206 | Alcohol, cannabis and other drugs and subsequent suicide ideation and attempt among young Mexicans. <i>Journal of Psychiatric Research</i> , <b>2017</b> , 91, 74-82  | 5.2  | 42  |
| 205 | Alcohol Use Patterns and DSM-5 Alcohol Use Disorder on Both Sides of the U.SMexico Border. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2017</b> , 41, 769-778  | 3.7  | 7   |
| 204 | Area-level disadvantage and alcohol use disorder in northern Mexico. <i>Drug and Alcohol Dependence</i> , <b>2017</b> , 175, 219-226  | 4.9  | 9   |
| 203 | Cross-sectional Comparison of the Epidemiology of DSM-5 Generalized Anxiety Disorder Across the Globe. <i>JAMA Psychiatry</i> , <b>2017</b> , 74, 465-475   | 14.5 | 149 |
| 202 | Non-suicidal self-injury in Mexican young adults: Prevalence, associations with suicidal behavior and psychiatric disorders, and DSM-5 proposed diagnostic criteria. <i>Journal of Affective Disorders</i> , <b>2017</b> , 215, 1-8       | 6.6  | 29  |
| 201 | Undertreatment of people with major depressive disorder in 21 countries. <i>British Journal of Psychiatry</i> , <b>2017</b> , 210, 119-124  | 5.4  | 397 |
| 200 | A meta-analysis of acute use of alcohol and the risk of suicide attempt. <i>Psychological Medicine</i> , <b>2017</b> , 47, 949-957  | 6.9  | 124 |
| 199 | The growth of suicide ideation, plan and attempt among young adults in the Mexico City metropolitan area. <i>Epidemiology and Psychiatric Sciences</i> , <b>2017</b> , 26, 635-643  | 5.1  | 8   |
| 198 | Age at Immigration and Substance Use and Problems Among Males and Females at the U.SMexico Border. <i>Journal of Studies on Alcohol and Drugs</i> , <b>2017</b> , 78, 827-834   | 1.9  | 2   |
| 197 | Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors: A Cross-National Analysis From the World Health Organization World Mental Health Surveys. <i>JAMA Psychiatry</i> , <b>2017</b> , 74, 1136-1144  | 14.5 | 41  |
| 196 | Alcohol and Road Traffic Injuries in Latin America and the Caribbean: A Case-Crossover Study. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2017</b> , 41, 1731-1737   | 3.7  | 14  |
| 195 | Childhood adversities and post-traumatic stress disorder: evidence for stress sensitisation in the World Mental Health Surveys. <i>British Journal of Psychiatry</i> , <b>2017</b> , 211, 280-288   | 5.4  | 76  |
| 194 | Hazardous drinking and exposure to interpersonal and community violence on both sides of the U.SMexico border. <i>Hispanic Journal of Behavioral Sciences</i> , <b>2017</b> , 39, 528-545   | 0.7  | 5   |
| 193 | NEET adolescents grown up: eight-year longitudinal follow-up of education, employment and mental health from adolescence to early adulthood in Mexico City. <i>European Child and Adolescent Psychiatry</i> , <b>2017</b> , 26, 1459-1469 | 5.5  | 18  |
| 192 | A dose-response estimate for acute alcohol use and risk of suicide attempt. <i>Addiction Biology</i> , <b>2017</b> , 22, 1554-1561  | 4.6  | 15  |

| 191 | The descriptive epidemiology of DSM-IV Adult ADHD in the World Health Organization World Mental Health Surveys. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , <b>2017</b> , 9, 47-65  | 3.1 | 284  |
|-----|---|-----|------|
| 190 | Acute Substance Use as a Warning Sign for Suicide Attempts: A Case-Crossover Examination of the 48 Hours Prior to a Recent Suicide Attempt. <i>Journal of Clinical Psychiatry</i> , <b>2017</b> , 78, 691-696   | 4.6 | 25   |
| 189 | Cross-national epidemiology of panic disorder and panic attacks in the world mental health surveys. <i>Depression and Anxiety</i> , <b>2016</b> , 33, 1155-1177   | 8.4 | 83   |
| 188 | Eight-year incidence of psychiatric disorders and service use from adolescence to early adulthood: longitudinal follow-up of the Mexican Adolescent Mental Health Survey. <i>European Child and Adolescent Psychiatry</i> , <b>2016</b> , 25, 163-73  | 5.5 | 32   |
| 187 | A literature review and meta-analyses of cannabis use and suicidality. <i>Journal of Affective Disorders</i> , <b>2016</b> , 195, 63-74   | 6.6 | 110  |
| 186 | Do Childhood Adversities Predict Suicidality? Findings from the General Population of the Metropolitan Area of SB Paulo, Brazil. <i>PLoS ONE</i> , <b>2016</b> , 11, e0155639   | 3.7 | 12   |
| 185 | Substance Use and Cumulative Exposure to American Society: Findings From Both Sides of the US-Mexico Border Region. <i>American Journal of Public Health</i> , <b>2016</b> , 106, 119-27  | 5.1 | 23   |
| 184 | Age of Onset and Lifetime Projected Risk of Psychotic Experiences: Cross-National Data From the World Mental Health Survey. <i>Schizophrenia Bulletin</i> , <b>2016</b> , 42, 933-41  | 1.3 | 66   |
| 183 | Factors Explaining Variation in Alcohol Use Disorder Prevalence Across Border and Nonborder Communities in Texas. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2016</b> , 40, 1707-16   | 3.7 | 15   |
| 182 | Dissonant health transition in the states of Mexico, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , <b>2016</b> , 388, 2386-2402  | 40  | 100  |
| 181 | Griffiths et al. © comments on the international consensus statement of internet gaming disorder: furthering consensus or hindering progress?. <i>Addiction</i> , <b>2016</b> , 111, 175-8  | 4.6 | 24   |
| 180 | Investigating dimensionality and measurement bias of DSM-5 alcohol use disorder in a representative sample of the largest metropolitan area in South America. <i>Drug and Alcohol Dependence</i> , <b>2015</b> , 152, 123-30  | 4.9 | 13   |
| 179 | The effect of cross-border mobility on alcohol and drug use among Mexican-American residents living at the U.SMexico border. <i>Addictive Behaviors</i> , <b>2015</b> , 50, 28-33   | 4.2 | 12   |
| 178 | Relative risk of injury from acute alcohol consumption: modeling the dose-response relationship in emergency department data from 18 countries. <i>Addiction</i> , <b>2015</b> , 110, 279-88  | 4.6 | 52   |
| 177 | Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , <b>2015</b> , 386, 2287-323 | 40  | 1776 |
| 176 | Global, regional, and national age-sex specific all-cause and cause-specific mortality for 240 causes of death, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , <b>2015</b> , 385, 117-71  | 40  | 4599 |
| 175 | The rate ratio of injury and aggressive incident for alcohol alone, cocaine alone and simultaneous use before the event: a case-crossover study. <i>Accident Analysis and Prevention</i> , <b>2015</b> , 75, 137-43   | 6.1 | 9    |
| 174 | Subthreshold posttraumatic stress disorder in the world health organization world mental health surveys. <i>Biological Psychiatry</i> , <b>2015</b> , 77, 375-84  | 7.9 | 124  |

| 173 | Proportion of patients without mental disorders being treated in mental health services worldwide. <i>British Journal of Psychiatry</i> , <b>2015</b> , 206, 101-9  | 5.4                  | 22   |
|-----|---|----------------------|------|
| 172 | Does Beverage Type and Drinking Context Matter in an Alcohol-Related Injury? Evidence from Emergency Department Patients in Latin America <i>International Journal of Epidemiology</i> , <b>2015</b> , 44, i161   | -i⁄1 <sup>:</sup> 61 |      |
| 171 | Co-occurrence of alcohol, drug use, DSM-5 alcohol use disorder, and symptoms of drug use disorder on both sides of the U.SMexico border. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2015</b> , 39, 679-8  | 7 <sup>3.7</sup>     | 20   |
| 170 | Alcohol Attributable Fraction for Injury Morbidity from the Dose-Response Relationship of Acute Alcohol Consumption: Emergency Department Data from 18 Countries. <i>Addiction</i> , <b>2015</b> , 110, 1724-32   | 4.6                  | 35   |
| 169 | The Influence of Parental Psychopathology on Offspring Suicidal Behavior across the Lifespan. <i>PLoS ONE</i> , <b>2015</b> , 10, e0134970  | 3.7                  | 14   |
| 168 | Suicide ideation, dementia and mental disorders among a community sample of older people in Mexico. <i>International Journal of Geriatric Psychiatry</i> , <b>2015</b> , 30, 247-55   | 3.9                  | 10   |
| 167 | Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , <b>2015</b> , 386, 743-800 | 40                   | 3802 |
| 166 | Symptoms of anxiety on both sides of the US-Mexico border: the role of immigration. <i>Journal of Psychiatric Research</i> , <b>2015</b> , 61, 46-51  | 5.2                  | 6    |
| 165 | Border effects on DSM-5 alcohol use disorders on both sides of the U.SMexico border. <i>Drug and Alcohol Dependence</i> , <b>2015</b> , 148, 172-9  | 4.9                  | 22   |
| 164 | An international consensus for assessing internet gaming disorder using the new DSM-5 approach. <i>Addiction</i> , <b>2014</b> , 109, 1399-406  | 4.6                  | 550  |
| 163 | Does beverage type and drinking context matter in an alcohol-related injury? Evidence from emergency department patients in Latin America. <i>Drug and Alcohol Dependence</i> , <b>2014</b> , 137, 90-7   | 4.9                  | 11   |
| 162 | Moving internet gaming disorder forward: A reply. <i>Addiction</i> , <b>2014</b> , 109, 1412-3  | 4.6                  | 14   |
| 161 | Association between mental disorders and subsequent adult onset asthma. <i>Journal of Psychiatric Research</i> , <b>2014</b> , 59, 179-88   | 5.2                  | 42   |
| 160 | DSM-5 latent classes of alcohol users in a population-based sample: results from the SB Paulo Megacity Mental Health Survey, Brazil. <i>Drug and Alcohol Dependence</i> , <b>2014</b> , 136, 92-9   | 4.9                  | 11   |
| 159 | Adolescent alcohol use and alcohol use disorders in Mexico City. <i>Drug and Alcohol Dependence</i> , <b>2014</b> , 136, 43-50  | 4.9                  | 17   |
| 158 | Health profiles of clients in substance abuse treatment: a comparison of clients dependent on alcohol or cocaine with those concurrently dependent. <i>Substance Use and Misuse</i> , <b>2014</b> , 49, 1899-907  | 2.2                  | 7    |
| 157 | An observational study of the impact of service use on suicidality among adults with mental disorders. <i>Injury Epidemiology</i> , <b>2014</b> , 1, 29   | 1.7                  |      |
| 156 | A Comparison of Two Case-Crossover Methods for Studying the Dose-Response Relationship between Alcohol and Injury. <i>Contemporary Drug Problems</i> , <b>2014</b> , 41, 91-108   | 1.3                  |      |

| 155 | Violence-related injury and gender: the role of alcohol and alcohol combined with illicit drugs. <i>Drug and Alcohol Review</i> , <b>2014</b> , 33, 43-50                     | 3.2   | 24  |
|-----|---|-------|-----|
| 154 | Internet gaming and addiction: a reply to King & Delfabbro. <i>Addiction</i> , <b>2014</b> , 109, 1567-8  | 4.6   | 3   |
| 153 | Who should stay, who should leave?. Addiction, 2014, 109, 1779-80   | 4.6   | 1   |
| 152 | DSM-5 and ICD-11 definitions of posttraumatic stress disorder: investigating "narrow" and "broad" approaches. <i>Depression and Anxiety</i> , <b>2014</b> , 31, 494-505       | 8.4   | 117 |
| 151 | Posttraumatic stress disorder in a nationally representative mexican community sample. <i>Journal of Traumatic Stress</i> , <b>2014</b> , 27, 323-30                          | 3.8   | 11  |
| 150 | Barriers to mental health treatment: results from the WHO World Mental Health surveys. <i>Psychological Medicine</i> , <b>2014</b> , 44, 1303-17                              | 6.9   | 509 |
| 149 | Associations between subjective social status and DSM-IV mental disorders: results from the World Mental Health surveys. <i>JAMA Psychiatry</i> , <b>2014</b> , 71, 1400-8    | 14.5  | 75  |
| 148 | Under-reporting bipolar disorder in large-scale epidemiologic studies. <i>Journal of Affective Disorders</i> , <b>2014</b> , 159, 147-54                                      | 6.6   | 16  |
| 147 | An overview of and rationale for changes proposed for pathological gambling in DSM-5. <i>Journal of Gambling Studies</i> , <b>2014</b> , 30, 493-502                          | 3     | 93  |
| 146 | A Comparison of two Case-crossover Methods for Studying the Dose-Response Relationship Between Alcohol and Injury. <i>Contemporary Drug Problems</i> , <b>2014</b> , 41, 04   | 1.3   | 1   |
| 145 | Suicide risk and psychopathology in immigrants: a multi-group confirmatory factor analysis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2013</b> , 48, 1105-14 | 4.5   | 14  |
| 144 | Parental psychopathology and offspring suicidality in Mexico. <i>Archives of Suicide Research</i> , <b>2013</b> , 17, 123   | 3-235 | 7   |
| 143 | Alcohol as a trigger for medical emergencies. Substance Use and Misuse, 2013, 48, 484-9   | 2.2   | 5   |
| 142 | Dissociation in posttraumatic stress disorder: evidence from the world mental health surveys. <i>Biological Psychiatry</i> , <b>2013</b> , 73, 302-12                         | 7.9   | 201 |
| 141 | Chronic childhood adversity and stages of substance use involvement in adolescents. <i>Drug and Alcohol Dependence</i> , <b>2013</b> , 131, 85-91                             | 4.9   | 32  |
| 140 | Risk of injury after alcohol consumption from case-crossover studies in five countries from the Americas. <i>Addiction</i> , <b>2013</b> , 108, 97-103                        | 4.6   | 12  |
| 139 | The DSM-5 field trials and reliability of alcohol use disorder. <i>American Journal of Psychiatry</i> , <b>2013</b> , 170, 442-3  | 11.9  | 14  |
| 138 | Alcohol use and injury severity among emergency department patients in six countries. <i>Journal of Addictions Nursing</i> , <b>2013</b> , 24, 158-65                         | 0.7   | 8   |

#### (2012-2013)

| 137 | DSM-5 criteria for substance use disorders: recommendations and rationale. <i>American Journal of Psychiatry</i> , <b>2013</b> , 170, 834-51  | 11.9              | 784  |
|-----|---|-------------------|------|
| 136 | Evaluating recall bias in a case-crossover design estimating risk of injury related to alcohol: data from six countries. <i>Drug and Alcohol Review</i> , <b>2013</b> , 32, 512-8   | 3.2               | 15   |
| 135 | Physical activity and reduced risk of depression: results of a longitudinal study of Mexican adults.<br>Health Psychology, <b>2013</b> , 32, 609-15   | 5                 | 26   |
| 134 | A cross-national study on prevalence of mental disorders, service use, and adequacy of treatment among Mexican and Mexican American populations. <i>American Journal of Public Health</i> , <b>2013</b> , 103, 1610   | -8 <sup>5.1</sup> | 21   |
| 133 | Mexican immigration to the U.S., the occurrence of violence and the impact of mental disorders. <i>Revista Brasileira De Psiquiatria</i> , <b>2013</b> , 35, 161-8  | 2.6               | 1    |
| 132 | La carga de enfermedad, lesiones, factores de riesgo y desaf₿s para el sistema de salud en M᠒ico. <i>Salud Publica De Mexico</i> , <b>2013</b> , 55, 580  | 1.7               | 48   |
| 131 | Depression, gender, and the treatment gap in Mexico. <i>Journal of Affective Disorders</i> , <b>2012</b> , 138, 165-9   | 6.6               | 29   |
| 130 | Change in binge eating and binge eating disorder associated with migration from Mexico to the U.S. <i>Journal of Psychiatric Research</i> , <b>2012</b> , 46, 31-7  | 5.2               | 23   |
| 129 | A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , <b>2012</b> , 380, 2224-60 | 40                | 7625 |
| 128 | Multi-level analysis of alcohol-related injury and drinking pattern: emergency department data from 19 countries. <i>Addiction</i> , <b>2012</b> , 107, 1263-72   | 4.6               | 43   |
| 127 | Mexican immigration to the US and alcohol and drug use opportunities: does it make a difference in alcohol and/or drug use?. <i>Drug and Alcohol Dependence</i> , <b>2012</b> , 125 Suppl 1, S4-11  | 4.9               | 31   |
| 126 | Mexico-United States migration and the prevalence of obesity: a transnational perspective. <i>Archives of Internal Medicine</i> , <b>2012</b> , 172, 1760-2   |                   | 10   |
| 125 | Association between dietary patterns and insulin resistance in Mexican children and adolescents. <i>Annals of Nutrition and Metabolism</i> , <b>2012</b> , 61, 142-50   | 4.5               | 28   |
| 124 | Suicidality, ethnicity and immigration in the USA. <i>Psychological Medicine</i> , <b>2012</b> , 42, 1175-84  | 6.9               | 46   |
| 123 | Attribution of alcohol to violence-related injury: self and other Q drinking in the event. <i>Journal of Studies on Alcohol and Drugs</i> , <b>2012</b> , 73, 277-84  | 1.9               | 39   |
| 122 | A transnational study of migration and smoking behavior in the Mexican-origin population. <i>American Journal of Public Health</i> , <b>2012</b> , 102, 2116-22   | 5.1               | 15   |
| 121 | Scaling properties of the combined ICD-10 dependence and harms criteria and comparisons with DSM-5 alcohol use disorder criteria among patients in the emergency department. <i>Journal of Studies on Alcohol and Drugs</i> , <b>2012</b> , 73, 328-36              | 1.9               | 13   |
| 120 | Youth who neither study nor work: mental health, education and employment. <i>Salud Publica De Mexico</i> , <b>2012</b> , 54, 410-7   | 1.7               | 52   |

| 119 | Epidemiology of fears and specific phobia in adolescence: results from the Mexican Adolescent Mental Health Survey. <i>Journal of Clinical Psychiatry</i> , <b>2012</b> , 73, 152-8   | 4.6  | 18  |
|-----|---|------|-----|
| 118 | Exposure to alcohol, drugs and tobacco and the risk of subsequent suicidality: findings from the Mexican Adolescent Mental Health Survey. <i>Drug and Alcohol Dependence</i> , <b>2011</b> , 113, 110-7                                     | 4.9  | 39  |
| 117 | A cross-national study on Mexico-US migration, substance use and substance use disorders. <i>Drug and Alcohol Dependence</i> , <b>2011</b> , 117, 16-23   | 4.9  | 64  |
| 116 | Immigration, suicidal ideation and deliberate self-injury in the Boston youth survey 2006. <i>Suicide and Life-Threatening Behavior</i> , <b>2011</b> , 41, 193-202   | 3.9  | 11  |
| 115 | Health selection among migrants from Mexico to the U.S.: childhood predictors of adult physical and mental health. <i>Public Health Reports</i> , <b>2011</b> , 126, 361-70   | 2.5  | 28  |
| 114 | Migration from Mexico to the United States and subsequent risk for depressive and anxiety disorders: a cross-national study. <i>Archives of General Psychiatry</i> , <b>2011</b> , 68, 428-33   |      | 73  |
| 113 | Migration from Mexico to the United States and conduct disorder: a cross-national study. <i>Archives of General Psychiatry</i> , <b>2011</b> , 68, 1284-93  |      | 35  |
| 112 | Threshold and optimal cut-points for alcohol use disorders among patients in the emergency department. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2011</b> , 35, 1270-6   | 3.7  | 16  |
| 111 | Parental psychopathology and the risk of suicidal behavior in their offspring: results from the World Mental Health surveys. <i>Molecular Psychiatry</i> , <b>2011</b> , 16, 1221-33  | 15.1 | 57  |
| 110 | Depressed mood and antisocial behavior problems as correlates for suicide-related behaviors in Mexico. <i>Journal of Psychiatric Research</i> , <b>2011</b> , 45, 596-602   | 5.2  | 19  |
| 109 | Mexican migration experiences to the US and risk for anxiety and depressive symptoms. <i>Journal of Affective Disorders</i> , <b>2011</b> , 130, 83-91  | 6.6  | 33  |
| 108 | The association of chronic adversity with psychiatric disorder and disorder severity in adolescents. <i>European Child and Adolescent Psychiatry</i> , <b>2011</b> , 20, 459-68   | 5.5  | 24  |
| 107 | Equity in the delivery of community healthcare to older people: findings from 10/66 Dementia Research Group cross-sectional surveys in Latin America, China, India and Nigeria. <i>BMC Health Services Research</i> , <b>2011</b> , 11, 153 | 2.9  | 62  |
| 106 | Treatment of suicidal people around the world. British Journal of Psychiatry, 2011, 199, 64-70  | 5.4  | 212 |
| 105 | The dimensionality of alcohol use disorders and alcohol consumption in a cross-national perspective. <i>Addiction</i> , <b>2010</b> , 105, 240-54   | 4.6  | 69  |
| 104 | Cross-national analysis of the associations between traumatic events and suicidal behavior: findings from the WHO World Mental Health Surveys. <i>PLoS ONE</i> , <b>2010</b> , 5, e10574  | 3.7  | 225 |
| 103 | Performance of a craving criterion in DSM alcohol use disorders. <i>Journal of Studies on Alcohol and Drugs</i> , <b>2010</b> , 71, 674-84  | 1.9  | 43  |
| 102 | Twelve-month prevalence of and risk factors for suicide attempts in the World Health Organization World Mental Health Surveys. <i>Journal of Clinical Psychiatry</i> , <b>2010</b> , 71, 1617-28  | 4.6  | 430 |

#### (2009-2010)

| 101 | The more you drink, the harder you fall: a systematic review and meta-analysis of how acute alcohol consumption and injury or collision risk increase together. <i>Drug and Alcohol Dependence</i> , <b>2010</b> , 110, 10               | 8- <del>1</del> 8 | 288 |
|-----|--|-------------------|-----|
| 100 | Psychometric properties of alcohol screening tests in the emergency department in Argentina, Mexico and the United States. <i>Addictive Behaviors</i> , <b>2010</b> , 35, 818-25   | 4.2               | 28  |
| 99  | Chronic physical conditions and their association with first onset of suicidal behavior in the world mental health surveys. <i>Psychosomatic Medicine</i> , <b>2010</b> , 72, 712-9  | 3.7               | 141 |
| 98  | Alcohol and drug use in suicidal behaviour. <i>Current Opinion in Psychiatry</i> , <b>2010</b> , 23, 195-204   | 4.9               | 95  |
| 97  | Childhood adversities as risk factors for onset and persistence of suicidal behaviour. <i>British Journal of Psychiatry</i> , <b>2010</b> , 197, 20-7  | 5.4               | 230 |
| 96  | Associations of serious mental illness with earnings: results from the WHO World Mental Health surveys. <i>British Journal of Psychiatry</i> , <b>2010</b> , 197, 114-21   | 5.4               | 102 |
| 95  | Chronic childhood adversity and onset of psychopathology during three life stages: childhood, adolescence and adulthood. <i>Journal of Psychiatric Research</i> , <b>2010</b> , 44, 732-40   | 5.2               | 151 |
| 94  | Service use among Mexico City adolescents with suicidality. <i>Journal of Affective Disorders</i> , <b>2010</b> , 120, 32-9  | 6.6               | 16  |
| 93  | Psychiatric disorders, comorbidity, and suicidality in Mexico. <i>Journal of Affective Disorders</i> , <b>2010</b> , 124, 98-107   | 6.6               | 31  |
| 92  | The relationship between self-reported drinking and BAC level in emergency room injury cases: is it a straight line?. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2010</b> , 34, 1118-25                                  | 3.7               | 21  |
| 91  | DRINKING PATTERNS AND DSM-IV ALCOHOL USE DISORDERS CRITERIA IN ARGENTINEAN EMERGENCY DEPARTMENT PATIENTS <b>2010</b> , 6, 209-220  |                   | 3   |
| 90  | Immigration to the USA and risk for mood and anxiety disorders: variation by origin and age at immigration. <i>Psychological Medicine</i> , <b>2009</b> , 39, 1117-27  | 6.9               | 111 |
| 89  | Cross-national analysis of the associations among mental disorders and suicidal behavior: findings from the WHO World Mental Health Surveys. <i>PLoS Medicine</i> , <b>2009</b> , 6, e1000123  | 11.6              | 482 |
| 88  | 161 EXPRESSION OF EXTRACELLULAR-SIGNAL REGULATED KINASES IN MONOAMINERGIC BRAINSTEM NUCLEI OF NEUROPATHIC PAIN RATS SUBJECTED NOXIOUS STIMULATION AND ANTIDEPRESSANTS TREATMENT. <i>European Journal of Pain</i> , <b>2009</b> , 13, S56 | 3.7               |     |
| 87  | The Mexican migration to the United States and substance use in northern Mexico. <i>Addiction</i> , <b>2009</b> , 104, 603-11  | 4.6               | 37  |
| 86  | The association between smoking and subsequent suicide-related outcomes in the National Comorbidity Survey panel sample. <i>Molecular Psychiatry</i> , <b>2009</b> , 14, 1132-42   | 15.1              | 65  |
| 85  | Youth mental health in a populous city of the developing world: results from the Mexican Adolescent Mental Health Survey. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , <b>2009</b> , 50, 386-95            | 7.9               | 88  |
| 84  | Descriptive epidemiology of chronic childhood adversity in Mexican adolescents. <i>Journal of Adolescent Health</i> , <b>2009</b> , 45, 483-9  | 5.8               | 44  |

| 83 | Gender, acculturation, and other barriers to alcohol treatment utilization among Latinos in three National Alcohol Surveys. <i>Journal of Substance Abuse Treatment</i> , <b>2009</b> , 36, 446-56   | 4.2 | 87   |
|----|--|-----|------|
| 82 | Immigration and suicidal behavior among Mexicans and Mexican Americans. <i>American Journal of Public Health</i> , <b>2009</b> , 99, 728-33  | 5.1 | 47   |
| 81 | Mental disorders and termination of education in high-income and low- and middle-income countries: epidemiological study. <i>British Journal of Psychiatry</i> , <b>2009</b> , 194, 411-7  | 5.4 | 100  |
| 80 | Traumatic events and suicide-related outcomes among Mexico City adolescents. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , <b>2008</b> , 49, 654-66   | 7.9 | 45   |
| 79 | Risk factors for the incidence and persistence of suicide-related outcomes: a 10-year follow-up study using the National Comorbidity Surveys. <i>Journal of Affective Disorders</i> , <b>2008</b> , 105, 25-33   | 6.6 | 224  |
| 78 | Suicide and suicidal behavior. <i>Epidemiologic Reviews</i> , <b>2008</b> , 30, 133-54   | 4.1 | 1534 |
| 77 | The prevalence and effects of adult attention-deficit/hyperactivity disorder (ADHD) on the performance of workers: results from the WHO World Mental Health Survey Initiative. <i>Occupational and Environmental Medicine</i> , <b>2008</b> , 65, 835-42 | 2.1 | 212  |
| 76 | Cross-national prevalence and risk factors for suicidal ideation, plans and attempts. <i>British Journal of Psychiatry</i> , <b>2008</b> , 192, 98-105   | 5.4 | 1482 |
| 75 | Suicide ideation, plan, and attempt in the Mexican adolescent mental health survey. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , <b>2008</b> , 47, 41-52  | 7.2 | 73   |
| 74 | Treatment of mental disorders for adolescents in Mexico City. <i>Bulletin of the World Health Organization</i> , <b>2008</b> , 86, 757-64  | 8.2 | 16   |
| 73 | Alcohol and violence in the emergency department: a regional report from the WHO collaborative study on alcohol and injuries. <i>Salud Publica De Mexico</i> , <b>2008</b> , 50 Suppl 1, S6-11   | 1.7 | 16   |
| 72 | DSM-IV personality disorders in Mexico: results from a general population survey. <i>Revista Brasileira De Psiquiatria</i> , <b>2008</b> , 30, 227-34  | 2.6 | 10   |
| 71 | Traumatic life events and posttraumatic stress disorder among Mexican adolescents: results from a survey. <i>Salud Publica De Mexico</i> , <b>2008</b> , 50 Suppl 1, S29-37  | 1.7 | 12   |
| 70 | Descriptive Epidemiology of Depression in Latin America and Hispanics in the United States. <i>Issues in Childrenls and Familiesl Lives</i> , <b>2008</b> , 53-71  |     | 1    |
| 69 | Comorbidity: Depression and Substance Abuse. <i>Issues in Childrenls and Familiesl Lives</i> , <b>2008</b> , 73-91   |     | 4    |
| 68 | Comorbidity for alcohol use disorders and drug use in mexican-origin groups: comparison of data from national alcohol surveys in the U.S. And Mexico. <i>Substance Use and Misuse</i> , <b>2007</b> , 42, 1685-703                                       | 2.2 | 6    |
| 67 | Psychiatric disorders in Mexico: lifetime prevalence in a nationally representative sample. <i>British Journal of Psychiatry</i> , <b>2007</b> , 190, 521-8  | 5.4 | 80   |
| 66 | Smoking and suicidal behaviors in the National Comorbidity Survey: Replication. <i>Journal of Nervous and Mental Disease</i> , <b>2007</b> , 195, 369-77   | 1.8 | 55   |

### (2006-2007)

| 65 | Prevalence and socio-demographic correlates of drug use among adolescents: results from the Mexican Adolescent Mental Health Survey. <i>Addiction</i> , <b>2007</b> , 102, 1261-8  | 4.6  | 42  |
|----|--|------|-----|
| 64 | Mental disorders among adults with asthma: results from the World Mental Health Survey. <i>General Hospital Psychiatry</i> , <b>2007</b> , 29, 123-33  | 5.6  | 197 |
| 63 | Gender differences in the relationship between alcohol and violent injury: an analysis of cross-national emergency department data. <i>Journal of Studies on Alcohol and Drugs</i> , <b>2007</b> , 68, 824-33                              | 1.9  | 18  |
| 62 | Alcohol Use and Alcohol Use Disorders in Mexico. <i>Contemporary Drug Problems</i> , <b>2007</b> , 34, 389-410   | 1.3  | 4   |
| 61 | Validity of self-reported drinking before injury compared with a physiological measure: cross-national analysis of emergency-department data from 16 countries. <i>Journal of Studies on Alcohol and Drugs</i> , <b>2007</b> , 68, 296-302 | 1.9  | 32  |
| 60 | Delay of first treatment of mental and substance use disorders in Mexico. <i>American Journal of Public Health</i> , <b>2007</b> , 97, 1638-43   | 5.1  | 50  |
| 59 | The effect of migration to the United States on substance use disorders among returned Mexican migrants and families of migrants. <i>American Journal of Public Health</i> , <b>2007</b> , 97, 1847-51                                     | 5.1  | 62  |
| 58 | Risk for psychiatric disorder among immigrants and their US-born descendants: evidence from the National Comorbidity Survey Replication. <i>Journal of Nervous and Mental Disease</i> , <b>2007</b> , 195, 189-95                          | 1.8  | 135 |
| 57 | Mental disorders among English-speaking Mexican immigrants to the US compared to a national sample of Mexicans. <i>Psychiatry Research</i> , <b>2007</b> , 151, 115-22   | 9.9  | 52  |
| 56 | Drug use opportunities and the transition to drug use among adolescents from the Mexico City Metropolitan Area. <i>Drug and Alcohol Dependence</i> , <b>2007</b> , 90, 128-34  | 4.9  | 46  |
| 55 | Body mass index and the prevalence of metabolic syndrome among children and adolescents in two Mexican populations. <i>Journal of Adolescent Health</i> , <b>2007</b> , 40, 521-6  | 5.8  | 49  |
| 54 | Use of mental health services for anxiety, mood, and substance disorders in 17 countries in the WHO world mental health surveys. <i>Lancet, The</i> , <b>2007</b> , 370, 841-50  | 40   | 968 |
| 53 | The epidemiology of suicide-related outcomes in Mexico. <i>Suicide and Life-Threatening Behavior</i> , <b>2007</b> , 37, 627-40  | 3.9  | 23  |
| 52 | Delay and failure in treatment seeking after first onset of mental disorders in the World Health Organization@ World Mental Health Survey Initiative. <i>World Psychiatry</i> , <b>2007</b> , 6, 177-85                                    | 14.4 | 322 |
| 51 | Variations of alcohol impairment in different types, causes and contexts of injuries: results of emergency room studies from 16 countries. <i>Accident Analysis and Prevention</i> , <b>2006</b> , 38, 1107-12                             | 6.1  | 47  |
| 50 | Alcohol Use Disorders in National Samples of Mexicans and Mexican-Americans: The Mexican<br>National Addiction Survey and the U.S. National Alcohol Survey. <i>Hispanic Journal of Behavioral</i><br>Sciences, <b>2006</b> , 28, 425-449   | 0.7  | 17  |
| 49 | Multi-level analysis of causal attribution of injury to alcohol and modifying effects: Data from two international emergency room projects. <i>Drug and Alcohol Dependence</i> , <b>2006</b> , 82, 258-68                                  | 4.9  | 32  |
| 48 | Treatment and adequacy of treatment of mental disorders among respondents to the Mexico National Comorbidity Survey. <i>American Journal of Psychiatry</i> , <b>2006</b> , 163, 1371-8   | 11.9 | 37  |

| 47 | A risk index for 12-month suicide attempts in the National Comorbidity Survey Replication (NCS-R). <i>Psychological Medicine</i> , <b>2006</b> , 36, 1747-57   | 6.9              | 176  |
|----|--|------------------|------|
| 46 | Acute alcohol use and the risk of non-fatal injury in sixteen countries. <i>Addiction</i> , <b>2006</b> , 101, 993-1002  | 4.6              | 54   |
| 45 | Prevalence and correlates of drug use disorders in Mexico. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , <b>2006</b> , 19, 265-76   | 4.1              | 32   |
| 44 | Multicentre study of acute alcohol use and non-fatal injuries: data from the WHO collaborative study on alcohol and injuries. <i>Bulletin of the World Health Organization</i> , <b>2006</b> , 84, 453-60                    | 8.2              | 90   |
| 43 | Early alcohol or tobacco onset and transition to other drug use among students in the state of Morelos, Mexico. <i>Drug and Alcohol Dependence</i> , <b>2005</b> , 77, 93-6  | 4.9              | 29   |
| 42 | The criteria for causation of alcohol in violent injuries based on emergency room data from six countries. <i>Addictive Behaviors</i> , <b>2005</b> , 30, 103-13   | 4.2              | 82   |
| 41 | Cross-national performance of the RAPS4/RAPS4-QF for tolerance and heavy drinking: data from 13 countries. <i>Journal of Studies on Alcohol and Drugs</i> , <b>2005</b> , 66, 428-32   |                  | 31   |
| 40 | Prevalence, service use, and demographic correlates of 12-month DSM-IV psychiatric disorders in Mexico: results from the Mexican National Comorbidity Survey. <i>Psychological Medicine</i> , <b>2005</b> , 35, 1773-        | 83 <sup>.9</sup> | 131  |
| 39 | Central neurocytoma: report of two cases. <i>Arquivos De Neuro-Psiquiatria</i> , <b>2005</b> , 63, 1084-9  | 1.6              | 2    |
| 38 | A case-control study of alcohol and substance use disorders as risk factors for non-fatal injury. <i>Alcohol and Alcoholism</i> , <b>2005</b> , 40, 257-62   | 3.5              | 17   |
| 37 | Trends in suicide ideation, plans, gestures, and attempts in the United States, 1990-1992 to 2001-2003. <i>JAMA - Journal of the American Medical Association</i> , <b>2005</b> , 293, 2487-95                               | 27.4             | 712  |
| 36 | Emergency room injury presentations as an indicator of alcohol-related problems in the community: a multilevel analysis of an international study. <i>Journal of Studies on Alcohol and Drugs</i> , <b>2004</b> , 65, 605-12 |                  | 36   |
| 35 | Episodic alcohol use and risk of nonfatal injury. American Journal of Epidemiology, 2004, 159, 565-71  | 3.8              | 35   |
| 34 | Prevalence, severity, and unmet need for treatment of mental disorders in the World Health Organization World Mental Health Surveys. <i>JAMA - Journal of the American Medical Association</i> , <b>2004</b> , 291, 2581-90  | 27.4             | 2063 |
| 33 | Risk of injury after alcohol consumption: a case-crossover study in the emergency department. <i>Social Science and Medicine</i> , <b>2004</b> , 58, 1191-200  | 5.1              | 72   |
| 32 | Violence related injuries in the emergency room: alcohol, depression, and conduct problems. <i>Substance Use and Misuse</i> , <b>2004</b> , 39, 911-30   | 2.2              | 23   |
| 31 | Screening for drug use disorders in the emergency department: performance of the rapid drug problems screen (RDPS). <i>Drug and Alcohol Dependence</i> , <b>2004</b> , 74, 171-5   | 4.9              | 20   |
| 30 | A case-crossover study of acute alcohol use and suicide attempt. <i>Journal of Studies on Alcohol and Drugs</i> , <b>2004</b> , 65, 708-14   |                  | 35   |

| 29 | Alcohol-related injury in the ER: a cross-national meta-analysis from the Emergency Room Collaborative Alcohol Analysis Project (ERCAAP). <i>Journal of Studies on Alcohol and Drugs</i> , <b>2003</b> , 64, 641-9                         | )                               | 50              |
|----|--|---------------------------------|-----------------|
| 28 | The risk of intentional injury with acute and chronic alcohol exposures: a case-control and case-crossover study. <i>Journal of Studies on Alcohol and Drugs</i> , <b>2003</b> , 64, 350-7   |                                 | 35              |
| 27 | A cross-national meta-analysis of alcohol and injury: data from the Emergency Room Collaborative Alcohol Analysis Project (ERCAAP). <i>Addiction</i> , <b>2003</b> , 98, 1277-86   | 4.6                             | 93              |
| 26 | The causal attribution of injury to alcohol consumption: a cross-national meta-analysis from the emergency room collaborative alcohol analysis project. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2003</b> , 27, 1805-12  | 3.7                             | 21              |
| 25 | Drinking in the injury event: a comparison of Mexican-American male ER patients in the United States and in Mexico. <i>Substance Use and Misuse</i> , <b>2002</b> , 37, 133-43   | 2.2                             | 3               |
| 24 | Substance use among emergency room patients: an exploratory analysis by ethnicity and acculturation. <i>American Journal of Drug and Alcohol Abuse</i> , <b>2002</b> , 28, 287-305   | 3.7                             | 31              |
| 23 | PSYCHOMETRIC PROPERTIES AND CONSTRUCT VALIDITY OF A SPANISH LANGUAGE SCALE FOR SCREENING ANTISOCIAL PERSONALITY. <i>Social Behavior and Personality</i> , <b>2002</b> , 30, 223-234  | 1.2                             | 3               |
| 22 | Prevalence and age of onset for drug use in seven international sites: results from the international consortium of psychiatric epidemiology. <i>Drug and Alcohol Dependence</i> , <b>2002</b> , 68, 285-97                                | 4.9                             | 181             |
| 21 | Selection of screening items for alcohol abuse and alcohol dependence among Mexicans and Mexican Americans in the emergency department. <i>Journal of Studies on Alcohol and Drugs</i> , <b>2001</b> , 62, 277-85                          |                                 | 14              |
| 20 | A Comparison of Substance Use and Injury Among Mexican American Emergency Room Patients in the United States and Mexicans in Mexico. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2001</b> , 25, 1174                        | <sup>3</sup> 1 <sup>7</sup> 180 | ) <sup>19</sup> |
| 19 | Screening for Alcohol Problems: A Comparison of Instrument Performance Between the Er and the General Population Among Mexican Americans in the U.S. And Mexicans in Mexico. <i>Addiction Research and Theory</i> , <b>2001</b> , 9, 59-72 | 2.6                             | 0               |
| 18 | Parental Involvement, Needs and Drug-Related Service Utilization Among Mexican Middle and High School Students. <i>Journal of Family Social Work</i> , <b>2001</b> , 6, 79-95  | 1.1                             |                 |
| 17 | The measurement of drinking patterns and consequences in Mexico. <i>Journal of Substance Abuse</i> , <b>2000</b> , 12, 183-96  |                                 | 25              |
| 16 | Suicide attempts in a sample of patients from a general hospital. <i>Archives of Medical Research</i> , <b>2000</b> , 31, 366-72   | 6.6                             | 14              |
| 15 | Associations of substance use, abuse, and dependence with subsequent suicidal behavior. <i>American Journal of Epidemiology</i> , <b>2000</b> , 151, 781-9   | 3.8                             | 298             |
| 14 | Performance of screening instruments for alcohol problems in the ER: a comparison of Mexican-Americans and Mexicans in Mexico. <i>American Journal of Drug and Alcohol Abuse</i> , <b>2000</b> , 26, 683-7                                 | <sup>2</sup> 02                 | 23              |
| 13 | Screening instruments for alcohol problems: a comparison of cut points between Mexican American and Mexican patients in the emergency room. <i>Substance Use and Misuse</i> , <b>2000</b> , 35, 1419-30                                    | 2.2                             | 13              |
| 12 | Prevalence of and risk factors for lifetime suicide attempts in the National Comorbidity Survey.  Archives of General Psychiatry, 1999, 56, 617-26   |                                 | 1779            |

| 11 | Alcohol Consumption in Emergency Room Patients and the General Population: A Population-Based Study. <i>Alcoholism: Clinical and Experimental Research</i> , <b>1998</b> , 22, 1986-1991            | 3.7 | 23  |
|----|---|-----|-----|
| 10 | Male drinking and violence-related injury in the emergency room. <i>Addiction</i> , <b>1998</b> , 93, 103-12  | 4.6 | 35  |
| 9  | Comorbidity of substance use disorders with mood and anxiety disorders: results of the International Consortium in Psychiatric Epidemiology. <i>Addictive Behaviors</i> , <b>1998</b> , 23, 893-907 | 4.2 | 578 |
| 8  | Alcohol Consumption in Emergency Room Patients and the General Population. <i>Alcoholism: Clinical and Experimental Research</i> , <b>1998</b> , 22, 1986   | 3.7 | 2   |
| 7  | Alcohol consumption in emergency room patients and the general population: a population-based study. <i>Alcoholism: Clinical and Experimental Research</i> , <b>1998</b> , 22, 1986-91              | 3.7 | 20  |
| 6  | Suicide attempts and alcohol consumption in an emergency room sample. <i>Journal of Studies on Alcohol and Drugs</i> , <b>1996</b> , 57, 543-8  |     | 59  |
| 5  | Methodological issues relevant to epidemiologic investigations of suicidal behaviors of adolescents. <i>Epidemiologic Reviews</i> , <b>1995</b> , 17, 228-39  | 4.1 | 17  |
| 4  | Casualties in Acapulco: results of a study on alcohol use and emergency room care. <i>Drug and Alcohol Dependence</i> , <b>1994</b> , 36, 1-7   | 4.9 | 17  |
| 3  | Alcohol consumption, low birth weight, and preterm delivery in the National Addiction Survey (Mexico). <i>Substance Use and Misuse</i> , <b>1993</b> , 28, 355-68                                   |     | 17  |
| 2  | Parental alcohol consumption and postneonatal mortality. <i>Journal of Community and Applied Social Psychology</i> , <b>1993</b> , 3, 17-27   | 2.8 | 1   |

Epidemiology of Migration Substance Use Disorder in Latin American Populations and Migration to the United States595-615