Guilherme Borges

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3960853/publications.pdf

Version: 2024-02-01

266 papers 66,238 citations

70 h-index

11608

246 g-index

279 all docs

279 docs citations

times ranked

279

73829 citing authors

| # | Article | IF | CITATIONS |
|----------------------|---|--------------------------|--------------------------------|
| 1 | A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, $1990 = 1000$ a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2224-2260. | 6.3 | 9,397 |
| 2 | Global burden of 369 diseases and injuries in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1204-1222. | 6.3 | 7,664 |
| 3 | Global, regional, and national age–sex specific all-cause and cause-specific mortality for 240 causes of death, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 385, 117-171. | 6.3 | 5,847 |
| 4 | Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 743-800. | 6.3 | 4,951 |
| 5 | Global burden of 87 risk factors in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1223-1249. | 6.3 | 3,928 |
| 6 | Prevalence, Severity, and Unmet Need for Treatment of Mental Disorders in the World Health Organization World Mental Health Surveys. JAMA - Journal of the American Medical Association, 2004, 291, 2581. | 3.8 | 2,696 |
| 7 | Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 2287-2323. | 6.3 | 2,184 |
| 8 | Prevalence of and Risk Factors for Lifetime Suicide Attempts in the National Comorbidity Survey. Archives of General Psychiatry, 1999, 56, 617. | 13.8 | 2,115 |
| 9 | Alcohol use and burden for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2018, 392, 1015-1035. | 6.3 | 2,005 |
| | | | |
| 10 | Cross-national prevalence and risk factors for suicidal ideation, plans and attempts. British Journal of Psychiatry, 2008, 192, 98-105. | 1.7 | 1,993 |
| 10 | Cross-national prevalence and risk factors for suicidal ideation, plans and attempts. British Journal | 1.7 | 1,993 1,947 |
| | Cross-national prevalence and risk factors for suicidal ideation, plans and attempts. British Journal of Psychiatry, 2008, 192, 98-105. | | |
| 11 | Cross-national prevalence and risk factors for suicidal ideation, plans and attempts. British Journal of Psychiatry, 2008, 192, 98-105. Suicide and Suicidal Behavior. Epidemiologic Reviews, 2008, 30, 133-154. Use of mental health services for anxiety, mood, and substance disorders in 17 countries in the WHO | 1.3 | 1,947 |
| 11 12 | Cross-national prevalence and risk factors for suicidal ideation, plans and attempts. British Journal of Psychiatry, 2008, 192, 98-105. Suicide and Suicidal Behavior. Epidemiologic Reviews, 2008, 30, 133-154. Use of mental health services for anxiety, mood, and substance disorders in 17 countries in the WHO world mental health surveys. Lancet, The, 2007, 370, 841-850. DSM-5 Criteria for Substance Use Disorders: Recommendations and Rationale. American Journal of | 1.3 6.3 | 1,947 |
| 11 12 13 | Cross-national prevalence and risk factors for suicidal ideation, plans and attempts. British Journal of Psychiatry, 2008, 192, 98-105. Suicide and Suicidal Behavior. Epidemiologic Reviews, 2008, 30, 133-154. Use of mental health services for anxiety, mood, and substance disorders in 17 countries in the WHO world mental health surveys. Lancet, The, 2007, 370, 841-850. DSM-5 Criteria for Substance Use Disorders: Recommendations and Rationale. American Journal of Psychiatry, 2013, 170, 834-851. Trends in Suicide Ideation, Plans, Gestures, and Attempts in the United States, 1990-1992 to 2001-2003. | 1.3 6.3 4.0 | 1,947 1,271 1,113 |
| 11 12 13 | Cross-national prevalence and risk factors for suicidal ideation, plans and attempts. British Journal of Psychiatry, 2008, 192, 98-105. Suicide and Suicidal Behavior. Epidemiologic Reviews, 2008, 30, 133-154. Use of mental health services for anxiety, mood, and substance disorders in 17 countries in the WHO world mental health surveys. Lancet, The, 2007, 370, 841-850. DSM-5 Criteria for Substance Use Disorders: Recommendations and Rationale. American Journal of Psychiatry, 2013, 170, 834-851. Trends in Suicide Ideation, Plans, Gestures, and Attempts in the United States, 1990-1992 to 2001-2003. JAMA - Journal of the American Medical Association, 2005, 293, 2487. Barriers to mental health treatment: results from the WHO World Mental Health surveys. | 1.3 6.3 4.0 3.8 | 1,947 1,271 1,113 876 |
| 11 12 13 14 | Cross-national prevalence and risk factors for suicidal ideation, plans and attempts. British Journal of Psychiatry, 2008, 192, 98-105. Suicide and Suicidal Behavior. Epidemiologic Reviews, 2008, 30, 133-154. Use of mental health services for anxiety, mood, and substance disorders in 17 countries in the WHO world mental health surveys. Lancet, The, 2007, 370, 841-850. DSM-5 Criteria for Substance Use Disorders: Recommendations and Rationale. American Journal of Psychiatry, 2013, 170, 834-851. Trends in Suicide Ideation, Plans, Gestures, and Attempts in the United States, 1990-1992 to 2001-2003. JAMA - Journal of the American Medical Association, 2005, 293, 2487. Barriers to mental health treatment: results from the WHO World Mental Health surveys. Psychological Medicine, 2014, 44, 1303-1317. An international consensus for assessing internet gaming disorder using the new <scp>DSM</scp> â€5 | 1.3 6.3 4.0 3.8 | 1,947 1,271 1,113 876 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Cross-National Analysis of the Associations among Mental Disorders and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. PLoS Medicine, 2009, 6, e1000123. | 3.9 | 592 |
| 20 | Twelve-Month Prevalence of and Risk Factors for Suicide Attempts in the World Health Organization World Mental Health Surveys. Journal of Clinical Psychiatry, 2010, 71, 1617-1628. | 1.1 | 566 |
| 21 | The descriptive epidemiology of DSM-IV Adult ADHD in the World Health Organization World Mental Health Surveys. ADHD Attention Deficit and Hyperactivity Disorders, 2017, 9, 47-65. | 1.7 | 507 |
| 22 | The more you drink, the harder you fall: A systematic review and meta-analysis of how acute alcohol consumption and injury or collision risk increase together. Drug and Alcohol Dependence, 2010, 110, 108-116. | 1.6 | 366 |
| 23 | Delay and failure in treatment seeking after first onset of mental disorders in the World Health Organization's World Mental Health Survey Initiative. World Psychiatry, 2007, 6, 177-85. | 4.8 | 351 |
| 24 | Associations of Substance Use, Abuse, and Dependence with Subsequent Suicidal Behavior. American Journal of Epidemiology, 2000, 151, 781-789. | 1.6 | 341 |
| 25 | Treatment of suicidal people around the world. British Journal of Psychiatry, 2011, 199, 64-70. | 1.7 | 289 |
| 26 | Childhood adversities as risk factors for onset and persistence of suicidal behaviour. British Journal of Psychiatry, 2010, 197, 20-27. | 1.7 | 278 |
| 27 | Cross-sectional Comparison of the Epidemiology of <i>DSM-5</i> Generalized Anxiety Disorder Across the Globe. JAMA Psychiatry, 2017, 74, 465. | 6.0 | 274 |
| 28 | Socio-economic variations in the mental health treatment gap for people with anxiety, mood, and substance use disorders: results from the WHO World Mental Health (WMH) surveys. Psychological Medicine, 2018, 48, 1560-1571. | 2.7 | 274 |
| 29 | Cross-National Analysis of the Associations between Traumatic Events and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. PLoS ONE, 2010, 5, e10574. | 1.1 | 273 |
| 30 | Risk factors for the incidence and persistence of suicide-related outcomes: A 10-year follow-up study using the National Comorbidity Surveys. Journal of Affective Disorders, 2008, 105, 25-33. | 2.0 | 267 |
| 31 | The prevalence and effects of adult attention-deficit/hyperactivity disorder (ADHD) on the performance of workers: results from the WHO World Mental Health Survey Initiative. Occupational and Environmental Medicine, 2008, 65, 835-842. | 1.3 | 262 |
| 32 | Mental disorders among adults with asthma: results from the World Mental Health Survey. General Hospital Psychiatry, 2007, 29, 123-133. | 1.2 | 251 |
| 33 | Dissociation in Posttraumatic Stress Disorder: Evidence from the World Mental Health Surveys. Biological Psychiatry, 2013, 73, 302-312. | 0.7 | 251 |
| 34 | Including gaming disorder in the ICD-11: The need to do so from a clinical and public health perspective. Journal of Behavioral Addictions, 2018, 7, 556-561. | 1.9 | 214 |
| 35 | A risk index for 12-month suicide attempts in the National Comorbidity Survey Replication (NCS-R). Psychological Medicine, 2006, 36, 1747-1757. | 2.7 | 207 |
| 36 | A meta-analysis of acute use of alcohol and the risk of suicide attempt. Psychological Medicine, 2017, 47, 949-957. | 2.7 | 207 |

3

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Suicidal Thoughts and Behaviors Among First-Year College Students: Results From the WMH-ICS Project. Journal of the American Academy of Child and Adolescent Psychiatry, 2018, 57, 263-273.e1. | 0.3 | 203 |
| 38 | Prevalence and age of onset for drug use in seven international sites: results from the international consortium of psychiatric epidemiology. Drug and Alcohol Dependence, 2002, 68, 285-297. | 1.6 | 200 |
| 39 | Subthreshold Posttraumatic Stress Disorder in the World Health Organization World Mental Health Surveys. Biological Psychiatry, 2015, 77, 375-384. | 0.7 | 197 |
| 40 | Chronic childhood adversity and onset of psychopathology during three life stages: Childhood, adolescence and adulthood. Journal of Psychiatric Research, 2010, 44, 732-740. | 1.5 | 189 |
| 41 | Global Mortality From Firearms, 1990-2016. JAMA - Journal of the American Medical Association, 2018, 320, 792. | 3.8 | 189 |
| 42 | Association of <i>DSM-IV</i> Posttraumatic Stress Disorder With Traumatic Experience Type and History in the World Health Organization World Mental Health Surveys. JAMA Psychiatry, 2017, 74, 270. | 6.0 | 179 |
| 43 | Chronic Physical Conditions and Their Association With First Onset of Suicidal Behavior in the World Mental Health Surveys. Psychosomatic Medicine, 2010, 72, 712-719. | 1.3 | 178 |
| 44 | Risk for Psychiatric Disorder Among Immigrants and Their US-Born Descendants. Journal of Nervous and Mental Disease, 2007, 195, 189-195. | 0.5 | 165 |
| 45 | DSM-5 AND ICD-11 DEFINITIONS OF POSTTRAUMATIC STRESS DISORDER: INVESTIGATING "NARROW―AND "BROAD―APPROACHES. Depression and Anxiety, 2014, 31, 494-505. | 2.0 | 161 |
| 46 | Prevalence, service use, and demographic correlates of 12-month DSM-IV psychiatric disorders in Mexico: results from the Mexican National Comorbidity Survey. Psychological Medicine, 2005, 35, 1773-1783. | 2.7 | 159 |
| 47 | Associations of serious mental illness with earnings: results from the WHO World Mental Health surveys. British Journal of Psychiatry, 2010, 197, 114-121. | 1.7 | 156 |
| 48 | A literature review and meta-analyses of cannabis use and suicidality. Journal of Affective Disorders, 2016, 195, 63-74. | 2.0 | 150 |
| 49 | Cross-national epidemiology of panic disorder and panic attacks in the world mental health surveys. Depression and Anxiety, 2016, 33, 1155-1177. | 2.0 | 144 |
| 50 | Immigration to the USA and risk for mood and anxiety disorders: variation by origin and age at immigration. Psychological Medicine, 2009, 39, 1117. | 2.7 | 139 |
| 51 | Dissonant health transition in the states of Mexico, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2016, 388, 2386-2402. | 6.3 | 130 |
| 52 | Mental disorders and termination of education in high-income and low- and middle-income countries: epidemiological study. British Journal of Psychiatry, 2009, 194, 411-417. | 1.7 | 129 |
| 53 | Youth mental health in a populous city of the developing world: results from the Mexican Adolescent Mental Health Survey. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2009, 50, 386-395. | 3.1 | 123 |
| 54 | Childhood adversities and post-traumatic stress disorder: evidence for stress sensitisation in the World Mental Health Surveys. British Journal of Psychiatry, 2017, 211, 280-288. | 1.7 | 118 |

| # | Article | IF | CITATIONS |
|----|--|------|------------|
| 55 | An Overview of and Rationale for Changes Proposed for Pathological Gambling in DSM-5. Journal of Gambling Studies, 2014, 30, 493-502. | 1.1 | 117 |
| 56 | A cross-national meta-analysis of alcohol and injury: data from the Emergency Room Collaborative Alcohol Analysis Project (ERCAAP). Addiction, 2003, 98, 1277-1286. | 1.7 | 116 |
| 57 | Alcohol and drug use in suicidal behaviour. Current Opinion in Psychiatry, 2010, 23, 195-204. | 3.1 | 115 |
| 58 | Multicentre study of acute alcohol use and non-fatal injuries: data from the WHO collaborative study on alcohol and injuries. Bulletin of the World Health Organization, 2006, 84, 453-460. | 1.5 | 109 |
| 59 | Global injury morbidity and mortality from 1990 to 2017: results from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i96-i114. | 1.2 | 103 |
| 60 | Psychiatric disorders in Mexico: Lifetime prevalence in a nationally representative sample. British Journal of Psychiatry, 2007, 190, 521-528. | 1.7 | 102 |
| 61 | Associations Between Subjective Social Status and <i>DSM-IV</i> Mental Disorders. JAMA Psychiatry, 2014, 71, 1400. | 6.0 | 101 |
| 62 | Gender, acculturation, and other barriers to alcohol treatment utilization among Latinos in three National Alcohol Surveys. Journal of Substance Abuse Treatment, 2009, 36, 446-456. | 1.5 | 97 |
| 63 | Age of Onset and Lifetime Projected Risk of Psychotic Experiences: Cross-National Data From the World Mental Health Survey. Schizophrenia Bulletin, 2016, 42, 933-941. | 2.3 | 94 |
| 64 | Suicide Ideation, Plan, and Attempt in the Mexican Adolescent Mental Health Survey. Journal of the American Academy of Child and Adolescent Psychiatry, 2008, 47, 41-52. | 0.3 | 93 |
| 65 | The criteria for causation of alcohol in violent injuries based on emergency room data from six countries. Addictive Behaviors, 2005, 30, 103-113. | 1.7 | 92 |
| 66 | Migration from Mexico to the United States and Subsequent Risk for Depressive and Anxiety Disorders. Archives of General Psychiatry, 2011, 68, 428. | 13.8 | 88 |
| 67 | Risk of injury after alcohol consumption: a case-crossover study in the emergency department. Social Science and Medicine, 2004, 58, 1191-1200. | 1.8 | 86 |
| 68 | Equity in the delivery of community healthcare to older people: findings from 10/66 Dementia Research Group cross-sectional surveys in Latin America, China, India and Nigeria. BMC Health Services Research, 2011, 11, 153. | 0.9 | 80 |
| 69 | The dimensionality of alcohol use disorders and alcohol consumption in a crossâ€national perspective. Addiction, 2010, 105, 240-254. | 1.7 | 78 |
| 70 | The Effect of Migration to the United States on Substance Use Disorders Among Returned Mexican Migrants and Families of Migrants. American Journal of Public Health, 2007, 97, 1847-1851. | 1.5 | 75 |
| 71 | Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors. JAMA Psychiatry, 2017, 74, 1136. | 6.0 | 7 5 |
| 72 | Youth who neither study nor work: mental health, education and employment. Salud Publica De Mexico, 2012, 54, 410-417. | 0.1 | 75 |

| # | Article | IF | CITATIONS |
|----|--|-----|------------|
| 73 | La carga de enfermedad, lesiones, factores de riesgo y desafÃos para el sistema de salud en México. Salud Publica De Mexico, 2013, 55, 580. | 0.1 | 7 5 |
| 74 | Parental psychopathology and the risk of suicidal behavior in their offspring: results from the World Mental Health surveys. Molecular Psychiatry, 2011, 16, 1221-1233. | 4.1 | 74 |
| 75 | A cross-national study on Mexico-US migration, substance use and substance use disorders. Drug and Alcohol Dependence, 2011, 117, 16-23. | 1.6 | 73 |
| 76 | Suicide attempts and alcohol consumption in an emergency room sample Journal of Studies on Alcohol and Drugs, 1996, 57, 543-548. | 2.4 | 72 |
| 77 | The association between smoking and subsequent suicide-related outcomes in the National Comorbidity Survey panel sample. Molecular Psychiatry, 2009, 14, 1132-1142. | 4.1 | 70 |
| 78 | Relative risk of injury from acute alcohol consumption: modeling the dose–response relationship in emergency department data from 18 countries. Addiction, 2015, 110, 279-288. | 1.7 | 68 |
| 79 | Alcohol, cannabis and other drugs and subsequent suicide ideation and attempt among young Mexicans. Journal of Psychiatric Research, 2017, 91, 74-82. | 1.5 | 67 |
| 80 | Body Mass Index and the Prevalence of Metabolic Syndrome among Children and Adolescents in Two Mexican Populations. Journal of Adolescent Health, 2007, 40, 521-526. | 1.2 | 64 |
| 81 | Suicidality, ethnicity and immigration in the USA. Psychological Medicine, 2012, 42, 1175-1184. | 2.7 | 62 |
| 82 | Acute alcohol use and the risk of non-fatal injury in sixteen countries. Addiction, 2006, 101, 993-1002. | 1.7 | 61 |
| 83 | Delay of First Treatment of Mental and Substance Use Disorders in Mexico. American Journal of Public Health, 2007, 97, 1638-1643. | 1.5 | 61 |
| 84 | Immigration and Suicidal Behavior Among Mexicans and Mexican Americans. American Journal of Public Health, 2009, 99, 728-733. | 1.5 | 61 |
| 85 | Mental disorders among English-speaking Mexican immigrants to the US compared to a national sample of Mexicans. Psychiatry Research, 2007, 151, 115-122. | 1.7 | 60 |
| 86 | Alcohol-related injury in the ER: a cross-national meta-analysis from the Emergency Room Collaborative Alcohol Analysis Project (ERCAAP) Journal of Studies on Alcohol and Drugs, 2003, 64, 641-649. | 2.4 | 58 |
| 87 | Smoking and Suicidal Behaviors in the National Comorbidity Survey: Replication. Journal of Nervous and Mental Disease, 2007, 195, 369-377. | 0.5 | 58 |
| 88 | Association between mental disorders and subsequent adult onset asthma. Journal of Psychiatric Research, 2014, 59, 179-188. | 1.5 | 58 |
| 89 | Exposure to alcohol, drugs and tobacco and the risk of subsequent suicidality: Findings from the Mexican Adolescent Mental Health Survey. Drug and Alcohol Dependence, 2011, 113, 110-117. | 1.6 | 57 |
| 90 | Traumatic events and suicide-related outcomes among Mexico City adolescents. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2008, 49, 654-666. | 3.1 | 56 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Descriptive Epidemiology of Chronic Childhood Adversity in Mexican Adolescents. Journal of Adolescent Health, 2009, 45, 483-489. | 1.2 | 53 |
| 92 | The associations of earlier trauma exposures and history of mental disorders with PTSD after subsequent traumas. Molecular Psychiatry, 2018, 23, 1892-1899. | 4.1 | 52 |
| 93 | Eight-year incidence of psychiatric disorders and service use from adolescence to early adulthood: longitudinal follow-up of the Mexican Adolescent Mental Health Survey. European Child and Adolescent Psychiatry, 2016, 25, 163-173. | 2.8 | 51 |
| 94 | Variations of alcohol impairment in different types, causes and contexts of injuries: Results of emergency room studies from 16 countries. Accident Analysis and Prevention, 2006, 38, 1107-1112. | 3.0 | 50 |
| 95 | Drug use opportunities and the transition to drug use among adolescents from the Mexico City Metropolitan Area. Drug and Alcohol Dependence, 2007, 90, 128-134. | 1.6 | 49 |
| 96 | Prevalence and socioâ€demographic correlates of drug use among adolescents: results from the Mexican Adolescent Mental Health Survey. Addiction, 2007, 102, 1261-1268. | 1.7 | 49 |
| 97 | Multiâ€level analysis of alcoholâ€related injury and drinking pattern: emergency department data from 19 countries* ^{â€} . Addiction, 2012, 107, 1263-1272. | 1.7 | 49 |
| 98 | RESEARCH REPORT Male drinking and violence-related injury in the emergency room. Addiction, 1998, 93, 103-112. | 1.7 | 47 |
| 99 | The risk of intentional injury with acute and chronic alcohol exposures: a case-control and case-crossover study Journal of Studies on Alcohol and Drugs, 2003, 64, 350-357. | 2.4 | 46 |
| 100 | Episodic Alcohol Use and Risk of Nonfatal Injury. American Journal of Epidemiology, 2004, 159, 565-571. | 1.6 | 46 |
| 101 | Treatment and Adequacy of Treatment of Mental Disorders Among Respondents to the Mexico National Comorbidity Survey. American Journal of Psychiatry, 2006, 163, 1371-1378. | 4.0 | 46 |
| 102 | Performance of a Craving Criterion in DSM Alcohol Use Disorders*. Journal of Studies on Alcohol and Drugs, 2010, 71, 674-684. | 0.6 | 46 |
| 103 | Mexican migration experiences to the US and risk for anxiety and depressive symptoms. Journal of Affective Disorders, 2011, 130, 83-91. | 2.0 | 46 |
| 104 | Emergency room injury presentations as an indicator of alcohol-related problems in the community: a multilevel analysis of an international study Journal of Studies on Alcohol and Drugs, 2004, 65, 605-612. | 2.4 | 45 |
| 105 | Prevalence and correlates of drug use disorders in Mexico. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2006, 19, 265-76. | 0.6 | 45 |
| 106 | The Mexican migration to the United States and substance use in northern Mexico. Addiction, 2009, 104, 603-611. | 1.7 | 44 |
| 107 | Attribution of Alcohol to Violence-Related Injury: Self and Other's Drinking in the Event. Journal of Studies on Alcohol and Drugs, 2012, 73, 277-284. | 0.6 | 44 |
| 108 | Non-suicidal self-injury in Mexican young adults: Prevalence, associations with suicidal behavior and psychiatric disorders, and DSM-5 proposed diagnostic criteria. Journal of Affective Disorders, 2017, 215, 1-8. | 2.0 | 44 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. Injury Prevention, 2020, 26, i125-i153. | 1.2 | 44 |
| 110 | Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i12-i26. | 1,2 | 44 |
| 111 | A case-crossover study of acute alcohol use and suicide attempt Journal of Studies on Alcohol and Drugs, 2004, 65, 708-714. | 2.4 | 43 |
| 112 | Acute Substance Use as a Warning Sign for Suicide Attempts. Journal of Clinical Psychiatry, 2017, 78, 691-696. | 1.1 | 41 |
| 113 | Cross-national performance of the RAPS4/RAPS4-QF for tolerance and heavy drinking: data from 13 countries Journal of Studies on Alcohol and Drugs, 2005, 66, 428-432. | 2.4 | 40 |
| 114 | Chronic childhood adversity and stages of substance use involvement in adolescents. Drug and Alcohol Dependence, 2013, 131, 85-91. | 1.6 | 40 |
| 115 | Alcohol Attributable Fraction for Injury Morbidity from the Doseâ€Response Relationship of Acute Alcohol Consumption: Emergency Department Data from 18 Countries. Addiction, 2015, 110, 1724-1732. | 1.7 | 40 |
| 116 | Multi-level analysis of causal attribution of injury to alcohol and modifying effects: Data from two international emergency room projects. Drug and Alcohol Dependence, 2006, 82, 258-268. | 1.6 | 39 |
| 117 | Validity of Self-Reported Drinking Before Injury Compared With a Physiological Measure: Cross-National Analysis of Emergency-Department Data From 16 Countries*. Journal of Studies on Alcohol and Drugs, 2007, 68, 296-302. | 0.6 | 39 |
| 118 | Psychometric properties of alcohol screening tests in the emergency department in Argentina, Mexico and the United States. Addictive Behaviors, 2010, 35, 818-825. | 1.7 | 38 |
| 119 | Migration From Mexico to the United States and Conduct Disorder. Archives of General Psychiatry, 2011, 68, 1284. | 13.8 | 38 |
| 120 | Psychiatric disorders, comorbidity, and suicidality in Mexico. Journal of Affective Disorders, 2010, 124, 98-107. | 2.0 | 37 |
| 121 | Association between Dietary Patterns and Insulin Resistance in Mexican Children and Adolescents. Annals of Nutrition and Metabolism, 2012, 61, 142-150. | 1.0 | 37 |
| 122 | NEET adolescents grown up: eight-year longitudinal follow-up of education, employment and mental health from adolescence to early adulthood in Mexico City. European Child and Adolescent Psychiatry, 2017, 26, 1459-1469. | 2.8 | 37 |
| 123 | Epidemiological Challenges in the Study of Behavioral Addictions: a Call for High Standard Methodologies. Current Addiction Reports, 2019, 6, 331-337. | 1.6 | 37 |
| 124 | A Comparison of Substance Use and Injury Among Mexican American Emergency Room Patients in the United States and Mexicans in Mexico. Alcoholism: Clinical and Experimental Research, 2001, 25, 1174-1180. | 1.4 | 36 |
| 125 | Depression, gender, and the treatment gap in Mexico. Journal of Affective Disorders, 2012, 138, 165-169. | 2.0 | 36 |
| 126 | Substance use among emergency room patients: an exploratory analysis by ethnicity and acculturation. American Journal of Drug and Alcohol Abuse, 2002, 28, 287-305. | 1.1 | 35 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 127 | Neuropsychiatric symptoms as risk factors of dementia in a Mexican population: A 10/66 Dementia Research Group study. Alzheimer's and Dementia, 2018, 14, 271-279. | 0.4 | 35 |
| 128 | Early alcohol or tobacco onset and transition to other drug use among students in the State of Morelos, Mexico. Drug and Alcohol Dependence, 2005, 77, 93-96. | 1.6 | 34 |
| 129 | The Epidemiology of Suicideâ€Related Outcomes in Mexico. Suicide and Life-Threatening Behavior, 2007, 37, 627-640. | 0.9 | 34 |
| 130 | The association of chronic adversity with psychiatric disorder and disorder severity in adolescents. European Child and Adolescent Psychiatry, 2011, 20, 459-468. | 2.8 | 34 |
| 131 | Mexican immigration to the US and alcohol and drug use opportunities: Does it make a difference in alcohol and/or drug use?. Drug and Alcohol Dependence, 2012, 125, S4-S11. | 1.6 | 34 |
| 132 | Performance of Screening Instruments for Alcohol Problems in the ER: A Comparison of Mexican-Americans and Mexicans in Mexico*. American Journal of Drug and Alcohol Abuse, 2000, 26, 683-702. | 1.1 | 33 |
| 133 | Physical activity and reduced risk of depression: Results of a longitudinal study of Mexican adults Health Psychology, 2013, 32, 609-615. | 1.3 | 32 |
| 134 | Violence Related Injuries in the Emergency Room: Alcohol, Depression, and Conduct Problems. Substance Use and Misuse, 2004, 39, 911-930. | 0.7 | 31 |
| 135 | Substance Use and Cumulative Exposure to American Society: Findings From Both Sides of the US–Mexico Border Region. American Journal of Public Health, 2016, 106, 119-127. | 1.5 | 31 |
| 136 | Cross-national prevalence and factors associated with suicide ideation and attempts in older and young-and-middle age people. Aging and Mental Health, 2020, 24, 1533-1542. | 1.5 | 31 |
| 137 | The measurement of drinking patterns and consequences in Mexico. Journal of Substance Abuse, 2000, 12, 183-196. | 1.1 | 30 |
| 138 | Health Selection among Migrants from Mexico to the U.S.: Childhood Predictors of Adult Physical and Mental Health. Public Health Reports, 2011, 126, 361-370. | 1.3 | 30 |
| 139 | Change in binge eating and binge eating disorder associated with migration from Mexico to the US. Journal of Psychiatric Research, 2012, 46, 31-37. | 1.5 | 30 |
| 140 | Violenceâ€related injury and gender: The role of alcohol and alcohol combined with illicit drugs. Drug and Alcohol Review, 2014, 33, 43-50. | 1.1 | 29 |
| 141 | Border effects on DSM-5 alcohol use disorders on both sides of the U.S.–Mexico border. Drug and Alcohol Dependence, 2015, 148, 172-179. | 1.6 | 29 |
| 142 | Recovery from DSM-IV post-traumatic stress disorder in the WHO World Mental Health surveys. Psychological Medicine, 2018, 48, 437-450. | 2.7 | 28 |
| 143 | The Causal Attribution of Injury to Alcohol Consumption: A Cross-National Meta-Analysis From the Emergency Room Collaborative Alcohol Analysis Project. Alcoholism: Clinical and Experimental Research, 2003, 27, 1805-1812. | 1.4 | 27 |
| 144 | Proportion of patients without mental disorders being treated in mental health services worldwide. British Journal of Psychiatry, 2015, 206, 101-109. | 1.7 | 27 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Association between attempted suicide and academic performance indicators among middle and high school students in Mexico: results from a national survey. Child and Adolescent Psychiatry and Mental Health, 2018, 12, 9. | 1.2 | 27 |
| 146 | Psychotic experiences and religiosity: data from the <scp>WHO</scp> World Mental Health Surveys. Acta Psychiatrica Scandinavica, 2018, 137, 306-315. | 2.2 | 27 |
| 147 | Incidence and recurrence of depression from adolescence to early adulthood: A longitudinal follow-up of the Mexican Adolescent Mental Health Survey. Journal of Affective Disorders, 2020, 263, 540-546. | 2.0 | 27 |
| 148 | Alcohol and Road Traffic Injuries in Latin America and the Caribbean: A Case-Crossover Study. Alcoholism: Clinical and Experimental Research, 2017, 41, 1731-1737. | 1.4 | 26 |
| 149 | A Cross-National Study on Prevalence of Mental Disorders, Service Use, and Adequacy of Treatment Among Mexican and Mexican American Populations. American Journal of Public Health, 2013, 103, 1610-1618. | 1.5 | 25 |
| 150 | Emerging adults not in education, employment or training (NEET): socio-demographic characteristics, mental health and reasons for being NEET. BMC Public Health, 2018, 18, 1201. | 1.2 | 25 |
| 151 | Psychopathology and self-harm among incoming first-year students in six Mexican universities. Salud Publica De Mexico, 2018, 61, 16. | 0.1 | 25 |
| 152 | Treatment of mental disorders for adolescents in Mexico City. Bulletin of the World Health Organization, 2008, 86, 757-764. | 1.5 | 24 |
| 153 | Alcohol and violence in the emergency department: a regional report from the WHO collaborative study on alcohol and injuries. Salud Publica De Mexico, 2008, 50, S6-11. | 0.1 | 24 |
| 154 | The Relationship Between Selfâ€Reported Drinking and BAC Level in Emergency Room Injury Cases: Is it a Straight Line?. Alcoholism: Clinical and Experimental Research, 2010, 34, 1118-1125. | 1.4 | 24 |
| 155 | Depressed mood and antisocial behavior problems as correlates for suicide-related behaviors in Mexico. Journal of Psychiatric Research, 2011, 45, 596-602. | 1.5 | 24 |
| 156 | Griffiths <i>et al</i> .'s comments on the international consensus statement of internet gaming disorder: furthering consensus or hindering progress?. Addiction, 2016, 111, 175-178. | 1.7 | 24 |
| 157 | Childhood generalized specific phobia as an early marker of internalizing psychopathology across the lifespan: results from the World Mental Health Surveys. BMC Medicine, 2019, 17, 101. | 2.3 | 24 |
| 158 | Twelve-month mental health service use in six countries of the Americas: A regional report from the World Mental Health Surveys. Epidemiology and Psychiatric Sciences, 2020, 29, e53. | 1.8 | 24 |
| 159 | Suicide ideation and behavior in Mexico: Encodat 2016. Salud Publica De Mexico, 2018, 61, 6. | 0.1 | 24 |
| 160 | Alcohol Consumption in Emergency Room Patients and the General Population: A Populationâ€Based Study. Alcoholism: Clinical and Experimental Research, 1998, 22, 1986-1991. | 1.4 | 23 |
| 161 | Co-Occurrence of Alcohol, Drug Use, DSM-5 Alcohol Use Disorder, and Symptoms of Drug Use Disorder on Both Sides of the U.SMexico Border. Alcoholism: Clinical and Experimental Research, 2015, 39, 679-687. | 1.4 | 23 |
| 162 | Toward measuring effective treatment coverage: critical bottlenecks in quality- and user-adjusted coverage for major depressive disorder. Psychological Medicine, 2022, 52, 1948-1958. | 2.7 | 23 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 163 | Screening for drug use disorders in the emergency department: performance of the rapid drug problems screen (RDPS). Drug and Alcohol Dependence, 2004, 74, 171-175. | 1.6 | 22 |
| 164 | The effect of cross-border mobility on alcohol and drug use among Mexican-American residents living at the U.S.–Mexico border. Addictive Behaviors, 2015, 50, 28-33. | 1.7 | 22 |
| 165 | A dose-response estimate for acute alcohol use and risk of suicide attempt. Addiction Biology, 2017, 22, 1554-1561. | 1.4 | 22 |
| 166 | Alcohol Use Disorders in National Samples of Mexicans and Mexican-Americans. Hispanic Journal of Behavioral Sciences, 2006, 28, 425-449. | 1.1 | 21 |
| 167 | Service use among Mexico City adolescents with suicidality. Journal of Affective Disorders, 2010, 120, 32-39. | 2.0 | 21 |
| 168 | Under-reporting bipolar disorder in large-scale epidemiologic studies. Journal of Affective Disorders, 2014, 159, 147-154. | 2.0 | 21 |
| 169 | Adolescent alcohol use and alcohol use disorders in Mexico City. Drug and Alcohol Dependence, 2014, 136, 43-50. | 1.6 | 21 |
| 170 | Alcohol Consumption, Low Birth Weight, and Preterm Delivery in the National Addiction Survey (Mexico). Substance Use and Misuse, 1993, 28, 355-368. | 0.6 | 20 |
| 171 | Casualties in Acapulco: results of a study on alcohol use and emergency room care. Drug and Alcohol Dependence, 1994, 36, 1-7. | 1.6 | 20 |
| 172 | Methodological Issues Relevant to Epidemiologic Investigations of Suicidal Behaviors of Adolescents. Epidemiologic Reviews, 1995, 17, 228-239. | 1.3 | 20 |
| 173 | Selection of screening items for alcohol abuse and alcohol dependence among Mexicans and Mexican Americans in the emergency department Journal of Studies on Alcohol and Drugs, 2001, 62, 277-285. | 2.4 | 20 |
| 174 | A CASE-CONTROL STUDY OF ALCOHOL AND SUBSTANCE USE DISORDERS AS RISK FACTORS FOR NON-FATAL INJURY. Alcohol and Alcoholism, 2005, 40, 257-262. | 0.9 | 20 |
| 175 | Gender Differences in the Relationship Between Alcohol and Violent Injury: An Analysis of Cross-National Emergency Department Data. Journal of Studies on Alcohol and Drugs, 2007, 68, 824-833. | 0.6 | 20 |
| 176 | The Influence of Parental Psychopathology on Offspring Suicidal Behavior across the Lifespan. PLoS ONE, 2015, 10, e0134970. | 1.1 | 20 |
| 177 | Do Childhood Adversities Predict Suicidality? Findings from the General Population of the Metropolitan Area of São Paulo, Brazil. PLoS ONE, 2016, 11, e0155639. | 1.1 | 20 |
| 178 | Traumatic life events and posttraumatic stress disorder among Mexican adolescents: results from a survey. Salud Publica De Mexico, 2008, 50, S29-37. | 0.1 | 20 |
| 179 | Alcohol consumption in emergency room patients and the general population: a population-based study. Alcoholism: Clinical and Experimental Research, 1998, 22, 1986-91. | 1.4 | 20 |
| 180 | Suicide Attempts in a Sample of Patients from a General Hospital. Archives of Medical Research, 2000, 31, 366-372. | 1.5 | 19 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Epidemiology of Fears and Specific Phobia in Adolescence. Journal of Clinical Psychiatry, 2012, 73, 152-158. | 1.1 | 19 |
| 182 | Factors Explaining Variation in Alcohol Use Disorder Prevalence Across Border and Nonborder Communities in Texas. Alcoholism: Clinical and Experimental Research, 2016, 40, 1707-1716. | 1.4 | 18 |
| 183 | Screening Instruments for Alcohol Problems: A Comparison of Cut Points between Mexican American and Mexican Patients in the Emergency Room. Substance Use and Misuse, 2000, 35, 1419-1430. | 0.7 | 17 |
| 184 | Threshold and Optimal Cut-Points for Alcohol Use Disorders Among Patients in the Emergency Department. Alcoholism: Clinical and Experimental Research, 2011, 35, 1270-1276. | 1.4 | 17 |
| 185 | Risk of injury after alcohol consumption from case–crossover studies in five countries from the <scp>A</scp> mericas. Addiction, 2013, 108, 97-103. | 1.7 | 17 |
| 186 | The DSM-5 Field Trials and Reliability of Alcohol Use Disorder. American Journal of Psychiatry, 2013, 170, 442-443. | 4.0 | 17 |
| 187 | Suicide ideation, dementia and mental disorders among a community sample of older people in Mexico. International Journal of Geriatric Psychiatry, 2015, 30, 247-255. | 1.3 | 17 |
| 188 | Civilians in World War II and DSM-IV mental disorders: results from the World Mental Health Survey Initiative. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 207-219. | 1.6 | 17 |
| 189 | A Transnational Study of Migration and Smoking Behavior in the Mexican-Origin Population. American Journal of Public Health, 2012, 102, 2116-2122. | 1.5 | 16 |
| 190 | Suicide risk and psychopathology in immigrants: a multi-group confirmatory factor analysis. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1105-1114. | 1.6 | 16 |
| 191 | Evaluating recall bias in a caseâ€crossover design estimating risk of injury related to alcohol: Data from six countries. Drug and Alcohol Review, 2013, 32, 512-518. | 1.1 | 16 |
| 192 | Investigating dimensionality and measurement bias of DSM-5 alcohol use disorder in a representative sample of the largest metropolitan area in South America. Drug and Alcohol Dependence, 2015, 152, 123-130. | 1.6 | 16 |
| 193 | Demographic and Clinical Characteristics of Completed Suicides in Mexico City 2014–2015. Frontiers in Psychiatry, 2018, 9, 402. | 1.3 | 16 |
| 194 | DSM-5 Internet gaming disorder among a sample of Mexican first-year college students. Journal of Behavioral Addictions, 2019, 8, 714-724. | 1.9 | 16 |
| 195 | Suicide thought and behaviors, non-suicidal self-injury, and perceived life stress among sexual minority Mexican college students. Journal of Affective Disorders, 2021, 281, 891-898. | 2.0 | 16 |
| 196 | (Internet) Gaming Disorder in <i>DSM</i> -5 and <i>ICD</i> -11: A Case of the Glass Half Empty or Half Full: (Internet) Le trouble du jeu dans le <i>DSM</i> -5 et la CIM-11: Un cas de verre à moitié vide et à moitié plein. Canadian Journal of Psychiatry, 2021, 66, 477-484. | 0.9 | 16 |
| 197 | Immigration, Suicidal Ideation and Deliberate Selfâ€Injury in the Boston Youth Survey 2006. Suicide and Life-Threatening Behavior, 2011, 41, 193-202. | 0.9 | 15 |
| 198 | Moving internet gaming disorder forward: A reply. Addiction, 2014, 109, 1412-1413. | 1.7 | 15 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 199 | DSM-IV personality disorders in Mexico: results from a general population survey. Revista Brasileira De Psiquiatria, 2008, 30, 227-234. | 0.9 | 14 |
| 200 | Mexico–United States Migration and the Prevalence of Obesity: A Transnational Perspective. Archives of Internal Medicine, 2012, 172, 1760. | 4.3 | 14 |
| 201 | Posttraumatic Stress Disorder in a Nationally Representative Mexican Community Sample. Journal of Traumatic Stress, 2014, 27, 323-330. | 1.0 | 14 |
| 202 | Estimating the drink driving attributable fraction of road traffic deaths in Mexico. Addiction, 2018, 113, 828-835. | 1.7 | 14 |
| 203 | Adolescent Predictors of Incidence and Persistence of Suicideâ€Related Outcomes in Young Adulthood: A Longitudinal Study of Mexican Youth. Suicide and Life-Threatening Behavior, 2018, 48, 755-766. | 0.9 | 14 |
| 204 | Scaling Properties of the Combined ICD-10 Dependence and Harms Criteria and Comparisons With DSM-5 Alcohol Use Disorder Criteria Among Patients in the Emergency Department. Journal of Studies on Alcohol and Drugs, 2012, 73, 328-336. | 0.6 | 13 |
| 205 | Does beverage type and drinking context matter in an alcohol-related injury? Evidence from emergency department patients in Latin America. Drug and Alcohol Dependence, 2014, 137, 90-97. | 1.6 | 13 |
| 206 | DSM-5 latent classes of alcohol users in a population-based sample: Results from the São Paulo Megacity Mental Health Survey, Brazil. Drug and Alcohol Dependence, 2014, 136, 92-99. | 1.6 | 13 |
| 207 | The growth of suicide ideation, plan and attempt among young adults in the Mexico City metropolitan area. Epidemiology and Psychiatric Sciences, 2017, 26, 635-643. | 1.8 | 13 |
| 208 | Unintentional injuries in Mexico, 1990–2017: findings from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i154-i161. | 1.2 | 13 |
| 209 | Health Profiles of Clients in Substance Abuse Treatment: A Comparison of Clients Dependent on Alcohol or Cocaine With Those Concurrently Dependent. Substance Use and Misuse, 2014, 49, 1899-1907. | 0.7 | 12 |
| 210 | Alcohol Use Patterns and <scp>DSM</scp> â€5 Alcohol Use Disorder on Both Sides of the U.S.â€Mexico Border. Alcoholism: Clinical and Experimental Research, 2017, 41, 769-778. | 1.4 | 12 |
| 211 | Alcohol Consumption in Emergency Room Patients and the General Population. Alcoholism: Clinical and Experimental Research, 1998, 22, 1986. | 1.4 | 12 |
| 212 | Alcohol Use and Injury Severity Among Emergency Department Patients in Six Countries. Journal of Addictions Nursing, 2013, 24, 158-165. | 0.2 | 11 |
| 213 | A state level analyses of suicide and the COVID-19 pandemic in Mexico. BMC Psychiatry, 2022, 22, . | 1.1 | 11 |
| 214 | The rate ratio of injury and aggressive incident for alcohol alone, cocaine alone and simultaneous use before the event: A case–crossover study. Accident Analysis and Prevention, 2015, 75, 137-143. | 3.0 | 10 |
| 215 | Area-level disadvantage and alcohol use disorder in northern Mexico. Drug and Alcohol Dependence, 2017, 175, 219-226. | 1.6 | 10 |
| 216 | Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. BMC Psychiatry, 2021, 21, 392. | 1.1 | 10 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 217 | Parental Psychopathology and Offspring Suicidality in Mexico. Archives of Suicide Research, 2013, 17, 123-135. | 1.2 | 9 |
| 218 | Drug use on both sides of the US-Mexico border. Salud Publica De Mexico, 2018, 60, 451. | 0.1 | 9 |
| 219 | Barriers to treatment for mental disorders in six countries of the Americas: A regional report from the World Mental Health Surveys. Journal of Affective Disorders, 2022, 303, 273-285. | 2.0 | 9 |
| 220 | Dropout from treatment for mental disorders in six countries of the Americas: A regional report from the World Mental Health Surveys. Journal of Affective Disorders, 2022, 303, 168-179. | 2.0 | 8 |
| 221 | Symptoms of anxiety on both sides of the US–Mexico border: The role of immigration. Journal of Psychiatric Research, 2015, 61, 46-51. | 1.5 | 7 |
| 222 | A longitudinal study of reciprocal risk between mental and substance use disorders among Mexican youth. Journal of Psychiatric Research, 2018, 105, 45-53. | 1.5 | 7 |
| 223 | Prevalence of 12-month mental and substance use disorders in sexual minority college students in Mexico. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 247-257. | 1.6 | 7 |
| 224 | Comorbidity: Depression and Substance Abuse. Issues in Children's and Families' Lives, 2008, , 73-91. | 0.2 | 7 |
| 225 | The associations between traumatic experiences and subsequent onset of a substance use disorder: Findings from the World Health Organization World Mental Health surveys. Drug and Alcohol Dependence, 2022, 240, 109574. | 1.6 | 7 |
| 226 | Alcohol Use and Alcohol Use Disorders in Mexico. Contemporary Drug Problems, 2007, 34, 389-410. | 0.7 | 6 |
| 227 | Comorbidity for Alcohol Use Disorders and Drug Use in Mexican-Origin Groups: Comparison of Data From National Alcohol Surveys in the U.S. and Mexico. Substance Use and Misuse, 2007, 42, 1685-1703. | 0.7 | 6 |
| 228 | Hazardous Drinking and Exposure to Interpersonal and Community Violence on Both Sides of the U.SMexico Border. Hispanic Journal of Behavioral Sciences, 2017, 39, 528-545. | 1.1 | 6 |
| 229 | Understanding differences in prescription drug misuse between two Texas border communities. Ethnicity and Health, 2021, 26, 1028-1044. | 1.5 | 6 |
| 230 | The relationship between all-cause mortality and depression in different gender and age groups of the Spanish population. Journal of Affective Disorders, 2020, 266, 424-428. | 2.0 | 6 |
| 231 | Alcohol as a Trigger for Medical Emergencies. Substance Use and Misuse, 2013, 48, 484-489. | 0.7 | 5 |
| 232 | Wanting and Getting Help for Substance Problems on Both Sides of the US-Mexico Border. Journal of Immigrant and Minority Health, 2017, 19, 1174-1185. | 0.8 | 5 |
| 233 | Drinking context and cause of injury: Emergency department studies from 22 countries. Journal of Substance Use, 2018, 23, 240-246. | 0.3 | 5 |
| 234 | Prevalence and correlates of arrests or stops for drunk driving on both sides of the U.SMexico border. Journal of Ethnicity in Substance Abuse, 2018, 17, 478-500. | 0.6 | 5 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | Chronic childhood adversity and speed of transition through stages of alcohol involvement. Drug and Alcohol Dependence, 2019, 205, 107669. | 1.6 | 5 |
| 236 | The relationship between social inequalities, substance use and violence in border and non-border cities of northern Mexico. Drug and Alcohol Dependence, 2019, 200, 1-5. | 1.6 | 5 |
| 237 | Childhood adversities and suicidal thoughts and behaviors among first-year college students: results from the WMH-ICS initiative. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 1591-1601. | 1.6 | 5 |
| 238 | Global estimates of the attributable risk of alcohol consumption on road injuries. Alcoholism: Clinical and Experimental Research, 2021, 45, 2080-2089. | 1.4 | 5 |
| 239 | Central neurocytoma: report of two cases. Arquivos De Neuro-Psiquiatria, 2005, 63, 1084-1089. | 0.3 | 4 |
| 240 | Traumatic life-events and suicidality among Mexican adolescents as they grow up: A longitudinal community survey. Journal of Psychiatric Research, 2021, 142, 171-178. | 1.5 | 4 |
| 241 | Traumatic life-events and alcohol and drug use disorders among Mexican adolescents: Bidirectional associations over 8 years. Drug and Alcohol Dependence, 2021, 228, 109051. | 1.6 | 4 |
| 242 | Road traffic injuries and substance use in Latin America: A systematic review. Traffic Injury Prevention, 2022, 23, 209-214. | 0.6 | 4 |
| 243 | DRINKING IN THE INJURY EVENT: A COMPARISON OF MEXICAN-AMERICAN MALE ER PATIENTS IN THE UNITED STATES AND IN MEXICO. Substance Use and Misuse, 2002, 37, 133-143. | 0.7 | 3 |
| 244 | PSYCHOMETRIC PROPERTIES AND CONSTRUCT VALIDITY OF A SPANISH LANGUAGE SCALE FOR SCREENING ANTISOCIAL PERSONALITY. Social Behavior and Personality, 2002, 30, 223-234. | 0.3 | 3 |
| 245 | Internet gaming and addiction: a reply to King & Delfabbro. Addiction, 2014, 109, 1567-1568. | 1.7 | 3 |
| 246 | Age at Immigration and Substance Use and Problems Among Males and Females at the U.S.–Mexico Border. Journal of Studies on Alcohol and Drugs, 2017, 78, 827-834. | 0.6 | 3 |
| 247 | DRINKING PATTERNS AND DSM-IV ALCOHOL USE DISORDERS' CRITERIA IN ARGENTINEAN EMERGENCY DEPARTMENT PATIENTS. Journal of Drug Addiction, Education, and Eradication, 2010, 6, 209-220. | 0.0 | 3 |
| 248 | Perceived helpfulness of service sectors used for mental and substance use disorders: Findings from the WHO World Mental Health Surveys. International Journal of Mental Health Systems, 2022, 16, 6. | 1.1 | 3 |
| 249 | Parental alcohol consumption and postneonatal mortality. Journal of Community and Applied Social Psychology, 1993, 3, 17-27. | 1.4 | 2 |
| 250 | Screening for Alcohol Problems: A Comparison of Instrument Performance Between the Er and the General Population Among Mexican Americans in the U.S. And Mexicans in Mexico. Addiction Research and Theory, 2001, 9, 59-72. | 1.2 | 2 |
| 251 | Mexican immigration to the U.S., the occurrence of violence and the impact of mental disorders. Revista Brasileira De Psiquiatria, 2013, 35, 161-168. | 0.9 | 2 |
| 252 | The role of ageing in the wish to be dead: disentangling age, period and cohort effects in suicide ideation in European population. Epidemiology and Psychiatric Sciences, 2021, 30, e17. | 1.8 | 2 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | Parental Involvement, Needs and Drug-Related Service Utilization Among Mexican Middle and High School Students. Journal of Family Social Work, 2001, 6, 79-95. | 0.8 | 1 |
| 254 | A Comparison of Two Case-Crossover Methods for Studying the Dose-Response Relationship between Alcohol and Injury. Contemporary Drug Problems, 2014, 41, 91-108. | 0.7 | 1 |
| 255 | Who should stay, who should leave?. Addiction, 2014, 109, 1779-1780. | 1.7 | 1 |
| 256 | Misconceptions about substance use in the US–Mexico border area. Nature Human Behaviour, 2019, 3, 4-4. | 6.2 | 1 |
| 257 | Collaborative care for depression and suicide prevention: a feasible intervention within the Mexican health system. Salud Publica De Mexico, 2021, 63, 274-280. | 0.1 | 1 |
| 258 | Descriptive Epidemiology of Depression in Latin America and Hispanics in the United States. Issues in Children's and Families' Lives, 2008, , 53-71. | 0.2 | 1 |
| 259 | A Comparison of two Case-crossover Methods for Studying the Dose-Response Relationship Between Alcohol and Injury. Contemporary Drug Problems, 2014, 41, 04. | 0.7 | 1 |
| 260 | Diagnostic profiles in adolescence and emerging adulthood: Transition patterns and risk factors. Revista De PsiquiatrÃa Y Salud Mental, 2023, 16, 42-50. | 1.0 | 1 |
| 261 | Determinants of effective treatment coverage for major depressive disorder in the WHO World Mental Health Surveys. International Journal of Mental Health Systems, 2022, 16, . | 1.1 | 1 |
| 262 | Injury, alcohol, and drug use in an emergency department in Mexico City. Journal of Substance Use, 0, , 1-7. | 0.3 | 1 |
| 263 | 161 EXPRESSION OF EXTRACELLULARâ€SIGNAL REGULATED KINASES IN MONOAMINERGIC BRAINSTEM NUCLEI OF NEUROPATHIC PAIN RATS SUBJECTED NOXIOUS STIMULATION AND ANTIDEPRESSANTS TREATMENT. European Journal of Pain, 2009, 13, S56. | 1.4 | 0 |
| 264 | An observational study of the impact of service use on suicidality among adults with mental disorders. Injury Epidemiology, 2014, 1, 29. | 0.8 | 0 |
| 265 | Does Beverage Type and Drinking Context Matter in an Alcohol-Related Injury? Evidence from Emergency Department Patients in Latin America International Journal of Epidemiology, 2015, 44, i161-i161. | 0.9 | O |
| 266 | The burden of mental disorders in Mexico, 1990-2019: Mental and neurological disorders, substance use, suicides, and related somatic disorders. Revista De PsiquiatrÃa Y Salud Mental, 2021, , . | 1.0 | 0 |