
## Andrew E Grulich

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3960876/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Incidence of cancers in people with HIV/AIDS compared with immunosuppressed transplant recipients: a meta-analysis. Lancet, The, 2007, 370, 59-67.	13.7	2,006
2	Cancer Incidence Before and After Kidney Transplantation. JAMA - Journal of the American Medical Association, 2006, 296, 2823.	7.4	953
3	Anal human papillomavirus infection and associated neoplastic lesions in men who have sex with men: a systematic review and meta-analysis. Lancet Oncology, The, 2012, 13, 487-500.	10.7	806
4	Viral suppression and HIV transmission in serodiscordant male couples: an international, prospective, observational, cohort study. Lancet HIV,the, 2018, 5, e438-e447.	4.7	337
5	Population-level effectiveness of rapid, targeted, high-coverage roll-out of HIV pre-exposure prophylaxis in men who have sex with men: the EPIC-NSW prospective cohort study. Lancet HIV,the, 2018, 5, e629-e637.	4.7	273
6	Unprotected anal intercourse, risk reduction behaviours, and subsequent HIV infection in a cohort of homosexual men. Aids, 2009, 23, 243-252.	2.2	211
7	Rates of non-AIDS-defining cancers in people with HIV infection before and after AIDS diagnosis. Aids, 2002, 16, 1155-1161.	2.2	207
8	Predicting risk of cancer during HIV infection. Aids, 2013, 27, 1433-1441.	2.2	158
9	Sex in Australia: The rationale and methods of the Australian Study of Health and Relationships. Australian and New Zealand Journal of Public Health, 2003, 27, 106-117.	1.8	154
10	Effect of reduced immunosuppression after kidney transplant failure on risk of cancer: population based retrospective cohort study. BMJ: British Medical Journal, 2010, 340, c570-c570.	2.3	149
11	Community-level changes in condom use and uptake of HIV pre-exposure prophylaxis by gay and bisexual men in Melbourne and Sydney, Australia: results of repeated behavioural surveillance in 2013–17. Lancet HIV,the, 2018, 5, e448-e456.	4.7	145
12	B-cell stimulation and prolonged immune deficiency are risk factors for non-Hodgkin's lymphoma in people with AIDS. Aids, 2000, 14, 133-140.	2.2	125
13	Effect of availability of HIV self-testing on HIV testing frequency in gay and bisexual men at high risk of infection (FORTH): a waiting-list randomised controlled trial. Lancet HIV,the, 2017, 4, e241-e250.	4.7	120
14	The epidemiology of anal cancer. Sexual Health, 2012, 9, 504.	0.9	117
15	Cancers attributable to human papillomavirus infection. Sexual Health, 2010, 7, 244.	0.9	116
16	lmmunosuppression and other risk factors for early and late non-Hodgkin lymphoma after kidney transplantation. Blood, 2009, 114, 630-637.	1.4	115
17	Epidemiology and prevention of sexually transmitted infections in men who have sex with men at risk of HIV. Lancet HIV,the, 2019, 6, e396-e405.	4.7	114
18	Continuing declines in some but not all HIV-associated cancers in Australia after widespread use of antiretroviral therapy. Aids, 2009, 23, 2183-2190.	2.2	108

#	Article	IF	CITATIONS
19	The epidemiology of non-Hodgkin lymphoma. Pathology, 2005, 37, 409-419.	0.6	104
20	Sex in Australia: Sexually transmissible infection and blood-borne virus history in a representative sample of adults. Australian and New Zealand Journal of Public Health, 2003, 27, 234-241.	1.8	100
21	Sexual identity, sexual attraction and sexual experience: the Second Australian Study of Health and Relationships. Sexual Health, 2014, 11, 451.	0.9	98
22	Physical Distancing Due to COVID-19 Disrupts Sexual Behaviors Among Gay and Bisexual Men in Australia: Implications for Trends in HIV and Other Sexually Transmissible Infections. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 85, 309-315.	2.1	98
23	Trends in HIV incidence in homosexual men in developed countries. Sexual Health, 2008, 5, 113.	0.9	97
24	The Epidemiology of Cancers in Human Immunodeficiency Virus Infection and After Organ Transplantation. Seminars in Oncology, 2015, 42, 247-257.	2.2	95
25	Sex in Australia: Homosexual experience and recent homosexual encounters. Australian and New Zealand Journal of Public Health, 2003, 27, 155-163.	1.8	92
26	Trends in anal cancer in Australia, 1982–2005. Vaccine, 2011, 29, 2322-2327.	3.8	89
27	Anal Sexually Transmitted Infections and Risk of HIV Infection in Homosexual Men. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 53, 144-149.	2.1	83
28	The Study of the Prevention of Anal Cancer (SPANC): design and methods of a three-year prospective cohort study. BMC Public Health, 2013, 13, 946.	2.9	83
29	Sex in Australia: Autoerotic, esoteric and other sexual practices engaged in by a representative sample of adults. Australian and New Zealand Journal of Public Health, 2003, 27, 180-190.	1.8	79
30	Behavioural surveillance among gay men in Australia: methods, findings and policy implications for the prevention of HIV and other sexually transmissible infections. Sexual Health, 2011, 8, 272.	0.9	77
31	Use of Illicit Drugs and Erectile Dysfunction Medications and Subsequent HIV Infection Among Gay Men in Sydney, Australia. Journal of Sexual Medicine, 2009, 6, 2311-2320.	0.6	76
32	Anal and perianal squamous carcinomas and highâ€grade intraepithelial lesions exclusively associated with "lowâ€risk―HPV genotypes 6 and 11. International Journal of Cancer, 2013, 133, 2253-2258.	5.1	76
33	Immunosuppression and Other Risk Factors for Lip Cancer after Kidney Transplantation. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 561-569.	2.5	73
34	Which Gay Men Would Increase Their Frequency of HIV Testing with Home Self-testing?. AIDS and Behavior, 2013, 17, 2084-2092.	2.7	70
35	HIV pre-exposure prophylaxis: scaling up for impact now and in the future. Lancet Public Health, The, 2021, 6, e528-e533.	10.0	67
36	Cutaneous Melanoma Is Related to Immune Suppression in Kidney Transplant Recipients. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 2297-2303.	2.5	66

#	Article	IF	CITATIONS
37	Design and methods of the Second Australian Study of Health and Relationships. Sexual Health, 2014, 11, 383.	0.9	65
38	Risk Factors for Genital and Anal Warts in a Prospective Cohort of HIV-Negative Homosexual Men: The HIM Study. Sexually Transmitted Diseases, 2007, 34, 488-493.	1.7	57
39	Long-term protection from HIV infection with oral HIV pre-exposure prophylaxis in gay and bisexual men: findings from the expanded and extended EPIC-NSW prospective implementation study. Lancet HIV,the, 2021, 8, e486-e494.	4.7	54
40	Substantial Decline in Use of HIV Preexposure Prophylaxis Following Introduction of COVID-19 Physical Distancing Restrictions in Australia: Results From a Prospective Observational Study of Gay and Bisexual Men. Journal of Acquired Immune Deficiency Syndromes (1999), 2021, 86, 22-30.	2.1	53
41	The epidemiology and natural history of anal human papillomavirus infection in men who have sex with men. Sexual Health, 2012, 9, 527.	0.9	51
42	HIV Pre-exposure Prophylaxis (PrEP) Uptake Among Gay and Bisexual Men in Australia and Factors Associated With the Nonuse of PrEP Among Eligible Men: Results From a Prospective Cohort Study. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 81, e73-e84.	2.1	51
43	Expanded HIV pre-exposure prophylaxis (PrEP) implementation in communities in New South Wales, Australia (EPIC-NSW): design of an open label, single arm implementation trial. BMC Public Health, 2018, 18, 210.	2.9	49
44	Sex in Australia: Attitudes towards sex in a representative sample of adults. Australian and New Zealand Journal of Public Health, 2003, 27, 118-123.	1.8	48
45	Homosexual experience and recent homosexual encounters: the Second Australian Study of Health and Relationships. Sexual Health, 2014, 11, 439.	0.9	48
46	Use of HIV Pre-exposure Prophylaxis (PrEP) Associated With Lower HIV Anxiety Among Gay and Bisexual Men in Australia Who Are at High Risk of HIV Infection: Results From the Flux Study. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 83, 119-125.	2.1	45
47	Casual Sexual Encounters Among Gay Men: Familiarity, Trust and Unprotected Anal Intercourse. AIDS and Behavior, 2011, 15, 607-612.	2.7	42
48	The Informal Use of Antiretrovirals for Preexposure Prophylaxis of HIV Infection Among Gay Men in Australia. Journal of Acquired Immune Deficiency Syndromes (1999), 2013, 62, 334-338.	2.1	42
49	Human papillomavirus (HPV) genotypes in an Australian sample of anal cancers. International Journal of Cancer, 2014, 135, 996-1001.	5.1	42
50	Comparison of Trends in Rates of Sexually Transmitted Infections Before vs After Initiation of HIV Preexposure Prophylaxis Among Men Who Have Sex With Men. JAMA Network Open, 2020, 3, e2030806.	5.9	41
51	Regional and national guideline recommendations for digital ano-rectal examination as a means for anal cancer screening in HIV positive men who have sex with men: a systematic review. BMC Cancer, 2014, 14, 557.	2.6	40
52	The Natural History of Anal High-grade Squamous Intraepithelial Lesions in Gay and Bisexual Men. Clinical Infectious Diseases, 2021, 72, 853-861.	5.8	40
53	The Opposites Attract Study of viral load, HIV treatment and HIV transmission in serodiscordant homosexual male couples: design and methods. BMC Public Health, 2014, 14, 917.	2.9	39
54	Is screening for anal cancer warranted in homosexual men?. Sexual Health, 2004, 1, 137.	0.9	38

#	Article	IF	CITATIONS
55	Sex in Australia: Injecting and sexual risk behaviour in a representative sample of adults. Australian and New Zealand Journal of Public Health, 2003, 27, 242-250.	1.8	37
56	Commentary: Probability of HIV transmission through anal intercourse. International Journal of Epidemiology, 2010, 39, 1064-1065.	1.9	37
57	Risk factors for HIV seroconversion in men who have sex with men in Victoria, Australia: results from a sentinel surveillance system. Sexual Health, 2011, 8, 319.	0.9	37
58	Australian â€~gayborhoods' and â€~lesborhoods': a new method for estimating the number and prevalenc of adult gay men and lesbian women living in each Australian postcode. International Journal of Geographical Information Science, 2020, 34, 2160-2176.	e 4.8	37
59	Increased Incidence of Squamous Cell Carcinoma of Eye After Kidney Transplantation. Journal of the National Cancer Institute, 2007, 99, 1340-1342.	6.3	35
60	Estimating population distribution and HIV prevalence among homosexual and bisexual men. Sexual Health, 2006, 3, 37.	0.9	35
61	The public health impact of widespread availability of nonoccupational postexposure prophylaxis against HIV. HIV Medicine, 2007, 8, 374-381.	2.2	34
62	Attitudes toward sex and relationships: the Second Australian Study of Health and Relationships. Sexual Health, 2014, 11, 397.	0.9	34
63	Clinical features and predictors of survival of AIDS-related non-Hodgkin's lymphoma in a population-based case series in Sydney, Australia. HIV Medicine, 2004, 5, 377-384.	2.2	33
64	The importance of blood-borne viruses in elevated cancer risk among opioid-dependent people: a population-based cohort study. BMJ Open, 2012, 2, e001755.	1.9	32
65	The performance of human papillomavirus biomarkers in predicting anal high-grade squamous intraepithelial lesions in gay and bisexual men. Aids, 2017, 31, 1303-1311.	2.2	32
66	Clobal Pattern and Trends in Penile Cancer Incidence: Population-Based Study. JMIR Public Health and Surveillance, 2022, 8, e34874.	2.6	32
67	Sex in Australia: Knowledge about sexually transmissible infections and bloodâ€borne viruses in a representative sample of adults. Australian and New Zealand Journal of Public Health, 2003, 27, 230-233.	1.8	31
68	Provision of rapid HIV tests within a health service and frequency of HIV testing among men who have sex with men: randomised controlled trial. BMJ, The, 2013, 347, f5086-f5086.	6.0	31
69	Prevalence and risk factors associated with high-grade anal squamous intraepithelial lesions (HSIL)-AIN2 and HSIL-AIN3 in homosexual men. Papillomavirus Research (Amsterdam, Netherlands), 2016, 2, 97-105.	4.5	31
70	Costâ€effectiveness of screening for anal cancer using regular digital anoâ€rectal examinations in men who have sex with men living with HIV. Journal of the International AIDS Society, 2016, 19, 20514.	3.0	30
71	A Composite Cytology–Histology Endpoint Allows a More Accurate Estimate of Anal High-Grade Squamous Intraepithelial Lesion Prevalence. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 1134-1143.	2.5	30
72	Characteristics of heterosexual regular relationships among a representative sample of adults: the Second Australian Study of Health and Relationships. Sexual Health, 2014, 11, 427.	0.9	30

#	Article	IF	CITATIONS
73	The Meaning of â€~Regular Partner' in HIV Research Among Gay and Bisexual Men: Implications of an Australian Cross-Sectional Survey. AIDS and Behavior, 2016, 20, 1777-1784.	2.7	29
74	Comparison of age-specific patterns of sexual behaviour and anal HPV prevalence in homosexual men with patterns in women. Sexually Transmitted Infections, 2016, 92, 228-231.	1.9	29
75	Increasing preexposure prophylaxis use and â€~net prevention coverage' in behavioural surveillance of Australian gay and bisexual men. Aids, 2021, 35, 835-840.	2.2	28
76	Attitudes towards new HIV biomedical prevention technologies among a cohort of HIVâ€negative gay men in Sydney, Australia. HIV Medicine, 2010, 11, 282-288.	2.2	27
77	Cancer: the effects of HIV and antiretroviral therapy, and implications for early antiretroviral therapy initiation. Current Opinion in HIV and AIDS, 2009, 4, 183-187.	3.8	26
78	Why are we not screening for anal cancer routinely - HIV physicians' perspectives on anal cancer and its screening in HIV-positive men who have sex with men: a qualitative study. BMC Public Health, 2015, 15, 67.	2.9	26
79	The 2016 HIV diagnosis and care cascade in New South Wales, Australia: meeting the UNAIDS 90-90-90 targets. Journal of the International AIDS Society, 2018, 21, e25109.	3.0	26
80	Sexual behaviour and human herpesvirus 8 infection in homosexual men in Australia. Sexual Health, 2005, 2, 13.	0.9	26
81	Size of anal squamous cell carcinomas at diagnosis: a retrospective case series. International Journal of STD and AIDS, 2013, 24, 879-882.	1.1	25
82	How Do Gay Serodiscordant Couples in Sydney, Australia Negotiate Undetectable Viral Load for HIV Prevention?. AIDS and Behavior, 2018, 22, 3981-3990.	2.7	25
83	Vaccine-preventable anal human papillomavirus in Australian gay and bisexual men. Papillomavirus Research (Amsterdam, Netherlands), 2017, 3, 80-84.	4.5	24
84	Nurse-led pre-exposure prophylaxis: a non-traditional model to provide HIV prevention in a resource-constrained, pragmatic clinical trial. Sexual Health, 2018, 15, 595.	0.9	24
85	Brief Report: Changes in Behavior After PrEP Initiation Among Australian Gay and Bisexual Men. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 81, 52-56.	2.1	24
86	HIV Preexposure Prophylaxis Cascades to Assess Implementation in Australia: Results From Repeated, National Behavioral Surveillance of Gay and Bisexual Men, 2014–2018. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 83, e16-e22.	2.1	24
87	Australasian Society for HIV, Viral Hepatitis and Sexual Health Medicine HIV pre-exposure prophylaxis: clinical guidelines. Journal of Virus Eradication, 2017, 3, 168-184.	0.5	24
88	Birth Order and Risk of Non-Hodgkin Lymphoma—True Association or Bias?. American Journal of Epidemiology, 2010, 172, 621-630.	3.4	22
89	Incidence and time trends of anal cancer among people living with HIV in Australia. Aids, 2019, 33, 1361-1368.	2.2	20
90	No excess risk of follicular lymphoma in kidney transplant and HIVâ€related immunodeficiency. International Journal of Cancer, 2010, 127, 2732-2735.	5.1	19

#	Article	IF	CITATIONS
91	Laser capture microdissection as a tool to evaluate human papillomavirus genotyping and methylation as biomarkers of persistence and progression of anal lesions. BMJ Open, 2015, 5, e008439.	1.9	19
92	The inside story. Physicians' views on digital ano-rectal examination for anal cancer screening of HIV positive men who have sex with men. Journal of Medical Screening, 2013, 20, 188-191.	2.3	18
93	HIV, cancer, and aging. Sexual Health, 2011, 8, 521.	0.9	17
94	Preferences for Current and Future PrEP Modalities Among PrEP-Experienced Gay and Bisexual Men in Australia. AIDS and Behavior, 2022, 26, 88-95.	2.7	17
95	Real-world trends in incidence of bacterial sexually transmissible infections among gay and bisexual men using HIV pre-exposure prophylaxis (PrEP) in Australia following nationwide PrEP implementation: an analysis of sentinel surveillance data. Lancet Infectious Diseases, The, 2022, 22, 1231-1241.	9.1	17
96	Costâ€effectiveness of HIV nonoccupational postâ€exposure prophylaxis in Australia. HIV Medicine, 2009, 10, 199-208.	2.2	16
97	Increases in HIV Testing Frequency in Australian Gay and Bisexual Men are Concentrated Among PrEP Users: An Analysis of Australian Behavioural Surveillance Data, 2013–2018. AIDS and Behavior, 2020, 24, 2691-2702.	2.7	16
98	Defining high HIV incidence subgroups of Australian homosexual men: implications for conducting HIV prevention trials in low HIV prevalence settings. HIV Medicine, 2010, 11, 635-641.	2.2	15
99	Sexually transmissible infections in aging HIV populations. Sexual Health, 2011, 8, 508.	0.9	15
100	The impact of blood-borne viruses on cause-specific mortality among opioid dependent people: An Australian population-based cohort study. Drug and Alcohol Dependence, 2015, 152, 264-271.	3.2	15
101	HIV testing self-efficacy is associated with higher HIV testing frequency and perceived likelihood to self-test among gay and bisexual men. Sexual Health, 2017, 14, 170.	0.9	15
102	Strategies used by gay male HIV serodiscordant couples to reduce the risk of HIV transmission from anal intercourse in three countries. Journal of the International AIDS Society, 2019, 22, e25277.	3.0	15
103	Adherence to daily HIV pre-exposure prophylaxis in a large-scale implementation study in New South Wales, Australia. Aids, 2021, 35, 1987-1996.	2.2	15
104	High Levels of Prevention-Effective Adherence to HIV PrEP: An Analysis of Substudy Data From the EPIC-NSW Trial. Journal of Acquired Immune Deficiency Syndromes (1999), 2021, 87, 1040-1047.	2.1	15
105	Increasing realism among gay men in Sydney about HIV treatments: changes in attitudes over time. International Journal of STD and AIDS, 2001, 12, 310-314.	1.1	14
106	High reproducibility of histological diagnosis of human papillomavirus-related intraepithelial lesions of the anal canal. Pathology, 2015, 47, 308-313.	0.6	14
107	Sexual practices in a broad cross-sectional sample of Sydney gay men. Australian and New Zealand Journal of Public Health, 1997, 21, 762-766.	1.8	13
108	Exposing the gaps in awareness, knowledge and estimation of risk for anal cancer in men who have sex with men living with HIV: a crossâ€sectional survey in Australia. Journal of the International AIDS Society, 2015, 18, 19895.	3.0	13

#	Article	IF	CITATIONS
109	Incorporating digital anorectal examinations for anal cancer screening into routine <scp>HIV</scp> care for men who have sex with men living with <scp>HIV</scp> : a prospective cohort study. Journal of the International AIDS Society, 2018, 21, e25192.	3.0	13
110	Prevalence and predictors of high-grade anal intraepithelial neoplasia in a community-based sample of homosexual men. Sexual Health, 2012, 9, 574.	0.9	12
111	Time for a strategic research response to anal cancer. Sexual Health, 2012, 9, 628.	0.9	12
112	The value of a transformation zone component in anal cytology to detect HSIL. Cancer Cytopathology, 2016, 124, 596-601.	2.4	12
113	Differences in Virological and Immunological Risk Factors for Non-Hodgkin and Hodgkin Lymphoma. Journal of the National Cancer Institute, 2018, 110, 598-607.	6.3	12
114	Experience and psychological impact of anal cancer screening in gay, bisexual and other men who have sex with men: a qualitative study. Psycho-Oncology, 2018, 27, 125-131.	2.3	12
115	Prevalence, incidence and predictors of anal <i>Chlamydia trachomatis</i> , anal <i>Neisseria gonorrhoeae</i> and syphilis among older gay and bisexual men in the longitudinal Study for the Prevention of Anal Cancer (SPANC). Sexually Transmitted Infections, 2019, 95, 477-483.	1.9	12
116	Scaling up preexposure prophylaxis to maximize HIV prevention impact. Current Opinion in HIV and AIDS, 2022, 17, 173-178.	3.8	12
117	Potential public health benefits of HIV testing occurring at home in Australia. Medical Journal of Australia, 2015, 202, 529-531.	1.7	11
118	Increase in Depression and Anxiety Among Australian Gay and Bisexual Men During COVID-19 Restrictions: Findings from a Prospective Online Cohort Study. Archives of Sexual Behavior, 2022, 51, 355-364.	1.9	10
119	Rationale and design of FORTH: a randomised controlled trial assessing the effectiveness of HIV self-testing in increasing HIV testing frequency among gay and bisexual men. BMC Infectious Diseases, 2015, 15, 561.	2.9	9
120	Prevalence and Association of Perianal and Intra-Anal Warts with Composite High-Grade Squamous Intraepithelial Lesions Among Gay and Bisexual Men: Baseline Data from the Study of the Prevention of Anal Cancer. AIDS Patient Care and STDs, 2020, 34, 436-443.	2.5	9
121	HIV, Immune Dysfunction, and the Natural History of Anal High-Risk Human Papillomavirus Infection in Gay and Bisexual Men. Journal of Infectious Diseases, 2021, 224, 246-257.	4.0	9
122	Increased targeted HIV testing and reduced undiagnosed HIV infections among gay and bisexual men. HIV Medicine, 2021, 22, 605-616.	2.2	9
123	Gene methylation of CADM1 and MAL identified as a biomarker of high grade anal intraepithelial neoplasia. Scientific Reports, 2022, 12, 3565.	3.3	9
124	Living longer with HIV: what does it mean for cancer risk?. Current Opinion in HIV and AIDS, 2009, 4, 1-2.	3.8	8
125	Geographical clustering of anal cancer incidence in Australia. Sexual Health, 2012, 9, 509.	0.9	8
126	Romantic Jealousy: A Test of Social Cognitive and Evolutionary Models in A Population-Representative Sample of Adults. Journal of Sex Research, 2020, 57, 498-507.	2.5	8

#	Article	IF	CITATIONS
127	Overcoming barriers to HIV pre-exposure prophylaxis (PrEP) coverage in Australia among Medicare-ineligible people at risk of HIV: results from the MI-EPIC clinical trial. Sexual Health, 2022, 18, 453-459.	0.9	8
128	Cancer Risk After Organ Transplantation. JAMA - Journal of the American Medical Association, 2012, 307, 663-663.	7.4	7
129	Antibody responses following incident anal and penile infection with human papillomavirus in teenage men who have sex with men. International Journal of Cancer, 2016, 139, 639-646.	5.1	7
130	Human Papillomavirus Seroprevalence and Association with Anal HPV Infection and Squamous Intraepithelial Lesions in Australian Gay and Bisexual Men. Cancer Epidemiology Biomarkers and Prevention, 2018, 27, 768-775.	2.5	7
131	Association of anal symptoms with anal high grade squamous intraepithelial lesions (HSIL) among men who have sex with men: Baseline data from the study of the prevention of anal cancer (SPANC). Cancer Epidemiology, 2019, 58, 12-16.	1.9	7
132	The longer-term effects of access to HIV self-tests on HIV testing frequency in high-risk gay and bisexual men: follow-up data from a randomised controlled trial. The Lancet Regional Health - Western Pacific, 2021, 14, 100214.	2.9	7
133	Subtypeâ€specific differences in transmission cluster dynamics of HIVâ€1 B and CRF01_AE in New South Wales, Australia. Journal of the International AIDS Society, 2021, 24, e25655.	3.0	7
134	Psychological and utility-based quality of life impact of screening test results for anal precancerous lesions in gay and bisexual men: baseline findings from the Study of the Prevention of Anal Cancer. Sexually Transmitted Infections, 2020, 96, 177-183.	1.9	7
135	Validation of participant eligibility for pre-exposure prophylaxis: Baseline data from the PRELUDE demonstration project. PLoS ONE, 2017, 12, e0185398.	2.5	7
136	How to have sex in a pandemic: the development of strategies to prevent COVID-19 transmission in sexual encounters among gay and bisexual men in Australia. Culture, Health and Sexuality, 2023, 25, 271-286.	1.8	7
137	The estimated number of potential PrEP users among gay-identifying men who have sex with men in Australia. PLoS ONE, 2018, 13, e0204138.	2.5	6
138	Awareness and knowledge of anal cancer in a community-recruited sample of HIV-negative and HIV-positive gay and bisexual men. Sexual Health, 2019, 16, 240-246.	0.9	6
139	A New Method for Estimating the Incidence of Infectious Diseases. American Journal of Epidemiology, 2021, 190, 1386-1395.	3.4	5
140	Renal impairment in a large-scale HIV pre-exposure prophylaxis implementation cohort. Aids, 2021, Publish Ahead of Print, 2319-2326.	2.2	5
141	Incorrect Knowledge of Event-Driven PrEP "2-1-1―Dosing Regimen Among PrEP-Experienced Gay and Bisexual Men in Australia. Journal of Acquired Immune Deficiency Syndromes (1999), 2022, 90, 132-139.	2.1	5
142	Switching to Non-daily Pre-exposure Prophylaxis Among Gay and Bisexual Men in Australia: Implications for Improving Knowledge, Safety, and Uptake. Sexuality Research and Social Policy, 2022, 19, 1979-1988.	2.3	5
143	Limited Sustained Local Transmission of HIV-1 CRF01_AE in New South Wales, Australia. Viruses, 2019, 11, 482.	3.3	4
144	Increased HIV Subtype Diversity Reflecting Demographic Changes in the HIV Epidemic in New South Wales, Australia. Viruses, 2020, 12, 1402.	3.3	4

#	Article	IF	CITATIONS
145	Unwanted Sex Due to Intoxication among Australians Aged 16–69 Years. Journal of Sex Research, 2021, 58, 74-85.	2.5	4
146	Estimation of Potential HIV Transmission Risk in Recent Anal Intercourse Events among Men Who Have Sex with Men and Transgender Women in Bali, Indonesia. Tropical Medicine and Infectious Disease, 2021, 6, 139.	2.3	4
147	Is Australia ready for monkeypox?. Medical Journal of Australia, 2022, 217, 193-194.	1.7	4
148	Human Papillomavirus Genotypes in Anal High-Grade Squamous Intraepithelial Lesion (HSIL): Anal Intraepithelial Neoplasia Grades 2 (AIN2) and 3 (AIN3) Are Different. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 2078-2083.	2.5	3
149	Self-reported anal symptoms and their association with anal pathology among gay and bisexual men: a cross-sectional observational analysis. Sexual Health, 2021, 18, 123-129.	0.9	3
150	Possible Reactivation of Latent Anal Human Papillomavirus Associated with Markers of Immune Dysfunction in Gay and Bisexual Men. Cancer Epidemiology Biomarkers and Prevention, 2022, 31, 1052-1057.	2.5	3
151	Prevalence and associations of larger burden of intra-anal high-grade squamous intraepithelial lesions at baseline in an Australian cohort of gay and bisexual men: The Study of the Prevention of Anal Cancer. Cancer Epidemiology, 2020, 64, 101661.	1.9	2
152	Characteristics of Agreements to have Condomless Anal Intercourse in the Presence of an Undetectable Viral Load Among HIV Serodiscordant Male Couples in Australia, Brazil and Thailand. AIDS and Behavior, 2021, 25, 3944-3954.	2.7	2
153	Community-based peer-led HIV/sexually transmitted infection testing services in Sydney for gay and bisexual men captured an eighth of new HIV diagnoses in New South Wales, Australia. Aids, 2021, 35, 1878-1880.	2.2	2
154	Editorial: HIV diagnoses in Australia fall as clinicians embrace pre-exposure prophylaxis. Australian Prescriber, 2020, 43, 182-183.	1.0	2
155	Why a special issue on anal cancer and what is in it?. Sexual Health, 2012, 9, 501.	0.9	1
156	Surveillance, epidemiology and behavioural research to guide HIV prevention policy. NSW Public Health Bulletin, 2010, 21, 96.	0.3	1
157	Epidemiologically targeted post-exposure prophylaxis against HIV: an under-utilized prevention technology. HIV Medicine, 2003, 4, 193-194.	2.2	Ο
158	Intra-Anal Imiquimod Cream against Human Papillomavirus Infection in Men Who Have Sex with Men Living with HIV: A Single-Arm, Open-Label Pilot Study. Journal of Clinical Medicine, 2021, 10, 4477.	2.4	0
159	Human Herpesvirus 8 and Protection from AIDS Dementia Complex. Herpes: the Journal of the IHMF, 2000, 7, 38-40.	0.3	0
160	Assessing the impact of HIV pre-exposure prophylaxis scale-up on gonorrhea incidence among gay and bisexual men in Sydney: a mathematical modelling study. Sexually Transmitted Diseases, 0, Publish Ahead of Print, .	1.7	0