

Dong-Gyu Cho

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3962324/publications.pdf>

Version: 2024-02-01

33
papers

1,565
citations

706676

14
h-index

488211

31
g-index

35
all docs

35
docs citations

35
times ranked

1974
citing authors

#	ARTICLE	IF	CITATIONS
1	Isolation of a Melanoblast Stimulator from <i>Dimocarpus longan</i> , Its Structural Modification, and Structure-Activity Relationships for Vitis. <i>Molecules</i> , 2022, 27, 2135.	1.7	0
2	Tuned Cd ²⁺ Selectivity: Showcase of Electronic and Regio-Effect of π -Extended Di-2-Picolylamine-Substituted Quinoline-Based Tolans. <i>Molecules</i> , 2021, 26, 917.	1.7	0
3	Carbaporphyrin Dimers That Bear a Rigid Naphthalene Motif as an Internal Strap. <i>Organic Letters</i> , 2021, 23, 1846-1850.	2.4	14
4	Tuned Al ³⁺ selectivity and π -extended properties of di-2-picolylamine-substituted quinoline-based tolan. <i>Tetrahedron Letters</i> , 2020, 61, 151808.	0.7	4
5	Synthetic Anion Transporters as Endoplasmic Reticulum (ER) Stress Inducers. <i>Organic Letters</i> , 2019, 21, 7828-7832.	2.4	4
6	Systematic Modifications of a Simple Tolans: Another Category of Viscosity Sensor. <i>Organic Letters</i> , 2019, 21, 10085-10089.	2.4	5
7	Cooperative ion pair receptor based on tolan as a Li ⁺ /HSO ₄ ⁻ selective extractor and fluorescent indicator. <i>Tetrahedron Letters</i> , 2018, 59, 4475-4478.	0.7	6
8	Bond Rotation in an Aromatic Carbaporphyrin: Allyliporphyrin. <i>Chemistry - A European Journal</i> , 2018, 24, 10054-10058.	1.7	10
9	Synthesis of a Phlorin from a Meso-Fused Anthriporphyrin by a Diels-Alder Strategy. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 16247-16251.	7.2	38
10	Fluorescent and cooperative ion pair receptor based on tolan for Na ⁺ (or Li ⁺) and HSO ₄ ⁻ : logic AND gate. <i>Chemical Communications</i> , 2017, 53, 11414-11417.	2.2	8
11	Synthesis of a Phlorin from a Meso-Fused Anthriporphyrin by a Diels-Alder Strategy. <i>Angewandte Chemie</i> , 2017, 129, 16465-16469.	1.6	9
12	Accelerated hydration reaction of an unsymmetrical tolan evidenced by a Hg(II)-trapped macrocycle and its application as a Hg(II)-selective indicator. <i>Chemical Communications</i> , 2016, 52, 10759-10762.	2.2	9
13	2-(Naphthalen-1-yl)thiophene as a New Motif for Porphyrinoids: Meso-Fused Carbaporphyrin. <i>Journal of the American Chemical Society</i> , 2016, 138, 4992-4995.	6.6	45
14	Synthetic anion transporters that bear a terminal ethynyl group. <i>Chemical Communications</i> , 2015, 51, 9339-9342.	2.2	8
15	Conformationally Locked Tolans, π^2 -Sheet Structures, and Photophysical Properties. <i>Organic Letters</i> , 2015, 17, 6222-6225.	2.4	14
16	Anion-binding properties of ureidoquinoline and its turn-on fluorescence in the presence of fluoride anions. <i>Tetrahedron Letters</i> , 2015, 56, 4187-4190.	0.7	5
17	Bis-ureidoquinoline as a Selective Fluoride Anion Sensor through Hydrogen-Bond Interactions. <i>Journal of Organic Chemistry</i> , 2014, 79, 9418-9422.	1.7	30
18	Synthesis and anion binding properties of m-diethynylbenzene expanded calix[4]pyrrole. <i>Tetrahedron Letters</i> , 2013, 54, 6928-6930.	0.7	4

#	ARTICLE	IF	CITATIONS
19	Hg(II)-Mediated Intramolecular Cyclization Reaction in Aqueous Media and Its Application as Hg(II) Selective Indicator. <i>Organic Letters</i> , 2013, 15, 1072-1075.	2.4	42
20	Simple fluorescent chemosensors for TNT: one-step synthesis. <i>Tetrahedron</i> , 2013, 69, 4652-4656.	1.0	14
21	A calix[2]phenol[2]pyrrole and a fused pyrrolidine-containing derivative. <i>Chemical Communications</i> , 2012, 48, 2495.	2.2	11
22	Hg ^{II} -Selective Fluorescent Indicator: One-Step Synthesis. <i>European Journal of Organic Chemistry</i> , 2012, 2012, 2495-2498.	1.2	11
23	Fluoride indicator that functions in mixed aqueous media: hydrogen bonding effects. <i>Tetrahedron Letters</i> , 2012, 53, 575-578.	0.7	19
24	<i>N</i> -Tosylpyrrolidine Calix[4]pyrrole: Synthesis and Ion Binding Studies. <i>Journal of Organic Chemistry</i> , 2011, 76, 1005-1012.	1.7	44
25	Colorimetric iodide detection in water: a new photo-activated indicator system. <i>Supramolecular Chemistry</i> , 2011, 23, 283-286.	1.5	2
26	Defining Spectroscopic Features of Heteroannulenic Antiaromatic Porphyrinoids. <i>Journal of Physical Chemistry Letters</i> , 2010, 1, 895-900.	2.1	117
27	Modern reaction-based indicator systems. <i>Chemical Society Reviews</i> , 2009, 38, 1647.	18.7	404
28	The Benzil [~] Cyanide Reaction and Its Application to the Development of a Selective Cyanide Anion Indicator. <i>Journal of the American Chemical Society</i> , 2008, 130, 12163-12167.	6.6	210
29	The Benzil Rearrangement Reaction: Trapping of a Hitherto Minor Product and Its Application to the Development of a Selective Cyanide Anion Indicator. <i>Organic Letters</i> , 2008, 10, 73-75.	2.4	135
30	Dioxabenzosapphyrin: A New Benzodifuran-Derived Sapphyrin Analogue. <i>Journal of the American Chemical Society</i> , 2008, 130, 10502-10503.	6.6	29
31	Diindolylquinoxalines: Effective Indole-Based Receptors for Phosphate Anion. <i>Journal of the American Chemical Society</i> , 2006, 128, 16518-16519.	6.6	182
32	Inverted Sapphyrin: A New Family of Doubly N-Confused Expanded Porphyrins. <i>Journal of the American Chemical Society</i> , 2006, 128, 12640-12641.	6.6	73
33	A Novel Class of Phosphonate Nucleosides. 9-[(1-Phosphonomethoxycyclopropyl)methyl]guanine as a Potent and Selective Anti-HBV Agent. <i>Journal of Medicinal Chemistry</i> , 2004, 47, 2864-2869.	2.9	59