
Nobuhiko Takeichi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3962387/publications.pdf Version: 2024-02-01



| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | The origin of the highly crystallized face-centered cubic YH <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline" id="d1e294" altimg="si13.svg"><mml:msub><mml:mrow /><mml:mrow><mml:mn>3</mml:mn></mml:mrow></mml:mrow </mml:msub>Âhigh-pressure phase when</mml:math | 1.9 | 1 |
| 2 | Face-centered-cubic yttrium trihydride high-pressure phase stabilized at ambient pressures by mechanical milling. Materialia, 2021, 15, 100956. | 2.7 | 3 |
| 3 | Transport Properties of Electrolyte Solution Comprising LiPF ₆ , Ethylene Carbonate, and Propylene Carbonate. Electrochemistry, 2021, 89, 439-446. | 1.4 | 5 |
| 4 | Stability of Zirconium-Substituted Face-Centered Cubic Yttrium Hydride. Inorganic Chemistry, 2021, 60, 17715-17721. | 4.0 | 0 |
| 5 | Improved gravimetric energy density and cycle life in organic lithium-ion batteries with naphthazarin-based electrode materials. Communications Materials, 2020, 1, . | 6.9 | 12 |
| 6 | Improvement of the Battery Performance of Indigo, an Organic Electrode Material, Using PEDOT/PSS with <scp>d-</scp> Sorbitol. ACS Omega, 2020, 5, 18565-18572. | 3.5 | 13 |
| 7 | Local structure and electrochemical performances of sulfurized polyethylene glycol after heat treatment. Scientific Reports, 2020, 10, 16918. | 3.3 | 4 |
| 8 | Analytical Measurements to Elucidate Structural Behavior of 2,5â€Dimethoxyâ€1,4â€benzoquinone During Charge and Discharge. ChemSusChem, 2020, 13, 2354-2363. | 6.8 | 5 |
| 9 | Conductive polymer binder and separator for high energy density lithium organic battery. MRS Communications, 2019, 9, 979-984. | 1.8 | 7 |
| 10 | Facile Synthesis of LiH-Stabilized Face-Centered-Cubic YH ₃ High-Pressure Phase by Ball Milling Process. Inorganic Chemistry, 2019, 58, 13102-13107. | 4.0 | 5 |
| 11 | Organic positive-electrode material utilizing both an anion and cation: a benzoquinone-tetrathiafulvalene triad molecule, Q-TTF-Q, for rechargeable Li, Na, and K batteries. New Journal of Chemistry, 2019, 43, 1626-1631. | 2.8 | 38 |
| 12 | Improving the oxygen redox stability of NaCl-type cation disordered Li ₂ MnO ₃ in a composite structure of Li ₂ MnO ₃ and spinel-type LiMn ₂ O ₄ . Journal of Materials Chemistry A, 2019, 7, 5381-5390. | 10.3 | 33 |
| 13 | Spinel-Type Sodium Titanium Oxide: A Promising Sodium-Insertion Material of Sodium-Ion Batteries. ACS Applied Energy Materials, 2019, 2, 4345-4353. | 5.1 | 22 |
| 14 | Anthraquinoneâ€Based Oligomer as a Long Cycle‣ife Organic Electrode Material for Use in Rechargeable Batteries. ChemPhysChem, 2019, 20, 967-971. | 2.1 | 22 |
| 15 | Stabilization of Face-Centered Cubic High-Pressure Phase of REH ₃ (RE = Y, Gd, Dy) at Ambient Pressure by Alkali or Alkaline-Earth Substitution. Inorganic Chemistry, 2018, 57, 4686-4692. | 4.0 | 12 |
| 16 | Electrochemical Property of Li-Mn Cation Disordered Li-Rich Li ₂ MnO ₃ with NaCl Type Structure. Journal of the Electrochemical Society, 2018, 165, A291-A296. | 2.9 | 18 |
| 17 | Electrochemical In Situ Synthesis: A New Synthesis Route for Redox Active Manganese Oxides for Rechargeable Sodium Ion Battery through Initial Charge Process. Journal of the Electrochemical Society, 2017, 164, A226-A230. | 2.9 | 9 |
| 18 | Silicon micropowder negative electrode endures more than 1000 cycles when a surface-roughened clad current collector is used. Journal of Power Sources, 2017, 346, 128-133. | 7.8 | 9 |

Νοβυμικό Τακειςμι

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Rechargeable organic batteries using chloro-substituted naphthazarin derivatives as positive electrode materials. Journal of Materials Science, 2017, 52, 12401-12408. | 3.7 | 16 |
| 20 | Spinel manganese oxide: A high capacity positive electrode material for the sodium ion battery. Electrochimica Acta, 2016, 212, 458-464. | 5.2 | 17 |
| 21 | Micro/Nano-Structural Transition and Hydrogen Absorption Mechanism in Mg/Cu Super-Laminate Composites. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 2015, 79, 644-650. | 0.4 | 1 |
| 22 | Influence of the preparation methods on the electrochemical properties and structural changes of alpha-sodium iron oxide as a positive electrode material for rechargeable sodium batteries. Electrochimica Acta, 2015, 182, 871-877. | 5.2 | 14 |
| 23 | Sulfone-Based Electrolyte Solutions for Rechargeable Magnesium Batteries Using 2,5-Dimethoxy-1,4-benzoquinone Positive Electrode. Journal of the Electrochemical Society, 2014, 161, A1315-A1320. | 2.9 | 47 |
| 24 | Irreversible structural change of a spinel Li4Ti5O12 particle via Na insertion-extraction cycles of a sodium-ion battery. Electrochimica Acta, 2014, 148, 175-179. | 5.2 | 30 |
| 25 | Hydrogen Absorption and Desorption Behavior of Magnesium Hydride: Incubation Period and Reaction Mechanism. Materials Transactions, 2014, 55, 1161-1167. | 1.2 | 14 |
| 26 | Micro/Nano-Structural Transition and Hydrogen Absorption Mechanism in Mg/Cu Super-Laminate Composites. Materials Transactions, 2014, 55, 1122-1128. | 1.2 | 9 |
| 27 | Indigo carmine: An organic crystal as a positive-electrode material for rechargeable sodium batteries. Scientific Reports, 2014, 4, 3650. | 3.3 | 109 |
| 28 | Hydrides Formed in ZrCo2 – Based Intermetallic Compounds Under High Hydrogen Pressure / Wodorki Wytwarzane Pod Wysokimi Cisnieniami Wodoru Ze Zwiazków Miedzymetalicznych Na Osnowie ZrCo2. Archives of Metallurgy and Materials, 2013, 58, 223-226. | 0.6 | 2 |
| 29 | Na-ion capacitor using sodium pre-doped hard carbon and activated carbon. Electrochimica Acta, 2012, 76, 320-325. | 5.2 | 104 |
| 30 | Ca7Ge-type hydride Mg6VNaxHy (O≤â‰⊉): High pressure synthesis, synchrotron X-ray analysis and hydrogen storage properties. Journal of Power Sources, 2012, 210, 158-162. | 7.8 | 2 |
| 31 | Novel Mg–Zr–A–H (A=Li, Na) hydrides synthesized by a high pressure technique and their hydrogen storage properties. Journal of Alloys and Compounds, 2011, 509, 1211-1216. | 5.5 | 13 |
| 32 | Converting rice husk activated carbon into active material for capacitor using three-dimensional porous current collector. Journal of Power Sources, 2011, 196, 10788-10790. | 7.8 | 56 |
| 33 | Reaction stoichiometry between TiCl3 and NaAlH4 in Ti-doped alanate for hydrogen storage: The fate of the titanium species. International Journal of Hydrogen Energy, 2011, 36, 634-638. | 7.1 | 14 |
| 34 | Investigation of Y ₆ Mn ₂₃ and YMn ₁₂ intermetallic alloys under high hydrogen pressure. Journal of Physics: Conference Series, 2010, 215, 012018. | 0.4 | 1 |
| 35 | Hydrothermal preparation of LiFePO4 nanocrystals mediated by organic acid. Journal of Power Sources, 2010, 195, 2877-2882. | 7.8 | 133 |
| 36 | Pyroxene LiVSi2O6 as an electrode material for Li-ion batteries. Journal of Power Sources, 2010, 195, 8322-8326. | 7.8 | 12 |

Νοβυμικό Τακειςμι

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Hydrides of Laves phases intermetallic compounds synthesized under high hydrogen pressure. Solid State Ionics, 2010, 181, 306-310. | 2.7 | 22 |
| 38 | Micro/Nano-Structures and Hydrogen Absorption/Desorption Properties of Mg/Cu Super-Laminates. Materials Science Forum, 2010, 638-642, 1143-1147. | 0.3 | 2 |
| 39 | Binderless fabrication of amorphous RuO2 electrode for electrochemical capacitor using spark plasma sintering technique. Journal of Power Sources, 2009, 191, 684-687. | 7.8 | 21 |
| 40 | A theoretical interpretation of the pressure–composition isotherms of RNi5 (, Pr, Nd and Sm) systems based on statistical mechanics. Journal of Alloys and Compounds, 2009, 470, 360-364. | 5.5 | 7 |
| 41 | Investigation of micro-structural transition through disproportionation and recombination during hydrogenation and dehydrogenation in Mg/Cu super-laminates. Journal of Materials Science, 2008, 43, 3812-3816. | 3.7 | 36 |
| 42 | Downbeat positioning nystagmus is a common clinical feature despite variable phenotypes in an FHM1 family. Journal of Neurology, 2008, 255, 1541-1544. | 3.6 | 15 |
| 43 | Observation of helical water chains reversibly inlayed in magnesium imidazole-4,5-dicarboxylate. CrystEngComm, 2008, 10, 1175. | 2.6 | 49 |
| 44 | Hydrogen Storage Properties, Metallographic Structures and Phase Transitions of Mg-based Alloys Prepared by Super Lamination Technique. Materials Research Society Symposia Proceedings, 2008, 1128, 10401. | 0.1 | 3 |
| 45 | Effect of Ball-Milling on the Properties of Mg ₂ Cu Hydrogen Storage Alloy. Materials Transactions, 2008, 49, 2698-2701. | 1.2 | 6 |
| 46 | Change of Microstructure and Hydrogen Absorption Properties by Initial Activation in Mg/Cu Super-Laminates as Hydrogen Storage Materials. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 2008, 72, 188-194. | 0.4 | 4 |
| 47 | Hydrogenation Characteristics of Mg Based Alloy Prepared by Super Lamination Technique. Materials Science Forum, 2007, 561-565, 1609-1612. | 0.3 | 25 |
| 48 | Comparison between Mg/Cu Super-Laminates and Mg ₂ Cu Powder in Microstructure and Hydrogen Storage Properties. Materials Science Forum, 2007, 561-565, 1581-1584. | 0.3 | 0 |
| 49 | Phase Transition of Mg/Pd Laminate Composites during Hydrogenation/Dehydrogenation. Materials Science Forum, 2007, 561-565, 1593-1596. | 0.3 | Ο |
| 50 | Hydrogen Storage Properties and Corresponding Phase Transformations of Mg/Pd Laminate Composites Prepared by a Repetitive-Rolling Method. Materials Transactions, 2007, 48, 2395-2398. | 1.2 | 7 |
| 51 | The Effect of Initial Activation on Microstructures of Mg/Cu Super-laminates and Hydrogen Absorption Properties. Materials Research Society Symposia Proceedings, 2007, 1042, 1. | 0.1 | 1 |
| 52 | XAFS Analysis of Pt and Pt-Ru Catalysts for PEFCs by In-Situ Measurements under Operating Conditions in the Fluorescence Mode. AIP Conference Proceedings, 2007, , . | 0.4 | 2 |
| 53 | Observation of hydrogen absorption/desorption reaction processes in Li–Mg–N–H system by in-situ X-ray diffractmetry. Journal of Alloys and Compounds, 2007, 430, 217-221. | 5.5 | 16 |
| 54 | Hydrogen storage properties of Mg/Cu and Mg/Pd laminate composites and metallographic structure. Journal of Alloys and Compounds, 2007, 446-447, 543-548. | 5.5 | 80 |

NOBUHIKO TAKEICHI

| # | Article | IF | CITATIONS |
|----|---|------------|--------------------------|
| 55 | Activity Changes in Monkey Superior Colliculus During Saccade Adaptation. Journal of Neurophysiology, 2007, 97, 4096-4107. | 1.8 | 59 |
| 56 | Evaluation of nanometer-scale droplets in a ternary o/w microemulsion using SAXS and 129Xe NMR. Chemical Physics Letters, 2007, 441, 109-114. | 2.6 | 7 |
| 57 | High Pressure Hydrogen and Hydrogen Storage Materials. Review of High Pressure Science and Technology/Koatsuryoku No Kagaku To Gijutsu, 2007, 17, 257-263. | 0.0 | 3 |
| 58 | In-Situ X-ray Diffraction Measurement for Pure Niobium Metal in High Temperature Hydrogen Atmosphere. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 2006, 70, 467-472. | 0.4 | 2 |
| 59 | Relations between Microstructure of Mg/Cu Super-laminates and Kinetics of Hydrogen Absorption/desorption. Materials Research Society Symposia Proceedings, 2006, 971, 1. | 0.1 | 1 |
| 60 | Appearance of a Novel Pressure Plateau in RNi ₅ -H (R = Rare Earth) Systems. Materials Transactions, 2005, 46, 152-154. | 1.2 | 11 |
| 61 | Hydrogenation and dehydrogenation properties for DyNi5–H system. Journal of Alloys and Compounds, 2005, 389, 182-185. | 5.5 | 2 |
| 62 | Studies of – isotherms in RNi5–H (R: La, Pr, Nd, Sm, Gd, Tb and Dy) systems. Journal of Alloys and Compounds, 2005, 404-406, 47-50. | 5.5 | 12 |
| 63 | Hydrogenation properties and structural change of HfxZr7â^'xNi10 (). Journal of Alloys and Compounds, 2005, 404-406, 609-612. | 5.5 | 8 |
| 64 | Rational assembly of a 3D metal–organic framework for gas adsorption with predesigned cubic building blocks and 1D open channels. Chemical Communications, 2005, , 3526. | 4.1 | 106 |
| 65 | Hydrogenation of nanostructured graphite by mechanical grinding under hydrogen atmosphere. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2004, 108, 134-137. | 3.5 | 20 |
| 66 | Systematic investigation on hydrogen storage properties of RNi5 (R: rare earth) intermetallic compounds with multi-plateau. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2004, 108, 96-99. | 3.5 | 28 |
| 67 | Hydrogenation properties and structure of Ti–Cr alloy prepared by mechanical grinding. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2004, 108, 100-104. | 3.5 | 12 |
| 68 | Re-examination of Zr7Ni10 single-phase region. Journal of Alloys and Compounds, 2004, 376, 268-274. | 5.5 | 20 |
| 69 | Structural Changes in RNi ₅ -H (R = Pr, Nd, Sm and Gd) Systems with Two Hydrogen Pressure Plateaux. Materials Transactions, 2004, 45, 2610-2613. | 1.2 | 14 |
| 70 | Hydrogenation and Dehydrogenation Properties of R _H Ni ₅ (R _H) Tj ETC | 2qQ 0 0 rg | BT ₁ Overlock |
| 71 | "Hybrid hydrogen storage vesselâ€, a novel high-pressure hydrogen storage vessel combined with hydrogen storage material. International Journal of Hydrogen Energy, 2003, 28, 1121-1121. | 7.1 | 51 |

72Phase transformation in Tiâ€"Cr alloys by mechanical grinding. Materials Letters, 2003, 57, 1395-1399.2.612

Νοβυμικό Τακειςμι

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Another unusual phenomenon for Zr7Ni10: structural change in hydrogen solid solution and its conditions. Journal of Alloys and Compounds, 2003, 360, 250-255. | 5.5 | 17 |
| 74 | Hydrogenation Properties of RNi ₅ (R: Rare Earth) Intermetallic Compounds with Multi Pressure Plateaux. Materials Transactions, 2003, 44, 1663-1666. | 1.2 | 36 |
| 75 | Hydrogenation of Body-Centered-Cubic Titanium-Chromium Alloys Prepared by Mechanical Grinding. Materials Transactions, 2002, 43, 2161-2164. | 1.2 | 8 |
| 76 | Evaluation of methods to improve reproducibility in charge/discharge measurements of metal hydride battery electrodes. Journal of Alloys and Compounds, 2002, 330-332, 771-775. | 5.5 | 2 |
| 77 | Hydrogen adsorption in carbonaceous materials–. Journal of Alloys and Compounds, 2002, 330-332, 666-669. | 5.5 | 73 |
| 78 | Hydrogenation characteristics of Ti2Ni and Ti4Ni2X (X=O, N, C). Journal of Alloys and Compounds, 2002, 330-332, 517-521. | 5.5 | 22 |
| 79 | Synthesis of CaNi1â^'xPdx (0.1≤â‰≇) alloys and hydrogenation properties of CaPd. Journal of Alloys and Compounds, 2002, 347, 231-238. | 5.5 | 2 |
| 80 | Atomic structure, electronic structure and electron transport properties of Ca–Mg–Ga amorphous alloys. Journal of Non-Crystalline Solids, 1999, 250-252, 805-810. | 3.1 | 0 |
| 81 | Electronic structure and electron transport properties of amorphous alloys. Journal of Physics Condensed Matter, 1998, 10, 10193-10206. | 1.8 | 0 |
| 82 | Development in the short- and medium-range structure in amorphous alloys. Journal of Physics Condensed Matter, 1998, 10, 10179-10192. | 1.8 | 4 |
| 83 | Theoretical studies of atomic structure and electronic structure in ternary amorphous Al - Cu - Y and Mg - Cu - Y alloys. Journal of Physics Condensed Matter, 1997, 9, 10145-10157. | 1.8 | 2 |
| 84 | Experimental studies of atomic structure, electronic structure, and the electronic transport mechanism in amorphous Al-Cu-Y and Mg-Cu-Y ternary alloys. Physical Review B, 1996, 54, 3200-3210. | 3.2 | 13 |
| 85 | Hydrogen Storage Properties of Mg-Al Alloy Prepared by Super Lamination Technique. Advanced Materials Research, 0, 26-28, 857-860. | 0.3 | 30 |