

Hein A W Van Onzenoort

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3962439/hein-a-w-van-onzenoort-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

26

papers

488

citations

11

h-index

22

g-index

32

ext. papers

584

ext. citations

3.2

avg, IF

3.34

L-index

#	Paper	IF	Citations
26	Risk factors for clinically relevant deviations in patients medication lists reported by patients in personal health records: a prospective cohort study in a hospital setting.. <i>International Journal of Clinical Pharmacy</i> , 2022 , 44, 539	2.3	0
25	The effect of Patients Own Medication use on patients self-reported medication knowledge during hospitalisation: a pre-post intervention study.. <i>BMC Health Services Research</i> , 2022 , 22, 423	2.9	0
24	A comparison between medication reconciliation by a pharmacy technician and the use of an online personal health record by patients for identifying medication discrepancies in patients drug lists prior to elective admissions. <i>International Journal of Medical Informatics</i> , 2021 , 147, 104370	5.3	3
23	Effect of Interactive eHealth Interventions on Improving Medication Adherence in Adults With Long-Term Medication: Systematic Review. <i>Journal of Medical Internet Research</i> , 2021 , 23, e18901	7.6	10
22	Identification of Cardiovascular Patient Groups at Risk for Poor Medication Adherence: A Cluster Analysis. <i>Journal of Cardiovascular Nursing</i> , 2021 , 36, 489-497	2.1	
21	Drug utilization in the Maastricht Study: A comparison with nationwide data. <i>Medicine (United States)</i> , 2020 , 99, e18524	1.8	1
20	Factors Associated with Antihypertensive Medication Non-Adherence: A Cross-Sectional Study Among Lebanese Hypertensive Adults. <i>Patient Preference and Adherence</i> , 2020 , 14, 663-673	2.4	2
19	A nurse-based intervention for improving medication adherence in cardiovascular patients: an evaluation of a randomized controlled trial. <i>Patient Preference and Adherence</i> , 2019 , 13, 837-852	2.4	6
18	Mortality risk in atrial fibrillation: the role of aspirin, vitamin K and non-vitamin K antagonists. <i>International Journal of Clinical Pharmacy</i> , 2019 , 41, 1536-1544	2.3	1
17	Economic impact of Patients Own Medication use during hospitalisation: a multicentre pre-post implementation study. <i>International Journal of Clinical Pharmacy</i> , 2019 , 41, 1658-1665	2.3	5
16	Metformin use in type 2 diabetic patients is not associated with lower arterial stiffness: the Maastricht Study. <i>Journal of Hypertension</i> , 2019 , 37, 365-371	1.9	5
15	Risk of major bleeding and stroke associated with the use of vitamin K antagonists, nonvitamin K antagonist oral anticoagulants and aspirin in patients with atrial fibrillation: a cohort study. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 1844-1859	3.8	17
14	The association between insulin use and volumetric bone mineral density, bone micro-architecture and bone strength of the distal radius in patients with type 2 diabetes - The Maastricht study. <i>Bone</i> , 2017 , 101, 156-161	4.7	9
13	Long-term use of dipeptidyl peptidase-4 inhibitors and risk of fracture: A retrospective population-based cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2017 , 19, 421-428	6.7	31
12	The use of incretins and fractures - a meta-analysis on population-based real life data. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 923-926	3.8	30
11	A Multifaceted Nurse- and Web-Based Intervention for Improving Adherence to Treatment in Patients With Cardiovascular Disease: Rationale and Design of the MIRROR Trial. <i>JMIR Research Protocols</i> , 2016 , 5, e187	2	6
10	Use of Glucagon-Like-Peptide 1 Receptor Agonists and Risk of Fracture as Compared to Use of Other Anti-hyperglycemic Drugs. <i>Calcified Tissue International</i> , 2015 , 97, 506-15	3.9	45

9	A simple intervention to reduce the anesthetic pharmacy budget; the effect of price list stickers placed on vaporizers. <i>Journal of Clinical Anesthesia</i> , 2015 , 27, 307-10	1.9	5
8	Bone fracture risk is not associated with the use of glucagon-like peptide-1 receptor agonists: a population-based cohort analysis. <i>Calcified Tissue International</i> , 2015 , 97, 104-12	3.9	46
7	Use of dipeptidyl peptidase 4 inhibitors and fracture risk compared to use of other anti-hyperglycemic drugs. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 1017-25	2.6	25
6	Use of dipeptidyl peptidase-4 inhibitors for type 2 diabetes mellitus and risk of fracture. <i>Bone</i> , 2014 , 68, 124-30	4.7	55
5	Electronic monitoring of adherence, treatment of hypertension, and blood pressure control. <i>American Journal of Hypertension</i> , 2012 , 25, 54-9	2.3	22
4	Gentamicin serum concentrations in patients with gentamicin-PMMA beads for infected hip joints: a prospective observational cohort study. <i>Therapeutic Drug Monitoring</i> , 2012 , 34, 67-71	3.2	8
3	Participation in a clinical trial enhances adherence and persistence to treatment: a retrospective cohort study. <i>Hypertension</i> , 2011 , 58, 573-8	8.5	76
2	Assessing medication adherence simultaneously by electronic monitoring and pill count in patients with mild-to-moderate hypertension. <i>American Journal of Hypertension</i> , 2010 , 23, 149-54	2.3	50
1	Effect of self-measurement of blood pressure on adherence to treatment in patients with mild-to-moderate hypertension. <i>Journal of Hypertension</i> , 2010 , 28, 622-7	1.9	29