

Gleb Yushin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3963689/gleb-yushin-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

162
papers

28,725
citations

74
h-index

169
g-index

172
ext. papers

31,713
ext. citations

14.1
avg, IF

7.51
L-index

#	Paper	IF	Citations
162	Electrolyte melt infiltration for scalable manufacturing of inorganic all-solid-state lithium-ion batteries. <i>Nature Materials</i> , 2021 , 20, 984-990	27	38
161	Materials and technologies for multifunctional, flexible or integrated supercapacitors and batteries. <i>Materials Today</i> , 2021 , 48, 176-176	21.8	17
160	Strategies for fabrication, confinement and performance boost of Li ₂ S in lithium-sulfur, silicon-sulfur & related batteries. <i>Materials Today</i> , 2021 , 49, 253-253	21.8	10
159	Strain-Induced Transformation of Bulk Alloys to Zinc Nanowires. <i>Chemistry of Materials</i> , 2021 , 33, 5368-5376	3.76	0
158	Iron Phosphide Confined in Carbon Nanofibers as a Free-Standing Flexible Anode for High-Performance Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 34074-34083	9.5	5
157	Battery materials for low-cost electric transportation. <i>Materials Today</i> , 2021 , 42, 57-72	21.8	29
156	Atom-economic synthesis of Magn β phase Ti ₄ O ₇ microspheres for improved sulfur cathodes for Li ₂ S batteries. <i>Nano Energy</i> , 2021 , 79, 105428	17.1	17
155	Minimizing Long-Chain Polysulfide Formation in Li-S Batteries by Using Localized Low Concentration Highly Fluorinated Electrolytes. <i>Journal of the Electrochemical Society</i> , 2021 , 168, 090543	3.9	4
154	A Naphthalene Diimide Covalent Organic Framework: Comparison of Cathode Performance in Lithium-Ion Batteries with Amorphous Cross-linked and Linear Analogues, and Its Use in Aqueous Lithium-Ion Batteries. <i>ACS Applied Energy Materials</i> , 2021 , 4, 350-356	6.1	10
153	Boosting High-Performance in Lithium-Sulfur Batteries via Dilute Electrolyte. <i>Nano Letters</i> , 2020 , 20, 5391-5399	11.5	49
152	Tuning Low Concentration Electrolytes for High Rate Performance in Lithium-Sulfur Batteries. <i>Journal of the Electrochemical Society</i> , 2020 , 167, 100512	3.9	10
151	Scalable, safe, high-rate supercapacitor separators based on the Al ₂ O ₃ nanowire Polyvinyl butyral nonwoven membranes. <i>Nano Energy</i> , 2020 , 71, 104627	17.1	26
150	A nanoconfined iron(III) fluoride cathode in a NaDFOB electrolyte: towards high-performance sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 4091-4098	13	10
149	Understanding Li-Ion Dynamics in Lithium Hydroxychloride (Li ₂ OHCl) Solid State Electrolyte via Addressing the Role of Protons. <i>Advanced Energy Materials</i> , 2020 , 10, 1903480	21.8	16
148	Anatase TiO ₂ Confined in Carbon Nanopores for High-Energy Li-Ion Hybrid Supercapacitors Operating at High Rates and Subzero Temperatures. <i>Advanced Energy Materials</i> , 2020 , 10, 1902993	21.8	28
147	Conversion of Mg-Li Bimetallic Alloys to Magnesium Alkoxide and Magnesium Oxide Ceramic Nanowires. <i>Angewandte Chemie</i> , 2020 , 132, 411-416	3.6	1
146	Solid-state lithium-sulfur batteries: Advances, challenges and perspectives. <i>Materials Today</i> , 2020 , 40, 114-131	21.8	33

145	Conversion of Mg-Li Bimetallic Alloys to Magnesium Alkoxide and Magnesium Oxide Ceramic Nanowires. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 403-408	16.4	4
144	Cycle stability of conversion-type iron fluoride lithium battery cathode at elevated temperatures in polymer electrolyte composites. <i>Nature Materials</i> , 2019 , 18, 1343-1349	27	63
143	Flexible Nanofiber-Reinforced Solid Polymer Lithium-Ion Battery. <i>Energy Technology</i> , 2019 , 7, 1900064	3.5	4
142	Insights into the Effects of Electrolyte Composition on the Performance and Stability of FeF ₂ Conversion-Type Cathodes. <i>Advanced Energy Materials</i> , 2019 , 9, 1803323	21.8	27
141	Carbons from Biomass for Electrochemical Capacitors. <i>Biofuels and Biorefineries</i> , 2019 , 153-184	0.3	2
140	Aluminum oxide nanowires as safe and effective adjuvants for next-generation vaccines. <i>Materials Today</i> , 2019 , 22, 58-66	21.8	21
139	Fading Mechanisms and Voltage Hysteresis in FeF ₂ -NiF Solid Solution Cathodes for Lithium and Lithium-Ion Batteries. <i>Small</i> , 2019 , 15, e1804670	11	31
138	Hierarchical Fabric Decorated with Carbon Nanowire/Metal Oxide Nanocomposites for 1.6 V Wearable Aqueous Supercapacitors. <i>Advanced Energy Materials</i> , 2018 , 8, 1703454	21.8	112
137	Lithium Titanate Confined in Nanoporous Copper for High-Rate Battery Applications. <i>MRS Advances</i> , 2018 , 3, 1249-1253	0.7	
136	Layered LiTiO ₂ for the protection of Li ₂ S cathodes against dissolution: mechanisms of the remarkable performance boost. <i>Energy and Environmental Science</i> , 2018 , 11, 807-817	35.4	76
135	Iron Phosphate Coated Flexible Carbon Nanotube Fabric as a Multifunctional Cathode for Na-Ion Batteries. <i>Small</i> , 2018 , 14, e1703425	11	27
134	Morphology and Phase Changes in Iron Anodes Affecting their Capacity and Stability in Rechargeable Alkaline Batteries. <i>ACS Energy Letters</i> , 2018 , 3, 794-801	20.1	22
133	Mixed Metal Difluorides as High Capacity Conversion-Type Cathodes: Impact of Composition on Stability and Performance. <i>Advanced Energy Materials</i> , 2018 , 8, 1800213	21.8	15
132	Conformal vapor deposition of iron phosphate onto carbon nanotubes for flexible high-rate cathodes. <i>Materials Today Energy</i> , 2018 , 8, 143-150	7	5
131	Materials for supercapacitors: When Li-ion battery power is not enough. <i>Materials Today</i> , 2018 , 21, 419-436	23.6	234
130	Ion Conductivities: Protons Enhance Conductivities in Lithium Halide Hydroxide/Lithium Oxyhalide Solid Electrolytes by Forming Rotating Hydroxy Groups (Adv. Energy Mater. 3/2018). <i>Advanced Energy Materials</i> , 2018 , 8, 1870014	21.8	2
129	Synthesis of copper oxide nanowires and nanoporous copper via environmentally friendly transformation of bulk copper-calcium alloys. <i>Chemical Communications</i> , 2018 , 54, 5446-5449	5.8	3
128	Iron oxide nanoconfined in carbon nanopores as high capacity anode for rechargeable alkaline batteries. <i>Nano Energy</i> , 2018 , 48, 170-179	17.1	24

127	Iron Fluoride/Carbon Nanocomposite Nanofibers as Free-Standing Cathodes for High-Energy Lithium Batteries. <i>Advanced Functional Materials</i> , 2018 , 28, 1801711	15.6	65
126	Ten years left to redesign lithium-ion batteries. <i>Nature</i> , 2018 , 559, 467-470	50.4	223
125	Lithium/Iron (III) Fluoride Battery with Double Surface Protection. <i>Advanced Energy Materials</i> , 2018 , 8, 1800721	21.8	37
124	Protons Enhance Conductivities in Lithium Halide Hydroxide/Lithium Oxyhalide Solid Electrolytes by Forming Rotating Hydroxy Groups. <i>Advanced Energy Materials</i> , 2018 , 8, 1700971	21.8	45
123	Robust and Flexible Micropatterned Electrodes and Micro-Supercapacitors in Graphene/Silk Biopapers. <i>Advanced Materials Interfaces</i> , 2018 , 5, 1801203	4.6	13
122	Understanding the Exceptional Performance of Lithium-Ion Battery Cathodes in Aqueous Electrolytes at Subzero Temperatures. <i>Advanced Energy Materials</i> , 2018 , 8, 1802624	21.8	55
121	Mechanisms of Transformation of Bulk Aluminum-Lithium Alloys to Aluminum Metal-Organic Nanowires. <i>Journal of the American Chemical Society</i> , 2018 , 140, 12493-12500	16.4	8
120	Transformation of bulk alloys to oxide nanowires. <i>Science</i> , 2017 , 355, 267-271	33.3	57
119	A stable lithiated silicon-chalcogen battery via synergetic chemical coupling between silicon and selenium. <i>Nature Communications</i> , 2017 , 8, 13888	17.4	43
118	Charge storage at the nanoscale: understanding the trends from the molecular scale perspective. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 21049-21076	13	39
117	Electrical Energy Storage: Supercapacitors 2017 , 25-59		
116	Enhancing electrochemical performance of LiFePO ₄ by vacuum-infiltration into expanded graphite for aqueous Li-ion capacitors. <i>Electrochimica Acta</i> , 2017 , 253, 413-421	6.7	9
115	In situ surface protection for enhancing stability and performance of conversion-type cathodes. <i>MRS Energy & Sustainability</i> , 2017 , 4, 1	2.2	37
114	Toward in-situ protected sulfur cathodes by using lithium bromide and pre-charge. <i>Nano Energy</i> , 2017 , 40, 170-179	17.1	42
113	Capacitive Energy Storage. <i>World Scientific Series in Current Energy Issues</i> , 2017 , 167-214	0.2	3
112	Toward a Long-Chain Perfluoroalkyl Replacement: Water and Oil Repellency of Polyethylene Terephthalate (PET) Films Modified with Perfluoropolyether-Based Polyesters. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 24318-24330	9.5	15
111	Conversion cathodes for rechargeable lithium and lithium-ion batteries. <i>Energy and Environmental Science</i> , 2017 , 10, 435-459	35.4	380
110	Carbide-derived carbon aerogels with tunable pore structure as versatile electrode material in high power supercapacitors. <i>Carbon</i> , 2017 , 113, 283-291	10.4	155

109	Capacitive Energy Storage. <i>World Scientific Series in Current Energy Issues</i> , 2017 , 167-214	0.2	
108	Influence of Binders, Carbons, and Solvents on the Stability of Phosphorus Anodes for Li-ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 25991-26001	9.5	35
107	Nanostructured Li ₂ Se cathodes for high performance lithium-selenium batteries. <i>Nano Energy</i> , 2016 , 27, 238-246	17.1	39
106	Lithium/Iron Fluoride Battery with In Situ Surface Protection. <i>Advanced Functional Materials</i> , 2016 , 26, 1507-1516	15.6	51
105	Infiltrated Porous Polymer Sheets as Free-Standing Flexible Lithium-Sulfur Battery Electrodes. <i>Advanced Materials</i> , 2016 , 28, 6365-71	24	90
104	Revealing Rate Limitations in Nanocrystalline Li ₄ Ti ₅ O ₁₂ Anodes for High-Power Lithium Ion Batteries. <i>Advanced Materials Interfaces</i> , 2016 , 3, 1600003	4.6	19
103	Aqueous solutions of acidic ionic liquids for enhanced stability of polyoxometalate-carbon supercapacitor electrodes. <i>Journal of Power Sources</i> , 2016 , 326, 569-574	8.9	48
102	Performance Enhancement and Side Reactions in Rechargeable Nickel-Iron Batteries with Nanostructured Electrodes. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 2088-96	9.5	47
101	Graphene-Li ₂ S-Carbon Nanocomposite for Lithium-Sulfur Batteries. <i>ACS Nano</i> , 2016 , 10, 1333-40	16.7	130
100	Lithium Titanate Confined in Carbon Nanopores for Asymmetric Supercapacitors. <i>ACS Nano</i> , 2016 , 10, 3977-84	16.7	85
99	Enhancing the Stability of Sulfur Cathodes in Li/S Cells via in Situ Formation of a Solid Electrolyte Layer. <i>ACS Energy Letters</i> , 2016 , 1, 373-379	20.1	51
98	Enhancing Cycle Stability of Lithium Iron Phosphate in Aqueous Electrolytes by Increasing Electrolyte Molarity. <i>Advanced Energy Materials</i> , 2016 , 6, 1501805	21.8	34
97	Conversion Cathodes: Lithium/Iron Fluoride Battery with In Situ Surface Protection (Adv. Funct. Mater. 10/2016). <i>Advanced Functional Materials</i> , 2016 , 26, 1490-1490	15.6	1
96	Degradation and stabilization of lithium cobalt oxide in aqueous electrolytes. <i>Energy and Environmental Science</i> , 2016 , 9, 1841-1848	35.4	66
95	Influence of annealing on ionic transfer and storage stability of Li ₂ S/P ₂ S ₅ solid electrolyte. <i>Journal of Power Sources</i> , 2015 , 294, 494-500	8.9	31
94	Chemical vapor deposition and atomic layer deposition for advanced lithium ion batteries and supercapacitors. <i>Energy and Environmental Science</i> , 2015 , 8, 1889-1904	35.4	185
93	Nanostructured Activated Carbons for Supercapacitors 2015 , 1-34		3
92	In Situ Formation of Protective Coatings on Sulfur Cathodes in Lithium Batteries with LiFSI-Based Organic Electrolytes. <i>Advanced Energy Materials</i> , 2015 , 5, 1401792	21.8	165

91	Li-ion battery materials: present and future. <i>Materials Today</i> , 2015 , 18, 252-264	21.8	3812
90	Lithium iodide as a promising electrolyte additive for lithium-sulfur batteries: mechanisms of performance enhancement. <i>Advanced Materials</i> , 2015 , 27, 101-8	24	252
89	Micro- and Mesoporous Carbide-Derived Carbon-Selenium Cathodes for High-Performance Lithium Sulfur Batteries. <i>Advanced Energy Materials</i> , 2015 , 5, 1400981	21.8	118
88	Lithium Sulfide Cathodes: A Hierarchical Particle-Shell Architecture for Long-Term Cycle Stability of Li ₂ S Cathodes (Adv. Mater. 37/2015). <i>Advanced Materials</i> , 2015 , 27, 5578-5578	24	1
87	In Situ TEM Observation of Electrochemical Lithiation of Sulfur Confined within Inner Cylindrical Pores of Carbon Nanotubes. <i>Advanced Energy Materials</i> , 2015 , 5, 1501306	21.8	81
86	Carbon Nanotube-CoF ₂ Multifunctional Cathode for Lithium Ion Batteries: Effect of Electrolyte on Cycle Stability. <i>Small</i> , 2015 , 11, 5164-73	11	57
85	A Hierarchical Particle-Shell Architecture for Long-Term Cycle Stability of Li ₂ S Cathodes. <i>Advanced Materials</i> , 2015 , 27, 5579-86	24	101
84	Nanostructured composites for high energy batteries and supercapacitors 2015 ,		1
83	Increasing Capacitance of Zeolite-Templated Carbons in Electric Double Layer Capacitors. <i>Journal of the Electrochemical Society</i> , 2015 , 162, A5070-A5076	3.9	24
82	Harnessing Steric Separation of Freshly Nucleated Li ₂ S Nanoparticles for Bottom-Up Assembly of High-Performance Cathodes for Lithium-Sulfur and Lithium-Ion Batteries. <i>Advanced Energy Materials</i> , 2014 , 4, 1400196	21.8	122
81	Review of nanostructured carbon materials for electrochemical capacitor applications: advantages and limitations of activated carbon, carbide-derived carbon, zeolite-templated carbon, carbon aerogels, carbon nanotubes, onion-like carbon, and graphene. <i>Wiley Interdisciplinary Reviews: Energy and Environment</i> , 2014 , 3, 424-473	4.7	398
80	In situ small angle neutron scattering revealing ion sorption in microporous carbon electrical double layer capacitors. <i>ACS Nano</i> , 2014 , 8, 2495-503	16.7	70
79	Solution-Based Processing of Graphene-Li ₂ S Composite Cathodes for Lithium-Ion and Lithium-Sulfur Batteries. <i>Particle and Particle Systems Characterization</i> , 2014 , 31, 639-644	3.1	89
78	Effects of Dissolved Transition Metals on the Electrochemical Performance and SEI Growth in Lithium-Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2014 , 161, A1915-A1921	3.9	100
77	Micro- and mesoporous carbide-derived carbon prepared by a sacrificial template method in high performance lithium sulfur battery cathodes. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 17649-17654	13	51
76	Nanoporous Li ₂ S and MWCNT-linked Li ₂ S powder cathodes for lithium-sulfur and lithium-ion battery chemistries. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 6064-6070	13	114
75	Sulfur infiltrated activated carbon cathodes for lithium sulfur cells: The combined effects of pore size distribution and electrolyte molarity. <i>Journal of Power Sources</i> , 2014 , 248, 752-761	8.9	69
74	Hydrothermal synthesis of microalgae-derived microporous carbons for electrochemical capacitors. <i>Journal of Power Sources</i> , 2014 , 267, 26-32	8.9	131

73	Electrodeposition of Nanostructured Magnesium Coatings. <i>Nanomaterials and Nanotechnology</i> , 2014 , 4, 30	2.9	5
72	Stabilization of selenium cathodes via in situ formation of protective solid electrolyte layer. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 18898-18905	13	27
71	Supercapacitors specialities - Technology review 2014 ,		12
70	High-Capacity Anode Materials for Lithium-Ion Batteries: Choice of Elements and Structures for Active Particles. <i>Particle and Particle Systems Characterization</i> , 2014 , 31, 317-336	3.1	497
69	Multifunctional CNT-polymer composites for ultra-tough structural supercapacitors and desalination devices. <i>Advanced Materials</i> , 2013 , 25, 6625-32	24	130
68	Enhancing performance of LiB cells using a LiAl alloy anode coating. <i>Electrochemistry Communications</i> , 2013 , 36, 38-41	5.1	66
67	Sulfur-infiltrated micro- and mesoporous silicon carbide-derived carbon cathode for high-performance lithium sulfur batteries. <i>Advanced Materials</i> , 2013 , 25, 4573-9	24	284
66	High temperature stabilization of lithium sulfur cells with carbon nanotube current collector. <i>Journal of Power Sources</i> , 2013 , 226, 256-265	8.9	76
65	Functionalized carbon onions, detonation nanodiamond and mesoporous carbon as cathodes in Li-ion electrochemical energy storage devices. <i>Carbon</i> , 2013 , 53, 292-301	10.4	93
64	Synthesis and electrochemical performance of reduced graphene oxide/maghemite composite anode for lithium ion batteries. <i>Carbon</i> , 2013 , 52, 56-64	10.4	128
63	Small-angle neutron scattering for in situ probing of ion adsorption inside micropores. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 4618-22	16.4	52
62	Comparative study of the solid electrolyte interphase on graphite in full Li-ion battery cells using X-ray photoelectron spectroscopy, secondary ion mass spectrometry, and electron microscopy. <i>Carbon</i> , 2013 , 52, 388-397	10.4	68
61	Sulfur-containing activated carbons with greatly reduced content of bottle neck pores for double-layer capacitors: a case study for pseudocapacitance detection. <i>Energy and Environmental Science</i> , 2013 , 6, 2465	35.4	262
60	Plasma-Enhanced Atomic Layer Deposition of Ultrathin Oxide Coatings for Stabilized Lithium Sulfur Batteries. <i>Advanced Energy Materials</i> , 2013 , 3, 1308-1315	21.8	123
59	Lithographically patterned thin activated carbon films as a new technology platform for on-chip devices. <i>ACS Nano</i> , 2013 , 7, 6498-506	16.7	76
58	Effect of defects on graphitization of SiC. <i>Journal of Materials Research</i> , 2013 , 28, 952-957	2.5	4
57	Small-Angle Neutron Scattering for In Situ Probing of Ion Adsorption Inside Micropores. <i>Angewandte Chemie</i> , 2013 , 125, 4716-4720	3.6	7
56	Capacitive Electric Storage. <i>Materials and Energy</i> , 2013 , 373-404		1

55	Polypyrrole-Derived Activated Carbons for High-Performance Electrical Double-Layer Capacitors with Ionic Liquid Electrolyte. <i>Advanced Functional Materials</i> , 2012 , 22, 827-834	15.6	359
54	Towards ultrathick battery electrodes: aligned carbon nanotube-enabled architecture. <i>Advanced Materials</i> , 2012 , 24, 533-7	24	241
53	Ultra strong silicon-coated carbon nanotube nonwoven fabric as a multifunctional lithium-ion battery anode. <i>ACS Nano</i> , 2012 , 6, 9837-45	16.7	147
52	Lithiumbatterien und elektrische Doppelschichtkondensatoren: aktuelle Herausforderungen. <i>Angewandte Chemie</i> , 2012 , 124, 10134-10166	3.6	176
51	Challenges facing lithium batteries and electrical double-layer capacitors. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 9994-10024	16.4	2149
50	Nanostructured activated carbons from natural precursors for electrical double layer capacitors. <i>Nano Energy</i> , 2012 , 1, 552-565	17.1	392
49	Chemical vapor deposition of aluminum nanowires on metal substrates for electrical energy storage applications. <i>ACS Nano</i> , 2012 , 6, 118-25	16.7	85
48	Atomic layer deposition of vanadium oxide on carbon nanotubes for high-power supercapacitor electrodes. <i>Energy and Environmental Science</i> , 2012 , 5, 6872	35.4	400
47	In Situ Studies of Ion Transport in Microporous Supercapacitor Electrodes at Ultralow Temperatures. <i>Advanced Functional Materials</i> , 2012 , 22, 1655-1662	15.6	81
46	Ex-situ depth-sensing indentation measurements of electrochemically produced Si ₃ N ₄ alloy films. <i>Electrochemistry Communications</i> , 2011 , 13, 818-821	5.1	107
45	A major constituent of brown algae for use in high-capacity Li-ion batteries. <i>Science</i> , 2011 , 334, 75-9	33.3	1333
44	Hierarchical micro- and mesoporous carbide-derived carbon as a high-performance electrode material in supercapacitors. <i>Small</i> , 2011 , 7, 1108-17	11	263
43	Hydrothermal Carbonization of Abundant Renewable Natural Organic Chemicals for High-Performance Supercapacitor Electrodes. <i>Advanced Energy Materials</i> , 2011 , 1, 356-361	21.8	470
42	Nanosilicon-Coated Graphene Granules as Anodes for Li-Ion Batteries. <i>Advanced Energy Materials</i> , 2011 , 1, 495-498	21.8	224
41	N-nitrosamines formation from secondary amines by nitrogen fixation on the surface of activated carbon. <i>Environmental Science & Technology</i> , 2011 , 45, 8368-76	10.3	38
40	Electrical double layer capacitors with activated sucrose-derived carbon electrodes. <i>Carbon</i> , 2011 , 49, 4830-4838	10.4	76
39	Electrical double layer capacitors with sucrose derived carbon electrodes in ionic liquid electrolytes. <i>Journal of Power Sources</i> , 2011 , 196, 4072-4079	8.9	97
38	High-performance lithium-ion anodes using a hierarchical bottom-up approach. <i>Nature Materials</i> , 2010 , 9, 353-8	27	1707

37	Toward efficient binders for Li-ion battery Si-based anodes: polyacrylic acid. <i>ACS Applied Materials & Interfaces</i> , 2010 , 2, 3004-10	9.5	750
36	High-rate electrochemical capacitors based on ordered mesoporous silicon carbide-derived carbon. <i>ACS Nano</i> , 2010 , 4, 1337-44	16.7	408
35	Deformations in Si-Li anodes upon electrochemical alloying in nano-confined space. <i>Journal of the American Chemical Society</i> , 2010 , 132, 8548-9	16.4	286
34	Tailoring the pore alignment for rapid ion transport in microporous carbons. <i>Journal of the American Chemical Society</i> , 2010 , 132, 3252-3	16.4	164
33	Analysis of Lithium Insertion/Deinsertion in a Silicon Electrode Particle at Room Temperature. <i>Journal of the Electrochemical Society</i> , 2010 , 157, A1139	3.9	90
32	Curvature effects in carbon nanomaterials: Exohedral versus endohedral supercapacitors. <i>Journal of Materials Research</i> , 2010 , 25, 1525-1531	2.5	121
31	The Role of Nanostructure in the Electrochemical Oxidation of Model-Carbon Materials in Acidic Environments. <i>Journal of the Electrochemical Society</i> , 2010 , 157, B820	3.9	36
30	Detonation Nanodiamond and Onion-Like-Carbon-Embedded Polyaniline for Supercapacitors. <i>Advanced Functional Materials</i> , 2010 , 20, 3979-3986	15.6	208
29	Mesoporous carbide-derived carbon for cytokine removal from blood plasma. <i>Biomaterials</i> , 2010 , 31, 4789-94	15.6	41
28	A cubic ordered, mesoporous carbide-derived carbon for gas and energy storage applications. <i>Carbon</i> , 2010 , 48, 3987-3992	10.4	130
27	Nanodiamond-polymer composite fibers and coatings. <i>ACS Nano</i> , 2009 , 3, 363-9	16.7	251
26	Carbide-derived carbon membrane. <i>Materials Chemistry and Physics</i> , 2008 , 112, 587-591	4.4	17
25	Effect of Carbon Particle Size on Electrochemical Performance of EDLC. <i>Journal of the Electrochemical Society</i> , 2008 , 155, A531	3.9	148
24	Increase of nanodiamond crystal size by selective oxidation. <i>Diamond and Related Materials</i> , 2008 , 17, 1122-1126	3.5	59
23	Bactericidal activity of chlorine-loaded carbide-derived carbon against Escherichia coli and Bacillus anthracis. <i>Journal of Biomedical Materials Research - Part A</i> , 2008 , 84, 607-13	5.4	3
22	Micro and mesoporosity of carbon derived from ternary and binary metal carbides. <i>Microporous and Mesoporous Materials</i> , 2008 , 112, 526-532	5.3	97
21	Noncatalytic synthesis of carbon nanotubes, graphene and graphite on SiC. <i>Carbon</i> , 2008 , 46, 841-849	10.4	107
20	Plasma pressure compaction of nanodiamond. <i>Diamond and Related Materials</i> , 2007 , 16, 1967-1973	3.5	17

19	Electrochemical performance of carbon onions, nanodiamonds, carbon black and multiwalled nanotubes in electrical double layer capacitors. <i>Carbon</i> , 2007 , 45, 2511-2518	10.4	580
18	High Temperature Functionalization and Surface Modification of Nanodiamond Powders. <i>Materials Research Society Symposia Proceedings</i> , 2007 , 1039, 1		9
17	Mesoporous carbide-derived carbon with porosity tuned for efficient adsorption of cytokines. <i>Biomaterials</i> , 2006 , 27, 5755-62	15.6	111
16	Carbide-Derived Carbons: Effect of Pore Size on Hydrogen Uptake and Heat of Adsorption. <i>Advanced Functional Materials</i> , 2006 , 16, 2288-2293	15.6	335
15	Anisotropic etching of SiC whiskers. <i>Nano Letters</i> , 2006 , 6, 548-51	11.5	82
14	Carbide-derived carbons: a comparative study of porosity based on small-angle scattering and adsorption isotherms. <i>Langmuir</i> , 2006 , 22, 8945-50	4	72
13	Anomalous increase in carbon capacitance at pore sizes less than 1 nanometer. <i>Science</i> , 2006 , 313, 1760-3, 2937	3.3	2937
12	Formation of Porous SiC Ceramics by Pyrolysis of Wood Impregnated with Silica. <i>International Journal of Applied Ceramic Technology</i> , 2006 , 3, 485-490	2	33
11	Formation of Carbide-Derived Carbon on Silicon Carbide Whiskers. <i>Journal of the American Ceramic Society</i> , 2006 , 89, 509-514	3.8	84
10	Titanium carbide derived nanoporous carbon for energy-related applications. <i>Carbon</i> , 2006 , 44, 2489-2497	7.4	321
9	Effect of pore size and surface area of carbide derived carbons on specific capacitance. <i>Journal of Power Sources</i> , 2006 , 158, 765-772	8.9	515
8	Control of sp ² /sp ³ carbon ratio and surface chemistry of nanodiamond powders by selective oxidation in air. <i>Journal of the American Chemical Society</i> , 2006 , 128, 11635-42	16.4	697
7	Carbide-Derived Carbon. <i>Advanced Materials and Technologies</i> , 2006 , 211-254		4
6	Double-Layer Capacitance of Carbide Derived Carbons in Sulfuric Acid. <i>Electrochemical and Solid-State Letters</i> , 2005 , 8, A357		72
5	Synthesis of Carbide-Derived Carbon by Chlorination of Ti ₂ AlC. <i>Chemistry of Materials</i> , 2005 , 17, 2317-2328	3.2	79
4	Effect of sintering on structure of nanodiamond. <i>Diamond and Related Materials</i> , 2005 , 14, 1721-1729	3.5	99
3	Synthesis, structure and porosity analysis of microporous and mesoporous carbon derived from zirconium carbide. <i>Microporous and Mesoporous Materials</i> , 2005 , 86, 50-57	5.3	141
2	Synthesis of nanoporous carbide-derived carbon by chlorination of titanium silicon carbide. <i>Carbon</i> , 2005 , 43, 2075-2082	10.4	120

- 1 Tailoring of nanoscale porosity in carbide-derived carbons for hydrogen storage. *Journal of the American Chemical Society*, **2005**, 127, 16006-7 16.4 294