

Mevlana Giray Kabakci

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3964038/mevlana-giray-kabakci-publications-by-year.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

103
papers

1,819
citations

24
h-index

36
g-index

140
ext. papers

1,977
ext. citations

2.5
avg, IF

3.82
L-index

#	Paper	IF	Citations
103	Subclinical Inflammation Is Associated With Reductions in Muscle Oxygenation, Exercise Capacity and Quality of Life in Adults With Type 2 Diabetes. <i>Canadian Journal of Diabetes</i> , 2020 , 44, 422-427	2.1	0
102	Association between ACE and AGT polymorphism and cardiovascular risk in acromegalic patients. <i>Pituitary</i> , 2017 , 20, 569-577	4.3	6
101	Iliac arteriovenous fistulas after lumbar spinal surgery. <i>Turkish Journal of Emergency Medicine</i> , 2017 , 17, 109-111	1.1	3
100	Case Image: Delayed therapy and syncope due to excessive charging time in a patient with implantable defibrillator during a fast ventricular tachycardia episode. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2017 , 45, 673	0.3	
99	Case series of three different scenarios with drug-induced Brugada patterns: fact or fiction?. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2017 , 45, 650-654	0.3	3
98	Prolonged Tp-e interval and Tp-e/QT correlates well with modified Rodnan skin severity score in patients with systemic sclerosis. <i>Cardiology Journal</i> , 2016 , 23, 242-9	1.4	14
97	Association of epicardial and peri-atrial adiposity with the presence and severity of non-valvular atrial fibrillation. <i>International Journal of Cardiovascular Imaging</i> , 2015 , 31, 649-57	2.5	31
96	The clinical and cardiometabolic effects of d3-growth hormone receptor polymorphism in acromegaly. <i>Pituitary</i> , 2015 , 18, 116-25	4.3	9
95	Evaluation of the ambulatory arterial stiffness index in patients with rheumatoid arthritis. <i>Blood Pressure Monitoring</i> , 2015 , 20, 254-9	1.3	4
94	Epicardial Fat Thickness is Increased in Vitamin D Deficient Premenopausal Women and does not Decrease after Short-term Replacement. <i>Journal of Atherosclerosis and Thrombosis</i> , 2015 , 22, 582-9	4	9
93	Prevention of recurrent cryptogenic stroke with percutaneous closure of patent foramen ovale; one year follow-up study with magnetic resonance imaging and Holter monitoring. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2015 , 43, 38-46		2
92	The effect of different circadian blood pressure rhythms on left ventricular systolic dyssynchrony in patients with newly diagnosed essential hypertension. <i>Echocardiography</i> , 2014 , 31, 260	1.5	
91	Predictors of blood pressure reduction with nocturnal continuous positive airway pressure therapy in patients with obstructive sleep apnea and prehypertension. <i>Angiology</i> , 2014 , 65, 98-103	2.1	15
90	Assessment of cardiac autonomic functions by heart rate recovery, heart rate variability and QT dynamicity parameters in patients with acromegaly. <i>Pituitary</i> , 2014 , 17, 163-70	4.3	13
89	Effect of age and plaque morphology on diagnostic accuracy of dual source multidetector computed tomography coronary angiography. <i>Journal of Geriatric Cardiology</i> , 2014 , 11, 106-12	1.7	
88	Prognostic value of dual-source multidetector computed tomography coronary angiography in patients with stent implantation. <i>International Journal of Cardiovascular Imaging</i> , 2013 , 29, 1603-11	2.5	3
87	Association of serum total bilirubin levels with the severity, extent and subtypes of coronary atherosclerotic plaques detected by coronary CT angiography. <i>International Journal of Cardiovascular Imaging</i> , 2013 , 29, 1371-9	2.5	14

86	Increased epicardial fat tissue is a marker of metabolic syndrome in adult patients. <i>International Journal of Cardiology</i> , 2013 , 165, 308-13	3.2	43
85	Role of preablation neutrophil/lymphocyte ratio on outcomes of cryoballoon-based atrial fibrillation ablation. <i>American Journal of Cardiology</i> , 2013 , 112, 513-9	3	38
84	Prognosis of patients with mild-moderate coronary artery stenosis detected by coronary computed tomography angiography. <i>International Journal of Cardiology</i> , 2013 , 168, 1195-200	3.2	14
83	Association between family history of premature coronary artery disease and coronary atherosclerotic plaques shown by multidetector computed tomography coronary angiography. <i>International Journal of Cardiology</i> , 2013 , 164, 355-8	3.2	15
82	The cardiovascular effects of premature ovarian failure. <i>International Journal of Cardiology</i> , 2013 , 168, 506-10	3.2	28
81	Fragmented QRS complex predicts the arrhythmic events in patients with arrhythmogenic right ventricular cardiomyopathy/dysplasia. <i>Journal of Cardiovascular Electrophysiology</i> , 2013 , 24, 1260-6	2.7	46
80	Transcatheter interatrial septal defect closure in a large cohort: midterm follow-up results. <i>Congenital Heart Disease</i> , 2013 , 8, 418-27	3.1	21
79	Impaired aortic elastic properties in patients with adult-onset hypogonadism. <i>Blood Pressure</i> , 2013 , 22, 114-9	1.7	4
78	Frequency and predictors of renal artery stenosis in hypertensive patients undergoing coronary angiography. <i>Angiology</i> , 2013 , 64, 385-90	2.1	5
77	The association of premature ovarian failure with ventricular repolarization dynamics evaluated by QT dynamicity. <i>Europace</i> , 2013 , 15, 1657-63	3.9	6
76	Predictors of atrial fibrillation recurrence after atrial fibrillation ablation with cryoballoon. <i>Cardiology Journal</i> , 2013 , 20, 294-303	1.4	20
75	Evolution in transvenous extraction of pacemaker and implantable cardioverter defibrillator leads using a mechanical dilator sheath. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012 , 35, 834-40	1.6	34
74	Early-mid term follow-up results of percutaneous closure of the interatrial septal defects with occlutech figulla devices: a single center experience. <i>Journal of Interventional Cardiology</i> , 2012 , 25, 375-81	1.8	20
73	Evaluation of cardiac autonomic function by various indices in patients with primary premature ovarian failure. <i>Clinical Research in Cardiology</i> , 2012 , 101, 753-9	6.1	4
72	Evaluation of various cardiac autonomic indices in patients with familial Mediterranean fever on colchicine treatment. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2012 , 167, 70-4	2.4	21
71	Epicardial adipose tissue thickness predicts descending thoracic aorta atherosclerosis shown by multidetector computed tomography. <i>International Journal of Cardiovascular Imaging</i> , 2012 , 28, 911-9	2.5	14
70	Complete heart block and permanent pacemaker implantation in a patient with systemic sclerosis. <i>Anatolian Journal of Cardiology</i> , 2012 , 12, 609-10		1
69	The relationship between circadian blood pressure pattern and ventricular repolarization dynamics assessed by QT dynamicity. <i>Blood Pressure Monitoring</i> , 2012 , 17, 14-9	1.3	6

68	Association of type 2 diabetes mellitus with coronary atherosclerotic plaque burden and morphology measured by multidetector computed tomography coronary angiography. <i>Acta Cardiologica</i> , 2012 , 67, 71-7	0.9	5
67	Assessment of the relationship between non-dipping phenomenon and heart rate turbulence. <i>Cardiology Journal</i> , 2012 , 19, 140-5	1.4	6
66	Tissue Doppler echocardiography can be a useful technique to evaluate atrial conduction time. <i>Cardiology Journal</i> , 2012 , 19, 487-93	1.4	50
65	The association between circulating endothelial progenitor cells and coronary collateral formation. <i>Atherosclerosis</i> , 2011 , 219, 851-4	3.1	18
64	Improvement in right ventricular systolic function after cardiac resynchronization therapy correlates with left ventricular reverse remodeling. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2011 , 34, 200-7	1.6	12
63	Cyanoacrylate for septal ablation in hypertrophic cardiomyopathy. <i>Journal of Interventional Cardiology</i> , 2011 , 24, 77-84	1.8	14
62	The reproducibility of heart rate recovery after treadmill exercise test. <i>Annals of Noninvasive Electrocardiology</i> , 2011 , 16, 365-72	1.5	14
61	Relationship between atrial septal aneurysms and atrial electromechanical delay. <i>International Journal of Cardiovascular Imaging</i> , 2011 , 27, 505-13	2.5	11
60	Percutaneous extraction of cardiac pacemaker and implantable cardioverter defibrillator leads with evolution mechanical dilator sheath: a single-centre experience. <i>Europace</i> , 2011 , 13, 543-7	3.9	33
59	Cardiac resynchronization therapy improves exercise heart rate recovery in patients with heart failure. <i>Europace</i> , 2011 , 13, 526-32	3.9	8
58	Circadian blood pressure pattern and cardiac autonomic functions: different aspects of same pathophysiology. <i>Anatolian Journal of Cardiology</i> , 2011 , 11, 168-73		19
57	The prevalence of microalbuminuria and relevant cardiovascular risk factors in Turkish hypertensive patients. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2011 , 39, 635-45		3
56	Baseline aortic pre-ejection interval predicts reverse remodeling and clinical improvement after cardiac resynchronization therapy. <i>Cardiology Journal</i> , 2011 , 18, 639-47	1.4	3
55	Total white blood cell count is associated with the presence, severity and extent of coronary atherosclerosis detected by dual-source multislice computed tomographic coronary angiography. <i>Cardiology Journal</i> , 2011 , 18, 371-7	1.4	31
54	Evaluation of the impact of treatment on endothelial function and cardiac performance in acromegaly. <i>Echocardiography</i> , 2010 , 27, 990-6	1.5	18
53	Evaluation of the relationship between atrial septal aneurysm and cardiac arrhythmias via P-wave dispersion and signal-averaged P-wave duration. <i>Annals of Noninvasive Electrocardiology</i> , 2010 , 15, 157-64 ^{1,5}		13
52	The efficacy and safety of irbesartan in primary hypertension even if a dose is missed: Results from the NO PROBLEM Study. <i>Blood Pressure</i> , 2010 , 1, 5-9	1.7	3
51	Clinical and echocardiographic correlates of improvement in left ventricular diastolic function after cardiac resynchronization therapy. <i>Europace</i> , 2010 , 12, 1256-61	3.9	25

50	The relationship between microalbuminuria and the presence and extent of coronary atherosclerosis. <i>Angiology</i> , 2010 , 61, 184-91	2.1	9
49	Aortic atherosclerosis predicts the extent and severity of coronary atherosclerosis detected by multidetector computed tomography coronary angiography. <i>Angiology</i> , 2010 , 61, 627-32	2.1	5
48	Serum uric acid levels predict the severity and morphology of coronary atherosclerosis detected by multidetector computed tomography. <i>Atherosclerosis</i> , 2010 , 213, 178-83	3.1	41
47	Prevalence of incidental pulmonary findings and early follow-up results in patients undergoing dual-source 64-slice computed tomography coronary angiography. <i>Journal of Computer Assisted Tomography</i> , 2010 , 34, 296-301	2.2	6
46	Permanent pacemaker and implantable cardioverter defibrillator infections: seven years of diagnostic and therapeutic experience of a single center. <i>Clinical Cardiology</i> , 2010 , 33, 406-11	3.3	38
45	Evaluation of cardiac autonomic functions in patients with ankylosing spondylitis via heart rate recovery and heart rate variability. <i>Clinical Research in Cardiology</i> , 2010 , 99, 803-8	6.1	24
44	Relationship between exercise heart rate recovery and circadian blood pressure pattern. <i>Journal of Clinical Hypertension</i> , 2010 , 12, 407-13	2.3	11
43	A novel method for the diagnosis of neurocardiogenic syncope: heart rate recovery index. <i>Cardiology</i> , 2009 , 114, 50-5	1.6	6
42	White coat effect and its clinical implications in the elderly. <i>Clinical and Experimental Hypertension</i> , 2009 , 31, 306-15	2.2	11
41	Intra-left atrial mechanical delay detected by tissue Doppler echocardiography can be a useful marker for paroxysmal atrial fibrillation. <i>Echocardiography</i> , 2009 , 26, 779-84	1.5	30
40	Heart-rate recovery index is impaired in Behçet disease. <i>Texas Heart Institute Journal</i> , 2009 , 36, 282-6	0.8	21
39	Novel cardiovascular risk factors in the elderly and their correlation with the Framingham risk score. <i>Journal of Cardiovascular Medicine</i> , 2008 , 9, 683-7	1.9	3
38	Impact of dyslipidemia on cardiovascular risk stratification of hypertensive patients and association of lipid profile with other cardiovascular risk factors: results from the ICEBERG study. <i>Integrated Blood Pressure Control</i> , 2008 , 1, 5-13	3.5	9
37	Detection of subclinical cardiac involvement in systemic sclerosis by echocardiographic strain imaging. <i>Echocardiography</i> , 2008 , 25, 191-7	1.5	44
36	Plasminogen activator inhibitor-1 4G4G genotype is associated with myocardial infarction but not with stable coronary artery disease. <i>Journal of Thrombosis and Thrombolysis</i> , 2008 , 26, 211-7	5.1	29
35	Atrial myocardial deformation properties are temporarily reduced after cardioversion for atrial fibrillation and correlate well with left atrial appendage function. <i>European Journal of Echocardiography</i> , 2008 , 9, 472-7		24
34	Assessment of endothelial function in Alzheimer disease: is Alzheimer disease a vascular disease?. <i>Journal of the American Geriatrics Society</i> , 2007 , 55, 1613-7	5.6	101
33	Preliminary observations on the effect of amitriptyline treatment in preventing syncope recurrence in patients with vasovagal syncope. <i>Annals of Noninvasive Electrocardiology</i> , 2007 , 12, 153-7	1.5	1

32	Evaluation of the metabolic syndrome in hypertensive patients: results from the ICEBERG Study. <i>Journal of the Cardiometabolic Syndrome</i> , 2007 , 2, 168-73		
31	The effect of VVI pacing on P-wave dispersion in patients with dual-chamber pacemakers. <i>Heart and Vessels</i> , 2006 , 21, 8-12	2.1	4
30	Coronary artery bypass grafting is associated with a significant worsening of QT dynamicity and heart rate variability. <i>Cardiology</i> , 2006 , 106, 51-5	1.6	12
29	Intensive cardiovascular examination regarding blood pressure levels: evaluation of risk groups. ICEBERG study. <i>Blood Pressure</i> , 2006 , 15, 291-301	1.7	1
28	Value of 99mTc-methoxyisobutylisonitrile (99mTc-MIBI) gated SPECT for the detection of silent myocardial ischemia in hemodialysis patients: clinical variables associated with abnormal test results. <i>Nuclear Medicine Communications</i> , 2006 , 27, 61-9	1.6	12
27	QT dispersion increases with aging. <i>Annals of Noninvasive Electrocardiology</i> , 2006 , 11, 127-31	1.5	6
26	Heart rate variability in young women with polycystic ovary syndrome. <i>Annals of Noninvasive Electrocardiology</i> , 2006 , 11, 306-12	1.5	67
25	Effect of irbesartan monotherapy compared with ACE inhibitors and calcium-channel blockers on patient compliance in essential hypertension patients: A multicenter, open-labeled, three-armed study. <i>Blood Pressure</i> , 2005 , 14, 23-31	1.7	6
24	The signal-averaged P-wave duration is longer in hypertensive patients with history of paroxysmal atrial fibrillation as compared to those without. <i>International Journal of Cardiology</i> , 2005 , 103, 37-40	3.2	14
23	Patients with paroxysmal atrial fibrillation but not paroxysmal supraventricular tachycardia display evidence of platelet activation during arrhythmia. <i>Platelets</i> , 2003 , 14, 407-11	3.6	22
22	Assessment of heart rate turbulence in the acute phase of myocardial infarction for long-term prognosis. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2003 , 26, 544-50	1.6	28
21	Effects of menstrual cycle on cardiac autonomic innervation as assessed by heart rate variability. <i>Annals of Noninvasive Electrocardiology</i> , 2002 , 7, 60-3	1.5	100
20	Angioplasty induced myocardial ischaemia prolongs the signal-averaged P-wave duration in single vessel coronary artery disease. <i>Europace</i> , 2002 , 4, 289-93	3.9	2
19	The diagnostic value of 12-lead electrocardiogram in predicting infarct-related artery and right ventricular involvement in acute inferior myocardial infarction. <i>Annals of Noninvasive Electrocardiology</i> , 2001 , 6, 229-35	1.5	6
18	Effects of hormone replacement therapy on heart rate variability in postmenopausal women. <i>Annals of Noninvasive Electrocardiology</i> , 2001 , 6, 280-4	1.5	23
17	Exercise-induced left bundle branch block during thallium 201 myocardial perfusion scintigraphy--a case report. <i>Angiology</i> , 2001 , 52, 145-8	2.1	4
16	Left ventricular septal aneurysm in association with bicuspid aortic valve--a case report. <i>Angiology</i> , 2001 , 52, 73-6	2.1	7
15	A huge mitral valve tumor and its vascularity--a case report. <i>Angiology</i> , 2001 , 52, 77-81	2.1	

14	Extent of coronary atherosclerosis and homocysteine affect endothelial markers. <i>Angiology</i> , 2001 , 52, 589-96	2.1	7
13	Diastolic dysfunction and increased serum homocysteine concentrations may contribute to increased cardiovascular risk in patients with polycystic ovary syndrome. <i>Fertility and Sterility</i> , 2001 , 76, 511-6	4.8	142
12	Left ventricular function and autonomic nervous system balance during two different stages of the menstrual cycle. <i>International Journal of Cardiology</i> , 2001 , 77, 305-6	3.2	2
11	Plasma big-endothelin levels, cardiac autonomic neuropathy, and cardiac functions in patients with insulin-dependent diabetes mellitus. <i>Clinical Cardiology</i> , 2000 , 23, 259-63	3.3	25
10	Inappropriate shocks diagnosed by stored electrograms of implantable cardioverter defibrillators--two case reports. <i>Angiology</i> , 2000 , 51, 425-30	2.1	2
9	Ruptured aneurysm of the sinus of Valsalva in association with persistent left superior vena cava--a case report. <i>Angiology</i> , 2000 , 51, 167-71	2.1	4
8	Left atrial appendage function in patients with cardioembolic stroke in sinus rhythm and atrial fibrillation. <i>Journal of the American Society of Echocardiography</i> , 2000 , 13, 661-5	5.8	30
7	Circadian variations of QTc dispersion: is it a clue to morning increase of sudden cardiac death?. <i>Clinical Cardiology</i> , 1999 , 22, 103-6	3.3	28
6	Relationship between endogenous sex hormone levels, lipoproteins and coronary atherosclerosis in men undergoing coronary angiography. <i>Cardiology</i> , 1999 , 92, 221-5	1.6	31
5	Transient cerebral ischemic attack and left atrial free-floating thrombus: a case report. <i>Clinical Cardiology</i> , 1998 , 21, 432-4	3.3	
4	Increased QT dispersion in the absence of QT prolongation in patients with Behcet's disease and ventricular arrhythmias. <i>International Journal of Cardiology</i> , 1998 , 67, 171-5	3.2	18
3	Is there any association between dissection after successful percutaneous transluminal coronary angioplasty and late restenosis? An angiographic study. <i>Angiology</i> , 1997 , 48, 111-6	2.1	4
2	Measurement of right ventricular ejection fraction by contrast echocardiography. <i>International Journal of Cardiology</i> , 1997 , 59, 71-4	3.2	14
1	Late percutaneous extraction of an intracardiac catheter fragment. <i>International Heart Journal</i> , 1993 , 34, 117-9		8