

# Qi-Jing Bo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3964088/publications.pdf>

Version: 2024-02-01

48  
papers

1,403  
citations

430754

18  
h-index

377752

34  
g-index

50  
all docs

50  
docs citations

50  
times ranked

1737  
citing authors

#	ARTICLE	IF	CITATIONS
1	Impaired robust interhemispheric function integration of depressive brain from REST-meta-MDD database in China. <i>Bipolar Disorders</i> , 2022, 24, 400-411.	1.1	8
2	Reduced Serum Levels of Soluble Interleukin-15 Receptor $\hat{\pm}$ in Schizophrenia and Its Relationship to the Excited Phenotype. <i>Frontiers in Psychiatry</i> , 2022, 13, 842003.	1.3	0
3	Detection of Schizophrenia Cases From Healthy Controls With Combination of Neurocognitive and Electrophysiological Features. <i>Frontiers in Psychiatry</i> , 2022, 13, 810362.	1.3	3
4	Altered Dynamic Functional Connectivity in Early Psychosis Between the Salience Network and Visual Network. <i>Neuroscience</i> , 2022, 491, 166-175.	1.1	4
5	Effectiveness and safety of blonanserin for improving social and cognitive functions in patients with first-episode schizophrenia: a study protocol for a prospective, multicentre, single-arm clinical trial. <i>BMJ Open</i> , 2022, 12, e054079.	0.8	2
6	The effects of childhood trauma on personality in unaffected first-degree relatives of patients with major depressive disorder. <i>BMC Psychiatry</i> , 2022, 22, 312.	1.1	1
7	Increased ALFF and functional connectivity of the right striatum in bipolar disorder patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 111, 110140.	2.5	33
8	Prepulse inhibition deficits in individuals at clinical high-risk for psychosis: A systematic review and meta-analysis. <i>Microbial Biotechnology</i> , 2021, 15, 794-806.	0.9	9
9	The Neglect of Left-Behind Children in China: A Meta-Analysis. <i>Trauma, Violence, and Abuse</i> , 2021, 22, 1326-1338.	3.9	45
10	Prepulse inhibition in first-degree relatives of schizophrenia patients: A systematic review. <i>Microbial Biotechnology</i> , 2021, 15, 652-661.	0.9	11
11	Impaired Sensorimotor Gating Using the Acoustic Prepulse Inhibition Paradigm in Individuals at a Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2021, 47, 128-137.	2.3	10
12	Classification of First-Episode Schizophrenia, Chronic Schizophrenia and Healthy Control Based on Brain Network of Mismatch Negativity by Graph Neural Network. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2021, 29, 1784-1794.	2.7	25
13	Clinical Course and Clinical Features in MDD Patients: General and Specific Role of Subtypes of Childhood Trauma. <i>Counseling Psychologist</i> , 2021, 49, 650-672.	0.8	0
14	Disrupted hemispheric connectivity specialization in patients with major depressive disorder: Evidence from the REST-meta-MDD Project. <i>Journal of Affective Disorders</i> , 2021, 284, 217-228.	2.0	23
15	Reduced Plasma Dopamine- $\hat{2}$ -Hydroxylase Activity Is Associated With the Severity of Bipolar Disorder: A Pilot Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 566091.	1.3	5
16	Brain-Specific Oxysterols and Risk of Schizophrenia in Clinical High-Risk Subjects and Patients With Schizophrenia. <i>Frontiers in Psychiatry</i> , 2021, 12, 711734.	1.3	9
17	Disrupted intrinsic functional brain topology in patients with major depressive disorder. <i>Molecular Psychiatry</i> , 2021, 26, 7363-7371.	4.1	82
18	Brain structural alterations in MDD patients with gastrointestinal symptoms: Evidence from the REST-meta-MDD project. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 111, 110386.	2.5	18

#	ARTICLE	IF	CITATIONS
19	Altered resting-state dynamic functional brain networks in major depressive disorder: Findings from the REST-meta-MDD consortium. <i>NeuroImage: Clinical</i> , 2020, 26, 102163.	1.4	76
20	The reliability and validity of PHQ-9 in patients with major depressive disorder in psychiatric hospital. <i>BMC Psychiatry</i> , 2020, 20, 474.	1.1	112
21	Biotypes of major depressive disorder: Neuroimaging evidence from resting-state default mode network patterns. <i>NeuroImage: Clinical</i> , 2020, 28, 102514.	1.4	51
22	T39. IMPAIRED SENSORIMOTOR GATING USING THE ACOUSTIC PREPULSE INHIBITION PARADIGM IN INDIVIDUALS AT A CLINICAL HIGH RISK FOR PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2020, 46, S246-S246.	2.3	0
23	T37. PREPULSE INHIBITION IN UNAFFECTED SIBLINGS OF SCHIZOPHRENIA AND CLINICAL-HIGH RISK WITHOUT FAMILY HISTORY OF PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2020, 46, S245-S246.	2.3	0
24	Discriminative Analysis of Symptom Severity and Ultra-High Risk of Schizophrenia Using Intrinsic Functional Connectivity. <i>International Journal of Neural Systems</i> , 2020, 30, 2050047.	3.2	8
25	Higher Serum C-Reactive Protein Levels in Catatonic Patients: A Comparison to Non-catatonic Patients and Healthy Controls. <i>Schizophrenia Bulletin</i> , 2020, 46, 1155-1164.	2.3	6
26	&lt;p&gt;Quality of life in euthymic patients with unipolar major depressive disorder and bipolar disorder&lt;/p&gt;. <i>Neuropsychiatric Disease and Treatment</i> , 2019, Volume 15, 1649-1657.	1.0	28
27	Prepulse inhibition in patients with bipolar disorder: a systematic review and meta-analysis. <i>BMC Psychiatry</i> , 2019, 19, 282.	1.1	18
28	Altered resting-state functional connectivity of the insula in individuals with clinical high-risk and patients with first-episode schizophrenia. <i>Psychiatry Research</i> , 2019, 282, 112608.	1.7	25
29	Differential of Frequency and Duration Mismatch Negativity and Theta Power Deficits in First-Episode and Chronic Schizophrenia. <i>Frontiers in Behavioral Neuroscience</i> , 2019, 13, 37.	1.0	23
30	Reduced default mode network functional connectivity in patients with recurrent major depressive disorder. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 9078-9083.	3.3	441
31	The effect of left-behind phenomenon and physical neglect on behavioral problems of children. <i>Child Abuse and Neglect</i> , 2019, 88, 144-151.	1.3	28
32	Comparison of cognitive performance in bipolar disorder, major depressive disorder, unaffected first-degree relatives, and healthy controls. <i>Psychiatry and Clinical Neurosciences</i> , 2019, 73, 70-76.	1.0	28
33	Impact of childhood trauma on sensorimotor gating in Chinese patients with chronic schizophrenia. <i>Psychiatry Research</i> , 2018, 263, 69-73.	1.7	5
34	S15. ABNORMAL EYE TRACKING IN PATIENTS WITH SCHIZOPHRENIA UNDER THE SOCIAL SCENE. <i>Schizophrenia Bulletin</i> , 2018, 44, S329-S329.	2.3	0
35	Deficits of perceived spatial separation-induced prepulse inhibition in patients with bipolar disorder compared to healthy controls. <i>Journal of Affective Disorders</i> , 2018, 240, 63-71.	2.0	8
36	Impact of childhood trauma on sensory gating in patients with first-episode schizophrenia. <i>BMC Psychiatry</i> , 2018, 18, 258.	1.1	5

#	ARTICLE	IF	CITATIONS
37	Effect of childhood trauma on cognitive functions in a sample of Chinese patients with schizophrenia. <i>Comprehensive Psychiatry</i> , 2017, 76, 147-152.	1.5	25
38	Symptomatic remission in schizophrenia: Results from a risperidone maintenance treatment study. <i>Psychiatry Research</i> , 2017, 258, 289-294.	1.7	1
39	Deficits of perceived spatial separation induced prepulse inhibition in patients with schizophrenia: relationships to symptoms and neurocognition. <i>BMC Psychiatry</i> , 2017, 17, 135.	1.1	25
40	Use of the MATRICS consensus cognitive battery (MCCB) to evaluate cognitive deficits in bipolar disorder: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2017, 12, e0176212.	1.1	38
41	Extrapyramidal Symptoms During Risperidone Maintenance Treatment in Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2016, 36, 125-129.	0.7	5
42	Prolactin related symptoms during risperidone maintenance treatment: results from a prospective, multicenter study of schizophrenia. <i>BMC Psychiatry</i> , 2016, 16, 386.	1.1	10
43	Adjunctive metformin for antipsychotic-induced hyperprolactinemia: A systematic review. <i>Psychiatry Research</i> , 2016, 237, 257-263.	1.7	36
44	Frequency of Hyperprolactinemia and Its Associations With Demographic and Clinical Characteristics and Antipsychotic Medications in Psychiatric Inpatients in China. <i>Perspectives in Psychiatric Care</i> , 2014, 50, 257-263.	0.9	10
45	Socio-Demographic and Clinical Profiles of Paranoid and Nonparanoid Schizophrenia: A Prospective, Multicenter Study in China. <i>Perspectives in Psychiatric Care</i> , 2011, 47, 126-130.	0.9	5
46	Predictors of relapse in Chinese schizophrenia patients: a prospective, multi-center study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 1325-1330.	1.6	19
47	Risperidone Maintenance Treatment in Schizophrenia: A Randomized, Controlled Trial. <i>American Journal of Psychiatry</i> , 2010, 167, 676-685.	4.0	61
48	Sex differences in patients with schizophrenia: A prospective, multi-center study. <i>Psychiatry Research</i> , 2010, 177, 294-298.	1.7	18