

# Richard George Jackson

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3965540/richard-george-jackson-publications-by-year.pdf>

**Version:** 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

17  
papers

829  
citations

12  
h-index

20  
g-index

20  
ext. papers

1,093  
ext. citations

7.6  
avg, IF

3.57  
L-index

#	Paper	IF	Citations
17	Use of Natural Language Processing to identify Obsessive Compulsive Symptoms in patients with schizophrenia, schizoaffective disorder or bipolar disorder. <i>Scientific Reports</i> , <b>2019</b> , 9, 14146	4.9	12
16	SemEHR: A general-purpose semantic search system to surface semantic data from clinical notes for tailored care, trial recruitment, and clinical research. <i>Journal of the American Medical Informatics Association: JAMIA</i> , <b>2018</b> , 25, 530-537	8.6	42
15	CogStack - experiences of deploying integrated information retrieval and extraction services in a large National Health Service Foundation Trust hospital. <i>BMC Medical Informatics and Decision Making</i> , <b>2018</b> , 18, 47	3.6	41
14	Knowledge discovery for Deep Phenotyping serious mental illness from Electronic Mental Health records. <i>F1000Research</i> , <b>2018</b> , 7, 210	3.6	5
13	Capturing Rest-Activity Profiles in Schizophrenia Using Wearable and Mobile Technologies: Development, Implementation, Feasibility, and Acceptability of a Remote Monitoring Platform. <i>JMIR MHealth and UHealth</i> , <b>2018</b> , 6, e188	5.5	26
12	Knowledge discovery for Deep Phenotyping serious mental illness from Electronic Mental Health records. <i>F1000Research</i> , <b>2018</b> , 7, 210	3.6	10
11	Natural language processing to extract symptoms of severe mental illness from clinical text: the Clinical Record Interactive Search Comprehensive Data Extraction (CRIS-CODE) project. <i>BMJ Open</i> , <b>2017</b> , 7, e012012	3	100
10	Cohort profile of the South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLaM BRC) Case Register: current status and recent enhancement of an Electronic Mental Health Record-derived data resource. <i>BMJ Open</i> , <b>2016</b> , 6, e008721	3	262
9	Association of cannabis use with hospital admission and antipsychotic treatment failure in first episode psychosis: an observational study. <i>BMJ Open</i> , <b>2016</b> , 6, e009888	3	78
8	Cannabis use and treatment resistance in first episode psychosis: a natural language processing study. <i>Lancet, The</i> , <b>2015</b> , 385 Suppl 1, S79	4.0	18
7	Negative symptoms in schizophrenia: a study in a large clinical sample of patients using a novel automated method. <i>BMJ Open</i> , <b>2015</b> , 5, e007619	3	55
6	Delays before Diagnosis and Initiation of Treatment in Patients Presenting to Mental Health Services with Bipolar Disorder. <i>PLoS ONE</i> , <b>2015</b> , 10, e0126530	3.7	42
5	Identification of Adverse Drug Events from Free Text Electronic Patient Records and Information in a Large Mental Health Case Register. <i>PLoS ONE</i> , <b>2015</b> , 10, e0134208	3.7	42
4	Mood instability is a common feature of mental health disorders and is associated with poor clinical outcomes. <i>BMJ Open</i> , <b>2015</b> , 5, e007504	3	72
3	Investigation of negative symptoms in schizophrenia with a machine learning text-mining approach. <i>Lancet, The</i> , <b>2014</b> , 383, S16	4.0	10
2	The incidence of sexually dimorphic gene expression varies greatly between tissues in the rat. <i>PLoS ONE</i> , <b>2014</b> , 9, e115792	3.7	12
1	Ablations over transformer models for biomedical relationship extraction. <i>F1000Research</i> , <b>2019</b> , 9, 710	3.6	2

