

# Cheng-Yuan Feng

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3965575/publications.pdf>

Version: 2024-02-01

20  
papers

326  
citations

840776

11  
h-index

940533

16  
g-index

23  
all docs

23  
docs citations

23  
times ranked

546  
citing authors

#	ARTICLE	IF	CITATIONS
1	EGFL7 is an intercellular EGFR signal messenger that plays an oncogenic role in glioma. <i>Cancer Letters</i> , 2017, 384, 9-18.	7.2	42
2	Differences in Gene Expression between Strabismic and Normal Human Extraocular Muscles. , 2012, 53, 5168.		37
3	Altered Protein Composition and Gene Expression in Strabismic Human Extraocular Muscles and Tendons. , 2016, 57, 5576.		31
4	Activity-induced Ca <sup>2+</sup> signaling in perisynaptic Schwann cells of the early postnatal mouse is mediated by P2Y1 receptors and regulates muscle fatigue. <i>ELife</i> , 2018, 7, .	6.0	22
5	Sample Level Enrichment Analysis of KEGG Pathways Identifies Clinically Relevant Subtypes of Glioblastoma. <i>Journal of Cancer</i> , 2016, 7, 1701-1710.	2.5	20
6	Structural and Functional Abnormalities of the Neuromuscular Junction in the Trembler-J Homozygote Mouse Model of Congenital Hypomyelinating Neuropathy. <i>Journal of Neuropathology and Experimental Neurology</i> , 2016, 75, 334-346.	1.7	20
7	Microsurgical Management of Craniopharyngiomas via a Unilateral Subfrontal Approach: A Retrospective Study of 177 Continuous Cases. <i>World Neurosurgery</i> , 2016, 90, 454-468.	1.3	20
8	Pituitary stalk management during the microsurgery of craniopharyngiomas. <i>Experimental and Therapeutic Medicine</i> , 2014, 7, 1055-1064.	1.8	19
9	The Locus Ceruleus Responds to Signaling Molecules Obtained from the CSF by Transfer through Tanycytes. <i>Journal of Neuroscience</i> , 2011, 31, 9147-9158.	3.6	17
10	Increased (pro)renin receptor expression in the subfornical organ of hypertensive humans. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018, 314, H796-H804.	3.2	17
11	Expression of insulin-like growth factor 1 isoforms in the rabbit oculomotor system. <i>Growth Hormone and IGF Research</i> , 2011, 21, 228-232.	1.1	14
12	How to make rapid eye movements – the role of growth factors for muscle contractile properties. <i>Pflügers Archiv European Journal of Physiology</i> , 2011, 461, 373-386.	2.8	14
13	Solitary Fibrous Tumor of Central Nervous System: Clinical and Prognostic Study of 24 Cases. <i>World Neurosurgery</i> , 2017, 99, 584-592.	1.3	14
14	Combined Therapy Sensitivity Index Based on a 13-Gene Signature Predicts Prognosis for IDH Wild-type and MGMT Promoter Unmethylated Glioblastoma Patients. <i>Journal of Cancer</i> , 2019, 10, 5536-5548.	2.5	10
15	Schwann cells as a source of insulin-like growth factor-1 for extraocular muscles. <i>Muscle and Nerve</i> , 2010, 41, 478-486.	2.2	7
16	Analysis of spontaneous and nerve-evoked calcium transients in intact extraocular muscles in vitro. <i>Experimental Eye Research</i> , 2012, 100, 73-85.	2.6	7
17	Postnatal Restriction of Activity-Induced Ca <sup>2+</sup> Responses to Schwann Cells at the Neuromuscular Junction Are Caused by the Proximo-Distal Loss of Axonal Synaptic Vesicles during Development. <i>Journal of Neuroscience</i> , 2018, 38, 8650-8665.	3.6	7
18	Expression of schizophrenia biomarkers in extraocular muscles from patients with strabismus: an explanation for the link between exotropia and schizophrenia?. <i>PeerJ</i> , 2017, 5, e4214.	2.0	6

#	ARTICLE	IF	CITATIONS
19	Microscopic surgery for pituitary adenomas to preserve the pituitary gland and stalk. <i>Experimental and Therapeutic Medicine</i> , 2017, 13, 1011-1016.	1.8	2
20	From Brain to Pancreas: Beneficial Effects of the Neuronal (Pro)renin Receptor Deletion in High-fat Diet Induced Type II Diabetes. <i>FASEB Journal</i> , 2018, 32, 885.7.	0.5	0