

Gian Luca Grazi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3965609/gian-luca-grazi-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

221
papers

12,872
citations

57
h-index

107
g-index

226
ext. papers

14,297
ext. citations

4.3
avg, IF

5.44
L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 221 | Predicting survival after liver transplantation in patients with hepatocellular carcinoma beyond the Milan criteria: a retrospective, exploratory analysis. <i>Lancet Oncology, The</i> , 2009 , 10, 35-43 | 21.7 | 1490 |
| 220 | Cyclin G1 is a target of miR-122a, a microRNA frequently down-regulated in human hepatocellular carcinoma. <i>Cancer Research</i> , 2007 , 67, 6092-9 | 10.1 | 695 |
| 219 | MiR-221 controls CDKN1C/p57 and CDKN1B/p27 expression in human hepatocellular carcinoma. <i>Oncogene</i> , 2008 , 27, 5651-61 | 9.2 | 545 |
| 218 | MiR-199a-3p regulates mTOR and c-Met to influence the doxorubicin sensitivity of human hepatocarcinoma cells. <i>Cancer Research</i> , 2010 , 70, 5184-93 | 10.1 | 347 |
| 217 | MiR-122/cyclin G1 interaction modulates p53 activity and affects doxorubicin sensitivity of human hepatocarcinoma cells. <i>Cancer Research</i> , 2009 , 69, 5761-7 | 10.1 | 346 |
| 216 | Liver transplantation for hepatocellular carcinoma: results of down-staging in patients initially outside the Milan selection criteria. <i>American Journal of Transplantation</i> , 2008 , 8, 2547-57 | 8.7 | 286 |
| 215 | Liver resection for hepatocellular carcinoma on cirrhosis: univariate and multivariate analysis of risk factors for intrahepatic recurrence. <i>Annals of Surgery</i> , 2003 , 237, 536-43 | 7.8 | 268 |
| 214 | MicroRNA-221 targets Bmf in hepatocellular carcinoma and correlates with tumor multifocality. <i>Clinical Cancer Research</i> , 2009 , 15, 5073-81 | 12.9 | 267 |
| 213 | Improved results of liver resection for hepatocellular carcinoma on cirrhosis give the procedure added value. <i>Annals of Surgery</i> , 2001 , 234, 71-8 | 7.8 | 265 |
| 212 | Semiannual and annual surveillance of cirrhotic patients for hepatocellular carcinoma: effects on cancer stage and patient survival (Italian experience). <i>American Journal of Gastroenterology</i> , 2002 , 97, 734-44 | 0.7 | 255 |
| 211 | Integrative Genomic Analysis of Cholangiocarcinoma Identifies Distinct IDH-Mutant Molecular Profiles. <i>Cell Reports</i> , 2017 , 18, 2780-2794 | 10.6 | 247 |
| 210 | Impact of model for end-stage liver disease (MELD) score on prognosis after hepatectomy for hepatocellular carcinoma on cirrhosis. <i>Liver Transplantation</i> , 2006 , 12, 966-71 | 4.5 | 221 |
| 209 | Trends in perioperative outcome after hepatic resection: analysis of 1500 consecutive unselected cases over 20 years. <i>Annals of Surgery</i> , 2009 , 249, 995-1002 | 7.8 | 171 |
| 208 | Is portal hypertension a contraindication to hepatic resection?. <i>Annals of Surgery</i> , 2009 , 250, 922-8 | 7.8 | 166 |
| 207 | Liver transplantation for hepatocellular carcinoma under calcineurin inhibitors: reassessment of risk factors for tumor recurrence. <i>Annals of Surgery</i> , 2008 , 248, 857-62 | 7.8 | 155 |
| 206 | Evolution of hepatitis B virus polymerase gene mutations in hepatitis B e antigen-negative patients receiving lamivudine therapy. <i>Hepatology</i> , 2000 , 32, 1145-53 | 11.2 | 150 |
| 205 | Comparison of recurrence of hepatocellular carcinoma after resection in patients with cirrhosis to its occurrence in a surveilled cirrhotic population. <i>Annals of Surgical Oncology</i> , 2009 , 16, 413-22 | 3.1 | 144 |

| | | | |
|-----|---|------|-----|
| 204 | Liver transplantation for recurrent hepatocellular carcinoma on cirrhosis after liver resection: University of Bologna experience. <i>American Journal of Transplantation</i> , 2008 , 8, 1177-85 | 8.7 | 139 |
| 203 | Preoperative prediction of hepatocellular carcinoma tumour grade and micro-vascular invasion by means of artificial neural network: a pilot study. <i>Journal of Hepatology</i> , 2010 , 52, 880-8 | 13.4 | 135 |
| 202 | Liver transplantation for Wilson's disease: The burden of neurological and psychiatric disorders. <i>Liver Transplantation</i> , 2005 , 11, 1056-63 | 4.5 | 122 |
| 201 | Intrahepatic cholangiocarcinoma: primary liver resection and aggressive multimodal treatment of recurrence significantly prolong survival. <i>Annals of Surgery</i> , 2010 , 252, 107-14 | 7.8 | 119 |
| 200 | The role of lymphadenectomy for liver tumors: further considerations on the appropriateness of treatment strategy. <i>Annals of Surgery</i> , 2004 , 239, 202-9 | 7.8 | 116 |
| 199 | The role of liver resections for noncolorectal, nonneuroendocrine metastases: experience with 142 observed cases. <i>Annals of Surgical Oncology</i> , 2005 , 12, 459-66 | 3.1 | 115 |
| 198 | Liver resection without blood transfusion. <i>British Journal of Surgery</i> , 1995 , 82, 1105-10 | 5.3 | 108 |
| 197 | Results of lis2t, a multicenter, randomized study comparing cyclosporine microemulsion with C2 monitoring and tacrolimus with C0 monitoring in de novo liver transplantation. <i>Transplantation</i> , 2004 , 77, 1632-8 | 1.8 | 105 |
| 196 | Effect of ischemic preconditioning in whole liver transplantation from deceased donors. A pilot study. <i>Liver Transplantation</i> , 2006 , 12, 628-35 | 4.5 | 98 |
| 195 | High incidence of allograft dysfunction in liver transplanted patients treated with pegylated-interferon alpha-2b and ribavirin for hepatitis C recurrence: possible de novo autoimmune hepatitis?. <i>Gut</i> , 2007 , 56, 237-42 | 19.2 | 97 |
| 194 | Partial necrosis on hepatocellular carcinoma nodules facilitates tumor recurrence after liver transplantation. <i>Transplantation</i> , 2004 , 78, 1780-6 | 1.8 | 95 |
| 193 | Effect of different immunosuppressive schedules on recurrence-free survival after liver transplantation for hepatocellular carcinoma. <i>Transplantation</i> , 2010 , 89, 227-31 | 1.8 | 94 |
| 192 | Influence of steroids on HCV recurrence after liver transplantation: A prospective study. <i>Journal of Hepatology</i> , 2007 , 47, 793-8 | 13.4 | 94 |
| 191 | Analysis of factors affecting recurrence of hepatocellular carcinoma after liver transplantation with a special focus on inflammation markers. <i>Transplantation</i> , 2011 , 91, 1279-85 | 1.8 | 91 |
| 190 | Aberrant Notch3 and Notch4 expression in human hepatocellular carcinoma. <i>Liver International</i> , 2007 , 27, 997-1007 | 7.9 | 88 |
| 189 | Timing of reinfection and mechanisms of hepatocellular damage in transplanted hepatitis C virus-reinfected liver. <i>Liver Transplantation</i> , 2002 , 8, 10-20 | 4.5 | 87 |
| 188 | Gross pathologic types of hepatocellular carcinoma in Italian patients. Relationship with demographic, environmental, and clinical factors. <i>Cancer</i> , 1993 , 72, 1557-63 | 6.4 | 87 |
| 187 | Can antiplatelet prophylaxis reduce the incidence of hepatic artery thrombosis after liver transplantation?. <i>Liver Transplantation</i> , 2007 , 13, 651-4 | 4.5 | 85 |

| | | | |
|-----|---|------|----|
| 186 | Relevance of biologic markers in colorectal carcinoma: a comparative study of a broad panel. <i>Cancer</i> , 2002 , 94, 647-57 | 6.4 | 84 |
| 185 | 12-month follow-up analysis of a multicenter, randomized, prospective trial in de novo liver transplant recipients (LIS2T) comparing cyclosporine microemulsion (C2 monitoring) and tacrolimus. <i>Liver Transplantation</i> , 2006 , 12, 1464-72 | 4.5 | 83 |
| 184 | Double-blind comparison of hepatitis C histological recurrence Rate in HCV+ Liver transplant recipients given basiliximab + steroids or basiliximab + placebo, in addition to cyclosporine and azathioprine. <i>Transplantation</i> , 2004 , 78, 1488-95 | 1.8 | 82 |
| 183 | Treatment of hepatic metastases from colorectal cancer: many doubts, some certainties. <i>Cancer Treatment Reviews</i> , 2006 , 32, 214-28 | 14.4 | 81 |
| 182 | The role of tumor markers in the diagnosis of hepatocellular carcinoma, with special reference to the des-gamma-carboxy prothrombin. <i>Liver Transplantation</i> , 1995 , 1, 249-55 | | 81 |
| 181 | Liver transplantation for hepatocellular carcinoma: further considerations on selection criteria. <i>Liver Transplantation</i> , 2004 , 10, 1195-202 | 4.5 | 80 |
| 180 | Pulmonary complications of liver transplantation: radiological appearance and statistical evaluation of risk factors in 300 cases. <i>European Radiology</i> , 2000 , 10, 1169-83 | 8 | 80 |
| 179 | The lidocaine (MEGX) test as an index of hepatic function: its clinical usefulness in liver surgery. <i>Surgery</i> , 2000 , 127, 464-71 | 3.6 | 80 |
| 178 | Portal vein thrombosis and liver transplantation: evolution during 10 years of experience at the University of Bologna. <i>Annals of Surgery</i> , 2011 , 253, 378-84 | 7.8 | 78 |
| 177 | Professor Guiseppe Gozzetti. <i>HPB Surgery</i> , 1996 , 9, i-i | | 78 |
| 176 | Improving the outcome of liver transplantation with very old donors with updated selection and management criteria. <i>Liver Transplantation</i> , 2008 , 14, 672-9 | 4.5 | 76 |
| 175 | Mobilization of bone marrow-derived hematopoietic and endothelial stem cells after orthotopic liver transplantation and liver resection. <i>Stem Cells</i> , 2006 , 24, 2817-25 | 5.8 | 72 |
| 174 | Liver resection for multiple colorectal metastases: influence of parenchymal involvement and total tumor volume, vs number or location, on long-term survival. <i>Archives of Surgery</i> , 2002 , 137, 1187-92 | | 72 |
| 173 | Criteria for diagnosing benign portal vein thrombosis in the assessment of patients with cirrhosis and hepatocellular carcinoma for liver transplantation. <i>Liver Transplantation</i> , 2010 , 16, 658-67 | 4.5 | 70 |
| 172 | Causes of early acute graft failure after liver transplantation: analysis of a 17-year single-centre experience. <i>Clinical Transplantation</i> , 2005 , 19, 492-500 | 3.8 | 69 |
| 171 | Predictors of sustained virological response after antiviral treatment for hepatitis C recurrence following liver transplantation. <i>Liver Transplantation</i> , 2009 , 15, 782-9 | 4.5 | 68 |
| 170 | Outcome of hepatic artery reconstruction in liver transplantation with an iliac arterial interposition graft. <i>Clinical Transplantation</i> , 2005 , 19, 399-405 | 3.8 | 66 |
| 169 | Profiles of cancer stem cell subpopulations in cholangiocarcinomas. <i>American Journal of Pathology</i> , 2015 , 185, 1724-39 | 5.8 | 65 |

| | | | |
|-----|--|------|----|
| 168 | Autonomic dysfunction and hyperdynamic circulation in cirrhosis with ascites. <i>Hepatology</i> , 1999 , 30, 1387-92 | 6.5 | 65 |
| 167 | Harm and benefits of primary liver resection and salvage transplantation for hepatocellular carcinoma. <i>American Journal of Transplantation</i> , 2010 , 10, 619-27 | 8.7 | 64 |
| 166 | Comparison between the fifth and sixth editions of the AJCC/UICC TNM staging systems for hepatocellular carcinoma: multicentric study on 393 cirrhotic resected patients. <i>European Journal of Surgical Oncology</i> , 2005 , 31, 760-7 | 3.6 | 61 |
| 165 | Total vascular exclusion of the liver during hepatic surgery. Selective use, extensive use, or abuse?. <i>Archives of Surgery</i> , 1997 , 132, 1104-9 | | 57 |
| 164 | Lamivudine treatment for acute hepatitis B after liver transplantation. <i>Journal of Hepatology</i> , 1998 , 29, 985-9 | 13.4 | 57 |
| 163 | A revised consideration on the use of very aged donors for liver transplantation. <i>American Journal of Transplantation</i> , 2001 , 1, 61-8 | 8.7 | 57 |
| 162 | Human OX40 tunes the function of regulatory T cells in tumor and nontumor areas of hepatitis C virus-infected liver tissue. <i>Hepatology</i> , 2014 , 60, 1494-507 | 11.2 | 55 |
| 161 | Circulating and hepatic endocannabinoids and endocannabinoid-related molecules in patients with cirrhosis. <i>Liver International</i> , 2010 , 30, 816-25 | 7.9 | 55 |
| 160 | Liver transplantation with the Meld system: a prospective study from a single European center. <i>American Journal of Transplantation</i> , 2006 , 6, 1572-7 | 8.7 | 55 |
| 159 | Pre-operative liver biopsy in cirrhotic patients with early hepatocellular carcinoma represents a safe and accurate diagnostic tool for tumour grading assessment. <i>Journal of Hepatology</i> , 2011 , 54, 300-5 | 13.4 | 53 |
| 158 | Long-term survival of recipients of liver grafts from donors older than 80 years: is it achievable?. <i>Liver Transplantation</i> , 2003 , 9, 1174-80 | 4.5 | 53 |
| 157 | Pancreatectomy with Mesenteric and Portal Vein Resection for Borderline Resectable Pancreatic Cancer: Multicenter Study of 406 Patients. <i>Annals of Surgical Oncology</i> , 2016 , 23, 2028-37 | 3.1 | 52 |
| 156 | Liver transplantation from hepatitis B surface antigen positive donors: a safe way to expand the donor pool. <i>Journal of Hepatology</i> , 2012 , 56, 579-85 | 13.4 | 52 |
| 155 | Outcome of right hepatectomies in patients older than 70 years. <i>Archives of Surgery</i> , 2003 , 138, 547-52 | | 52 |
| 154 | Functional outcome in handsewn versus stapled ileal pouch-anal anastomosis. <i>American Journal of Surgery</i> , 1994 , 168, 325-9 | 2.7 | 48 |
| 153 | Changes in the surgical approach to hilar cholangiocarcinoma during an 18-year period in a Western single center. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2010 , 17, 329-37 | 2.8 | 47 |
| 152 | Recovery from liver failure after hepatectomy for hepatocellular carcinoma in cirrhosis: meaning of the model for end-stage liver disease. <i>Journal of the American College of Surgeons</i> , 2006 , 203, 670-6 | 4.4 | 47 |
| 151 | CDKN1C/P57 is regulated by the Notch target gene Hes1 and induces senescence in human hepatocellular carcinoma. <i>American Journal of Pathology</i> , 2012 , 181, 413-22 | 5.8 | 46 |

| | | | |
|-----|--|------|----|
| 150 | Indication of the extent of hepatectomy for hepatocellular carcinoma on cirrhosis by a simple algorithm based on preoperative variables. <i>Archives of Surgery</i> , 2009 , 144, 57-63; discussion 63 | | 46 |
| 149 | Combined heart and liver transplantation in four adults with familial amyloidosis: experience of a single center. <i>Transplantation Proceedings</i> , 2004 , 36, 645-7 | 1.1 | 46 |
| 148 | Liver transplantations with donors aged 60 years and above: the low liver damage strategy. <i>Transplant International</i> , 2009 , 22, 423-33 | 3 | 44 |
| 147 | Incidence and management of abdominal closure-related complications in adult intestinal transplantation. <i>Transplantation</i> , 2008 , 85, 1607-9 | 1.8 | 42 |
| 146 | Absence of neuroinvasive disease in a liver transplant recipient who acquired West Nile virus (WNV) infection from the organ donor and who received WNV antibodies prophylactically. <i>Clinical Infectious Diseases</i> , 2010 , 51, e34-7 | 11.6 | 41 |
| 145 | Surgical therapy for hepatolithiasis: a Western experience. <i>Journal of the American College of Surgeons</i> , 2006 , 202, 306-12 | 4.4 | 41 |
| 144 | The effect of aprotinin on renal function in orthotopic liver transplantation. <i>Transplantation</i> , 2001 , 71, 247-52 | 1.8 | 41 |
| 143 | Importance of primary indication and liver function between stages: results of a multicenter Italian audit of ALPPS 2012-2014. <i>Hpb</i> , 2016 , 18, 419-27 | 3.8 | 41 |
| 142 | Six score systems to evaluate candidates with advanced cirrhosis for orthotopic liver transplant: Which is the winner?. <i>Liver Transplantation</i> , 2010 , 16, 964-73 | 4.5 | 40 |
| 141 | Combined heart and liver transplantation for familial amyloidotic neuropathy: considerations from the hepatic point of view. <i>Liver Transplantation</i> , 2003 , 9, 986-92 | 4.5 | 40 |
| 140 | Improved diagnostic imaging and interventional therapies prolong survival after resection for hepatocellular carcinoma in cirrhosis: the university of bologna experience over 10 years. <i>Annals of Surgical Oncology</i> , 2011 , 18, 1630-7 | 3.1 | 39 |
| 139 | A new priority policy for patients with hepatocellular carcinoma awaiting liver transplantation within the model for end-stage liver disease system. <i>Liver Transplantation</i> , 2007 , 13, 857-66 | 4.5 | 38 |
| 138 | Tumor doubling time predicts recurrence after surgery and describes the histological pattern of hepatocellular carcinoma on cirrhosis. <i>Journal of Hepatology</i> , 2005 , 43, 310-6 | 13.4 | 38 |
| 137 | Identification of miR-31-5p, miR-141-3p, miR-200c-3p, and GLT1 as human liver aging markers sensitive to donor-recipient age-mismatch in transplants. <i>Aging Cell</i> , 2017 , 16, 262-272 | 9.9 | 36 |
| 136 | Sirolimus in liver transplant recipients: a large single-center experience. <i>Transplantation Proceedings</i> , 2010 , 42, 2579-84 | 1.1 | 36 |
| 135 | Anti-HBs re-seroconversion after liver transplantation in a patient with past HBV infection receiving a HBsAg positive graft. <i>Journal of Hepatology</i> , 2009 , 50, 625-30 | 13.4 | 36 |
| 134 | Clinical trial: peg-interferon alfa-2b and ribavirin for the treatment of genotype-1 hepatitis C recurrence after liver transplantation. <i>Alimentary Pharmacology and Therapeutics</i> , 2008 , 28, 450-7 | 6.1 | 36 |
| 133 | Plasma total homocysteine and cardiovascular risk in patients submitted to liver transplantation. <i>Liver Transplantation</i> , 2006 , 12, 105-11 | 4.5 | 36 |

| | | | |
|-----|---|-----|----|
| 132 | Adjuvant, adoptive immunotherapy with tumor infiltrating lymphocytes plus interleukin-2 after radical hepatic resection for colorectal liver metastases: 5-year analysis. <i>Journal of Surgical Oncology</i> , 2004 , 87, 46-52 | 2.8 | 35 |
| 131 | Epigenome-wide association study in hepatocellular carcinoma: Identification of stochastic epigenetic mutations through an innovative statistical approach. <i>Oncotarget</i> , 2017 , 8, 41890-41902 | 3.3 | 35 |
| 130 | Feasibility and limits of split liver transplantation from pediatric donors: an italian multicenter experience. <i>Annals of Surgery</i> , 2006 , 244, 805-14 | 7.8 | 34 |
| 129 | Venous outflow reconstructions with the piggyback technique in liver transplantation: a single-center experience of 431 cases. <i>Transplant International</i> , 2005 , 18, 318-25 | 3 | 34 |
| 128 | Liver resection with thrombectomy as a treatment of hepatocellular carcinoma with major vascular invasion: results from a retrospective multicentric study. <i>American Journal of Surgery</i> , 2015 , 210, 35-44 | 2.7 | 32 |
| 127 | A partnership model between high- and low-volume hospitals to improve results in hepatobiliary pancreatic surgery. <i>Annals of Surgery</i> , 2014 , 260, 871-5; discussion 875-7 | 7.8 | 31 |
| 126 | Peliosis hepatis: Personal experience and literature review. <i>World Journal of Gastroenterology</i> , 2015 , 21, 13188-94 | 5.6 | 31 |
| 125 | Prognostic factors for tumor recurrence after a 12-year, single-center experience of liver transplantations in patients with hepatocellular carcinoma. <i>Journal of Transplantation</i> , 2010 , 2010, | 2.3 | 31 |
| 124 | Survival benefit after liver transplantation: a single European center experience. <i>Transplantation</i> , 2009 , 88, 826-34 | 1.8 | 30 |
| 123 | . <i>Annals of Surgery</i> , 2003 , 237, 536-543 | 7.8 | 30 |
| 122 | Piggy-back versus conventional technique in liver transplantation: report of a randomized trial. <i>Transplant International</i> , 1997 , 10, 109-12 | 3 | 30 |
| 121 | Prophylaxis for venous thromboembolism after resection of hepatocellular carcinoma on cirrhosis: is it necessary?. <i>World Journal of Gastroenterology</i> , 2010 , 16, 2146-50 | 5.6 | 29 |
| 120 | Overexpression of p53 protein and Ki67 proliferative index in hepatocellular carcinoma: an immunohistochemical study on 109 Italian patients. <i>Pathology International</i> , 1994 , 44, 682-7 | 1.8 | 29 |
| 119 | Use of vascular clamping in hepatic surgery: lessons learned from 1260 liver resections. <i>Archives of Surgery</i> , 2008 , 143, 380-7; discussion 388 | | 29 |
| 118 | A Novel Nomogram to Predict the Prognosis of Patients Undergoing Liver Resection for Neuroendocrine Liver Metastasis: an Analysis of the Italian Neuroendocrine Liver Metastasis Database. <i>Journal of Gastrointestinal Surgery</i> , 2017 , 21, 41-48 | 3.3 | 28 |
| 117 | Studies on immunoproteasome in human liver. Part I: absence in fetuses, presence in normal subjects, and increased levels in chronic active hepatitis and cirrhosis. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 397, 301-6 | 3.4 | 28 |
| 116 | Long-term outcomes in liver transplant patients with hepatic C infection receiving tacrolimus or cyclosporine. <i>Transplantation Proceedings</i> , 2006 , 38, 2964-7 | 1.1 | 28 |
| 115 | Impact of very advanced donor age on hepatic artery thrombosis after liver transplantation. <i>Transplantation</i> , 2011 , 92, 439-45 | 1.8 | 27 |

| | | | |
|-----|--|-----|----|
| 114 | ALPPS for primary and secondary liver tumors. <i>International Journal of Surgery</i> , 2016 , 30, 38-44 | 7.5 | 27 |
| 113 | Sensitivity of Human Intrahepatic Cholangiocarcinoma Subtypes to Chemotherapeutics and Molecular Targeted Agents: A Study on Primary Cell Cultures. <i>PLoS ONE</i> , 2015 , 10, e0142124 | 3.7 | 26 |
| 112 | Liver transplantation for benign hepatic tumors: a systematic review. <i>Digestive Surgery</i> , 2010 , 27, 68-75 | 2.5 | 26 |
| 111 | Impact of biliary complications in right lobe living donor liver transplantation. <i>Transplant International</i> , 2006 , 19, 122-7 | 3 | 26 |
| 110 | TGF- β signaling is an effective target to impair survival and induce apoptosis of human cholangiocarcinoma cells: A study on human primary cell cultures. <i>PLoS ONE</i> , 2017 , 12, e0183932 | 3.7 | 25 |
| 109 | Histological recurrent hepatitis C after liver transplantation: Outcome and role of retransplantation. <i>Liver Transplantation</i> , 2006 , 12, 1104-11 | 4.5 | 25 |
| 108 | GADD45-alpha expression in cirrhosis and hepatocellular carcinoma: relationship with DNA repair and proliferation. <i>Human Pathology</i> , 2005 , 36, 1154-62 | 3.7 | 25 |
| 107 | Psychological adaptation and quality of life of adult intestinal transplant recipients: University of Bologna experience. <i>Transplantation Proceedings</i> , 2010 , 42, 42-4 | 1.1 | 24 |
| 106 | Expression of connective tissue growth factor is a prognostic marker for patients with intrahepatic cholangiocarcinoma. <i>Digestive and Liver Disease</i> , 2005 , 37, 269-74 | 3.3 | 24 |
| 105 | MiR-204 down-regulation elicited perturbation of a gene target signature common to human cholangiocarcinoma and gastric cancer. <i>Oncotarget</i> , 2017 , 8, 29540-29557 | 3.3 | 24 |
| 104 | Conventional split liver transplantation for two adult recipients: a recent experience in a single European center. <i>Transplantation</i> , 2009 , 88, 1117-22 | 1.8 | 23 |
| 103 | The FXR agonist obeticholic acid inhibits the cancerogenic potential of human cholangiocarcinoma. <i>PLoS ONE</i> , 2019 , 14, e0210077 | 3.7 | 22 |
| 102 | Role of hepatitis B virus infection in the prognosis after hepatectomy for hepatocellular carcinoma in patients with cirrhosis: a Western dual-center experience. <i>Archives of Surgery</i> , 2009 , 144, 906-13 | | 22 |
| 101 | Liver transplantation in HBsAg-positive HBV-DNA--negative cirrhotics: immunoprophylaxis and long-term outcome. <i>Liver Transplantation</i> , 1996 , 2, 418-25 | | 22 |
| 100 | Adjuvant systemic chemotherapy after putative curative resection of colorectal liver and lung metastases. <i>Clinical Colorectal Cancer</i> , 2013 , 12, 188-94 | 3.8 | 21 |
| 99 | An appraisal of percutaneous treatment of liver metastases. <i>Liver Transplantation</i> , 1998 , 4, 271-5 | | 21 |
| 98 | Use of prosthetic mesh in difficult abdominal wall closure after small bowel transplantation in adults. <i>Transplantation Proceedings</i> , 2005 , 37, 2272-4 | 1.1 | 21 |
| 97 | Nested stromal-epithelial tumor (NSET) of the liver: a case report of an extremely rare tumor. <i>Pathology Research and Practice</i> , 2010 , 206, 282-6 | 3.4 | 20 |

| | | | |
|----|--|------|----|
| 96 | Twenty-five consecutive isolated intestinal transplants in adult patients: a five-yr clinical experience. <i>Clinical Transplantation</i> , 2007 , 21, 177-85 | 3.8 | 20 |
| 95 | Coping strategies in intestinal transplantation. <i>Transplantation Proceedings</i> , 2007 , 39, 1992-4 | 1.1 | 20 |
| 94 | Surgical experience with 168 primary liver cell carcinomas treated with hepatic resection. <i>Journal of Surgical Oncology</i> , 1993 , 3, 59-61 | 2.8 | 20 |
| 93 | Variable activation of phosphoinositide 3-kinase influences the response of liver grafts to ischemic preconditioning. <i>Journal of Hepatology</i> , 2009 , 50, 937-47 | 13.4 | 19 |
| 92 | Rejection episodes and 3-year graft survival under sirolimus and tacrolimus treatment after adult intestinal transplantation. <i>Transplantation Proceedings</i> , 2007 , 39, 1629-31 | 1.1 | 19 |
| 91 | Evidence of oxidative imbalance in long-term liver transplant patients. <i>Digestive and Liver Disease</i> , 2002 , 34, 279-84 | 3.3 | 19 |
| 90 | The peculiar aging of human liver: A geroscience perspective within transplant context. <i>Ageing Research Reviews</i> , 2019 , 51, 24-34 | 12 | 19 |
| 89 | Prognostic role of nodal ratio, LODDS, pN in patients with pancreatic cancer with venous involvement. <i>BMC Surgery</i> , 2017 , 17, 109 | 2.3 | 18 |
| 88 | Two yr mycophenolate mofetil plus low-dose calcineurin inhibitor for renal dysfunction after liver transplant. <i>Clinical Transplantation</i> , 2009 , 23, 191-8 | 3.8 | 18 |
| 87 | Long term follow-up and outcome of liver transplantation for alcoholic liver disease: a single center case-control study. <i>Journal of Clinical Gastroenterology</i> , 2010 , 44, 52-7 | 3 | 18 |
| 86 | Detection of HCV antigens in liver graft: relevance to the management of recurrent post-liver transplant hepatitis C. <i>Liver Transplantation</i> , 2006 , 12, 1673-81 | 4.5 | 18 |
| 85 | Systemic fungemia and hepatic localizations of <i>Fusarium solani</i> in a liver transplanted patient: an emerging fungal agent. <i>Liver Transplantation</i> , 2006 , 12, 1711-4 | 4.5 | 18 |
| 84 | Liver allocation for hepatocellular carcinoma: a European Center policy in the pre-MELD era. <i>Transplantation</i> , 2006 , 81, 525-30 | 1.8 | 18 |
| 83 | Efficacy of MELD score in predicting survival after liver retransplantation. <i>Transplantation Proceedings</i> , 2004 , 36, 2748-9 | 1.1 | 18 |
| 82 | Molecular Aging of Human Liver: An Epigenetic/Transcriptomic Signature. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019 , 74, 1-8 | 6.4 | 17 |
| 81 | Lifelong maintenance of composition, function and cellular/subcellular distribution of proteasomes in human liver. <i>Mechanisms of Ageing and Development</i> , 2014 , 141-142, 26-34 | 5.6 | 17 |
| 80 | Study of simulect-based, steroid-free immunosuppressive regimen in HCV+ de novo liver transplant patients: preliminary results. <i>Transplantation Proceedings</i> , 2001 , 33, 3211-2 | 1.1 | 16 |
| 79 | Tumor Regression Grade After Neoadjuvant Chemoradiation and Surgery for Low Rectal Cancer Evaluated by Multiple Correspondence Analysis: Ten Years as Minimum Follow-up. <i>Clinical Colorectal Cancer</i> , 2018 , 17, e13-e19 | 3.8 | 15 |

| | | | |
|----|--|-----|----|
| 78 | Assessment of donor steatosis in liver transplantation: is it possible without liver biopsy?. <i>Clinical Transplantation</i> , 2009 , 23, 519-24 | 3.8 | 15 |
| 77 | Laboratory test variability and model for end-stage liver disease score calculation: effect on liver allocation and proposal for adjustment. <i>Transplantation</i> , 2007 , 83, 919-24 | 1.8 | 15 |
| 76 | Twenty-seven consecutive intestinal and multivisceral transplants in adult patients: a 4-year clinical experience. <i>Transplantation Proceedings</i> , 2005 , 37, 2679-81 | 1.1 | 15 |
| 75 | Interferon-alpha plus ribavirin and amantadine in patients with post-transplant hepatitis C: results of a pilot study. <i>Digestive and Liver Disease</i> , 2001 , 33, 693-7 | 3.3 | 15 |
| 74 | The pattern of hMENA isoforms is regulated by TGF- β in pancreatic cancer and may predict patient outcome. <i>Oncolmmunology</i> , 2016 , 5, e1221556 | 7.2 | 15 |
| 73 | Second surgery or chemotherapy for relapse after radical resection of colorectal cancer metastases. <i>Langenbeck's Archives of Surgery</i> , 2012 , 397, 1069-77 | 3.4 | 13 |
| 72 | Daclizumab and alemtuzumab as induction agents in adult intestinal and multivisceral transplantation: rejection and infection rates in 40 recipients during the early postoperative period. <i>Transplantation Proceedings</i> , 2010 , 42, 35-8 | 1.1 | 13 |
| 71 | Prognostic criteria for postoperative mortality in 170 patients undergoing major right hepatectomy. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2012 , 11, 507-12 | 2.1 | 12 |
| 70 | Recurrent hepatitis C virus infection post liver transplantation: impact of choice of calcineurin inhibitor. <i>Transplant International</i> , 2013 , 26, 358-72 | 3 | 12 |
| 69 | Extramedullary myeloid tumour of the stomach and duodenum presenting without acute myeloblastic leukemia: a diagnostic and therapeutic challenge. <i>Leukemia and Lymphoma</i> , 2008 , 49, 159-62 ¹⁹ | | 12 |
| 68 | Daclizumab and alemtuzumab as induction agents in adult intestinal and multivisceral transplantation: A comparison of two different regimens on 29 recipients during the early post-operative period. <i>Digestive and Liver Disease</i> , 2007 , 39, 253-6 | 3.3 | 12 |
| 67 | Modified outflow reconstruction with a venous patch in domino liver transplantation. <i>Liver Transplantation</i> , 2007 , 13, 1756-7 | 4.5 | 12 |
| 66 | Using elderly donors in liver transplantation. <i>Transplantation Proceedings</i> , 2005 , 37, 2582-3 | 1.1 | 12 |
| 65 | Sirolimus as the main immunosuppressant in the early postoperative period following liver transplantation: a report of six cases and review of the literature. <i>Transplant International</i> , 2006 , 19, 1022-5 | | 12 |
| 64 | Evolution of pancreatectomy with en bloc venous resection for pancreatic cancer in Italy. Retrospective cohort study on 425 cases in 10 pancreatic referral units. <i>International Journal of Surgery</i> , 2018 , 55, 103-109 | 7.5 | 12 |
| 63 | Modification of acid-base balance in cirrhotic patients undergoing liver resection for hepatocellular carcinoma. <i>Annals of Surgery</i> , 2007 , 245, 902-8 | 7.8 | 11 |
| 62 | The actin modulator hMENA regulates GAS6-AXL axis and pro-tumor cancer/stromal cell cooperation. <i>EMBO Reports</i> , 2020 , 21, e50078 | 6.5 | 11 |
| 61 | A bioluminescent mouse model of proliferation to highlight early stages of pancreatic cancer: A suitable tool for preclinical studies. <i>Annals of Anatomy</i> , 2016 , 207, 2-8 | 2.9 | 10 |

| | | | |
|----|---|------|----|
| 60 | Detection of recipient B cells in liver graft using antibodies to mismatched HLA class I antigens. <i>Liver Transplantation</i> , 2004 , 10, 1406-14 | 4.5 | 10 |
| 59 | Liver Resection for Neuroendocrine Tumor Liver Metastases Within Milan Criteria for Liver Transplantation. <i>Journal of Gastrointestinal Surgery</i> , 2019 , 23, 93-100 | 3.3 | 10 |
| 58 | FGFR2 fusion proteins drive oncogenic transformation of mouse liver organoids towards cholangiocarcinoma. <i>Journal of Hepatology</i> , 2021 , 75, 351-362 | 13.4 | 10 |
| 57 | Safety and prognostic role of regional lymphadenectomy for primary and metastatic liver tumors. <i>Updates in Surgery</i> , 2010 , 62, 27-34 | 2.9 | 9 |
| 56 | Results of intestinal and multivisceral transplantation in adult patients: Italian experience. <i>Transplantation Proceedings</i> , 2006 , 38, 1696-8 | 1.1 | 9 |
| 55 | The role of liver resections for metastases from lung carcinoma. <i>Hpb</i> , 2006 , 8, 114-5 | 3.8 | 9 |
| 54 | Metformin exerts anti-cancerogenic effects and reverses epithelial-to-mesenchymal transition trait in primary human intrahepatic cholangiocarcinoma cells. <i>Scientific Reports</i> , 2021 , 11, 2557 | 4.9 | 9 |
| 53 | Apoptotic Epitope-Specific CD8+ T Cells and Interferon Signaling Intersect in Chronic Hepatitis C Virus Infection. <i>Journal of Infectious Diseases</i> , 2016 , 213, 674-83 | 7 | 8 |
| 52 | Impact of induction therapy on bacterial infections and long-term outcome in adult intestinal and multivisceral transplantation: a comparison of two different induction protocols: daclizumab vs. alemtuzumab. <i>Clinical Transplantation</i> , 2009 , 23, 420-5 | 3.8 | 8 |
| 51 | Comprehensive surgical intestinal rescue and transplantation program in adult patients: Bologna experience. <i>Transplantation Proceedings</i> , 2010 , 42, 39-41 | 1.1 | 7 |
| 50 | Successful liver transplantation from a 95-year-old donor to a patient with MELD score 36 and delayed graft arterialization. <i>American Journal of Transplantation</i> , 2008 , 8, 725-6 | 8.7 | 7 |
| 49 | Liver and partial atrium transplantation for chronic Budd-Chiari syndrome. <i>Liver Transplantation</i> , 2007 , 13, 1758-9 | 4.5 | 7 |
| 48 | Early onset aggressive hereditary amyloidosis: report of an Italian family with TTR Arg47 mutation. <i>Neurological Sciences</i> , 2005 , 26, 140-2 | 3.5 | 7 |
| 47 | Evaluation of the use of graft livers procured from old donors (70 to 87 years) for hepatic transplantation. <i>Transplantation Proceedings</i> , 2001 , 33, 934-5 | 1.1 | 7 |
| 46 | Hepatocellular carcinoma surgical and oncological trends in a national multicentric population: the HERCOLES experience. <i>Updates in Surgery</i> , 2020 , 72, 399-411 | 2.9 | 6 |
| 45 | Italian experience in adult clinical intestinal and multivisceral transplantation: 6 years later. <i>Transplantation Proceedings</i> , 2007 , 39, 1987-91 | 1.1 | 6 |
| 44 | Successful treatment of rhinomaxillary form of mucormycosis infection after liver transplantation: a case report. <i>Transplantation Proceedings</i> , 2006 , 38, 1445-7 | 1.1 | 6 |
| 43 | Posttransplant lymphoproliferative disorders in liver transplanted patients: a report of four cases. <i>Transplantation Proceedings</i> , 2006 , 38, 1477-80 | 1.1 | 6 |

| | | | |
|----|--|------|---|
| 42 | Recovery from liver dysfunction after adult isolated intestinal transplantation without liver grafting. <i>Transplantation Proceedings</i> , 2006 , 38, 3620-4 | 1.1 | 6 |
| 41 | Web relationships between physicians and individuals seeking information on hepatopancreatobiliary diseases. <i>Archives of Surgery</i> , 2006 , 141, 1176-82; discussion 1182 | | 6 |
| 40 | The future challenge in the MELD era: how to match extended-use donors and sick recipients. <i>Transplantation</i> , 2006 , 82, 987-8 | 1.8 | 6 |
| 39 | Predictive indices of morbidity and mortality after liver resection. <i>Annals of Surgery</i> , 2006 , 244, 635-7; author reply 637 | 7.8 | 6 |
| 38 | Speech disorder related to tacrolimus-induced pontine myelinolysis after orthotopic liver transplantation. <i>Transplant International</i> , 2003 , 16, 507-9 | 3 | 6 |
| 37 | Split-liver transplantation with pediatric donors: a multicenter experience. <i>Transplantation</i> , 2005 , 79, 1148-53 | 1.8 | 6 |
| 36 | Effect of liver transplantation on tuftsin activity and phagocytic activity of neutrophil granulocytes in patients with liver cirrhosis. <i>International Archives of Allergy and Immunology</i> , 2005 , 137, 258-62 | 3.7 | 6 |
| 35 | Prognostic indicators in patients with cirrhosis and hepatocellular carcinoma undergoing surgical resection. <i>Journal of Surgical Oncology</i> , 1993 , 3, 67-9 | 2.8 | 6 |
| 34 | Sustained virological response to antiviral therapy in a randomized trial of cyclosporine versus tacrolimus in liver transplant patients with recurrent hepatitis C infection. <i>Annals of Transplantation</i> , 2015 , 20, 25-35 | 1.4 | 6 |
| 33 | Laparoscopic Liver Surgery: What Are the Advantages in Patients with Cirrhosis and Portal Hypertension? Systematic Review and Meta-Analysis with Personal Experience. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2020 , 30, 1054-1065 | 2.1 | 6 |
| 32 | A room for the alpps procedure in patients with HCC. <i>International Journal of Surgery</i> , 2015 , 13, 90-91 | 7.5 | 5 |
| 31 | Embryonal rhabdomyosarcoma of the orbit in a liver transplant recipient. <i>Transplant International</i> , 2003 , 16, 437-440 | 3 | 5 |
| 30 | Speech disorder related to tacrolimus-induced pontine myelinolysis after orthotopic liver transplantation. <i>Transplant International</i> , 2003 , 16, 605-607 | 3 | 5 |
| 29 | Hepatic artery stenosis in liver transplanted patients treated with pegylated interferon alpha-2b and ribavirin. <i>Transplantation</i> , 2004 , 78, 953 | 1.8 | 5 |
| 28 | Performance of Comprehensive Complication Index and Clavien-Dindo Complication Scoring System in Liver Surgery for Hepatocellular Carcinoma. <i>Cancers</i> , 2020 , 12, | 6.6 | 5 |
| 27 | Hepatitis C virus recurrence after liver transplantation: a 10-year evaluation. <i>World Journal of Gastroenterology</i> , 2015 , 21, 3912-20 | 5.6 | 5 |
| 26 | Detection of ATM germline variants by the p53 mitotic centrosomal localization test in BRCA1/2-negative patients with early-onset breast cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2016 , 35, 135 | 12.8 | 5 |
| 25 | Real-time quantitative assay for routine testing of HCV RNA in formalin-fixed, paraffin-embedded liver samples. <i>Diagnostic Molecular Pathology</i> , 2009 , 18, 232-8 | | 4 |

| | | | |
|----|--|------|---|
| 24 | Kidney transplantation combined with other organs in Bologna: an update. <i>Transplantation Proceedings</i> , 2008 , 40, 1867-8 | 1.1 | 4 |
| 23 | Kidney transplantation combined with other organs: experience of Bologna s. Orsola hospital. <i>Transplantation Proceedings</i> , 2005 , 37, 2469-71 | 1.1 | 4 |
| 22 | An unusual case of choledochal cyst causing hepatic failure requiring orthotopic liver transplantation. <i>Journal of Pediatric Surgery</i> , 1992 , 27, 1557-9 | 2.6 | 4 |
| 21 | The Impact of Hospital Volume on Failure to Rescue after Liver Resection for Hepatocellular Carcinoma: Analysis from the HE.RC.O.LE.S. Italian Registry. <i>Annals of Surgery</i> , 2020 , 272, 840-846 | 7.8 | 4 |
| 20 | Liver transplantation with left lateral segments in adults: a risk or a possibility?. <i>Transplantation</i> , 2009 , 88, 849-50 | 1.8 | 3 |
| 19 | Model for End-Stage Liver Disease (MELD) system to allocate and to share livers: experience of two Italian centers. <i>Transplantation Proceedings</i> , 2008 , 40, 1814-5 | 1.1 | 3 |
| 18 | Associated benign liver tumors in idiopathic granulomatous hepatitis: A case report. <i>Hepatology Research</i> , 2007 , 37, 568-71 | 5.1 | 3 |
| 17 | Right-side approach to the left caudate lobe in the piggy-back technique of liver transplantation. A further step in maximizing preservation of the retrohepatic inferior vena cava. <i>Transplant International</i> , 2003 , 16, 361-363 | 3 | 3 |
| 16 | Operative risk by the lidocaine test (MEGX) in resected patients for HCC on cirrhosis. <i>Hepato-Gastroenterology</i> , 2003 , 50, 1552-5 | | 3 |
| 15 | Nanotechnology-Related Environment, Health, and Safety Research. <i>Environmental Health Perspectives</i> , 2009 , 117, | 8.4 | 2 |
| 14 | Down-staging of hepatocellular carcinoma before liver transplantation: should we change our clinical practice?. <i>Annals of Surgery</i> , 2009 , 250, 348; author reply 348-9 | 7.8 | 2 |
| 13 | Steroids in intestinal transplantation. <i>Clinical Transplantation</i> , 2007 , 21, 265-8 | 3.8 | 2 |
| 12 | Incidence, clinical significance, and outcome of vascular alterations in intestinal biopsies after isolated small bowel transplantation: a single-center experience. <i>Transplantation Proceedings</i> , 2006 , 38, 1728-30 | 1.1 | 2 |
| 11 | Embryonal rhabdomyosarcoma of the orbit in a liver transplant recipient. <i>Transplant International</i> , 2003 , 16, 437-40 | 3 | 2 |
| 10 | Organ-saving surgery for rectal cancer after neoadjuvant chemoradiation: Analysis of failures and long-term results. <i>Journal of Surgical Oncology</i> , 2019 , 121, 375 | 2.8 | 2 |
| 9 | Down-staging of hepatocellular carcinoma prior to liver transplantation: the power of selection. <i>Hepatology</i> , 2009 , 49, 1056 | 11.2 | 1 |
| 8 | Liver resections: complications and survival outcome. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2007 , 7, 269-79 | 2.2 | 1 |
| 7 | HPB surgery: an independent speciality or a branch of digestive surgery?. <i>HPB Surgery</i> , 1994 , 8, 111-3 | | 1 |

| | | | |
|---|---|-----|---|
| 6 | Renewed considerations on the utility (or the futility) of hepatic resections for breast cancer liver metastases. <i>Hepatobiliary Surgery and Nutrition</i> , 2021 , 10, 49-58 | 2.1 | 1 |
| 5 | Application of a fluorescent PCR method for molecular diagnosis of posttransplant lymphoproliferative disorders on routine tissue sections. <i>Diagnostic Molecular Pathology</i> , 2005 , 14, 170-6 | | 0 |
| 4 | Surgical approach to complicated intestinal failure for benign disease in adult patients: transplantation or surgical rehabilitation?. <i>Transplantation Proceedings</i> , 2006 , 38, 1145-7 | 1.1 | |
| 3 | Iliac approach for vascularization of an intestinal graft at retransplantation. <i>Transplantation</i> , 2006 , 82, 1112-3 | 1.8 | |
| 2 | Early-stage focal nodular hyperplasia: US/CT/MR features correlated with histology. <i>European Radiology</i> , 1994 , 4, 65 | 8 | |
| 1 | lymphadenectomy for liver tumors: A safe procedure in a tertiary center which improves the staging of the disease. <i>Journal of Clinical Oncology</i> , 2006 , 24, 3622-3622 | 2.2 | |