

Gian Luca Grazi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3965609/gian-luca-grazi-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

221
papers

12,872
citations

57
h-index

107
g-index

226
ext. papers

14,297
ext. citations

4.3
avg, IF

5.44
L-index

#	Paper	IF	Citations
221	Metformin exerts anti-cancerogenic effects and reverses epithelial-to-mesenchymal transition trait in primary human intrahepatic cholangiocarcinoma cells. <i>Scientific Reports</i> , 2021 , 11, 2557	4.9	9
220	Renewed considerations on the utility (or the futility) of hepatic resections for breast cancer liver metastases. <i>Hepatobiliary Surgery and Nutrition</i> , 2021 , 10, 49-58	2.1	1
219	FGFR2 fusion proteins drive oncogenic transformation of mouse liver organoids towards cholangiocarcinoma. <i>Journal of Hepatology</i> , 2021 , 75, 351-362	13.4	10
218	Hepatocellular carcinoma surgical and oncological trends in a national multicentric population: the HERCOLES experience. <i>Updates in Surgery</i> , 2020 , 72, 399-411	2.9	6
217	The actin modulator hMENA regulates GAS6-AXL axis and pro-tumor cancer/stromal cell cooperation. <i>EMBO Reports</i> , 2020 , 21, e50078	6.5	11
216	Performance of Comprehensive Complication Index and Clavien-Dindo Complication Scoring System in Liver Surgery for Hepatocellular Carcinoma. <i>Cancers</i> , 2020 , 12,	6.6	5
215	The Impact of Hospital Volume on Failure to Rescue after Liver Resection for Hepatocellular Carcinoma: Analysis from the HE.RC.O.LE.S. Italian Registry. <i>Annals of Surgery</i> , 2020 , 272, 840-846	7.8	4
214	Laparoscopic Liver Surgery: What Are the Advantages in Patients with Cirrhosis and Portal Hypertension? Systematic Review and Meta-Analysis with Personal Experience. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2020 , 30, 1054-1065	2.1	6
213	The FXR agonist obeticholic acid inhibits the cancerogenic potential of human cholangiocarcinoma. <i>PLoS ONE</i> , 2019 , 14, e0210077	3.7	22
212	Molecular Aging of Human Liver: An Epigenetic/Transcriptomic Signature. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019 , 74, 1-8	6.4	17
211	Organ-saving surgery for rectal cancer after neoadjuvant chemoradiation: Analysis of failures and long-term results. <i>Journal of Surgical Oncology</i> , 2019 , 121, 375	2.8	2
210	The peculiar aging of human liver: A geroscience perspective within transplant context. <i>Ageing Research Reviews</i> , 2019 , 51, 24-34	12	19
209	Liver Resection for Neuroendocrine Tumor Liver Metastases Within Milan Criteria for Liver Transplantation. <i>Journal of Gastrointestinal Surgery</i> , 2019 , 23, 93-100	3.3	10
208	Tumor Regression Grade After Neoadjuvant Chemoradiation and Surgery for Low Rectal Cancer Evaluated by Multiple Correspondence Analysis: Ten Years as Minimum Follow-up. <i>Clinical Colorectal Cancer</i> , 2018 , 17, e13-e19	3.8	15
207	Evolution of pancreatectomy with en bloc venous resection for pancreatic cancer in Italy. Retrospective cohort study on 425 cases in 10 pancreatic referral units. <i>International Journal of Surgery</i> , 2018 , 55, 103-109	7.5	12
206	Integrative Genomic Analysis of Cholangiocarcinoma Identifies Distinct IDH-Mutant Molecular Profiles. <i>Cell Reports</i> , 2017 , 18, 2780-2794	10.6	247
205	Identification of miR-31-5p, miR-141-3p, miR-200c-3p, and GLT1 as human liver aging markers sensitive to donor-recipient age-mismatch in transplants. <i>Ageing Cell</i> , 2017 , 16, 262-272	9.9	36

204	TGF- β signaling is an effective target to impair survival and induce apoptosis of human cholangiocarcinoma cells: A study on human primary cell cultures. <i>PLoS ONE</i> , 2017 , 12, e0183932	3.7	25
203	Prognostic role of nodal ratio, LODDS, pN in patients with pancreatic cancer with venous involvement. <i>BMC Surgery</i> , 2017 , 17, 109	2.3	18
202	A Novel Nomogram to Predict the Prognosis of Patients Undergoing Liver Resection for Neuroendocrine Liver Metastasis: an Analysis of the Italian Neuroendocrine Liver Metastasis Database. <i>Journal of Gastrointestinal Surgery</i> , 2017 , 21, 41-48	3.3	28
201	MiR-204 down-regulation elicited perturbation of a gene target signature common to human cholangiocarcinoma and gastric cancer. <i>Oncotarget</i> , 2017 , 8, 29540-29557	3.3	24
200	Epigenome-wide association study in hepatocellular carcinoma: Identification of stochastic epigenetic mutations through an innovative statistical approach. <i>Oncotarget</i> , 2017 , 8, 41890-41902	3.3	35
199	A bioluminescent mouse model of proliferation to highlight early stages of pancreatic cancer: A suitable tool for preclinical studies. <i>Annals of Anatomy</i> , 2016 , 207, 2-8	2.9	10
198	Pancreatectomy with Mesenteric and Portal Vein Resection for Borderline Resectable Pancreatic Cancer: Multicenter Study of 406 Patients. <i>Annals of Surgical Oncology</i> , 2016 , 23, 2028-37	3.1	52
197	Apoptotic Epitope-Specific CD8+ T Cells and Interferon Signaling Intersect in Chronic Hepatitis C Virus Infection. <i>Journal of Infectious Diseases</i> , 2016 , 213, 674-83	7	8
196	The pattern of hMENA isoforms is regulated by TGF- β in pancreatic cancer and may predict patient outcome. <i>Oncolmmunology</i> , 2016 , 5, e1221556	7.2	15
195	Importance of primary indication and liver function between stages: results of a multicenter Italian audit of ALPPS 2012-2014. <i>Hpb</i> , 2016 , 18, 419-27	3.8	41
194	ALPPS for primary and secondary liver tumors. <i>International Journal of Surgery</i> , 2016 , 30, 38-44	7.5	27
193	Detection of ATM germline variants by the p53 mitotic centrosomal localization test in BRCA1/2-negative patients with early-onset breast cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2016 , 35, 135	12.8	5
192	Liver resection with thrombectomy as a treatment of hepatocellular carcinoma with major vascular invasion: results from a retrospective multicentric study. <i>American Journal of Surgery</i> , 2015 , 210, 35-44	2.7	32
191	Profiles of cancer stem cell subpopulations in cholangiocarcinomas. <i>American Journal of Pathology</i> , 2015 , 185, 1724-39	5.8	65
190	A room for the alpps procedure in patients with HCC. <i>International Journal of Surgery</i> , 2015 , 13, 90-91	7.5	5
189	Peliosis hepatis: Personal experience and literature review. <i>World Journal of Gastroenterology</i> , 2015 , 21, 13188-94	5.6	31
188	Sensitivity of Human Intrahepatic Cholangiocarcinoma Subtypes to Chemotherapeutics and Molecular Targeted Agents: A Study on Primary Cell Cultures. <i>PLoS ONE</i> , 2015 , 10, e0142124	3.7	26
187	Sustained virological response to antiviral therapy in a randomized trial of cyclosporine versus tacrolimus in liver transplant patients with recurrent hepatitis C infection. <i>Annals of Transplantation</i> , 2015 , 20, 25-35	1.4	6

186	Hepatitis C virus recurrence after liver transplantation: a 10-year evaluation. <i>World Journal of Gastroenterology</i> , 2015 , 21, 3912-20	5.6	5
185	Human OX40 tunes the function of regulatory T cells in tumor and nontumor areas of hepatitis C virus-infected liver tissue. <i>Hepatology</i> , 2014 , 60, 1494-507	11.2	55
184	A partnership model between high- and low-volume hospitals to improve results in hepatobiliary pancreatic surgery. <i>Annals of Surgery</i> , 2014 , 260, 871-5; discussion 875-7	7.8	31
183	Lifelong maintenance of composition, function and cellular/subcellular distribution of proteasomes in human liver. <i>Mechanisms of Ageing and Development</i> , 2014 , 141-142, 26-34	5.6	17
182	Adjuvant systemic chemotherapy after putative curative resection of colorectal liver and lung metastases. <i>Clinical Colorectal Cancer</i> , 2013 , 12, 188-94	3.8	21
181	Recurrent hepatitis C virus infection post liver transplantation: impact of choice of calcineurin inhibitor. <i>Transplant International</i> , 2013 , 26, 358-72	3	12
180	Prognostic criteria for postoperative mortality in 170 patients undergoing major right hepatectomy. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2012 , 11, 507-12	2.1	12
179	CDKN1C/P57 is regulated by the Notch target gene Hes1 and induces senescence in human hepatocellular carcinoma. <i>American Journal of Pathology</i> , 2012 , 181, 413-22	5.8	46
178	Liver transplantation from hepatitis B surface antigen positive donors: a safe way to expand the donor pool. <i>Journal of Hepatology</i> , 2012 , 56, 579-85	13.4	52
177	Second surgery or chemotherapy for relapse after radical resection of colorectal cancer metastases. <i>Langenbeck's Archives of Surgery</i> , 2012 , 397, 1069-77	3.4	13
176	Pre-operative liver biopsy in cirrhotic patients with early hepatocellular carcinoma represents a safe and accurate diagnostic tool for tumour grading assessment. <i>Journal of Hepatology</i> , 2011 , 54, 300-5	13.4	53
175	Impact of very advanced donor age on hepatic artery thrombosis after liver transplantation. <i>Transplantation</i> , 2011 , 92, 439-45	1.8	27
174	Portal vein thrombosis and liver transplantation: evolution during 10 years of experience at the University of Bologna. <i>Annals of Surgery</i> , 2011 , 253, 378-84	7.8	78
173	Analysis of factors affecting recurrence of hepatocellular carcinoma after liver transplantation with a special focus on inflammation markers. <i>Transplantation</i> , 2011 , 91, 1279-85	1.8	91
172	Improved diagnostic imaging and interventional therapies prolong survival after resection for hepatocellular carcinoma in cirrhosis: the university of bologna experience over 10 years. <i>Annals of Surgical Oncology</i> , 2011 , 18, 1630-7	3.1	39
171	Prognostic factors for tumor recurrence after a 12-year, single-center experience of liver transplantations in patients with hepatocellular carcinoma. <i>Journal of Transplantation</i> , 2010 , 2010,	2.3	31
170	Prophylaxis for venous thromboembolism after resection of hepatocellular carcinoma on cirrhosis: is it necessary?. <i>World Journal of Gastroenterology</i> , 2010 , 16, 2146-50	5.6	29
169	Absence of neuroinvasive disease in a liver transplant recipient who acquired West Nile virus (WNV) infection from the organ donor and who received WNV antibodies prophylactically. <i>Clinical Infectious Diseases</i> , 2010 , 51, e34-7	11.6	41

168	Liver transplantation for benign hepatic tumors: a systematic review. <i>Digestive Surgery</i> , 2010 , 27, 68-75	2.5	26
167	MiR-199a-3p regulates mTOR and c-Met to influence the doxorubicin sensitivity of human hepatocarcinoma cells. <i>Cancer Research</i> , 2010 , 70, 5184-93	10.1	347
166	Preoperative prediction of hepatocellular carcinoma tumour grade and micro-vascular invasion by means of artificial neural network: a pilot study. <i>Journal of Hepatology</i> , 2010 , 52, 880-8	13.4	135
165	Studies on immunoproteasome in human liver. Part I: absence in fetuses, presence in normal subjects, and increased levels in chronic active hepatitis and cirrhosis. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 397, 301-6	3.4	28
164	Daclizumab and alemtuzumab as induction agents in adult intestinal and multivisceral transplantation: rejection and infection rates in 40 recipients during the early postoperative period. <i>Transplantation Proceedings</i> , 2010 , 42, 35-8	1.1	13
163	Comprehensive surgical intestinal rescue and transplantation program in adult patients: Bologna experience. <i>Transplantation Proceedings</i> , 2010 , 42, 39-41	1.1	7
162	Psychological adaptation and quality of life of adult intestinal transplant recipients: University of Bologna experience. <i>Transplantation Proceedings</i> , 2010 , 42, 42-4	1.1	24
161	Sirolimus in liver transplant recipients: a large single-center experience. <i>Transplantation Proceedings</i> , 2010 , 42, 2579-84	1.1	36
160	Circulating and hepatic endocannabinoids and endocannabinoid-related molecules in patients with cirrhosis. <i>Liver International</i> , 2010 , 30, 816-25	7.9	55
159	Effect of different immunosuppressive schedules on recurrence-free survival after liver transplantation for hepatocellular carcinoma. <i>Transplantation</i> , 2010 , 89, 227-31	1.8	94
158	Intrahepatic cholangiocarcinoma: primary liver resection and aggressive multimodal treatment of recurrence significantly prolong survival. <i>Annals of Surgery</i> , 2010 , 252, 107-14	7.8	119
157	Long term follow-up and outcome of liver transplantation for alcoholic liver disease: a single center case-control study. <i>Journal of Clinical Gastroenterology</i> , 2010 , 44, 52-7	3	18
156	Changes in the surgical approach to hilar cholangiocarcinoma during an 18-year period in a Western single center. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2010 , 17, 329-37	2.8	47
155	Safety and prognostic role of regional lymphadenectomy for primary and metastatic liver tumors. <i>Updates in Surgery</i> , 2010 , 62, 27-34	2.9	9
154	Harm and benefits of primary liver resection and salvage transplantation for hepatocellular carcinoma. <i>American Journal of Transplantation</i> , 2010 , 10, 619-27	8.7	64
153	Criteria for diagnosing benign portal vein thrombosis in the assessment of patients with cirrhosis and hepatocellular carcinoma for liver transplantation. <i>Liver Transplantation</i> , 2010 , 16, 658-67	4.5	70
152	Six score systems to evaluate candidates with advanced cirrhosis for orthotopic liver transplant: Which is the winner?. <i>Liver Transplantation</i> , 2010 , 16, 964-73	4.5	40
151	Nested stromal-epithelial tumor (NSET) of the liver: a case report of an extremely rare tumor. <i>Pathology Research and Practice</i> , 2010 , 206, 282-6	3.4	20

150	MicroRNA-221 targets Bmf in hepatocellular carcinoma and correlates with tumor multifocality. <i>Clinical Cancer Research</i> , 2009 , 15, 5073-81	12.9	267
149	Indication of the extent of hepatectomy for hepatocellular carcinoma on cirrhosis by a simple algorithm based on preoperative variables. <i>Archives of Surgery</i> , 2009 , 144, 57-63; discussion 63		46
148	Nanotechnology-Related Environment, Health, and Safety Research. <i>Environmental Health Perspectives</i> , 2009 , 117,	8.4	2
147	Real-time quantitative assay for routine testing of HCV RNA in formalin-fixed, paraffin-embedded liver samples. <i>Diagnostic Molecular Pathology</i> , 2009 , 18, 232-8		4
146	Down-staging of hepatocellular carcinoma prior to liver transplantation: the power of selection. <i>Hepatology</i> , 2009 , 49, 1056	11.2	1
145	Predictors of sustained virological response after antiviral treatment for hepatitis C recurrence following liver transplantation. <i>Liver Transplantation</i> , 2009 , 15, 782-9	4.5	68
144	Liver transplantations with donors aged 60 years and above: the low liver damage strategy. <i>Transplant International</i> , 2009 , 22, 423-33	3	44
143	Impact of induction therapy on bacterial infections and long-term outcome in adult intestinal and multivisceral transplantation: a comparison of two different induction protocols: daclizumab vs. alemtuzumab. <i>Clinical Transplantation</i> , 2009 , 23, 420-5	3.8	8
142	Two yr mycophenolate mofetil plus low-dose calcineurin inhibitor for renal dysfunction after liver transplant. <i>Clinical Transplantation</i> , 2009 , 23, 191-8	3.8	18
141	Assessment of donor steatosis in liver transplantation: is it possible without liver biopsy?. <i>Clinical Transplantation</i> , 2009 , 23, 519-24	3.8	15
140	Comparison of recurrence of hepatocellular carcinoma after resection in patients with cirrhosis to its occurrence in a surveilled cirrhotic population. <i>Annals of Surgical Oncology</i> , 2009 , 16, 413-22	3.1	144
139	MiR-122/cyclin G1 interaction modulates p53 activity and affects doxorubicin sensitivity of human hepatocarcinoma cells. <i>Cancer Research</i> , 2009 , 69, 5761-7	10.1	346
138	Anti-HBs re-seroconversion after liver transplantation in a patient with past HBV infection receiving a HBsAg positive graft. <i>Journal of Hepatology</i> , 2009 , 50, 625-30	13.4	36
137	Variable activation of phosphoinositide 3-kinase influences the response of liver grafts to ischemic preconditioning. <i>Journal of Hepatology</i> , 2009 , 50, 937-47	13.4	19
136	Predicting survival after liver transplantation in patients with hepatocellular carcinoma beyond the Milan criteria: a retrospective, exploratory analysis. <i>Lancet Oncology, The</i> , 2009 , 10, 35-43	21.7	1490
135	Liver transplantation with left lateral segments in adults: a risk or a possibility?. <i>Transplantation</i> , 2009 , 88, 849-50	1.8	3
134	Conventional split liver transplantation for two adult recipients: a recent experience in a single European center. <i>Transplantation</i> , 2009 , 88, 1117-22	1.8	23
133	Survival benefit after liver transplantation: a single European center experience. <i>Transplantation</i> , 2009 , 88, 826-34	1.8	30

132	Role of hepatitis B virus infection in the prognosis after hepatectomy for hepatocellular carcinoma in patients with cirrhosis: a Western dual-center experience. <i>Archives of Surgery</i> , 2009 , 144, 906-13		22
131	Down-staging of hepatocellular carcinoma before liver transplantation: should we change our clinical practice?. <i>Annals of Surgery</i> , 2009 , 250, 348; author reply 348-9	7.8	2
130	Trends in perioperative outcome after hepatic resection: analysis of 1500 consecutive unselected cases over 20 years. <i>Annals of Surgery</i> , 2009 , 249, 995-1002	7.8	171
129	Is portal hypertension a contraindication to hepatic resection?. <i>Annals of Surgery</i> , 2009 , 250, 922-8	7.8	166
128	MiR-221 controls CDKN1C/p57 and CDKN1B/p27 expression in human hepatocellular carcinoma. <i>Oncogene</i> , 2008 , 27, 5651-61	9.2	545
127	Clinical trial: peg-interferon alfa-2b and ribavirin for the treatment of genotype-1 hepatitis C recurrence after liver transplantation. <i>Alimentary Pharmacology and Therapeutics</i> , 2008 , 28, 450-7	6.1	36
126	Successful liver transplantation from a 95-year-old donor to a patient with MELD score 36 and delayed graft arterialization. <i>American Journal of Transplantation</i> , 2008 , 8, 725-6	8.7	7
125	Liver transplantation for recurrent hepatocellular carcinoma on cirrhosis after liver resection: University of Bologna experience. <i>American Journal of Transplantation</i> , 2008 , 8, 1177-85	8.7	139
124	Liver transplantation for hepatocellular carcinoma: results of down-staging in patients initially outside the Milan selection criteria. <i>American Journal of Transplantation</i> , 2008 , 8, 2547-57	8.7	286
123	Kidney transplantation combined with other organs in Bologna: an update. <i>Transplantation Proceedings</i> , 2008 , 40, 1867-8	1.1	4
122	Model for End-Stage Liver Disease (MELD) system to allocate and to share livers: experience of two Italian centers. <i>Transplantation Proceedings</i> , 2008 , 40, 1814-5	1.1	3
121	Extramedullary myeloid tumour of the stomach and duodenum presenting without acute myeloblastic leukemia: a diagnostic and therapeutic challenge. <i>Leukemia and Lymphoma</i> , 2008 , 49, 159-62 ⁹		12
120	Use of vascular clamping in hepatic surgery: lessons learned from 1260 liver resections. <i>Archives of Surgery</i> , 2008 , 143, 380-7; discussion 388		29
119	Liver transplantation for hepatocellular carcinoma under calcineurin inhibitors: reassessment of risk factors for tumor recurrence. <i>Annals of Surgery</i> , 2008 , 248, 857-62	7.8	155
118	Incidence and management of abdominal closure-related complications in adult intestinal transplantation. <i>Transplantation</i> , 2008 , 85, 1607-9	1.8	42
117	Improving the outcome of liver transplantation with very old donors with updated selection and management criteria. <i>Liver Transplantation</i> , 2008 , 14, 672-9	4.5	76
116	Daclizumab and alemtuzumab as induction agents in adult intestinal and multivisceral transplantation: A comparison of two different regimens on 29 recipients during the early post-operative period. <i>Digestive and Liver Disease</i> , 2007 , 39, 253-6	3.3	12
115	Can antiplatelet prophylaxis reduce the incidence of hepatic artery thrombosis after liver transplantation?. <i>Liver Transplantation</i> , 2007 , 13, 651-4	4.5	85

114	A new priority policy for patients with hepatocellular carcinoma awaiting liver transplantation within the model for end-stage liver disease system. <i>Liver Transplantation</i> , 2007 , 13, 857-66	4.5	38
113	Modified outflow reconstruction with a venous patch in domino liver transplantation. <i>Liver Transplantation</i> , 2007 , 13, 1756-7	4.5	12
112	Liver and partial atrium transplantation for chronic Budd-Chiari syndrome. <i>Liver Transplantation</i> , 2007 , 13, 1758-9	4.5	7
111	Steroids in intestinal transplantation. <i>Clinical Transplantation</i> , 2007 , 21, 265-8	3.8	2
110	Twenty-five consecutive isolated intestinal transplants in adult patients: a five-yr clinical experience. <i>Clinical Transplantation</i> , 2007 , 21, 177-85	3.8	20
109	Aberrant Notch3 and Notch4 expression in human hepatocellular carcinoma. <i>Liver International</i> , 2007 , 27, 997-1007	7.9	88
108	Liver resections: complications and survival outcome. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2007 , 7, 269-79	2.2	1
107	High incidence of allograft dysfunction in liver transplanted patients treated with pegylated-interferon alpha-2b and ribavirin for hepatitis C recurrence: possible de novo autoimmune hepatitis?. <i>Gut</i> , 2007 , 56, 237-42	19.2	97
106	Modification of acid-base balance in cirrhotic patients undergoing liver resection for hepatocellular carcinoma. <i>Annals of Surgery</i> , 2007 , 245, 902-8	7.8	11
105	Laboratory test variability and model for end-stage liver disease score calculation: effect on liver allocation and proposal for adjustment. <i>Transplantation</i> , 2007 , 83, 919-24	1.8	15
104	Rejection episodes and 3-year graft survival under sirolimus and tacrolimus treatment after adult intestinal transplantation. <i>Transplantation Proceedings</i> , 2007 , 39, 1629-31	1.1	19
103	Coping strategies in intestinal transplantation. <i>Transplantation Proceedings</i> , 2007 , 39, 1992-4	1.1	20
102	Italian experience in adult clinical intestinal and multivisceral transplantation: 6 years later. <i>Transplantation Proceedings</i> , 2007 , 39, 1987-91	1.1	6
101	Influence of steroids on HCV recurrence after liver transplantation: A prospective study. <i>Journal of Hepatology</i> , 2007 , 47, 793-8	13.4	94
100	Associated benign liver tumors in idiopathic granulomatous hepatitis: A case report. <i>Hepatology Research</i> , 2007 , 37, 568-71	5.1	3
99	Cyclin G1 is a target of miR-122a, a microRNA frequently down-regulated in human hepatocellular carcinoma. <i>Cancer Research</i> , 2007 , 67, 6092-9	10.1	695
98	Liver transplantation with the Meld system: a prospective study from a single European center. <i>American Journal of Transplantation</i> , 2006 , 6, 1572-7	8.7	55
97	Surgical therapy for hepatolithiasis: a Western experience. <i>Journal of the American College of Surgeons</i> , 2006 , 202, 306-12	4.4	41

96	Recovery from liver failure after hepatectomy for hepatocellular carcinoma in cirrhosis: meaning of the model for end-stage liver disease. <i>Journal of the American College of Surgeons</i> , 2006 , 203, 670-6	4.4	47
95	Plasma total homocysteine and cardiovascular risk in patients submitted to liver transplantation. <i>Liver Transplantation</i> , 2006 , 12, 105-11	4.5	36
94	Effect of ischemic preconditioning in whole liver transplantation from deceased donors. A pilot study. <i>Liver Transplantation</i> , 2006 , 12, 628-35	4.5	98
93	Histological recurrent hepatitis C after liver transplantation: Outcome and role of retransplantation. <i>Liver Transplantation</i> , 2006 , 12, 1104-11	4.5	25
92	Impact of model for end-stage liver disease (MELD) score on prognosis after hepatectomy for hepatocellular carcinoma on cirrhosis. <i>Liver Transplantation</i> , 2006 , 12, 966-71	4.5	221
91	12-month follow-up analysis of a multicenter, randomized, prospective trial in de novo liver transplant recipients (LIS2T) comparing cyclosporine microemulsion (C2 monitoring) and tacrolimus. <i>Liver Transplantation</i> , 2006 , 12, 1464-72	4.5	83
90	Detection of HCV antigens in liver graft: relevance to the management of recurrent post-liver transplant hepatitis C. <i>Liver Transplantation</i> , 2006 , 12, 1673-81	4.5	18
89	Systemic fungemia and hepatic localizations of <i>Fusarium solani</i> in a liver transplanted patient: an emerging fungal agent. <i>Liver Transplantation</i> , 2006 , 12, 1711-4	4.5	18
88	Mobilization of bone marrow-derived hematopoietic and endothelial stem cells after orthotopic liver transplantation and liver resection. <i>Stem Cells</i> , 2006 , 24, 2817-25	5.8	72
87	Treatment of hepatic metastases from colorectal cancer: many doubts, some certainties. <i>Cancer Treatment Reviews</i> , 2006 , 32, 214-28	14.4	81
86	Successful treatment of rhinomaxillary form of mucormycosis infection after liver transplantation: a case report. <i>Transplantation Proceedings</i> , 2006 , 38, 1445-7	1.1	6
85	Posttransplant lymphoproliferative disorders in liver transplanted patients: a report of four cases. <i>Transplantation Proceedings</i> , 2006 , 38, 1477-80	1.1	6
84	Surgical approach to complicated intestinal failure for benign disease in adult patients: transplantation or surgical rehabilitation?. <i>Transplantation Proceedings</i> , 2006 , 38, 1145-7	1.1	
83	Results of intestinal and multivisceral transplantation in adult patients: Italian experience. <i>Transplantation Proceedings</i> , 2006 , 38, 1696-8	1.1	9
82	Incidence, clinical significance, and outcome of vascular alterations in intestinal biopsies after isolated small bowel transplantation: a single-center experience. <i>Transplantation Proceedings</i> , 2006 , 38, 1728-30	1.1	2
81	Long-term outcomes in liver transplant patients with hepatic C infection receiving tacrolimus or cyclosporine. <i>Transplantation Proceedings</i> , 2006 , 38, 2964-7	1.1	28
80	Recovery from liver dysfunction after adult isolated intestinal transplantation without liver grafting. <i>Transplantation Proceedings</i> , 2006 , 38, 3620-4	1.1	6
79	Web relationships between physicians and individuals seeking information on hepatopancreatobiliary diseases. <i>Archives of Surgery</i> , 2006 , 141, 1176-82; discussion 1182		6

78	The future challenge in the MELD era: how to match extended-use donors and sick recipients. <i>Transplantation</i> , 2006 , 82, 987-8	1.8	6
77	Predictive indices of morbidity and mortality after liver resection. <i>Annals of Surgery</i> , 2006 , 244, 635-7; author reply 637	7.8	6
76	Feasibility and limits of split liver transplantation from pediatric donors: an italian multicenter experience. <i>Annals of Surgery</i> , 2006 , 244, 805-14	7.8	34
75	Liver allocation for hepatocellular carcinoma: a European Center policy in the pre-MELD era. <i>Transplantation</i> , 2006 , 81, 525-30	1.8	18
74	Iliac approach for vascularization of an intestinal graft at retransplantation. <i>Transplantation</i> , 2006 , 82, 1112-3	1.8	
73	Impact of biliary complications in right lobe living donor liver transplantation. <i>Transplant International</i> , 2006 , 19, 122-7	3	26
72	Sirolimus as the main immunosuppressant in the early postoperative period following liver transplantation: a report of six cases and review of the literature. <i>Transplant International</i> , 2006 , 19, 1022-5	3	12
71	The role of liver resections for metastases from lung carcinoma. <i>Hpb</i> , 2006 , 8, 114-5	3.8	9
70	lymphadenectomy for liver tumors: A safe procedure in a tertiary center which improves the staging of the disease. <i>Journal of Clinical Oncology</i> , 2006 , 24, 3622-3622	2.2	
69	Tumor doubling time predicts recurrence after surgery and describes the histological pattern of hepatocellular carcinoma on cirrhosis. <i>Journal of Hepatology</i> , 2005 , 43, 310-6	13.4	38
68	GADD45-alpha expression in cirrhosis and hepatocellular carcinoma: relationship with DNA repair and proliferation. <i>Human Pathology</i> , 2005 , 36, 1154-62	3.7	25
67	Comparison between the fifth and sixth editions of the AJCC/UICC TNM staging systems for hepatocellular carcinoma: multicentric study on 393 cirrhotic resected patients. <i>European Journal of Surgical Oncology</i> , 2005 , 31, 760-7	3.6	61
66	Use of prosthetic mesh in difficult abdominal wall closure after small bowel transplantation in adults. <i>Transplantation Proceedings</i> , 2005 , 37, 2272-4	1.1	21
65	Kidney transplantation combined with other organs: experience of Bologna s. Orsola hospital. <i>Transplantation Proceedings</i> , 2005 , 37, 2469-71	1.1	4
64	Using elderly donors in liver transplantation. <i>Transplantation Proceedings</i> , 2005 , 37, 2582-3	1.1	12
63	Twenty-seven consecutive intestinal and multivisceral transplants in adult patients: a 4-year clinical experience. <i>Transplantation Proceedings</i> , 2005 , 37, 2679-81	1.1	15
62	Expression of connective tissue growth factor is a prognostic marker for patients with intrahepatic cholangiocarcinoma. <i>Digestive and Liver Disease</i> , 2005 , 37, 269-74	3.3	24
61	Split-liver transplantation with pediatric donors: a multicenter experience. <i>Transplantation</i> , 2005 , 79, 1148-53	1.8	6

60	Application of a fluorescent PCR method for molecular diagnosis of posttransplant lymphoproliferative disorders on routine tissue sections. <i>Diagnostic Molecular Pathology</i> , 2005 , 14, 170-6		0
59	The role of liver resections for noncolorectal, nonneuroendocrine metastases: experience with 142 observed cases. <i>Annals of Surgical Oncology</i> , 2005 , 12, 459-66	3.1	115
58	Outcome of hepatic artery reconstruction in liver transplantation with an iliac arterial interposition graft. <i>Clinical Transplantation</i> , 2005 , 19, 399-405	3.8	66
57	Causes of early acute graft failure after liver transplantation: analysis of a 17-year single-centre experience. <i>Clinical Transplantation</i> , 2005 , 19, 492-500	3.8	69
56	Venous outflow reconstructions with the piggyback technique in liver transplantation: a single-center experience of 431 cases. <i>Transplant International</i> , 2005 , 18, 318-25	3	34
55	Liver transplantation for Wilson's disease: The burden of neurological and psychiatric disorders. <i>Liver Transplantation</i> , 2005 , 11, 1056-63	4.5	122
54	Early onset aggressive hereditary amyloidosis: report of an Italian family with TTR Arg47 mutation. <i>Neurological Sciences</i> , 2005 , 26, 140-2	3.5	7
53	Effect of liver transplantation on tuftsin activity and phagocytic activity of neutrophil granulocytes in patients with liver cirrhosis. <i>International Archives of Allergy and Immunology</i> , 2005 , 137, 258-62	3.7	6
52	Liver transplantation for hepatocellular carcinoma: further considerations on selection criteria. <i>Liver Transplantation</i> , 2004 , 10, 1195-202	4.5	80
51	Detection of recipient's cells in liver graft using antibodies to mismatched HLA class I antigens. <i>Liver Transplantation</i> , 2004 , 10, 1406-14	4.5	10
50	Adjuvant, adoptive immunotherapy with tumor infiltrating lymphocytes plus interleukin-2 after radical hepatic resection for colorectal liver metastases: 5-year analysis. <i>Journal of Surgical Oncology</i> , 2004 , 87, 46-52	2.8	35
49	Combined heart and liver transplantation in four adults with familial amyloidosis: experience of a single center. <i>Transplantation Proceedings</i> , 2004 , 36, 645-7	1.1	46
48	Efficacy of MELD score in predicting survival after liver retransplantation. <i>Transplantation Proceedings</i> , 2004 , 36, 2748-9	1.1	18
47	Hepatic artery stenosis in liver transplanted patients treated with pegylated interferon alpha-2b and ribavirin. <i>Transplantation</i> , 2004 , 78, 953	1.8	5
46	Partial necrosis on hepatocellular carcinoma nodules facilitates tumor recurrence after liver transplantation. <i>Transplantation</i> , 2004 , 78, 1780-6	1.8	95
45	The role of lymphadenectomy for liver tumors: further considerations on the appropriateness of treatment strategy. <i>Annals of Surgery</i> , 2004 , 239, 202-9	7.8	116
44	Double-blind comparison of hepatitis C histological recurrence Rate in HCV+ Liver transplant recipients given basiliximab + steroids or basiliximab + placebo, in addition to cyclosporine and azathioprine. <i>Transplantation</i> , 2004 , 78, 1488-95	1.8	82
43	Results of lis2t, a multicenter, randomized study comparing cyclosporine microemulsion with C2 monitoring and tacrolimus with C0 monitoring in de novo liver transplantation. <i>Transplantation</i> , 2004 , 77, 1632-8	1.8	105

42	Outcome of right hepatectomies in patients older than 70 years. <i>Archives of Surgery</i> , 2003 , 138, 547-52		52
41	. <i>Annals of Surgery</i> , 2003 , 237, 536-543	7.8	30
40	Liver resection for hepatocellular carcinoma on cirrhosis: univariate and multivariate analysis of risk factors for intrahepatic recurrence. <i>Annals of Surgery</i> , 2003 , 237, 536-43	7.8	268
39	Combined heart and liver transplantation for familial amyloidotic neuropathy: considerations from the hepatic point of view. <i>Liver Transplantation</i> , 2003 , 9, 986-92	4.5	40
38	Long-term survival of recipients of liver grafts from donors older than 80 years: is it achievable?. <i>Liver Transplantation</i> , 2003 , 9, 1174-80	4.5	53
37	Speech disorder related to tacrolimus-induced pontine myelinolysis after orthotopic liver transplantation. <i>Transplant International</i> , 2003 , 16, 507-9	3	6
36	Right-side approach to the left caudate lobe in the piggy-back technique of liver transplantation. A further step in maximizing preservation of the retrohepatic inferior vena cava. <i>Transplant International</i> , 2003 , 16, 361-363	3	3
35	Embryonal rhabdomyosarcoma of the orbit in a liver transplant recipient. <i>Transplant International</i> , 2003 , 16, 437-440	3	5
34	Speech disorder related to tacrolimus-induced pontine myelinolysis after orthotopic liver transplantation. <i>Transplant International</i> , 2003 , 16, 605-607	3	5
33	Embryonal rhabdomyosarcoma of the orbit in a liver transplant recipient. <i>Transplant International</i> , 2003 , 16, 437-40	3	2
32	Operative risk by the lidocaine test (MEGX) in resected patients for HCC on cirrhosis. <i>Hepato-Gastroenterology</i> , 2003 , 50, 1552-5		3
31	Relevance of biologic markers in colorectal carcinoma: a comparative study of a broad panel. <i>Cancer</i> , 2002 , 94, 647-57	6.4	84
30	Timing of reinfection and mechanisms of hepatocellular damage in transplanted hepatitis C virus-reinfected liver. <i>Liver Transplantation</i> , 2002 , 8, 10-20	4.5	87
29	Semiannual and annual surveillance of cirrhotic patients for hepatocellular carcinoma: effects on cancer stage and patient survival (Italian experience). <i>American Journal of Gastroenterology</i> , 2002 , 97, 734-44	0.7	255
28	Liver resection for multiple colorectal metastases: influence of parenchymal involvement and total tumor volume, vs number or location, on long-term survival. <i>Archives of Surgery</i> , 2002 , 137, 1187-92		72
27	Evidence of oxidative imbalance in long-term liver transplant patients. <i>Digestive and Liver Disease</i> , 2002 , 34, 279-84	3.3	19
26	Improved results of liver resection for hepatocellular carcinoma on cirrhosis give the procedure added value. <i>Annals of Surgery</i> , 2001 , 234, 71-8	7.8	265
25	A revised consideration on the use of very aged donors for liver transplantation. <i>American Journal of Transplantation</i> , 2001 , 1, 61-8	8.7	57

24	Interferon-alpha plus ribavirin and amantadine in patients with post-transplant hepatitis C: results of a pilot study. <i>Digestive and Liver Disease</i> , 2001 , 33, 693-7	3.3	15
23	Evaluation of the use of graft livers procured from old donors (70 to 87 years) for hepatic transplantation. <i>Transplantation Proceedings</i> , 2001 , 33, 934-5	1.1	7
22	Study of simulect-based, steroid-free immunosuppressive regimen in HCV+ de novo liver transplant patients: preliminary results. <i>Transplantation Proceedings</i> , 2001 , 33, 3211-2	1.1	16
21	The effect of aprotinin on renal function in orthotopic liver transplantation. <i>Transplantation</i> , 2001 , 71, 247-52	1.8	41
20	Pulmonary complications of liver transplantation: radiological appearance and statistical evaluation of risk factors in 300 cases. <i>European Radiology</i> , 2000 , 10, 1169-83	8	80
19	Evolution of hepatitis B virus polymerase gene mutations in hepatitis B e antigen-negative patients receiving lamivudine therapy. <i>Hepatology</i> , 2000 , 32, 1145-53	11.2	150
18	The lidocaine (MEGX) test as an index of hepatic function: its clinical usefulness in liver surgery. <i>Surgery</i> , 2000 , 127, 464-71	3.6	80
17	Autonomic dysfunction and hyperdynamic circulation in cirrhosis with ascites. <i>Hepatology</i> , 1999 , 30, 1387-92	4.2	65
16	An appraisal of percutaneous treatment of liver metastases. <i>Liver Transplantation</i> , 1998 , 4, 271-5		21
15	Lamivudine treatment for acute hepatitis B after liver transplantation. <i>Journal of Hepatology</i> , 1998 , 29, 985-9	13.4	57
14	Total vascular exclusion of the liver during hepatic surgery. Selective use, extensive use, or abuse?. <i>Archives of Surgery</i> , 1997 , 132, 1104-9		57
13	Piggy-back versus conventional technique in liver transplantation: report of a randomized trial. <i>Transplant International</i> , 1997 , 10, 109-12	3	30
12	Professor Guiseppe Gozzetti. <i>HPB Surgery</i> , 1996 , 9, i-i		78
11	Liver transplantation in HBsAg-positive HBV-DNA--negative cirrhotics: immunoprophylaxis and long-term outcome. <i>Liver Transplantation</i> , 1996 , 2, 418-25		22
10	Liver resection without blood transfusion. <i>British Journal of Surgery</i> , 1995 , 82, 1105-10	5.3	108
9	The role of tumor markers in the diagnosis of hepatocellular carcinoma, with special reference to the des-gamma-carboxy prothrombin. <i>Liver Transplantation</i> , 1995 , 1, 249-55		81
8	Overexpression of p53 protein and Ki67 proliferative index in hepatocellular carcinoma: an immunohistochemical study on 109 Italian patients. <i>Pathology International</i> , 1994 , 44, 682-7	1.8	29
7	HPB surgery: an independent speciality or a branch of digestive surgery?. <i>HPB Surgery</i> , 1994 , 8, 111-3		1

6	Early-stage focal nodular hyperplasia: US/CT/MR features correlated with histology. <i>European Radiology</i> , 1994 , 4, 65	8	
5	Functional outcome in handsewn versus stapled ileal pouch-anal anastomosis. <i>American Journal of Surgery</i> , 1994 , 168, 325-9	2.7	48
4	Gross pathologic types of hepatocellular carcinoma in Italian patients. Relationship with demographic, environmental, and clinical factors. <i>Cancer</i> , 1993 , 72, 1557-63	6.4	87
3	Surgical experience with 168 primary liver cell carcinomas treated with hepatic resection. <i>Journal of Surgical Oncology</i> , 1993 , 3, 59-61	2.8	20
2	Prognostic indicators in patients with cirrhosis and hepatocellular carcinoma undergoing surgical resection. <i>Journal of Surgical Oncology</i> , 1993 , 3, 67-9	2.8	6
1	An unusual case of choledochal cyst causing hepatic failure requiring orthotopic liver transplantation. <i>Journal of Pediatric Surgery</i> , 1992 , 27, 1557-9	2.6	4