

Wen Guo Jiang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3967594/wen-guo-jiang-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

660
papers

19,433
citations

70
h-index

108
g-index

794
ext. papers

21,481
ext. citations

4.3
avg, IF

6.81
L-index

#	Paper	IF	Citations
660	Identification of heart failure with preserved ejection fraction helps risk stratification for hypertrophic cardiomyopathy.. <i>BMC Medicine</i> , 2022 , 20, 21	11.4	0
659	Timely identification and successful treatment of acute fatty liver of pregnancy without obvious clinical symptoms: Case reports.. <i>Medicine (United States)</i> , 2022 , 101, e28723	1.8	0
658	Tim-3 Blockade Elicits Potent Anti-Multiple Myeloma Immunity of Natural Killer Cells.. <i>Frontiers in Oncology</i> , 2022 , 12, 739976	5.3	1
657	Overexpressed transient receptor potential vanilloid 1 (TRPV1) in lung adenocarcinoma harbours a new opportunity for therapeutic targeting.. <i>Cancer Gene Therapy</i> , 2022 ,	5.4	1
656	Genetic susceptibility analysis of FGF5 polymorphism to preeclampsia in Chinese Han population.. <i>Molecular Genetics and Genomics</i> , 2022 , 1	3.1	1
655	SIKs suppress tumor function and regulate drug resistance in breast cancer. <i>American Journal of Cancer Research</i> , 2021 , 11, 3537-3557	4.4	1
654	Structural Modifications on CORM-3 Lead to Enhanced Anti-angiogenic Properties Against Triple-negative Breast Cancer Cells. <i>Medicinal Chemistry</i> , 2021 , 17, 40-59	1.8	4
653	Location, function and role of stromal cell-derived factors and possible implications in cancer (Review). <i>International Journal of Molecular Medicine</i> , 2021 , 47, 435-443	4.4	1
652	The Clinical and Theranostic Values of Activated Leukocyte Cell Adhesion Molecule (ALCAM)/CD166 in Human Solid Cancers. <i>Cancers</i> , 2021 , 13,	6.6	1
651	Truncating Variants in Gene Associated With Disease-Onset and Outcomes of Hypertrophic Cardiomyopathy. <i>Circulation Genomic and Precision Medicine</i> , 2021 , 14, e003401	5.2	0
650	Influence of anaesthetics on the production of cancer cell motogens, stromal cell-derived factor-1 and hepatocyte growth factor by fibroblasts. <i>Oncology Letters</i> , 2021 , 21, 140	2.6	0
649	NUPR1 and its potential role in cancer and pathological conditions (Review). <i>International Journal of Oncology</i> , 2021 , 58,	4.4	3
648	Prostate Cancer Cell Extracellular Vesicles Increase Mineralisation of Bone Osteoblast Precursor Cells in an In Vitro Model. <i>Biology</i> , 2021 , 10,	4.9	1
647	EPLIN Expression in Gastric Cancer and Impact on Prognosis and Chemoresistance. <i>Biomolecules</i> , 2021 , 11,	5.9	3
646	The G4 Resolvase DHX36 Possesses a Prognosis Significance and Exerts Tumour Suppressing Function Through Multiple Causal Regulations in Non-Small Cell Lung Cancer. <i>Frontiers in Oncology</i> , 2021 , 11, 655757	5.3	0
645	Dual effects of targeting S100A11 on suppressing cellular metastatic properties and sensitizing drug response in gastric cancer. <i>Cancer Cell International</i> , 2021 , 21, 243	6.4	3
644	Expression of Death Associated Proteins DAP1 and DAP3 in Human Pancreatic Cancer. <i>Anticancer Research</i> , 2021 , 41, 2357-2362	2.3	1

643	Anti-PITPNM3 small molecular compounds reverse breast cancer metastasis by targeting PITPNM3.. <i>Journal of Clinical Oncology</i> , 2021 , 39, e15005-e15005	2.2	0
642	CTNND1 to mediate bone metastasis of triple-negative breast cancer via regulating CXCR4.. <i>Journal of Clinical Oncology</i> , 2021 , 39, e13045-e13045	2.2	
641	Epithelial Protein Lost in Neoplasm, EPLIN, the Cellular and Molecular Prospects in Cancers. <i>Biomolecules</i> , 2021 , 11,	5.9	3
640	Association study of hypertension susceptibility genes , and with preeclampsia in Chinese Han population. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 1-9	2	0
639	Protective effect of baicalin against pulmonary arterial hypertension vascular remodeling through regulation of TNF-β signaling pathway. <i>Pharmacology Research and Perspectives</i> , 2021 , 9, e00703	3.1	6
638	Lead DEAD/H box helicase biomarkers with the therapeutic potential identified by integrated bioinformatic approaches in lung cancer. <i>Computational and Structural Biotechnology Journal</i> , 2021 , 19, 261-278	6.8	2
637	Down-Regulation of Toll-Like Receptor 5 (TLR5) Increased VEGFR Expression in Triple Negative Breast Cancer (TNBC) Based on Radionuclide Imaging. <i>Frontiers in Oncology</i> , 2021 , 11, 708047	5.3	0
636	Design, synthesis and biological evaluation of dual HDAC and VEGFR inhibitors as multitargeted anticancer agents. <i>Investigational New Drugs</i> , 2021 , 1	4.3	0
635	PDCD4 Negatively Regulated Osteogenic Differentiation and Bone Defect Repair of Mesenchymal Stem Cells Through GSK-3β/β-Catenin Pathway. <i>Stem Cells and Development</i> , 2021 , 30, 806-815	4.4	2
634	Mesenchymal Stromal Cell-derived Exosomes Attenuate Experimental Pulmonary Arterial Hypertension. <i>Current Pharmaceutical Biotechnology</i> , 2021 , 22, 1654-1662	2.6	3
633	Activated leukocyte cell adhesion molecule (ALCAM)/CD166 in pancreatic cancer, a pivotal link to clinical outcome and vascular embolism.. <i>American Journal of Cancer Research</i> , 2021 , 11, 5917-5932	4.4	
632	Disulfiram/copper markedly induced myeloma cell apoptosis through activation of JNK and intrinsic and extrinsic apoptosis pathways. <i>Biomedicine and Pharmacotherapy</i> , 2020 , 126, 110048	7.5	15
631	Mesenchymal stromal cell-derived exosomes improve pulmonary hypertension through inhibition of pulmonary vascular remodeling. <i>Respiratory Research</i> , 2020 , 21, 71	7.3	21
630	Alteration in the sensitivity to crizotinib by Na/H exchanger regulatory factor 1 is dependent to its subcellular localization in ALK-positive lung cancers. <i>BMC Cancer</i> , 2020 , 20, 202	4.8	2
629	PD-L1 Expression in Glioblastoma, the Clinical and Prognostic Significance: A Systematic Literature Review and Meta-Analysis. <i>Frontiers in Oncology</i> , 2020 , 10, 1015	5.3	23
628	TfR1 binding with H-ferritin nanocarrier achieves prognostic diagnosis and enhances the therapeutic efficacy in clinical gastric cancer. <i>Cell Death and Disease</i> , 2020 , 11, 92	9.8	24
627	Stratification Using hTERT and Stem Cell Markers Confers a Good Prognosis in Invasive Breast Cancer. <i>Cancer Genomics and Proteomics</i> , 2020 , 17, 169-174	3.3	1
626	IL-27RβA Novel Molecular Imaging Marker for Allograft Rejection. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	3

625	STAT1 transcriptionally regulates the expression of S1PR1 by binding its promoter region. <i>Gene</i> , 2020 , 736, 144417	3.8	4
624	Deregulated bone morphogenetic proteins and their receptors are associated with disease progression of gastric cancer. <i>Computational and Structural Biotechnology Journal</i> , 2020 , 18, 177-188	6.8	11
623	The HOTAIRM1/miR-107/TDG axis regulates papillary thyroid cancer cell proliferation and invasion. <i>Cell Death and Disease</i> , 2020 , 11, 227	9.8	13
622	AR mRNA stability is increased with AR-antagonist resistance via 3'UTR variants. <i>Endocrine Connections</i> , 2020 , 9, 9-19	3.5	1
621	Identification of DHX36 as a tumour suppressor through modulating the activities of the stress-associated proteins and cyclin-dependent kinases in breast cancer. <i>American Journal of Cancer Research</i> , 2020 , 10, 4211-4233	4.4	1
620	Tim-3 promotes cell aggressiveness and paclitaxel resistance through NF- κ B/STAT3 signalling pathway in breast cancer cells. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2020 , 32, 564-579	3.8	6
619	Noggin is associated with a poor prognosis of gastric cancer by promoting the proliferation of gastric cancer cells via the upregulation of EGFR. <i>International Journal of Oncology</i> , 2020 , 57, 813-824	4.4	5
618	The role of SIPA1 in the development of cancer and metastases (Review). <i>Molecular and Clinical Oncology</i> , 2020 , 13, 32	1.6	1
617	Activity and mechanism of flavokawain A in inhibiting P-glycoprotein expression in paclitaxel resistance of lung cancer. <i>Oncology Letters</i> , 2020 , 19, 379-387	2.6	7
616	Novel Small Molecular Compound AE-848 Potently Induces Human Multiple Myeloma Cell Apoptosis by Modulating the NF- κ B and PI3K/Akt/mTOR Signaling Pathways. <i>OncoTargets and Therapy</i> , 2020 , 13, 13063-13075	4.4	1
615	Tim-3 promotes tube formation and decreases tight junction formation in vascular endothelial cells. <i>Bioscience Reports</i> , 2020 , 40,	4.1	1
614	Increased Expression of Gremlin1 Promotes Proliferation and Epithelial Mesenchymal Transition in Gastric Cancer Cells and Correlates With Poor Prognosis of Patients With Gastric Cancer. <i>Cancer Genomics and Proteomics</i> , 2020 , 17, 49-60	3.3	7
613	The protective effects of MSC-EXO against pulmonary hypertension through regulating Wnt5a/BMP signalling pathway. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 13938-13948	5.6	10
612	System biology analysis reveals the role of voltage-dependent anion channel in mitochondrial dysfunction during non-alcoholic fatty liver disease progression into hepatocellular carcinoma. <i>Cancer Science</i> , 2020 , 111, 4288-4302	6.9	5
611	IL-27 R α cells promoted allojection via enhancing STAT1/3/5 phosphorylation. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 10756-10767	5.6	3
610	Calcium-Binding Protein S100P Promotes Tumor Progression but Enhances Chemosensitivity in Breast Cancer. <i>Frontiers in Oncology</i> , 2020 , 10, 566302	5.3	2
609	Increased expression of Psoriasin is correlated with poor prognosis of bladder transitional cell carcinoma by promoting invasion and proliferation. <i>Oncology Reports</i> , 2020 , 43, 562-570	3.5	5
608	EphB2 represents an independent prognostic marker in patients with gastric cancer and promotes tumour cell aggressiveness. <i>Journal of Cancer</i> , 2020 , 11, 2778-2787	4.5	5

607	Differential expression and functions of Ehm2 transcript variants in lung adenocarcinoma. <i>International Journal of Oncology</i> , 2019 , 54, 1747-1758	4.4	1
606	Development and validation of a gene expression test to identify hard-to-heal chronic venous leg ulcers. <i>British Journal of Surgery</i> , 2019 , 106, 1035-1042	5.3	4
605	METTL3 Promotes the Proliferation and Mobility of Gastric Cancer Cells. <i>Open Medicine (Poland)</i> , 2019 , 14, 25-31	2.2	66
604	Effect of younger age on survival outcomes in T1N0M0 breast cancer: A propensity score matching analysis. <i>Journal of Surgical Oncology</i> , 2019 , 119, 1039-1046	2.8	8
603	Loss of PDZK1 expression activates PI3K/AKT signaling via PTEN phosphorylation in gastric cancer. <i>Cancer Letters</i> , 2019 , 453, 107-121	9.9	27
602	Correlation of and Stem Cell Markers in the Context of Human Breast Cancer. <i>Cancer Genomics and Proteomics</i> , 2019 , 16, 121-127	3.3	4
601	Identification of prothymosin alpha (PTMA) as a biomarker for esophageal squamous cell carcinoma (ESCC) by label-free quantitative proteomics and Quantitative Dot Blot (QDB). <i>Clinical Proteomics</i> , 2019 , 16, 12	5	12
600	Jinmaitong, a Traditional Chinese Compound Prescription, Ameliorates the Streptozocin-Induced Diabetic Peripheral Neuropathy Rats by Increasing Sciatic Nerve IGF-1 and IGF-1R Expression. <i>Frontiers in Pharmacology</i> , 2019 , 10, 255	5.6	16
599	A nomogram based on 9-lncRNAs signature for improving prognostic prediction of clear cell renal cell carcinoma. <i>Cancer Cell International</i> , 2019 , 19, 208	6.4	20
598	Incorporating MicroRNA into Molecular Phenotypes of Circulating Tumor Cells Enhances the Prognostic Accuracy for Patients with Metastatic Breast Cancer. <i>Oncologist</i> , 2019 , 24, e1044-e1054	5.7	9
597	Identification and functional characterization of Lys-trimethylation of lactate dehydrogenase A. <i>OncoTargets and Therapy</i> , 2019 , 12, 5395-5404	4.4	1
596	MiR-221 Is Specifically Elevated in PC3 Cells and its Deletion Reduces Adhesion, Motility and Growth. <i>Anticancer Research</i> , 2019 , 39, 5311-5327	2.3	6
595	Wnt-11 Expression Promotes Invasiveness and Correlates with Survival in Human Pancreatic Ductal Adeno Carcinoma. <i>Genes</i> , 2019 , 10,	4.2	8
594	EPO enhances the protective effects of MSCs in experimental hyperoxia-induced neonatal mice by promoting angiogenesis. <i>Aging</i> , 2019 , 11, 2477-2487	5.6	8
593	Repurposing old carbon monoxide-releasing molecules towards the anti-angiogenic therapy of triple-negative breast cancer. <i>Oncotarget</i> , 2019 , 10, 1132-1148	3.3	11
592	Importance of activated leukocyte cell adhesion molecule (ALCAM) in prostate cancer progression and metastatic dissemination. <i>Oncotarget</i> , 2019 , 10, 6362-6377	3.3	4
591	BDNF activates TrkB/PLC β signaling pathway to promote proliferation and invasion of ovarian cancer cells through inhibition of apoptosis. <i>European Review for Medical and Pharmacological Sciences</i> , 2019 , 23, 5093-5100	2.9	4
590	TLR5: A prognostic and monitoring indicator for triple-negative breast cancer. <i>Cell Death and Disease</i> , 2019 , 10, 954	9.8	11

589	OPN promotes the aggressiveness of non-small-cell lung cancer cells through the activation of the RON tyrosine kinase. <i>Scientific Reports</i> , 2019 , 9, 18101	4.9	4
588	HOXB2 is a Putative Tumour Promotor in Human Bladder Cancer. <i>Anticancer Research</i> , 2019 , 39, 6915-6923		6
587	Enhanced osteopontin splicing regulated by RUNX2 is HDAC-dependent and induces invasive phenotypes in NSCLC cells. <i>Cancer Cell International</i> , 2019 , 19, 306	6.4	13
586	The discovery of purine-based agents targeting triple-negative breast cancer and the B-crystallin/VEGF protein-protein interaction. <i>Medicinal Chemistry Research</i> , 2019 , 28, 182-202	2.2	5
585	Baicalin attenuates myocardial ischemia-reperfusion injury through Akt/NF- κ B pathway. <i>Journal of Cellular Biochemistry</i> , 2019 , 120, 3212-3219	4.7	23
584	DOK7V1 influences the malignant phenotype of lung cancer cells through PI3K/AKT/mTOR and FAK/paxillin signaling pathways. <i>International Journal of Oncology</i> , 2019 , 54, 381-389	4.4	6
583	SRPK1-siRNA suppresses K562 cell growth and induces apoptosis via the PARP-caspase3 pathway. <i>Molecular Medicine Reports</i> , 2018 , 17, 2070-2076	2.9	8
582	Suppression of the NF- κ B signaling pathway in colon cancer cells by the natural compound Riccardin D from <i>Dumortiera hirsuta</i> . <i>Molecular Medicine Reports</i> , 2018 , 17, 5837-5843	2.9	13
581	CLDN5 affects lncRNAs acting as ceRNA dynamics contributing to regulating blood-brain barrier permeability in tumor brain metastasis. <i>Oncology Reports</i> , 2018 , 39, 1441-1453	3.5	12
580	PDLIM5 identified by label-free quantitative proteomics as a potential novel biomarker of papillary thyroid carcinoma. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 499, 338-344	3.4	12
579	MicroRNA-1 acts as a tumor suppressor microRNA by inhibiting angiogenesis-related growth factors in human gastric cancer. <i>Gastric Cancer</i> , 2018 , 21, 41-54	7.6	46
578	Programmed cell death 4 overexpression enhances sensitivity to cisplatin via the JNK/c-Jun signaling pathway in bladder cancer. <i>International Journal of Oncology</i> , 2018 , 52, 1633-1642	4.4	7
577	Psoriasin overexpression confers drug resistance to cisplatin by activating ERK in gastric cancer. <i>International Journal of Oncology</i> , 2018 , 53, 1171-1182	4.4	4
576	Involvement of hedgehog pathway in early onset, aggressive molecular subtypes and metastatic potential of breast cancer. <i>Cell Communication and Signaling</i> , 2018 , 16, 3	7.5	31
575	Mechanistic insights of epithelial protein lost in neoplasm in prostate cancer metastasis. <i>International Journal of Cancer</i> , 2018 , 143, 2537-2550	7.5	8
574	Novel Trifluoromethylated Enobosarm Analogues with Potent Antiandrogenic Activity and Tissue Selectivity. <i>Molecular Cancer Therapeutics</i> , 2018 , 17, 1846-1858	6.1	6
573	Fibroblast activation protein- β promotes the growth and migration of lung cancer cells via the PI3K and sonic hedgehog pathways. <i>International Journal of Molecular Medicine</i> , 2018 , 41, 275-283	4.4	16
572	Impact of pigment epithelium-derived factor on colorectal cancer and. <i>Oncotarget</i> , 2018 , 9, 19192-19203	3.3	6

571	Distinct mechanisms by which two forms of miR-140 suppress the malignant properties of lung cancer cells. <i>Oncotarget</i> , 2018 , 9, 36474-36491	3.3	5
570	Relationship of miR-140-5p expression and p53 function and contribution to prognosis prediction and treatment decision of patients with gastric cancer.. <i>Journal of Clinical Oncology</i> , 2018 , 36, e24185-e24185		
569	Pretreatment with Total Flavonoid Extract from <i>Dracocephalum Moldavica</i> L. Attenuates Ischemia Reperfusion-induced Apoptosis. <i>Scientific Reports</i> , 2018 , 8, 17491	4.9	19
568	Effects of Lidocaine and Ropivacaine on Gastric Cancer Cells Through Down-regulation of ERK1/2 Phosphorylation. <i>Anticancer Research</i> , 2018 , 38, 6729-6735	2.3	19
567	Usefulness of conventional magnetic resonance imaging, diffusion tensor imaging and neurite orientation dispersion and density imaging in evaluating postoperative function in patients with cervical spondylotic myelopathy. <i>Journal of Orthopaedic Translation</i> , 2018 , 15, 59-69	4.2	5
566	mRNA Expression of in Human Breast Cancer: Correlation with Clinical and Pathological Parameters. <i>Cancer Genomics and Proteomics</i> , 2018 , 15, 447-452	3.3	2
565	Ginsenoside Rb1 administration attenuates focal cerebral ischemic reperfusion injury through inhibition of HMGB1 and inflammation signals. <i>Experimental and Therapeutic Medicine</i> , 2018 , 16, 3020-3026	2.1	12
564	Timing of erythropoietin modified mesenchymal stromal cell transplantation for the treatment of experimental bronchopulmonary dysplasia. <i>Journal of Cellular and Molecular Medicine</i> , 2018 , 22, 5759-5763	5.6	9
563	Chitosan coated chlorogenic acid and rutin composite phospholipid liposomes: Preparation, characterizations, permeability and pharmacokinetic. <i>Pakistan Journal of Pharmaceutical Sciences</i> , 2018 , 31, 2095-2102	0.4	2
562	Hepatitis B virus reactivation in breast cancer patients undergoing chemotherapy: A review and meta-analysis of prophylaxis management. <i>Journal of Viral Hepatitis</i> , 2017 , 24, 561-572	3.4	15
561	PAK5 mediates cell: cell adhesion integrity via interaction with E-cadherin in bladder cancer cells. <i>Biochemical Journal</i> , 2017 , 474, 1333-1346	3.8	16
560	Psoriasin promotes invasion, aggregation and survival of pancreatic cancer cells; association with disease progression. <i>International Journal of Oncology</i> , 2017 , 50, 1491-1500	4.4	9
559	The downstream of tyrosine kinase 7 is reduced in lung cancer and is associated with poor survival of patients with lung cancer. <i>Oncology Reports</i> , 2017 , 37, 2695-2701	3.5	6
558	Human osteopontin: Potential clinical applications in cancer (Review). <i>International Journal of Molecular Medicine</i> , 2017 , 39, 1327-1337	4.4	48
557	The prohibitin-repressive interaction with E2F1 is rapidly inhibited by androgen signalling in prostate cancer cells. <i>Oncogenesis</i> , 2017 , 6, e333	6.6	11
556	Molecular and cellular impact of Psoriasin (S100A7) on the healing of human wounds. <i>Experimental and Therapeutic Medicine</i> , 2017 , 13, 2151-2160	2.1	8
555	Hey Factors at the Crossroad of Tumorigenesis and Clinical Therapeutic Modulation of Hey for Anticancer Treatment. <i>Molecular Cancer Therapeutics</i> , 2017 , 16, 775-786	6.1	6
554	Association of Wnt1-inducible signaling pathway protein-1 with the proliferation, migration and invasion in gastric cancer cells. <i>Tumor Biology</i> , 2017 , 39, 1010428317699755	2.9	16

553	MicroRNA-7 suppresses the homing and migration potential of human endothelial cells to highly metastatic human breast cancer cells. <i>British Journal of Cancer</i> , 2017 , 117, 89-101	8.7	36
552	Dual roles of protein tyrosine phosphatase kappa in coordinating angiogenesis induced by pro-angiogenic factors. <i>International Journal of Oncology</i> , 2017 , 50, 1127-1135	4.4	1
551	Claudin-5 regulates blood-brain barrier permeability by modifying brain microvascular endothelial cell proliferation, migration, and adhesion to prevent lung cancer metastasis. <i>CNS Neuroscience and Therapeutics</i> , 2017 , 23, 947-960	6.8	46
550	Aspects of Carbon Monoxide in Form of CO-Releasing Molecules Used in Cancer Treatment: More Light on the Way. <i>Oxidative Medicine and Cellular Longevity</i> , 2017 , 2017, 9326454	6.7	45
549	ShenLingLan Influences the Attachment and Migration of Ovarian Cancer Cells Potentially through the GSK3 Pathway. <i>Medicines (Basel, Switzerland)</i> , 2017 , 4,	4.1	2
548	The Effect of Aurora Kinase Inhibitor on Adhesion and Migration in Human Breast Cancer Cells and Clinical Implications. <i>World Journal of Oncology</i> , 2017 , 8, 151-161	16.7	7
547	Kidins220 and tumour development: Insights into a complexity of cross-talk among signalling pathways (Review). <i>International Journal of Molecular Medicine</i> , 2017 , 40, 965-971	4.4	5
546	Bone morphogenetic proteins, breast cancer, and bone metastases: striking the right balance. <i>Endocrine-Related Cancer</i> , 2017 , 24, R349-R366	5.7	25
545	MLN4924 (Pevonedistat), a protein neddylation inhibitor, suppresses proliferation and migration of human clear cell renal cell carcinoma. <i>Scientific Reports</i> , 2017 , 7, 5599	4.9	39
544	In vitro significance of SOCS-3 and SOCS-4 and potential mechanistic links to wound healing. <i>Scientific Reports</i> , 2017 , 7, 6715	4.9	3
543	PDZK1 inhibits the development and progression of renal cell carcinoma by suppression of SHP-1 phosphorylation. <i>Oncogene</i> , 2017 , 36, 6119-6131	9.2	20
542	Neural Wiskott-Aldrich syndrome protein (nWASP) is implicated in human lung cancer invasion. <i>BMC Cancer</i> , 2017 , 17, 224	4.8	8
541	Poly lactic-co-glycolic acid controlled delivery of disulfiram to target liver cancer stem-like cells. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2017 , 13, 641-657	6	45
540	Key Factors in Breast Cancer Dissemination and Establishment at the Bone: Past, Present and Future Perspectives. <i>Advances in Experimental Medicine and Biology</i> , 2017 , 1026, 197-216	3.6	0
539	Prostate-specific PTen deletion in mice activates inflammatory microRNA expression pathways in the epithelium early in hyperplasia development. <i>Oncogenesis</i> , 2017 , 6, 400	6.6	6
538	Expression of phospholipase C isozymes in human breast cancer and their clinical significance. <i>Oncology Reports</i> , 2017 , 37, 1707-1715	3.5	16
537	KIAA1199 promotes migration and invasion by Wnt/ β -catenin pathway and MMPs mediated EMT progression and serves as a poor prognosis marker in gastric cancer. <i>PLoS ONE</i> , 2017 , 12, e0175058	3.7	45
536	HAVcr-1 involvement in cancer progression. <i>Histology and Histopathology</i> , 2017 , 32, 121-128	1.4	7

535	The Era of Multigene Panels Comes? The Clinical Utility of Oncotype DX and MammaPrint. <i>World Journal of Oncology</i> , 2017 , 8, 34-40	16.7	34
534	The Effects of Anesthetics on Recurrence and Metastasis of Cancer, and Clinical Implications. <i>World Journal of Oncology</i> , 2017 , 8, 63-70	16.7	21
533	Lessons From Managing the Breast Malignant Adenomyoepithelioma and the Discussion on Treatment Strategy. <i>World Journal of Oncology</i> , 2017 , 8, 126-131	16.7	16
532	A systematic review and meta-analysis: Does hepatitis C virus infection predispose to the development of chronic kidney disease?. <i>Oncotarget</i> , 2017 , 8, 10692-10702	3.3	9
531	NHERF1 regulates the progression of colorectal cancer through the interplay with VEGFR2 pathway. <i>Oncotarget</i> , 2017 , 8, 7753-7765	3.3	5
530	A multicenter matched case-control analysis on seven polymorphisms from HMGB1 and RAGE genes in predicting hepatocellular carcinoma risk. <i>Oncotarget</i> , 2017 , 8, 50109-50116	3.3	10
529	Reduced NOV expression correlates with disease progression in colorectal cancer and is associated with survival, invasion and chemoresistance of cancer cells. <i>Oncotarget</i> , 2017 , 8, 26231-26244	3.3	6
528	Quantitative proteomic analysis of gastric cancer tissue reveals novel proteins in platelet-derived growth factor b signaling pathway. <i>Oncotarget</i> , 2017 , 8, 22059-22075	3.3	15
527	The impact of interleukin-10 (IL-10) gene 4 polymorphisms on peripheral blood IL-10 variation and prostate cancer risk based on published studies. <i>Oncotarget</i> , 2017 , 8, 45994-46005	3.3	4
526	Association of breast carcinoma growth with a non-canonical axis of IFN γ /IDO1/TSP1. <i>Oncotarget</i> , 2017 , 8, 85024-85039	3.3	11
525	Baicalin attenuates monocrotaline-induced pulmonary hypertension through bone morphogenetic protein signaling pathway. <i>Oncotarget</i> , 2017 , 8, 63430-63441	3.3	13
524	The IL-17B-IL-17 receptor B pathway promotes resistance to paclitaxel in breast tumors through activation of the ERK1/2 pathway. <i>Oncotarget</i> , 2017 , 8, 113360-113372	3.3	22
523	A Novel NHERF1 Mutation in Human Breast Cancer and Effects on Malignant Progression. <i>Anticancer Research</i> , 2017 , 37, 67-73	2.3	7
522	Prostate Transglutaminase (TGase-4) Induces Epithelial-to-Mesenchymal Transition in Prostate Cancer Cells. <i>Anticancer Research</i> , 2017 , 37, 481-487	2.3	8
521	OPN-a Splicing Variant Expression in Non-small Cell Lung Cancer and its Effects on the Bone Metastatic Abilities of Lung Cancer Cells. <i>Anticancer Research</i> , 2017 , 37, 2245-2254	2.3	11
520	Clinical Significance of and in Human Breast Cancer. <i>Anticancer Research</i> , 2017 , 37, 4249-4254	2.3	18
519	Therapeutic Role of MiR-140-5p for the Treatment of Non-small Cell Lung Cancer. <i>Anticancer Research</i> , 2017 , 37, 4319-4327	2.3	31
518	High-efficient Screening Method for Identification of Key Genes in Breast Cancer Through Microarray and Bioinformatics. <i>Anticancer Research</i> , 2017 , 37, 4329-4335	2.3	6

517	HIF1 α -associated circDENND4C Promotes Proliferation of Breast Cancer Cells in Hypoxic Environment. <i>Anticancer Research</i> , 2017 , 37, 4337-4343	2.3	60
516	The Axis of CXCR4/SDF-1 Plays a Role in Colon Cancer Cell Adhesion Through Regulation of the AKT and IGF1R Signalling Pathways. <i>Anticancer Research</i> , 2017 , 37, 4361-4369	2.3	11
515	Comparison of Different Muscle-Relaxant Anesthetics on Growth, Migration and Invasion of Gastric Cancer Cells. <i>Anticancer Research</i> , 2017 , 37, 4371-4378	2.3	6
514	Identification of Novel Proteins Interacting with Vascular Endothelial Growth Inhibitor 174 in Renal Cell Carcinoma. <i>Anticancer Research</i> , 2017 , 37, 4379-4388	2.3	4
513	Knockdown of Using CRISPR/CAS9 Suppresses Aggressive Properties of Ovarian Cancer Cells. <i>Anticancer Research</i> , 2017 , 37, 4415-4424	2.3	14
512	Increased Expression of Follistatin in Breast Cancer Reduces Invasiveness and Clinically Correlates with Better Survival. <i>Cancer Genomics and Proteomics</i> , 2017 , 14, 241-251	3.3	9
511	Bevacizumab for the treatment of radiation necrosis in melanoma patients.. <i>Journal of Clinical Oncology</i> , 2017 , 35, e13548-e13548	2.2	
510	Expression of Osteoprotegerin Is Enhanced in Lung Cancer Tissues and Promotes Aggressive Cellular Traits in H3122 Lung Cancer Cells. <i>Anticancer Research</i> , 2017 , 37, 4277-4283	2.3	2
509	Reduced Expression of Metastasis Suppressor-1 (MTSS1) Accelerates Progression of Human Bladder Uroepithelium Cell Carcinoma. <i>Anticancer Research</i> , 2017 , 37, 4499-4505	2.3	7
508	NHERF1 Suppresses Lung Cancer Cell Migration by Regulation of Epithelial-Mesenchymal Transition. <i>Anticancer Research</i> , 2017 , 37, 4405-4414	2.3	3
507	Overexpression of Activin Receptor-like Kinase 7 in Breast Cancer Cells Is Associated with Decreased Cell Growth and Adhesion. <i>Anticancer Research</i> , 2017 , 37, 3441-3451	2.3	5
506	Role of Plexin B1 in a Breast Cancer Cohort of Pakistani Patients and its Contribution Towards Cancer Metastasis as Indicated by an Model. <i>Anticancer Research</i> , 2017 , 37, 4483-4488	2.3	
505	Clinical Correlation Between WISP2 and E-Catenin in Gastric Cancer. <i>Anticancer Research</i> , 2017 , 37, 4469-4473	2.3	4
504	Reduced Expression of RanBPM Is Associated with Poorer Survival from Lung Cancer and Increased Proliferation and Invasion of Lung Cancer Cells. <i>Anticancer Research</i> , 2017 , 37, 4389-4397	2.3	5
503	Potential Implication of Paxillin in Cancer Establishment Within the Bone Environment. <i>Anticancer Research</i> , 2017 , 37, 4255-4268	2.3	1
502	Transcriptional Profiling of Sonic Hedgehog in a Prospective Cohort of Breast Cancer in a Pakistani Population. <i>Anticancer Research</i> , 2017 , 37, 4449-4454	2.3	1
501	Protein of Vascular Endothelial Growth Inhibitor 174 Inhibits Epithelial-Mesenchymal Transition in Renal Cell Carcinoma. <i>Anticancer Research</i> , 2017 , 37, 4269-4275	2.3	
500	Application of Localization and Needle Placement Guided by Mammographic, Ultrasound and Fiberoptic Ductoscopy for Resection of Non-palpable Breast Lesions. <i>Anticancer Research</i> , 2017 , 37, 4523-4527	2.3	3

499	Overexpression of EPHB4 Is Associated with Poor Survival of Patients with Gastric Cancer. <i>Anticancer Research</i> , 2017 , 37, 4489-4497	2.3	6
498	NHERF1 regulates actin cytoskeleton organization through modulation of F-actinin-4 stability. <i>FASEB Journal</i> , 2016 , 30, 578-89	0.9	23
497	The splice variant Ehm2/1 in breast cancer MCF-7 cells interacted with E-catenin and increased its localization to plasma membrane. <i>RSC Advances</i> , 2016 , 6, 78436-78444	3.7	1
496	The clinical significance and impact of interleukin-15 on keratinocyte cell growth and migration. <i>International Journal of Molecular Medicine</i> , 2016 , 38, 679-86	4.4	6
495	Expression of the SOCS family in human chronic wound tissues: Potential implications for SOCS in chronic wound healing. <i>International Journal of Molecular Medicine</i> , 2016 , 38, 1349-1358	4.4	7
494	SMG7 is a critical regulator of p53 stability and function in DNA damage stress response. <i>Cell Discovery</i> , 2016 , 2, 15042	22.3	17
493	Enhanced antitumor activity and attenuated cardiotoxicity of Epirubicin combined with Paeonol against breast cancer. <i>Tumor Biology</i> , 2016 , 37, 12301-12313	2.9	20
492	Potential implications of interleukin-7 in chronic wound healing. <i>Experimental and Therapeutic Medicine</i> , 2016 , 12, 33-40	2.1	11
491	Construction of a genetically engineered chimeric apoprotein consisting of sequences derived from lidamycin and neocarzinostatin. <i>Anti-Cancer Drugs</i> , 2016 , 27, 24-8	2.4	4
490	Effect of junctional adhesion molecule-2 expression on cell growth, invasion and migration in human colorectal cancer. <i>International Journal of Oncology</i> , 2016 , 48, 929-36	4.4	15
489	The protective effects of paeonol against epirubicin-induced hepatotoxicity in 4T1-tumor bearing mice via inhibition of the PI3K/Akt/NF- κ B pathway. <i>Chemico-Biological Interactions</i> , 2016 , 244, 1-8	5	36
488	Significance and therapeutic implications of endothelial progenitor cells in angiogenic-mediated tumour metastasis. <i>Critical Reviews in Oncology/Hematology</i> , 2016 , 100, 177-89	7	17
487	Importance of osteoprotegerin and receptor activator of nuclear factor κ B in breast cancer response to hepatocyte growth factor and the bone microenvironment in vitro. <i>International Journal of Oncology</i> , 2016 , 48, 919-28	4.4	4
486	Potential roles of suppressor of cytokine signaling in wound healing. <i>Regenerative Medicine</i> , 2016 , 11, 193-209	2.5	17
485	Bone morphogenetic proteins in tumour associated angiogenesis and implication in cancer therapies. <i>Cancer Letters</i> , 2016 , 380, 586-597	9.9	26
484	Synthesis, antitumor activity evaluation of some new N-aryloxy- α -unsaturated piperidones with fluorescence. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2016 , 31, 495-502	5.6	15
483	NHERF1, a novel GPER associated protein, increases stability and activation of GPER in ER-positive breast cancer. <i>Oncotarget</i> , 2016 , 7, 54983-54997	3.3	16
482	Complement inhibitor CSMD1 acts as tumor suppressor in human breast cancer. <i>Oncotarget</i> , 2016 , 7, 76920-76933	3.3	23

481	The cellular distribution of Na ⁺ /H ⁺ exchanger regulatory factor 1 is determined by the PDZ-I domain and regulates the malignant progression of breast cancer. <i>Oncotarget</i> , 2016 , 7, 29440-53	3-3	11
480	Clinical and Therapeutic Implications of Follistatin in Solid Tumours. <i>Cancer Genomics and Proteomics</i> , 2016 , 13, 425-435	3-3	21
479	In vivo imaging and quantification of oxygen tension within solid tumor.. <i>Journal of Clinical Oncology</i> , 2016 , 34, e23154-e23154	2-2	
478	Repulsive guidance molecule B inhibits metastasis and is associated with decreased mortality in non-small cell lung cancer. <i>Oncotarget</i> , 2016 , 7, 15678-89	3-3	11
477	Re-purposing of curcumin as an anti-metastatic agent for the treatment of epithelial ovarian cancer: in vitro model using cancer stem cell enriched ovarian cancer spheroids. <i>Oncotarget</i> , 2016 , 7, 86374-86387	3-3	22
476	Prognostic Value of Osteopontin Splice Variant-c Expression in Breast Cancers: A Meta-Analysis. <i>BioMed Research International</i> , 2016 , 2016, 7310694	3	12
475	Tumour endothelial marker-8 in wound healing and its impact on the proliferation and migration of keratinocytes. <i>International Journal of Molecular Medicine</i> , 2016 , 37, 293-8	4-4	3
474	Epithelial protein lost in neoplasm- β EPLIN- β is a potential prognostic marker for the progression of epithelial ovarian cancer. <i>International Journal of Oncology</i> , 2016 , 48, 2488-96	4-4	8
473	Insights into roles of the miR-1, -133 and -206 family in gastric cancer (Review). <i>Oncology Reports</i> , 2016 , 36, 1191-8	3-5	15
472	Impact of triaxiality on the rotational structure of neutron-rich rhenium isotopes. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 752, 311-316	4-2	4
471	The role of JAM-B in cancer and cancer metastasis (Review). <i>Oncology Reports</i> , 2016 , 36, 3-9	3-5	14
470	Differential expression of CCN family members CYR61, CTGF and NOV in gastric cancer and their association with disease progression. <i>Oncology Reports</i> , 2016 , 36, 2517-2525	3-5	5
469	Heat shock protein 27 is a potential indicator for response to YangZheng XiaoJi and chemotherapy agents in cancer cells. <i>International Journal of Oncology</i> , 2016 , 49, 1839-1847	4-4	7
468	Phosphoinositide-3-Kinase Enhancers, PIKEs: Their Biological Functions and Roles in Cancer. <i>Anticancer Research</i> , 2016 , 36, 1103-9	2-3	5
467	Tumour-Endothelial Cell Communications: Important and Indispensable Mediators of Tumour Angiogenesis. <i>Anticancer Research</i> , 2016 , 36, 1119-26	2-3	38
466	Targeting of Receptor Activator of Nuclear Kappa B (RANK) in PC-3 Cells Increases Cell Proliferation and Matrix Adhesion In Vitro. <i>Anticancer Research</i> , 2016 , 36, 1127-34	2-3	
465	The Association Between WAVE1 and -3 and the ARP2/3 Complex in PC 3 Cells. <i>Anticancer Research</i> , 2016 , 36, 1135-42	2-3	3
464	MDM2 and PSMA Play Inhibitory Roles in Metastatic Breast Cancer Cells Through Regulation of Matrix Metalloproteinases. <i>Anticancer Research</i> , 2016 , 36, 1143-51	2-3	6

463	IL24 and its Receptors Regulate Growth and Migration of Pancreatic Cancer Cells and Are Potential Biomarkers for IL24 Molecular Therapy. <i>Anticancer Research</i> , 2016 , 36, 1153-63	2.3	7
462	A Novel NHERF1 Mutation in Human Breast Cancer Inactivates Inhibition by NHERF1 Protein in EGFR Signaling. <i>Anticancer Research</i> , 2016 , 36, 1165-73	2.3	9
461	Effect of YangZheng XiaoJi Extract, DME-25, on Endothelial Cells and their Response to Avastin. <i>Anticancer Research</i> , 2016 , 36, 1181-92	2.3	2
460	New Roles of Osteocytes in Proliferation, Migration and Invasion of Breast and Prostate Cancer Cells. <i>Anticancer Research</i> , 2016 , 36, 1193-201	2.3	25
459	Knockdown of EPHA1 by CRISPR/CAS9 Promotes Adhesion and Motility of HRT18 Colorectal Carcinoma Cells. <i>Anticancer Research</i> , 2016 , 36, 1211-9	2.3	8
458	Prostate Apoptosis Response-4 (PAR4) Suppresses Growth and Invasion of Breast Cancer Cells and Is Positively Associated with Patient Survival. <i>Anticancer Research</i> , 2016 , 36, 1227-35	2.3	3
457	The Impact of TIMM17A on Aggressiveness of Human Breast Cancer Cells. <i>Anticancer Research</i> , 2016 , 36, 1237-41	2.3	8
456	ADAM29 Expression in Human Breast Cancer and its Effects on Breast Cancer Cells In Vitro. <i>Anticancer Research</i> , 2016 , 36, 1251-8	2.3	4
455	Possible Effect of Muscle-relaxant Anaesthetics on Invasion, Adhesion and Migration of Breast Cancer Cells. <i>Anticancer Research</i> , 2016 , 36, 1259-65	2.3	6
454	The Clinical Implications of RSK1-3 in Human Breast Cancer. <i>Anticancer Research</i> , 2016 , 36, 1267-74	2.3	8
453	Expression of Semaphorin 3C in Breast Cancer and its Impact on Adhesion and Invasion of Breast Cancer Cells. <i>Anticancer Research</i> , 2016 , 36, 1281-6	2.3	15
452	Metastasis to Bone in Human Cancer Is Associated with Loss of Occludin Expression. <i>Anticancer Research</i> , 2016 , 36, 1287-93	2.3	12
451	Reduced RanBPM Expression Is Associated with Distant Metastasis in Gastric Cancer and Chemoresistance. <i>Anticancer Research</i> , 2016 , 36, 1295-303	2.3	8
450	Promotion of Cellular Growth and Motility Is Independent of Enzymatic Activity of Fibroblast Activation Protein- α . <i>Cancer Genomics and Proteomics</i> , 2016 , 13, 201-8	3.3	7
449	The role of death-associated protein 3 in apoptosis, anoikis and human cancer. <i>Cancer Cell International</i> , 2015 , 15, 39	6.4	12
448	A bispecific fusion protein and a bifunctional enediyne-energized fusion protein consisting of TRAIL, EGFR peptide ligand, and apoprotein of lidamycin against EGFR and DR4/5 show potent antitumor activity. <i>Anti-Cancer Drugs</i> , 2015 , 26, 64-73	2.4	3
447	Tissue invasion and metastasis: Molecular, biological and clinical perspectives. <i>Seminars in Cancer Biology</i> , 2015 , 35 Suppl, S244-S275	12.7	312
446	A Facile Way for Fabricating PEGylated Hollow Mesoporous Silica Nanoparticles and Their Drug Delivery Application. <i>Journal of Nanoscience and Nanotechnology</i> , 2015 , 15, 3773-9	1.3	8

445	EPLIN: a fundamental actin regulator in cancer metastasis?. <i>Cancer and Metastasis Reviews</i> , 2015 , 34, 753-64	9.6	23
444	Designing a broad-spectrum integrative approach for cancer prevention and treatment. <i>Seminars in Cancer Biology</i> , 2015 , 35 Suppl, S276-S304	12.7	179
443	The clinical and therapeutic uses of MDM2 and PSMA and their potential interaction in aggressive cancers. <i>Biomarkers in Medicine</i> , 2015 , 9, 1353-70	2.3	2
442	Differentiation of tumour-promoting stromal myofibroblasts by cancer exosomes. <i>Oncogene</i> , 2015 , 34, 290-302	9.2	296
441	Unveiling the potential of prohibitin in cancer. <i>Cancer Letters</i> , 2015 , 369, 316-22	9.9	35
440	The human complement inhibitor Sushi Domain-Containing Protein 4 (SUSD4) expression in tumor cells and infiltrating T cells is associated with better prognosis of breast cancer patients. <i>BMC Cancer</i> , 2015 , 15, 737	4.8	9
439	Knockdown of WAVE3 impairs HGF induced migration and invasion of prostate cancer cells. <i>Cancer Cell International</i> , 2015 , 15, 51	6.4	10
438	YangZheng XiaoJi exerts anti-tumour growth effects by antagonising the effects of HGF and its receptor, cMET, in human lung cancer cells. <i>Journal of Translational Medicine</i> , 2015 , 13, 280	8.5	6
437	PTH-329 Expression of pigment epithelium-derived factor in colorectal cancer. <i>Gut</i> , 2015 , 64, A554.1-A554.2	9.2	14
436	Role of the WASP and WAVE family proteins in breast cancer invasion and metastasis. <i>Breast Cancer: Targets and Therapy</i> , 2015 , 7, 99-109	3.9	24
435	Expression of Hepatocyte Growth Factor-Like Protein in Human Wound Tissue and Its Biological Functionality in Human Keratinocytes. <i>Biomedicines</i> , 2015 , 3, 110-123	4.8	2
434	WISP-2 in human gastric cancer and its potential metastatic suppressor role in gastric cancer cells mediated by JNK and PLC- β pathways. <i>British Journal of Cancer</i> , 2015 , 113, 921-33	8.7	24
433	Designing a novel high-throughput AlphaLISA assay to quantify plasma NHERF1 as a non-small cell lung cancer biomarker. <i>RSC Advances</i> , 2015 , 5, 84164-84171	3.7	3
432	Reduced expression of semaphorin 4D and plexin-B in breast cancer is associated with poorer prognosis and the potential linkage with oestrogen receptor. <i>Oncology Reports</i> , 2015 , 34, 1049-57	3.5	16
431	Inhibition of sphingosine-1-phosphate phosphatase 1 promotes cancer cells migration in gastric cancer: Clinical implications. <i>Oncology Reports</i> , 2015 , 34, 1977-87	3.5	15
430	Emerging role of CCN family proteins in tumorigenesis and cancer metastasis (Review). <i>International Journal of Molecular Medicine</i> , 2015 , 36, 1451-63	4.4	70
429	Metastasis suppressor 1 expression in human ovarian cancer: The impact on cellular migration and metastasis. <i>International Journal of Oncology</i> , 2015 , 47, 1429-39	4.4	7
428	Effect of the knockdown of death-associated protein 1 expression on cell adhesion, growth and migration in breast cancer cells. <i>Oncology Reports</i> , 2015 , 33, 1450-8	3.5	6

427	Effects of the knockdown of death-associated protein 3 expression on cell adhesion, growth and migration in breast cancer cells. <i>Oncology Reports</i> , 2015 , 33, 2575-82	3.5	8
426	Traditional Chinese medicine in the prevention and treatment of cancer and cancer metastasis. <i>Oncology Letters</i> , 2015 , 10, 1240-1250	2.6	73
425	Ephrin-Bs Drive Junctional Downregulation and Actin Stress Fiber Disassembly to Enable Wound Re-epithelialization. <i>Cell Reports</i> , 2015 , 13, 1380-1395	10.6	37
424	Abstract 5027: Interleukin-17B promotes chemoresistance of breast tumors through ERK1/2 anti-apoptotic pathway 2015 ,		3
423	MAGI3 negatively regulates Wnt/ β -catenin signaling and suppresses malignant phenotypes of glioma cells. <i>Oncotarget</i> , 2015 , 6, 35851-65	3.3	27
422	Expression of claudins in human clear cell renal cell carcinoma. <i>Cancer Genomics and Proteomics</i> , 2015 , 12, 1-8	3.3	7
421	Expression of Sonic Hedgehog (SHH) in human lung cancer and the impact of YangZheng XiaoJi on SHH-mediated biological function of lung cancer cells and tumor growth. <i>Anticancer Research</i> , 2015 , 35, 1321-31	2.3	12
420	Epithelial-mesenchymal Transition (EMT) Markers in Human Pituitary Adenomas Indicate a Clinical Course. <i>Anticancer Research</i> , 2015 , 35, 2635-43	2.3	20
419	Expression of metastasis-associated gene-1 is associated with bone invasion and tumor stage in human pituitary adenomas. <i>Cancer Genomics and Proteomics</i> , 2015 , 12, 113-8	3.3	3
418	Interleukin 21 and Its Receptor Play a Role in Proliferation, Migration and Invasion of Breast Cancer Cells. <i>Cancer Genomics and Proteomics</i> , 2015 , 12, 211-21	3.3	19
417	Interleukin-24 (IL-24) Expression and Biological Impact on HECV Endothelial Cells. <i>Cancer Genomics and Proteomics</i> , 2015 , 12, 243-50	3.3	5
416	MTA1 Is Up-regulated in Colorectal Cancer and Is Inversely Correlated with Lymphatic Metastasis. <i>Cancer Genomics and Proteomics</i> , 2015 , 12, 339-45	3.3	6
415	FAP-(Fibroblast activation protein)-Is involved in the control of human breast cancer cell line growth and motility via the FAK pathway. <i>BMC Cell Biology</i> , 2014 , 15, 16		35
414	Capillary morphogenesis gene 2 inhibits growth of breast cancer cells and is inversely correlated with the disease progression and prognosis. <i>Journal of Cancer Research and Clinical Oncology</i> , 2014 , 140, 957-67	4.9	9
413	Discovery of structure-based small molecular inhibitor of B-crystallin against basal-like/triple-negative breast cancer development in vitro and in vivo. <i>Breast Cancer Research and Treatment</i> , 2014 , 145, 45-59	4.4	27
412	Observations on the effects of Suppressor of Cytokine Signaling 7 (SOCS7) knockdown in breast cancer cells: their in vitro response to Insulin Like Growth Factor I (IGF-I). <i>Clinical and Translational Oncology</i> , 2014 , 16, 476-87	3.6	4
411	Application of ProTide technology to gemcitabine: a successful approach to overcome the key cancer resistance mechanisms leads to a new agent (NUC-1031) in clinical development. <i>Journal of Medicinal Chemistry</i> , 2014 , 57, 1531-42	8.3	103
410	Disrupted interaction between CFTR and AF-6/afadin aggravates malignant phenotypes of colon cancer. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2014 , 1843, 618-28	4.9	56

409	Tumour angiogenesis and repulsive guidance molecule b: a role in HGF- and BMP-7-mediated angiogenesis. <i>International Journal of Oncology</i> , 2014 , 45, 1304-12	4.4	13
408	HGF and the regulation of tight junctions in human prostate cancer cells. <i>Oncology Reports</i> , 2014 , 32, 213-24	3.5	8
407	Death associated protein 1 is correlated with the clinical outcome of patients with colorectal cancer and has a role in the regulation of cell death. <i>Oncology Reports</i> , 2014 , 31, 175-82	3.5	9
406	Evaluation of the expression of stem cell markers in human breast cancer reveals a correlation with clinical progression and metastatic disease in ductal carcinoma. <i>Oncology Reports</i> , 2014 , 31, 262-72	3.5	35
405	The role of claudin-5 in blood-brain barrier (BBB) and brain metastases (review). <i>Molecular Medicine Reports</i> , 2014 , 9, 779-85	2.9	85
404	FERM family proteins and their importance in cellular movements and wound healing (review). <i>International Journal of Molecular Medicine</i> , 2014 , 34, 3-12	4.4	27
403	Therapeutic potential of capillary morphogenesis gene 2 extracellular vWA domain in tumour-related angiogenesis. <i>International Journal of Oncology</i> , 2014 , 45, 1565-73	4.4	5
402	Liposome encapsulated Disulfiram inhibits NFB pathway and targets breast cancer stem cells in vitro and in vivo. <i>Oncotarget</i> , 2014 , 5, 7471-85	3.3	83
401	In vitro and in vivo effects of suppressor of cytokine signalling 7 knockdown in breast cancer: the influence on cellular response to hepatocyte growth factor. <i>BioMed Research International</i> , 2014 , 2014, 648040	3	4
400	Impact of fibroblast activation protein on osteosarcoma cell lines. <i>Oncology Letters</i> , 2014 , 7, 699-704	2.6	8
399	Capillary morphogenesis gene 2 regulates adhesion and invasiveness of prostate cancer cells. <i>Oncology Letters</i> , 2014 , 7, 2149-2153	2.6	6
398	KIAA1199 and its biological role in human cancer and cancer cells (review). <i>Oncology Reports</i> , 2014 , 31, 1503-8	3.5	36
397	Wnt1 inducible signalling pathway protein-2 (WISP-2/CCN5): roles and regulation in human cancers (review). <i>Oncology Reports</i> , 2014 , 31, 533-9	3.5	19
396	Implication of metastasis suppressor gene, Kiss-1 and its receptor Kiss-1R in colorectal cancer. <i>BMC Cancer</i> , 2014 , 14, 723	4.8	23
395	Death-associated protein-3, DAP-3, correlates with preoperative chemotherapy effectiveness and prognosis of gastric cancer patients following perioperative chemotherapy and radical gastrectomy. <i>British Journal of Cancer</i> , 2014 , 110, 421-9	8.7	16
394	The Plexin-B family and its role in cancer progression. <i>Histology and Histopathology</i> , 2014 , 29, 151-65	1.4	14
393	mRNA expression of DOK1-6 in human breast cancer. <i>World Journal of Clinical Oncology</i> , 2014 , 5, 156-63	2.5	12
392	The interaction between DAP1 and autophagy in the context of human carcinogenesis. <i>Anticancer Research</i> , 2014 , 34, 1-8	2.3	4

391	Structure and role of WASP and WAVE in Rho GTPase signalling in cancer. <i>Cancer Genomics and Proteomics</i> , 2014 , 11, 155-65	3.3	11
390	Regulation and involvement in cancer and pathological conditions of MAGI1, a tight junction protein. <i>Anticancer Research</i> , 2014 , 34, 3251-6	2.3	25
389	Current state of mTOR targeting in human breast cancer. <i>Cancer Genomics and Proteomics</i> , 2014 , 11, 167-74	3.3	6
388	Reduced expression of growth and differentiation factor-9 (GDF9) is associated with aggressive behaviour of human clear-cell renal cell carcinoma and poor patient survival. <i>Anticancer Research</i> , 2014 , 34, 6515-20	2.3	3
387	Protein tyrosine phosphatase kappa (PTPRK) is a negative regulator of adhesion and invasion of breast cancer cells, and associates with poor prognosis of breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2013 , 139, 1129-39	4.9	36
386	Development of an anti-angiogenic therapeutic model combining scAAV2-delivered siRNAs and noninvasive photoacoustic imaging of tumor vasculature development. <i>Cancer Letters</i> , 2013 , 332, 120-9	9.9	22
385	Downregulation of CFTR promotes epithelial-to-mesenchymal transition and is associated with poor prognosis of breast cancer. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2013 , 1833, 2961-2969	4.9	81
384	The clinicopathological significance of lamin A/C, lamin B1 and lamin B receptor mRNA expression in human breast cancer. <i>Cellular and Molecular Biology Letters</i> , 2013 , 18, 595-611	8.1	52
383	Prostate transglutaminase (TGase-4, TGaseP) enhances the adhesion of prostate cancer cells to extracellular matrix, the potential role of TGase-core domain. <i>Journal of Translational Medicine</i> , 2013 , 11, 269	8.5	11
382	Disulfiram targets cancer stem-like cells and reverses resistance and cross-resistance in acquired paclitaxel-resistant triple-negative breast cancer cells. <i>British Journal of Cancer</i> , 2013 , 109, 1876-85	8.7	120
381	Molecular angiogenic events of a two-herb wound healing formula involving MAPK and Akt signaling pathways in human vascular endothelial cells. <i>Wound Repair and Regeneration</i> , 2013 , 21, 579-87	7.6	15
380	Psoriasin (S100A7) is a positive regulator of survival and invasion of prostate cancer cells. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 1576-83	2.8	20
379	Expressed in high metastatic cells (Ehm2) is a positive regulator of keratinocyte adhesion and motility: The implication for wound healing. <i>Journal of Dermatological Science</i> , 2013 , 71, 115-21	4.3	7
378	Breast cancer-derived K172N, D301V mutations abolish Na ⁺ /H ⁺ exchanger regulatory factor 1 inhibition of platelet-derived growth factor receptor signaling. <i>FEBS Letters</i> , 2013 , 587, 3289-95	3.8	14
377	Tight Junctions in Human Urinary Bladder Cancer. <i>Cancer Metastasis - Biology and Treatment</i> , 2013 , 131-148		
376	Matriptase-2 inhibits HECV motility and tubule formation in vitro and tumour angiogenesis in vivo. <i>Molecular and Cellular Biochemistry</i> , 2013 , 375, 207-17	4.2	9
375	The ROCK Signalling Pathway and Tight Junctions. <i>Cancer Metastasis - Biology and Treatment</i> , 2013 , 291-301		
374	Prognostic and therapeutic implications of mTORC1 and Rictor expression in human breast cancer. <i>Oncology Reports</i> , 2013 , 29, 1969-74	3.5	20

373	Expression of death receptor-3 in human breast cancer and its functional effects on breast cancer cells in vitro. <i>Oncology Reports</i> , 2013 , 29, 1356-64	3.5	8
372	The novel complement inhibitor human CUB and Sushi multiple domains 1 (CSMD1) protein promotes factor I-mediated degradation of C4b and C3b and inhibits the membrane attack complex assembly. <i>FASEB Journal</i> , 2013 , 27, 5083-93	0.9	61
371	CFTR suppresses tumor progression through miR-193b targeting urokinase plasminogen activator (uPA) in prostate cancer. <i>Oncogene</i> , 2013 , 32, 2282-91, 2291.e1-7	9.2	89
370	Biological influence of brain-derived neurotrophic factor (BDNF) on colon cancer cells. <i>Experimental and Therapeutic Medicine</i> , 2013 , 6, 1475-1481	2.1	23
369	Claudin-20 promotes an aggressive phenotype in human breast cancer cells. <i>Tissue Barriers</i> , 2013 , 1, e26518	4.8	11
368	Candidate of metastasis 1 regulates in vitro growth and invasion of bladder cancer cells. <i>International Journal of Oncology</i> , 2013 , 42, 1249-56	4.4	4
367	Genetically engineered endostatin-lidamycin fusion proteins effectively inhibit tumor growth and metastasis. <i>BMC Cancer</i> , 2013 , 13, 479	4.8	9
366	The Kiss-1/Kiss-1R complex as a negative regulator of cell motility and cancer metastasis (Review). <i>International Journal of Molecular Medicine</i> , 2013 , 32, 747-54	4.4	43
365	Suppression of renal cell carcinoma growth in vivo by forced expression of vascular endothelial growth inhibitor. <i>International Journal of Oncology</i> , 2013 , 42, 1664-73	4.4	5
364	Receptor-like protein tyrosine phosphatase negatively regulates the apoptosis of prostate cancer cells via the JNK pathway. <i>International Journal of Oncology</i> , 2013 , 43, 1560-8	4.4	15
363	Reclaiming management from the margins: some evidence from 360 degree assessments. <i>Industrial and Commercial Training</i> , 2013 , 45, 150-158	1.3	2
362	Antitumour effects of Yangzheng Xiaoji in human osteosarcoma: the pivotal role of focal adhesion kinase signalling. <i>Oncology Reports</i> , 2013 , 30, 1405-13	3.5	10
361	Potential implication of IL-24 in lymphangiogenesis of human breast cancer. <i>International Journal of Molecular Medicine</i> , 2013 , 31, 1097-104	4.4	8
360	WNT5A inhibits metastasis and alters splicing of Cd44 in breast cancer cells. <i>PLoS ONE</i> , 2013 , 8, e58329	3.7	39
359	The expression of the Nectin complex in human breast cancer and the role of Nectin-3 in the control of tight junctions during metastasis. <i>PLoS ONE</i> , 2013 , 8, e82696	3.7	19
358	Expression profile of receptor activator of nuclear-B (RANK), RANK ligand (RANKL) and osteoprotegerin (OPG) in breast cancer. <i>Anticancer Research</i> , 2013 , 33, 199-206	2.3	44
357	HAVcr-1 expression in human colorectal cancer and its effects on colorectal cancer cells in vitro. <i>Anticancer Research</i> , 2013 , 33, 207-14	2.3	7
356	Guanine nucleotide binding protein β : a novel transduction protein with a possible role in human breast cancer. <i>Cancer Genomics and Proteomics</i> , 2013 , 10, 69-73	3.3	11

355	P14ARF is down-regulated during tumour progression and predicts the clinical outcome in human breast cancer. <i>Anticancer Research</i> , 2013 , 33, 2185-9	2.3	7
354	A role for WISP2 in colorectal cancer cell invasion and motility. <i>Cancer Genomics and Proteomics</i> , 2013 , 10, 187-96	3.3	12
353	Claudin-5 participates in the regulation of endothelial cell motility. <i>Molecular and Cellular Biochemistry</i> , 2012 , 362, 71-85	4.2	21
352	Molecular impact of bone morphogenetic protein 7, on lung cancer cells and its clinical significance. <i>International Journal of Molecular Medicine</i> , 2012 , 29, 1016-24	4.4	13
351	Comment on prognostic and therapeutic implications of mTORC2 and rictor expression in human breast cancer. <i>Breast Cancer Research and Treatment</i> , 2012 , 136, 927; author reply 928-9	4.4	
350	Mutual interactions between flavonoids and enzymatic and transporter elements responsible for flavonoid disposition via phase II metabolic pathways. <i>RSC Advances</i> , 2012 , 2, 7948-7963	3.7	49
349	The clinical significance of Psoriasin for non-small cell lung cancer patients and its biological impact on lung cancer cell functions. <i>BMC Cancer</i> , 2012 , 12, 588	4.8	10
348	Expression of IL-24 and IL-24 receptors in human wound tissues and the biological implications of IL-24 on keratinocytes. <i>Wound Repair and Regeneration</i> , 2012 , 20, 896-903	3.6	19
347	Claudin-5 is involved in breast cancer cell motility through the N-WASP and ROCK signalling pathways. <i>Journal of Experimental and Clinical Cancer Research</i> , 2012 , 31, 43	12.8	42
346	Protein tyrosine phosphatase β (PTP β or PTPRM), a negative regulator of proliferation and invasion of breast cancer cells, is associated with disease prognosis. <i>PLoS ONE</i> , 2012 , 7, e50183	3.7	28
345	Influence of interleukin-8 (IL-8) and IL-8 receptors on the migration of human keratinocytes, the role of PLC- β and potential clinical implications. <i>Experimental and Therapeutic Medicine</i> , 2012 , 3, 231-236	2.1	60
344	Repulsive guidance molecule B (RGMB) plays negative roles in breast cancer by coordinating BMP signaling. <i>Journal of Cellular Biochemistry</i> , 2012 , 113, 2523-31	4.7	26
343	High TIMM17A expression is associated with adverse pathological and clinical outcomes in human breast cancer. <i>Breast Cancer</i> , 2012 , 19, 153-60	3.4	27
342	Role of HuR in keratinocyte migration and wound healing. <i>Molecular Medicine Reports</i> , 2012 , 5, 529-34	2.9	4
341	Repulsive guidance molecules, novel bone morphogenetic protein co-receptors, are key regulators of the growth and aggressiveness of prostate cancer cells. <i>International Journal of Oncology</i> , 2012 , 40, 544-50	4.4	13
340	Growth differentiation factor-9 expression is inversely correlated with an aggressive behaviour in human bladder cancer cells. <i>International Journal of Molecular Medicine</i> , 2012 , 29, 428-34	4.4	4
339	UDP-glucuronosyltransferase (UGT) 1A9-overexpressing HeLa cells is an appropriate tool to delineate the kinetic interplay between breast cancer resistance protein (BCRP) and UGT and to rapidly identify the glucuronide substrates of BCRP. <i>Drug Metabolism and Disposition</i> , 2012 , 40, 336-45	4	35
338	Association of Differentiation-Related Gene-1 (DRG1) with Breast Cancer Survival and in Vitro Impact of DRG1 Suppression. <i>Cancers</i> , 2012 , 4, 658-72	6.6	4

337	Repulsive Guidance Molecules (RGMs) and Their Potential Implication in Cancer as Co-receptor of BMPs. <i>Current Signal Transduction Therapy</i> , 2012 , 7, 149-160	0.8	1
336	The influence of matriptase-2 on prostate cancer in vitro: a possible role for Eatenin. <i>Oncology Reports</i> , 2012 , 28, 1491-7	3.5	9
335	Biological influence of brain-derived neurotrophic factor on breast cancer cells. <i>International Journal of Oncology</i> , 2012 , 41, 1541-6	4.4	22
334	Inhibitory effects of Yangzheng Xiaoji on angiogenesis and the role of the focal adhesion kinase pathway. <i>International Journal of Oncology</i> , 2012 , 41, 1635-42	4.4	11
333	Expression Profile of Epithelial Protein Lost in Neoplasm-Alpha (EPLIN- α) in Human Pulmonary Cancer and Its Impact on SKMES-1 Cells &in vitro&in vitro. <i>Journal of Cancer Therapy</i> , 2012 , 03, 452-459	0.2	5
332	Electric Cell-Substrate Impedance Sensing as a Screening Tool for Wound Healing Agents 2012 , 203-216		3
331	ECIS as a Tool in the Study of Metastasis Suppressor Genes: Epithelial Protein Lost In Neoplasm (EPLIN) 2012 , 41-54		0
330	Epithelial-Mesenchymal Transition and the Use of ECIS 2012 , 71-84		
329	Current and Future Applications of ECIS Models to Study Bone Metastasis 2012 , 239-253		
328	Tight Junctions in Cancer Metastasis and Their Investigation Using ECIS (Electric Cell-Substrate Impedance Sensing) 2012 , 119-130		0
327	ECIS, Cellular Adhesion and Migration in Keratinocytes 2012 , 217-237		0
326	Application of Electric Cell-Substrate Impedance Sensing in Evaluation of Traditional Medicine on the Cellular Functions of Gastric and Colorectal Cancer Cells 2012 , 195-202		
325	Tumour-Endothelial and Tumour-Mesothelial Interactions Investigated by Impedance Sensing Based Cell Analyses 2012 , 177-193		0
324	EPLIN- α expression in human oesophageal cancer and its impact on cellular aggressiveness and clinical outcome. <i>Anticancer Research</i> , 2012 , 32, 1283-9	2.3	16
323	Impact of Yangzheng Xiaoji on the adhesion and migration of human cancer cells: the role of the AKT signalling pathway. <i>Anticancer Research</i> , 2012 , 32, 2537-43	2.3	8
322	Expression of signal-induced proliferation-associated gene 1 (SIPA1), a RapGTPase-activating protein, is increased in colorectal cancer and has diverse effects on functions of colorectal cancer cells. <i>Cancer Genomics and Proteomics</i> , 2012 , 9, 321-7	3.3	13
321	Evidence of an autocrine role for leptin and leptin receptor in human breast cancer. <i>Cancer Genomics and Proteomics</i> , 2012 , 9, 383-7	3.3	6
320	Tight junctions in cancer metastasis. <i>Frontiers in Bioscience - Landmark</i> , 2011 , 16, 898-936	2.8	71

319	The Claudin family and its role in cancer and metastasis. <i>Frontiers in Bioscience - Landmark</i> , 2011 , 16, 1069-83	8.0	80
318	EPLIN is a negative regulator of prostate cancer growth and invasion. <i>Journal of Urology</i> , 2011 , 186, 295-301	3.9	19
317	Cancer metastasis, challenges, progress and the opportunities. <i>Frontiers in Bioscience - Elite</i> , 2011 , 3, 391-4	1.6	4
316	The role of transglutaminases in the pathophysiology of prostate cancer. <i>Current Oncology</i> , 2011 , 18, 241-2	2.8	
315	MTSS1: a multifunctional protein and its role in cancer invasion and metastasis. <i>Frontiers in Bioscience - Scholar</i> , 2011 , 3, 621-31	2.4	44
314	The FERM family proteins in cancer invasion and metastasis. <i>Frontiers in Bioscience - Landmark</i> , 2011 , 16, 1536-50	2.8	24
313	Type II transmembrane serine protease (TTSP) deregulation in cancer. <i>Frontiers in Bioscience - Landmark</i> , 2011 , 16, 539-52	2.8	47
312	Bone morphogenetic protein and bone metastasis, implication and therapeutic potential. <i>Frontiers in Bioscience - Landmark</i> , 2011 , 16, 865-97	2.8	42
311	Putative Breast Tumor Suppressor TACC2 Suppresses the Aggressiveness of Breast Cancer Cells through a PLC β 3 Pathway. <i>Current Signal Transduction Therapy</i> , 2011 , 6, 55-64	0.8	
310	Metastasis tumour suppressor-1 and the aggressiveness of prostate cancer cells. <i>Experimental and Therapeutic Medicine</i> , 2011 , 2, 157-162	2.1	13
309	Placenta growth factor-1 exerts time-dependent stabilization of adherens junctions following VEGF-induced vascular permeability. <i>PLoS ONE</i> , 2011 , 6, e18076	3.7	32
308	Pattern of expression of CCN family members Cyr61, CTGF and NOV in human acute and chronic wounds. <i>Experimental and Therapeutic Medicine</i> , 2011 , 2, 641-645	2.1	5
307	Knockdown of human antigen R reduces the growth and invasion of breast cancer cells in vitro and affects expression of cyclin D1 and MMP-9. <i>Oncology Reports</i> , 2011 , 26, 237-45	3.5	22
306	Activated leukocyte cell adhesion molecule impacts on clinical wound healing and inhibits HaCaT migration. <i>International Wound Journal</i> , 2011 , 8, 500-7	2.6	13
305	Wnt5a as an effector of TGF β in mammary development and cancer. <i>Journal of Mammary Gland Biology and Neoplasia</i> , 2011 , 16, 157-67	2.4	34
304	Growth and differentiation factor 9 (GDF-9) induces epithelial-mesenchymal transition in prostate cancer cells. <i>Molecular and Cellular Biochemistry</i> , 2011 , 349, 33-40	4.2	16
303	Brain-derived neurotrophic factor expression predicts adverse pathological & clinical outcomes in human breast cancer. <i>Cancer Cell International</i> , 2011 , 11, 23	6.4	44
302	Prostate transglutaminase (TGase-4) antagonizes the anti-tumour action of MDA-7/IL-24 in prostate cancer. <i>Journal of Translational Medicine</i> , 2011 , 9, 49	8.5	11

301	The impact of Metastasis Suppressor-1, MTSS1, on oesophageal squamous cell carcinoma and its clinical significance. <i>Journal of Translational Medicine</i> , 2011 , 9, 95	8.5	25
300	Prostate transglutaminase: a unique transglutaminase and its role in prostate cancer. <i>Biomarkers in Medicine</i> , 2011 , 5, 285-91	2.3	11
299	Aberrant expression and function of death receptor-3 and death decoy receptor-3 in human cancer. <i>Experimental and Therapeutic Medicine</i> , 2011 , 2, 167-172	2.1	18
298	Claudin-11 decreases the invasiveness of bladder cancer cells. <i>Oncology Reports</i> , 2011 , 25, 1503-9	3.5	19
297	Misexpression of wingless-related MMTV integration site 5A in mouse mammary gland inhibits the milk ejection response and regulates connexin43 phosphorylation. <i>Biology of Reproduction</i> , 2011 , 85, 907-15	3.9	13
296	B-crystallin, an effector of unfolded protein response, confers anti-VEGF resistance to breast cancer via maintenance of intracrine VEGF in endothelial cells. <i>Molecular Cancer Research</i> , 2011 , 9, 1632-43	6.6	47
295	Lymphangiogenesis and cancer metastasis. <i>Frontiers in Bioscience - Landmark</i> , 2011 , 16, 723-39	2.8	23
294	Claudin-16/paracellin-1, cloning, expression, and its role in tight junction functions in cancer and endothelial cells. <i>Methods in Molecular Biology</i> , 2011 , 762, 383-407	1.4	3
293	Hepatocyte Growth Factor Signaling in Cancer Metastasis. <i>Current Signal Transduction Therapy</i> , 2011 , 6, 180-190	0.8	3
292	HAVCR-1 reduces the integrity of human endothelial tight junctions. <i>Anticancer Research</i> , 2011 , 31, 467-73	2.3	8
291	Potential prognostic value of repulsive guidance molecules in breast cancer. <i>Anticancer Research</i> , 2011 , 31, 1703-11	2.3	11
290	Bone morphogenetic protein-10 (BMP-10) inhibits aggressiveness of breast cancer cells and correlates with poor prognosis in breast cancer. <i>Cancer Science</i> , 2010 , 101, 2137-44	6.9	32
289	Evidence for a pro-apoptotic function of RACK1 in human breast cancer. <i>Oncogene</i> , 2010 , 29, 5651; author reply 5652	9.2	9
288	Hepatocyte growth factor activation inhibitors - therapeutic potential in cancer. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2010 , 10, 47-57	2.2	22
287	The type II transmembrane serine protease, matriptase-2: Possible links to cancer?. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2010 , 10, 64-9	2.2	14
286	Hepatocyte growth factor and its receptor signalling complex as targets in cancer therapy. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2010 , 10, 2-6	2.2	24
285	IL-17B Can Impact on Endothelial Cellular Traits Linked to Tumour Angiogenesis. <i>Journal of Oncology</i> , 2010 , 2010, 817375	4.5	13
284	Clinical implications of the influence of Ehm2 on the aggressiveness of breast cancer cells through regulation of matrix metalloproteinase-9 expression. <i>Molecular Cancer Research</i> , 2010 , 8, 1501-12	6.6	16

283	Growth and differentiation factor-9 promotes adhesive and motile capacity of prostate cancer cells by up-regulating FAK and Paxillin via Smad dependent pathway. <i>Oncology Reports</i> , 2010 , 24, 1653-9	3.5	9
282	The prostate transglutaminase, TGase-4, coordinates with the HGFL/MSP-RON system in stimulating the migration of prostate cancer cells. <i>International Journal of Oncology</i> , 2010 , 37, 413-8	4.4	17
281	Expression of MLN64 influences cellular matrix adhesion of breast cancer cells, the role for focal adhesion kinase. <i>International Journal of Molecular Medicine</i> , 2010 , 25,	4.4	1
280	All fats are not bad: a smart lesson to be learned. <i>Journal of Urology</i> , 2010 , 183, 13-4	2.5	
279	WAVE3 is associated with invasiveness in prostate cancer cells. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2010 , 28, 320-7	2.8	35
278	Expression of the ERM family members (ezrin, radixin and moesin) in breast cancer. <i>Experimental and Therapeutic Medicine</i> , 2010 , 1, 153-160	2.1	10
277	Differential expression of the CCN family member WISP-1, WISP-2 and WISP-3 in human colorectal cancer and the prognostic implications. <i>International Journal of Oncology</i> , 2010 , 36, 1129-36	4.4	38
276	Efficient inhibition of human B-cell lymphoma in SCID mice by synergistic antitumor effect of human 4-1BB ligand/anti-CD20 fusion proteins and anti-CD3/anti-CD20 diabodies. <i>Journal of Immunotherapy</i> , 2010 , 33, 500-9	5	20
275	Loss of occludin leads to the progression of human breast cancer. <i>International Journal of Molecular Medicine</i> , 2010 , 26, 723-34	4.4	65
274	The impact of EPLIN (Epithelial protein lost in neoplasm) on endothelial cells, angiogenesis and tumorigenesis. <i>Angiogenesis</i> , 2010 , 13, 317-26	10.6	34
273	Higher expression levels of SOCS 1,3,4,7 are associated with earlier tumour stage and better clinical outcome in human breast cancer. <i>BMC Cancer</i> , 2010 , 10, 178	4.8	78
272	iASPP is over-expressed in human non-small cell lung cancer and regulates the proliferation of lung cancer cells through a p53 associated pathway. <i>BMC Cancer</i> , 2010 , 10, 694	4.8	54
271	GDF-9 promotes the growth of prostate cancer cells by protecting them from apoptosis. <i>Journal of Cellular Physiology</i> , 2010 , 225, 529-36	7	4
270	Tumour suppressor function of MDA-7/IL-24 in human breast cancer. <i>Cancer Cell International</i> , 2010 , 10, 29	6.4	40
269	Expression of WAVES, the WASP (Wiskott-Aldrich syndrome protein) family of verprolin homologous proteins in human wound tissues and the biological influence on human keratinocytes. <i>Wound Repair and Regeneration</i> , 2010 , 18, 594-604	3.6	13
268	HuR, a key post-transcriptional regulator, and its implication in progression of breast cancer. <i>Histology and Histopathology</i> , 2010 , 25, 1331-40	1.4	27
267	Prognostic implications of carboxyl-terminus of Hsc70 interacting protein and lysyl-oxidase expression in human breast cancer. <i>Journal of Carcinogenesis</i> , 2010 , 9, 9	1.9	23
266	Targeting RhoC by Way of Ribozyme Trangene in Human Breast Cancer Cells and its Impact on Cancer Invasion. <i>World Journal of Oncology</i> , 2010 , 1, 7-13	16.7	1

265	ALCAM, activated leukocyte cell adhesion molecule, influences the aggressive nature of breast cancer cells, a potential connection to bone metastasis. <i>Anticancer Research</i> , 2010 , 30, 1163-8	2.3	24
264	Bone morphogenetic proteins in development and progression of breast cancer and therapeutic potential (review). <i>International Journal of Molecular Medicine</i> , 2009 , 24, 591-7	4.4	44
263	Prevention of KLF4-mediated tumor initiation and malignant transformation by UAB30 rexinoid. <i>Cancer Biology and Therapy</i> , 2009 , 8, 289-98	4.6	23
262	Vascular endothelial growth inhibitor in human cancer (Review). <i>International Journal of Molecular Medicine</i> , 2009 , 24, 3-8	4.4	19
261	The mRNA expression of SETD2 in human breast cancer: correlation with clinico-pathological parameters. <i>BMC Cancer</i> , 2009 , 9, 290	4.8	74
260	The mRNA expression of SATB1 and SATB2 in human breast cancer. <i>Cancer Cell International</i> , 2009 , 9, 18	6.4	78
259	Metastasis suppressor 1 (MTSS1) demonstrates prognostic value and anti-metastatic properties in breast cancer. <i>European Journal of Cancer</i> , 2009 , 45, 1673-83	7.5	88
258	Loss of tight junction barrier function and its role in cancer metastasis. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2009 , 1788, 872-91	3.8	293
257	The prostate transglutaminase (TGase-4, TGaseP) regulates the interaction of prostate cancer and vascular endothelial cells, a potential role for the ROCK pathway. <i>Microvascular Research</i> , 2009 , 77, 150-7	3.7	29
256	Bone morphogenetic protein-10 suppresses the growth and aggressiveness of prostate cancer cells through a Smad independent pathway. <i>Journal of Urology</i> , 2009 , 181, 2749-59	2.5	42
255	Vascular endothelial growth inhibitor, expression in human prostate cancer tissue and the impact on adhesion and migration of prostate cancer cells in vitro. <i>International Journal of Oncology</i> , 2009 , 35, 1473-80	4.4	6
254	The molecular impact of pigment epithelium-derived factor, PEDF, on lung cancer cells and the clinical significance. <i>International Journal of Oncology</i> , 2009 , 35, 159-66	1	13
253	Transcript analyses of stromal cell derived factors (SDFs): SDF-2, SDF-4 and SDF-5 reveal a different pattern of expression and prognostic association in human breast cancer. <i>International Journal of Oncology</i> , 2009 , 35, 205-11	1	12
252	When BMP Signalling Goes Wrong: The Intracellular and Molecular Mechanisms of BMP Signalling in Cancer. <i>Current Signal Transduction Therapy</i> , 2009 , 4, 174-195	0.8	4
251	WASP and WAVE proteins: vital intrinsic regulators of cell motility and their role in cancer (review). <i>International Journal of Molecular Medicine</i> , 2009 , 23, 141-8	4.4	12
250	Transcriptional and translational modulation of KAI1 expression in ductal carcinoma of the breast and the prognostic significance. <i>International Journal of Molecular Medicine</i> , 2009 , 23, 273-8	4.4	6
249	Reduced expression of BMPR-IB correlates with poor prognosis and increased proliferation of breast cancer cells. <i>Cancer Genomics and Proteomics</i> , 2009 , 6, 101-8	3.3	17
248	Effect of expressional alteration of KAI1 on breast cancer cell growth, adhesion, migration and invasion. <i>Cancer Genomics and Proteomics</i> , 2009 , 6, 205-13	3.3	14

247	KAI-1/CD82, the molecule and clinical implication in cancer and cancer metastasis. <i>Histology and Histopathology</i> , 2009 , 24, 519-30	1.4	40
246	Extracellular domain of 4-1BBL enhanced the antitumoral efficacy of peripheral blood lymphocytes mediated by anti-CD3 x anti-Pgp bispecific diabody against human multidrug-resistant leukemia. <i>Cellular Immunology</i> , 2008 , 251, 102-8	4.4	9
245	Hepatocyte Growth Factor/Scatter Factor and Prostate Cancer Metastasis. <i>Cancer Metastasis - Biology and Treatment</i> , 2008 , 197-219		2
244	Lymphangiogenesis and lymph node metastasis in breast cancer. <i>Molecular Cancer</i> , 2008 , 7, 23	42.1	18
243	Real time PCR analyses of expression of E-cadherin, alpha-, beta- and gamma-catenin in human breast cancer for predicting clinical outcome. <i>World Journal of Surgical Oncology</i> , 2008 , 6, 56	3.4	11
242	Suppression of the NF- κ B cofactor Bcl3 inhibits mammary epithelial cell apoptosis and, in breast tumours, correlates with poor prognosis. <i>Breast Cancer Research</i> , 2008 , 10,	8.3	1
241	HGF/SF up-regulates the expression of bone morphogenetic protein 7 in prostate cancer cells. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2008 , 26, 190-7	2.8	19
240	Phospholipase-C gamma-1 (PLCgamma-1) is critical in hepatocyte growth factor induced in vitro invasion and migration without affecting the growth of prostate cancer cells. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2008 , 26, 386-91	2.8	17
239	Improvement in soluble expression levels of a diabody by exchanging expression vectors. <i>Protein Expression and Purification</i> , 2008 , 62, 15-20	2	4
238	Eplin-alpha expression in human breast cancer, the impact on cellular migration and clinical outcome. <i>Molecular Cancer</i> , 2008 , 7, 71	42.1	71
237	WAVE1 is associated with invasiveness and growth of prostate cancer cells. <i>Journal of Urology</i> , 2008 , 180, 1515-21	2.5	20
236	Contribution of BRCA1 germline mutation in patients with sporadic breast cancer. <i>International Seminars in Surgical Oncology</i> , 2008 , 5, 21		6
235	Bad things happen in the basal layer: KLF4 and squamous cell carcinoma. <i>Cancer Biology and Therapy</i> , 2008 , 7, 783-5	4.6	7
234	Expression of the cell to cell adhesion molecule, ALCAM, in breast cancer patients and the potential link with skeletal metastasis. <i>Oncology Reports</i> , 2008 ,	3.5	3
233	Bone morphogenetic protein-9 induces apoptosis in prostate cancer cells, the role of prostate apoptosis response-4. <i>Molecular Cancer Research</i> , 2008 , 6, 1594-606	6.6	73
232	NUPR1 interacts with p53, transcriptionally regulates p21 and rescues breast epithelial cells from doxorubicin-induced genotoxic stress. <i>Current Cancer Drug Targets</i> , 2008 , 8, 421-30	2.8	51
231	The expression and prognostic value of the guanine nucleotide exchange factors (GEFs) Trio, Vav1 and TIAM-1 in human breast cancer. <i>International Seminars in Surgical Oncology</i> , 2008 , 5, 23		46
230	Is N-cadherin expression important in ductal carcinoma?. <i>Southern Medical Journal</i> , 2008 , 101, 470-5	0.6	3

229	The expression of gene transcripts of telomere-associated genes in human breast cancer: correlation with clinico-pathological parameters and clinical outcome. <i>Breast Cancer Research and Treatment</i> , 2008 , 109, 35-46	4.4	39
228	N-WASP is a putative tumour suppressor in breast cancer cells, in vitro and in vivo, and is associated with clinical outcome in patients with breast cancer. <i>Clinical and Experimental Metastasis</i> , 2008 , 25, 97-108	4.7	36
227	Osteopontin C mRNA expression is associated with a poor clinical outcome in human breast cancer. <i>International Journal of Cancer</i> , 2008 , 122, 2646	7.5	8
226	Deregulation of cofactor of BRCA1 expression in breast cancer cells. <i>Journal of Cellular Biochemistry</i> , 2008 , 103, 1798-807	4.7	31
225	Claudin-16 reduces the aggressive behavior of human breast cancer cells. <i>Journal of Cellular Biochemistry</i> , 2008 , 105, 41-52	4.7	25
224	Placenta growth factor, PLGF, influences the motility of lung cancer cells, the role of Rho associated kinase, Rock1. <i>Journal of Cellular Biochemistry</i> , 2008 , 105, 313-20	4.7	32
223	Genetic upregulation of matriptase-2 reduces the aggressiveness of prostate cancer cells in vitro and in vivo and affects FAK and paxillin localisation. <i>Journal of Cellular Physiology</i> , 2008 , 216, 780-9	7	28
222	IL-23 promotes osteoclast formation by up-regulation of receptor activator of NF-kappaB (RANK) expression in myeloid precursor cells. <i>European Journal of Immunology</i> , 2008 , 38, 2845-54	6.1	104
221	Polyunsaturated Fatty Acids and Prostate Cancer Metastasis. <i>Cancer Metastasis - Biology and Treatment</i> , 2008 , 63-85		2
220	Expression of the cell to cell adhesion molecule, ALCAM, in breast cancer patients and the potential link with skeletal metastasis. <i>Oncology Reports</i> , 2008 , 19, 555-61	3.5	27
219	The expression and prognostic value of ROCK I and ROCK II and their role in human breast cancer. <i>International Journal of Oncology</i> , 2008 , 33, 585-93	1	68
218	Osteopontin expression profiles predict pathological and clinical outcome in breast cancer. <i>Anticancer Research</i> , 2008 , 28, 4105-10	2.3	36
217	Bone morphogenetic proteins 1 to 7 in human breast cancer, expression pattern and clinical/prognostic relevance. <i>Journal of Experimental Therapeutics and Oncology</i> , 2008 , 7, 327-38	0.8	37
216	Expression of the WASP verprolin-homologues (WAVE members) in human breast cancer. <i>Oncology</i> , 2007 , 73, 376-83	3.6	23
215	Suppression of hepatocyte growth factor activator inhibitor-1 leads to a more aggressive phenotype of prostate cancer cells in vitro. <i>International Journal of Molecular Medicine</i> , 2007 ,	4.4	1
214	Enhanced tight junction function in human breast cancer cells by antioxidant, selenium and polyunsaturated lipid. <i>Journal of Cellular Biochemistry</i> , 2007 , 101, 155-66	4.7	22
213	Cyclooxygenase-2 mRNA expression correlates with aromatase expression in human breast cancer. <i>Journal of Surgical Oncology</i> , 2007 , 96, 424-8	2.8	15
212	Cyclooxygenase-2 inhibition: effects on tumour growth, cell cycling and lymphangiogenesis in a xenograft model of breast cancer. <i>British Journal of Cancer</i> , 2007 , 96, 575-82	8.7	67

211	Tumour-associated angiogenesis in human colorectal cancer. <i>Colorectal Disease</i> , 2007 , 9, 3-14	2.1	63
210	Hepatocyte growth factor regulation: an integral part of why wounds become chronic. <i>Wound Repair and Regeneration</i> , 2007 , 15, 683-92	3.6	29
209	The role of vascular endothelial growth inhibitor in wound healing. <i>International Wound Journal</i> , 2007 , 4, 55-64	2.6	26
208	Differential expression and prognostic implications of the CCN family members WISP-1, WISP-2, and WISP-3 in human breast cancer. <i>Annals of Surgical Oncology</i> , 2007 , 14, 1909-18	3.1	63
207	The role of growth differentiation factor-9 (GDF-9) and its analog, GDF-9b/BMP-15, in human breast cancer. <i>Annals of Surgical Oncology</i> , 2007 , 14, 2159-66	3.1	26
206	Molecular cloning and promoter analysis of downregulated in adenoma (DRA). <i>American Journal of Physiology - Renal Physiology</i> , 2007 , 293, G923-34	5.1	37
205	Matriptase-2 inhibits breast tumor growth and invasion and correlates with favorable prognosis for breast cancer patients. <i>Clinical Cancer Research</i> , 2007 , 13, 3568-76	12.9	36
204	Angiopoietins lack of prognostic significance in ductal mammary carcinoma. <i>International Seminars in Surgical Oncology</i> , 2007 , 4, 6		6
203	The expression of the von Hippel-Lindau gene product and its impact on invasiveness of human breast cancer cells. <i>International Journal of Molecular Medicine</i> , 2007 ,	4.4	1
202	Expression of transcription factor CREB1 in human breast cancer and its correlation with prognosis. <i>Oncology Reports</i> , 2007 ,	3.5	4
201	Bone metastasis in prostate cancer: Molecular and cellular mechanisms (Review). <i>International Journal of Molecular Medicine</i> , 2007 ,	4.4	2
200	Endogenous bone morphogenetic protein-7 controls the motility of prostate cancer cells through regulation of bone morphogenetic protein antagonists. <i>Journal of Urology</i> , 2007 , 178, 1086-91	2.5	46
199	Overexpression of claudin-11 decreases the invasive potential of bladder cancer cells in vitro, but has no effect on their electrical resistance. <i>Journal of Clinical Oncology</i> , 2007 , 25, 21038-21038	2.2	1
198	Bone morphogenic proteins 1 to 7 in human breast carcinoma. <i>Journal of Clinical Oncology</i> , 2007 , 25, 21154-21154	2.2	1
197	Bone morphogenetic proteins and their receptor signaling in prostate cancer. <i>Histology and Histopathology</i> , 2007 , 22, 1129-47	1.4	62
196	Hepatocyte growth factor and the hepatocyte growth factor receptor signalling complex as targets in cancer therapies. <i>Current Oncology</i> , 2007 , 14, 66-9	2.8	4
195	The role of the HGF regulatory factors in breast cancer. <i>Cancer Metastasis - Biology and Treatment</i> , 2007 , 171-202		
194	Level of Expression of Parathyroid Hormone Related Protein and its Receptor in Human Breast Cancer and its Correlation with the Clinical Outcome. <i>International Journal of Cancer Research</i> , 2007 , 3, 92-102	0.2	4

193	Expression of the WAVE (WASP Verprolin-homologous) molecules in human breast cancer. <i>Journal of Clinical Oncology</i> , 2007 , 25, 21061-21061	2.2	
192	Pattern of expression of calpain subunits (large and small) in human breast cancer and the prognostic significance. <i>Journal of Clinical Oncology</i> , 2007 , 25, 21078-21078	2.2	
191	Lymphangiogenesis and metastatic spread of breast cancer. <i>Cancer Metastasis - Biology and Treatment</i> , 2007 , 219-240		1
190	Hepatocyte growth factor up-regulates the expression of the bone morphogenetic protein (BMP) receptors, BMPR-IB and BMPR-II, in human prostate cancer cells. <i>International Journal of Oncology</i> , 2007 , 30, 521-9	1	11
189	Bone metastasis in prostate cancer: molecular and cellular mechanisms (Review). <i>International Journal of Molecular Medicine</i> , 2007 , 20, 103-11	4.4	45
188	Expression of the prostate transglutaminase (TGase-4) in prostate cancer cells and its impact on the invasiveness of prostate cancer. <i>Journal of Experimental Therapeutics and Oncology</i> , 2007 , 6, 257-64	0.8	17
187	Suppression of hepatocyte growth factor activator inhibitor-1 leads to a more aggressive phenotype of prostate cancer cells in vitro. <i>International Journal of Molecular Medicine</i> , 2007 , 20, 613-9	4.4	15
186	Angiomotin and angiomotin like proteins, their expression and correlation with angiogenesis and clinical outcome in human breast cancer. <i>BMC Cancer</i> , 2006 , 6, 16	4.8	46
185	Synergistic regulation of endothelial tight junctions by antioxidant (Se) and polyunsaturated lipid (GLA) via Claudin-5 modulation. <i>Journal of Cellular Biochemistry</i> , 2006 , 98, 1308-19	4.7	22
184	Tamoxifen resistance in MCF7 cells promotes EMT-like behaviour and involves modulation of beta-catenin phosphorylation. <i>International Journal of Cancer</i> , 2006 , 118, 290-301	7.5	215
183	Hepatocyte growth factor activation inhibitors (HAI-1 and HAI-2) regulate HGF-induced invasion of human breast cancer cells. <i>International Journal of Cancer</i> , 2006 , 119, 1176-83	7.5	74
182	Expression of autocrine motility factor (AMF) and its receptor, AMFR, in human breast cancer. <i>Journal of Histochemistry and Cytochemistry</i> , 2006 , 54, 231-41	3.4	46
181	Pigment epithelium-derived factor inhibits angiogenesis via regulated intracellular proteolysis of vascular endothelial growth factor receptor 1. <i>Journal of Biological Chemistry</i> , 2006 , 281, 3604-13	5.4	182
180	Rapid molecular and morphological responses of prostate cell lines to cell-cell contact. <i>Cell Communication and Adhesion</i> , 2006 , 13, 279-94		4
179	Decreased pigment epithelium-derived factor expression in human breast cancer progression. <i>Clinical Cancer Research</i> , 2006 , 12, 3510-7	12.9	67
178	Chronic exposure to fulvestrant promotes overexpression of the c-Met receptor in breast cancer cells: implications for tumour-stroma interactions. <i>Endocrine-Related Cancer</i> , 2006 , 13, 1085-99	5.7	48
177	Novel potential anticancer naphthyl phosphoramidates of BVdU: separation of diastereoisomers and assignment of the absolute configuration of the phosphorus center. <i>Journal of Medicinal Chemistry</i> , 2006 , 49, 452-5	8.3	35
176	Vascular endothelial growth factor-induced endothelial cell proliferation is regulated by interaction between VEGFR-2, SH-PTP1 and eNOS. <i>Microvascular Research</i> , 2006 , 71, 20-31	3.7	76

175	Aberrant expression of 5-lipoxygenase-activating protein (5-LOXAP) has prognostic and survival significance in patients with breast cancer. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2006 , 74, 125-34	2.8	44
174	Reduction of isoforms of 15-lipoxygenase (15-LOX)-1 and 15-LOX-2 in human breast cancer. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2006 , 74, 235-45	2.8	73
173	Expression of breast cancer specific gene-1 (BCSG-1/βsynuclein) is associated with tumour grade but not with clinical outcome of patients with breast cancer. <i>Oncology Reports</i> , 2006 , 16, 207	3.5	
172	Expression of pigment epithelial derived factor is reduced in non-small cell lung cancer and is linked to clinical outcome. <i>International Journal of Molecular Medicine</i> , 2006 , 17, 937	4.4	2
171	Com-1/p8 acts as a putative tumour suppressor in prostate cancer. <i>International Journal of Molecular Medicine</i> , 2006 , 18, 981	4.4	3
170	The influence of CD44v3-v10 on adhesion, invasion and MMP-14 expression in prostate cancer cells. <i>Oncology Reports</i> , 2006 , 15, 199	3.5	
169	Expression of membrane type-1 matrix metalloproteinase, MT1-MMP in human breast cancer and its impact on invasiveness of breast cancer cells. <i>International Journal of Molecular Medicine</i> , 2006 , 17, 583	4.4	8
168	Elevated levels of tumour endothelial marker-8 in human breast cancer and its clinical significance 2006 , 29, 1311		6
167	The molecular and clinical impact of hepatocyte growth factor, its receptor, activators, and inhibitors in wound healing. <i>Wound Repair and Regeneration</i> , 2006 , 14, 2-10	3.6	88
166	Expression of interleukin 11 and its receptor and their prognostic value in human breast cancer. <i>Annals of Surgical Oncology</i> , 2006 , 13, 802-8	3.1	60
165	The role of aromatase and 17-beta-hydroxysteroid dehydrogenase type 1 mRNA expression in predicting the clinical outcome of human breast cancer. <i>Breast Cancer Research and Treatment</i> , 2006 , 99, 155-62	4.4	35
164	The relationship between the insulin-like growth factor-1 system and the oestrogen metabolising enzymes in breast cancer tissue and its adjacent non-cancerous tissue. <i>Breast Cancer Research and Treatment</i> , 2006 , 99, 275-88	4.4	22
163	Reduced vascular endothelial growth inhibitor (VEGI) expression is associated with poor prognosis in breast cancer patients. <i>Angiogenesis</i> , 2006 , 9, 73-81	10.6	44
162	The molecular and clinical impact of hepatocyte growth factor, its receptor, activators, and inhibitors in wound healing. <i>Wound Repair and Regeneration</i> , 2006 , 14, 2-10	3.6	39
161	Expression of membrane type-1 matrix metalloproteinase, MT1-MMP in human breast cancer and its impact on invasiveness of breast cancer cells. <i>International Journal of Molecular Medicine</i> , 2006 , 17, 583-90	4.4	71
160	Expression of pigment epithelial derived factor is reduced in non-small cell lung cancer and is linked to clinical outcome. <i>International Journal of Molecular Medicine</i> , 2006 , 17, 937-44	4.4	37
159	Com-1/p8 acts as a putative tumour suppressor in prostate cancer. <i>International Journal of Molecular Medicine</i> , 2006 , 18, 981-6	4.4	25
158	Elevated levels of tumour endothelial marker-8 in human breast cancer and its clinical significance. <i>International Journal of Oncology</i> , 2006 , 29, 1311-7	1	21

157	Does the PGC-1/PPARgamma pathway play a role in Com-1/p8 mediated cell growth inhibition in prostate cancer?. <i>International Journal of Molecular Medicine</i> , 2006 , 18, 1169-75	4.4	9
156	Tight junctions and bladder cancer (Review). <i>International Journal of Molecular Medicine</i> , 2005 , 16, 3	4.4	1
155	Targeting matrilysin and its impact on tumor growth in vivo: the potential implications in breast cancer therapy. <i>Clinical Cancer Research</i> , 2005 , 11, 6012-9	12.9	89
154	Com-1/P8 in oestrogen regulated growth of breast cancer cells, the ER-beta connection. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 330, 253-62	3.4	38
153	TEM-8 and tubule formation in endothelial cells, its potential role of its vW/TM domains. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 334, 231-8	3.4	27
152	Tuberin and hamartin are aberrantly expressed and linked to clinical outcome in human breast cancer: the role of promoter methylation of TSC genes. <i>European Journal of Cancer</i> , 2005 , 41, 1628-36	7.5	76
151	Placenta growth factor is over-expressed and has prognostic value in human breast cancer. <i>European Journal of Cancer</i> , 2005 , 41, 2819-27	7.5	112
150	Molecular and cellular mechanisms of lymphangiogenesis. <i>European Journal of Surgical Oncology</i> , 2005 , 31, 117-21	3.6	48
149	Increased levels of SPARC (osteonectin) in human breast cancer tissues and its association with clinical outcomes. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2005 , 72, 267-72	2.8	110
148	Gamma-Linolenic acid regulates the expression and secretion of SPARC in human cancer cells. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2005 , 72, 273-8	2.8	20
147	Expression of Placenta growth factor (PlGF) in non-small cell lung cancer (NSCLC) and the clinical and prognostic significance. <i>World Journal of Surgical Oncology</i> , 2005 , 3, 68	3.4	50
146	Stromal cell derived factor-1: its influence on invasiveness and migration of breast cancer cells in vitro, and its association with prognosis and survival in human breast cancer. <i>Breast Cancer Research</i> , 2005 , 7, R402-10	8.3	132
145	Expression of thromboxane synthase, TBXAS1 and the thromboxane A2 receptor, TBXA2R, in human breast cancer. <i>International Seminars in Surgical Oncology</i> , 2005 , 2, 23		42
144	Anti-cancer ProTides: tuning the activity of BVDU phosphoramidates related to thymectacin. <i>Bioorganic and Medicinal Chemistry</i> , 2005 , 13, 3219-27	3.4	50
143	Hepatocyte growth factor, its receptor, and their potential value in cancer therapies. <i>Critical Reviews in Oncology/Hematology</i> , 2005 , 53, 35-69	7	210
142	Possible synergistic prostate cancer suppression by anatomically discrete pomegranate fractions. <i>Investigational New Drugs</i> , 2005 , 23, 11-20	4.3	120
141	Expression of the transcription factors snail, slug, and twist and their clinical significance in human breast cancer. <i>Annals of Surgical Oncology</i> , 2005 , 12, 488-96	3.1	394
140	Assessing microvessels and angiogenesis in human breast cancer, using VE-cadherin. <i>Histopathology</i> , 2005 , 46, 422-30	7.3	21

139	The elevated level of CXCR4 is correlated with nodal metastasis of human breast cancer. <i>Breast</i> , 2005 , 14, 360-7	3.6	104
138	Expression of Com-1/P8 in human breast cancer and its relevance to clinical outcome and ER status. <i>International Journal of Cancer</i> , 2005 , 117, 730-7	7.5	17
137	Interleukin 7 upregulates vascular endothelial growth factor D in breast cancer cells and induces lymphangiogenesis in vivo. <i>British Journal of Surgery</i> , 2005 , 92, 305-10	5.3	36
136	The Coxsackie-adenovirus receptor has elevated expression in human breast cancer. <i>Clinical and Experimental Medicine</i> , 2005 , 5, 122-8	4.9	35
135	Pomegranate (<i>Punica granatum</i>) pure chemicals show possible synergistic inhibition of human PC-3 prostate cancer cell invasion across Matrigel. <i>Investigational New Drugs</i> , 2005 , 23, 121-2	4.3	127
134	Evidence for a tumour suppressive function of APRG1 in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2005 , 93, 97-100	4.4	5
133	KiSS-1 expression in human breast cancer. <i>Clinical and Experimental Metastasis</i> , 2005 , 22, 503-11	4.7	74
132	Prognostic values of tumor endothelial markers in patients with colorectal cancer. <i>World Journal of Gastroenterology</i> , 2005 , 11, 1283-6	5.6	56
131	Evaluation of the bioequivalence and pharmacokinetics of two formulations of rizatriptan after single oral administration in healthy volunteers. <i>Arzneimittelforschung</i> , 2005 , 55, 355-8		3
130	Naphthyl phosphoramidate derivatives of BVdU as potential anticancer agents: design, synthesis and biological evaluation. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2005 , 24, 485-9	1.4	26
129	Hepatocyte growth factor/scatter factor and prostate cancer: a review. <i>Histology and Histopathology</i> , 2005 , 20, 1339-49	1.4	29
128	Lymphangiogenesis and its role in cancer. <i>Histology and Histopathology</i> , 2005 , 20, 283-98	1.4	29
127	Level of the Expression of VEGF-A, B, C, D and their Receptors (FLT-1, KDR and FLT-4) and its Correlation with Prognosis in Patients with Colorectal Cancer. <i>International Journal of Cancer Research</i> , 2005 , 2, 31-41	0.2	3
126	Tight junctions and bladder cancer (review). <i>International Journal of Molecular Medicine</i> , 2005 , 16, 3-9	4.4	15
125	The effects of interleukin-7 on the lymphangiogenic properties of human endothelial cells. <i>International Journal of Oncology</i> , 2005 , 27, 721-30	1	17
124	The potential lymphangiogenic effects of hepatocyte growth factor/scatter factor in vitro and in vivo. <i>International Journal of Molecular Medicine</i> , 2005 , 16, 723-8	4.4	25
123	The hepatocyte growth factor regulatory factors in human breast cancer. <i>Clinical Cancer Research</i> , 2004 , 10, 202-11	12.9	181
122	Differential expression of the CCN family members Cyr61, CTGF and Nov in human breast cancer. <i>Endocrine-Related Cancer</i> , 2004 , 11, 781-91	5.7	138

121	Psoriasin is aberrantly expressed in human breast cancer and is related to clinical outcomes 2004 , 25, 81		2
120	The possible correlation of Notch-1 and Notch-2 with clinical outcome and tumour clinicopathological parameters in human breast cancer. <i>International Journal of Molecular Medicine</i> , 2004 , 14, 779-86	4.4	170
119	Levels of expression of endothelial markers specific to tumour-associated endothelial cells and their correlation with prognosis in patients with breast cancer. <i>Clinical and Experimental Metastasis</i> , 2004 , 21, 31-7	4.7	75
118	Targeting the HGF/SF receptor c-met using a hammerhead ribozyme transgene reduces in vitro invasion and migration in prostate cancer cells. <i>Prostate</i> , 2004 , 60, 317-24	4.2	29
117	Hepatocyte growth factor disrupts tight junctions in human breast cancer cells. <i>Cell Biology International</i> , 2004 , 28, 361-71	4.5	37
116	Pomegranate extracts potently suppress proliferation, xenograft growth, and invasion of human prostate cancer cells. <i>Journal of Medicinal Food</i> , 2004 , 7, 274-83	2.8	177
115	Interleukin 7 induces the growth of breast cancer cells through a wortmannin-sensitive pathway. <i>British Journal of Surgery</i> , 2004 , 91, 61-8	5.3	22
114	Activated leukocyte cell adhesion molecule in breast cancer: prognostic indicator. <i>Breast Cancer Research</i> , 2004 , 6, R478-87	8.3	92
113	Aberrant expression of interleukin-7 (IL-7) and its signalling complex in human breast cancer. <i>European Journal of Cancer</i> , 2004 , 40, 494-502	7.5	64
112	Loss of tight junction plaque molecules in breast cancer tissues is associated with a poor prognosis in patients with breast cancer. <i>European Journal of Cancer</i> , 2004 , 40, 2717-25	7.5	114
111	Tumour endothelial marker 8 (TEM-8) in human colon cancer and its association with tumour progression. <i>European Journal of Surgical Oncology</i> , 2004 , 30, 948-53	3.6	21
110	Tumour endothelial marker 8 (TEM-8) in human colon cancer and its association with tumour progression. <i>European Journal of Surgical Oncology</i> , 2004 , 30, 948-953	3.6	14
109	The localisation and reduction of nuclear staining of PPAR α and PGC-1 in human breast cancer. <i>Oncology Reports</i> , 2004 , 12, 483	3.5	3
108	Psoriasin is aberrantly expressed in human breast cancer and is related to clinical outcomes. <i>International Journal of Oncology</i> , 2004 , 25, 81-5	1	11
107	Upregulation of tumour endothelial marker-8 by interleukin-1beta and its impact in IL-1beta induced angiogenesis. <i>International Journal of Molecular Medicine</i> , 2004 , 14, 75-80	4.4	26
106	The localisation and reduction of nuclear staining of PPARgamma and PGC-1 in human breast cancer. <i>Oncology Reports</i> , 2004 , 12, 483-8	3.5	42
105	Activation of vascular endothelial growth factor receptor-1 sustains angiogenesis and Bcl-2 expression via the phosphatidylinositol 3-kinase pathway in endothelial cells. <i>Diabetes</i> , 2003 , 52, 2959-68	6.9	108
104	Quantitative analysis of lymphangiogenic markers in human colorectal cancer. <i>International Journal of Oncology</i> , 2003 , 23, 533-9	1	20

103	Expression of human delta-6-desaturase is associated with aggressiveness of human breast cancer. <i>International Journal of Molecular Medicine</i> , 2003 , 12, 253	4.4	3
102	Expression of transglutaminases in human breast cancer and their possible clinical significance. <i>Oncology Reports</i> , 2003 , 10, 2039	3.5	2
101	The HGF/SF antagonist NK4 reverses fibroblast- and HGF-induced prostate tumor growth and angiogenesis in vivo. <i>International Journal of Cancer</i> , 2003 , 106, 348-54	7.5	43
100	Expression of peroxisome-proliferator activated receptor-gamma (PPARgamma) and the PPARgamma co-activator, PGC-1, in human breast cancer correlates with clinical outcomes. <i>International Journal of Cancer</i> , 2003 , 106, 752-7	7.5	146
99	Biphasic effects of 17-beta-estradiol on expression of occludin and transendothelial resistance and paracellular permeability in human vascular endothelial cells. <i>Journal of Cellular Physiology</i> , 2003 , 196, 362-9	7	81
98	The role of the CD44/ezrin complex in cancer metastasis. <i>Critical Reviews in Oncology/Hematology</i> , 2003 , 46, 165-86	7	177
97	Effect of human fibroblast-derived dermis on expansion of tissue from venous leg ulcers. <i>Wound Repair and Regeneration</i> , 2003 , 11, 292-6	3.6	3
96	Levels of expression of lipoygenases and cyclooxygenase-2 in human breast cancer. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2003 , 69, 275-81	2.8	85
95	Growth and angiogenesis of human breast cancer in a nude mouse tumour model is reduced by NK4, a HGF/SF antagonist. <i>Carcinogenesis</i> , 2003 , 24, 1317-23	4.6	69
94	Interleukin-7 (IL-7) and IL-7 receptor (IL-7R) signalling complex in human solid tumours. <i>Histology and Histopathology</i> , 2003 , 18, 911-23	1.4	41
93	Reduction of stromal fibroblast-induced mammary tumor growth, by retroviral ribozyme transgenes to hepatocyte growth factor/scatter factor and its receptor, c-MET. <i>Clinical Cancer Research</i> , 2003 , 9, 4274-81	12.9	34
92	Expression of transglutaminases in human breast cancer and their possible clinical significance. <i>Oncology Reports</i> , 2003 , 10, 2039-44	3.5	20
91	Prognostic value of rho GTPases and rho guanine nucleotide dissociation inhibitors in human breast cancers. <i>Clinical Cancer Research</i> , 2003 , 9, 6432-40	12.9	120
90	Antagonistic effect of NK4 on HGF/SF induced changes in the transendothelial resistance (TER) and paracellular permeability of human vascular endothelial cells. <i>Journal of Cellular Physiology</i> , 2002 , 192, 268-75	7	58
89	Endosperm-specific expression of green fluorescent protein driven by the hordein promoter is stably inherited in transgenic barley (<i>Hordeum vulgare</i>) plants. <i>Physiologia Plantarum</i> , 2002 , 115, 144-154	4.6	34
88	Cell adhesion molecules and adhesion abnormalities in prostate cancer. <i>Critical Reviews in Oncology/Hematology</i> , 2002 , 41, 11-28	7	34
87	Molecular detection of micro-metastasis in breast cancer. <i>Critical Reviews in Oncology/Hematology</i> , 2002 , 43, 13-31	7	29
86	Chemopreventive and adjuvant therapeutic potential of pomegranate (<i>Punica granatum</i>) for human breast cancer. <i>Breast Cancer Research and Treatment</i> , 2002 , 71, 203-17	4.4	313

85	Distribution and expression of CD44 isoforms and Ezrin during prostate cancer-endothelium interaction 2002 , 21, 935		1
84	From PCR to RCA: a surgical trainee's guide to the techniques of genetic amplification. <i>European Journal of Surgical Oncology</i> , 2002 , 28, 554-9	3.6	1
83	Lymphangiogenesis and breast cancer metastasis. <i>Histology and Histopathology</i> , 2002 , 17, 863-70	1.4	30
82	Matrix-bound fibroblasts regulate angiogenesis by modulation of VE-cadherin. <i>European Journal of Clinical Investigation</i> , 2001 , 31, 931-8	4.6	21
81	Phenotypic variation in the production of bioactive hepatocyte growth factor/scatter factor by oral mucosal and skin fibroblasts. <i>Wound Repair and Regeneration</i> , 2001 , 9, 34-43	3.6	30
80	Changes in dose and route of gemolinate have no positive effect on survival in people with inoperable pancreatic cancer. <i>Evidence-based Oncology</i> , 2001 , 2, 216-217		
79	Expression of hepatocyte growth factor/scatter factor, its activator, inhibitors and the c-Met receptor in human cancer cells 2001 , 19, 857		10
78	HGF/SF modifies the interaction between its receptor c-Met, and the E-cadherin/catenin complex in prostate cancer cells. <i>International Journal of Molecular Medicine</i> , 2001 , 7, 385-8	4.4	24
77	In vivo myocardial protection from ischemia/reperfusion injury by the peroxisome proliferator-activated receptor-gamma agonist rosiglitazone. <i>Circulation</i> , 2001 , 104, 2588-94	16.7	260
76	The HGF/SF-induced phosphorylation of paxillin, matrix adhesion, and invasion of prostate cancer cells were suppressed by NK4, an HGF/SF variant. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 285, 1330-7	3.4	45
75	Lymphangiogenesis quantification using quantitative PCR and breast cancer as a model. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 288, 1043-6	3.4	28
74	Tight junctions and their role in cancer metastasis. <i>Histology and Histopathology</i> , 2001 , 16, 1183-95	1.4	65
73	Hepatocyte growth factor activators, inhibitors and antagonists and their implication in cancer intervention. <i>Histology and Histopathology</i> , 2001 , 16, 251-68	1.4	12
72	Nk4, a new HGF/SF variant, is an antagonist to the influence of HGF/SF on the motility and invasion of colon cancer cells 2000 , 85, 563-570		50
71	E-cadherin complex and its abnormalities in human breast cancer. <i>Surgical Oncology</i> , 2000 , 9, 151-71	2.5	31
70	Inhibition of HGF/SF-induced breast cancer cell motility and invasion by the HGF/SF variant, NK4. <i>Breast Cancer Research and Treatment</i> , 2000 , 59, 245-54	4.4	34
69	Correlation of positive RT-PCR for tyrosinase in peripheral blood of malignant melanoma patients with clinical stage, survival and other risk factors. <i>British Journal of Cancer</i> , 2000 , 82, 118-23	8.7	61
68	The pathology of essential fatty acid deficiency: is it cell adhesion mediated?. <i>Medical Hypotheses</i> , 2000 , 55, 257-62	3.8	13

67	Peroxisome proliferator activated receptor-gamma (PPAR-gamma) mediates the action of gamma linolenic acid in breast cancer cells. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2000 , 62, 119-27 ^{2.8}		61
66	Paternal origin of FGFR2 mutations in sporadic cases of Crouzon syndrome and Pfeiffer syndrome. <i>American Journal of Human Genetics</i> , 2000 , 66, 768-77	11	161
65	CELL-CELL ADHESION MOLECULES AND SIGNALING INTERMEDIATES AND THEIR ROLE IN THE INVASIVE POTENTIAL OF PROSTATE CANCER CELLS. <i>Journal of Urology</i> , 2000 , 163, 985-992	2.5	65
64	Metastatic Cascade, Molecular/Cellular Events and New Therapeutic Opportunities 2000 , 1-17		
63	Nk4, a new HGF/SF variant, is an antagonist to the influence of HGF/SF on the motility and invasion of colon cancer cells 2000 , 85, 563		2
62	Tight Junctions, a Critical Structure in the Control of Cancer Invasion and Metastasis 2000 , 195-213		2
61	Polyunsaturated Fatty Acids and Their Role in Cancer Invasion and Metastasis 2000 , 225-250		2
60	Phosphorylation and disorganization of vascular-endothelial cadherin in interaction between breast cancer and vascular endothelial cells. <i>International Journal of Molecular Medicine</i> , 1999 , 4, 191-5	4.4	13
59	Overexpression of thioredoxin h leads to enhanced activity of starch debranching enzyme (pullulanase) in barley grain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 14641-6	11.5	116
58	Hepatocyte growth factor/scatter factor, its molecular, cellular and clinical implications in cancer. <i>Critical Reviews in Oncology/Hematology</i> , 1999 , 29, 209-48	7	223
57	Higher DNA adduct levels in urinary bladder and prostate of slow acetylators inbred rats administered 3,2'-dimethyl-4-aminobiphenyl. <i>Toxicology and Applied Pharmacology</i> , 1999 , 156, 187-94	4.6	13
56	Interactive image processing system for assessment of cell movement. <i>Medical and Biological Engineering and Computing</i> , 1999 , 37, 419-23	3.1	9
55	Hepatocyte growth factor/scatter factor decreases the expression of occludin and transendothelial resistance (TER) and increases paracellular permeability in human vascular endothelial cells. <i>Journal of Cellular Physiology</i> , 1999 , 181, 319-29	7	73
54	Inhibition of angiogenic factor- and tumour-induced angiogenesis by gamma linolenic acid. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 1999 , 60, 21-9	2.8	20
53	De novo alu-element insertions in FGFR2 identify a distinct pathological basis for Apert syndrome. <i>American Journal of Human Genetics</i> , 1999 , 64, 446-61	11	198
52	A novel skeletal dysplasia with developmental delay and acanthosis nigricans is caused by a Lys650Met mutation in the fibroblast growth factor receptor 3 gene. <i>American Journal of Human Genetics</i> , 1999 , 64, 722-31	11	136
51	The immunohistochemical expression of desmoplakin and its role in vivo in the progression and metastasis of breast cancer. <i>European Journal of Cancer</i> , 1999 , 35, 902-7	7.5	29
50	High-frequency transformation of oat via microprojectile bombardment of seed-derived highly regenerative cultures. <i>Plant Science</i> , 1999 , 148, 9-17	5.3	48

49	Inhibition of the expression of VE-cadherin/catenin complex by gamma linolenic acid in human vascular endothelial cells, and its impact on angiogenesis. <i>Biochemical and Biophysical Research Communications</i> , 1999 , 258, 113-8	3.4	32
48	Association of the HGF/SF receptor, c-met, with the cell-surface adhesion molecule, E-cadherin, and catenins in human tumor cells. <i>Biochemical and Biophysical Research Communications</i> , 1999 , 261, 406-11	3.4	99
47	A novel therapy for colitis utilizing PPAR-gamma ligands to inhibit the epithelial inflammatory response. <i>Journal of Clinical Investigation</i> , 1999 , 104, 383-9	15.9	602
46	The effects of n-6 polyunsaturated fatty acids on the expression of nm-23 in human cancer cells. <i>British Journal of Cancer</i> , 1998 , 77, 731-8	8.7	37
45	Cell adhesion molecules in the formation of liver metastasis. <i>Journal of Hepato-Biliary-Pancreatic Surgery</i> , 1998 , 5, 375-82		13
44	Essential fatty acids: molecular and cellular basis of their anti-cancer action and clinical implications. <i>Critical Reviews in Oncology/Hematology</i> , 1998 , 27, 179-209	7	102
43	Transformation of recalcitrant barley cultivars through improvement of regenerability and decreased albinism. <i>Plant Science</i> , 1998 , 138, 229-244	5.3	117
42	Eicosatrienoic acid (20:3 n-9) inhibits the expression of E-cadherin and desmoglein in human squamous cell carcinoma in vitro. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 1998 , 59, 371-7	2.8	15
41	Regulation of tight junction permeability and occludin expression by polyunsaturated fatty acids. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 244, 414-20	3.4	106
40	WASP and WAVE proteins: Vital intrinsic regulators of cell motility and their role in cancer (Review). <i>International Journal of Molecular Medicine</i> , 1998 , 23, 141	4.4	
39	Improved Callus Quality and Prolonged Regenerability in Model and Recalcitrant Barley (<i>Hordeum vulgare</i> L.) Cultivars.. <i>Plant Biotechnology</i> , 1998 , 15, 63-69	1.3	22
38	Intestinal inflammation reduces expression of DRA, a transporter responsible for congenital chloride diarrhea. <i>American Journal of Physiology - Renal Physiology</i> , 1998 , 275, G1445-53	5.1	57
37	The role of desmoglein 2 and E-cadherin in the invasion and motility of human breast cancer cells. <i>International Journal of Oncology</i> , 1997 , 11, 415-9	1	9
36	beta-catenin-cell adhesion and beyond (review). <i>International Journal of Oncology</i> , 1997 , 11, 635-41	1	4
35	Expression of the HGF/SF receptor, c-met, and its ligand in human colorectal cancers. <i>Cancer Investigation</i> , 1997 , 15, 513-21	2.1	44
34	Regulation of endothelial CD44 expression and endothelium-tumour cell interactions by hepatocyte growth factor/scatter factor. <i>Biochemical and Biophysical Research Communications</i> , 1997 , 233, 1-5	3.4	36
33	Identification of a novel allele at the human NAT1 acetyltransferase locus. <i>Biochemical and Biophysical Research Communications</i> , 1997 , 233, 584-91	3.4	48
32	Gamma linolenic acid regulates expression of maspin and the motility of cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 1997 , 237, 639-44	3.4	45

31	Gamma linolenic acid regulates gap junction communication in endothelial cells and their interaction with tumour cells. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 1997 , 56, 307-16	2.8	25
30	Acetyl CoA:arylamine N-acetyltransferase activity in rat hepatocytes cultured on different extracellular matrices. <i>Toxicology in Vitro</i> , 1997 , 11, 271-83	3.6	1
29	Quantification of tumour cell-endothelial cell attachment by 1,1'-dioctadecyl-3,3,3',3'-tetramethylindocarbocyanine (DiI). <i>Cancer Letters</i> , 1997 , 112, 209-17	9.9	14
28	Rodent models of the human acetylation polymorphism: comparisons of recombinant acetyltransferases. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1997 , 376, 101-6	3.3	49
27	Higher frequency of aberrant crypt foci in rapid than slow acetylator inbred rats administered the colon carcinogen 3,2'-dimethyl-4-aminobiphenyl. <i>Toxicology and Applied Pharmacology</i> , 1997 , 147, 56-62	4.6	20
26	Regulation of desmosomal cell adhesion in human tumour cells by polyunsaturated fatty acids. <i>Clinical and Experimental Metastasis</i> , 1997 , 15, 593-602	4.7	16
25	Prenatal ultrasonographic and molecular diagnosis of Apert syndrome. <i>Prenatal Diagnosis</i> , 1997 , 17, 1081-4	3.2	29
24	Inhibition of membrane ruffling and ezrin translocation by gamma linolenic acid. <i>International Journal of Oncology</i> , 1996 , 9, 279-84	1	
23	Gamma linolenic acid inhibits tyrosine phosphorylation of focal adhesion kinase and paxillin and tumour cell matrix interaction. <i>International Journal of Oncology</i> , 1996 , 8, 583-7	1	
22	Progress in anti-invasion and anti-metastasis research and treatment. <i>International Journal of Oncology</i> , 1996 , 9, 1013-28	1	
21	E-cadherin and its associated protein catenins, cancer invasion and metastasis. <i>British Journal of Surgery</i> , 1996 , 83, 437-46	5.3	104
20	Inhibition of neutrophil respiratory burst and cytokine priming by gamma-linolenic acid. <i>British Journal of Surgery</i> , 1996 , 83, 659-64	5.3	9
19	2-aminofluorene-DNA adduct levels in tumor-target and nontarget organs of rapid and slow acetylator syrian hamsters congenic at the NAT2 locus. <i>Toxicology and Applied Pharmacology</i> , 1996 , 141, 248-255	4.6	12
18	3,2'-Dimethyl-4-aminobiphenyl-DNA adduct formation in tumor target and nontarget organs of rapid and slow acetylator Syrian hamsters congenic at the NAT2 locus. <i>Toxicology and Applied Pharmacology</i> , 1996 , 140, 315-21	4.6	10
17	Plasma cytokine levels and monocyte activation in patients with obstructive jaundice. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1996 , 11, 7-13	4	35
16	Inhibition of motility and invasion of human lung cancer cells by invasion inhibiting factor 2. <i>Surgical Oncology</i> , 1996 , 5, 77-84	2.5	7
15	Hepatocyte growth factor induces tyrosine phosphorylation of focal adhesion kinase (FAK) and paxillin and enhances cell-matrix interactions. <i>Oncology Reports</i> , 1996 , 3, 819-23	3.5	5
14	2-Aminofluorene-DNA adduct levels in tumor-target and nontarget organs of rapid and slow acetylator Syrian hamsters congenic at the NAT2 locus. <i>Toxicology and Applied Pharmacology</i> , 1996 , 141, 248-55	4.6	4

13	Inhibition of cancer cell motility and invasion by interleukin-12. <i>Clinical and Experimental Metastasis</i> , 1995 , 13, 396-404	4.7	30
12	Inhibition of hepatocyte growth factor-induced motility and in vitro invasion of human colon cancer cells by gamma-linolenic acid. <i>British Journal of Cancer</i> , 1995 , 71, 744-52	8.7	112
11	Induction of tyrosine phosphorylation and translocation of ezrin by hepatocyte growth factor/scatter factor. <i>Biochemical and Biophysical Research Communications</i> , 1995 , 217, 1062-9	3.4	49
10	Inhibition of HGF/SF-induced membrane ruffling and cell motility by transient elevation of cytosolic free Ca ²⁺ . <i>Experimental Cell Research</i> , 1995 , 220, 424-33	4.2	13
9	Membrane ruffling of cancer cells: a parameter of tumour cell motility and invasion. <i>European Journal of Surgical Oncology</i> , 1995 , 21, 307-9	3.6	35
8	Molecular and cellular basis of cancer invasion and metastasis: implications for treatment. <i>British Journal of Surgery</i> , 1994 , 81, 1576-90	5.3	95
7	Early lead challenge and subsequent hypertension in Sprague-Dawley rats. <i>Journal of the American College of Nutrition</i> , 1994 , 13, 578-83	3.5	11
6	Hepatocyte growth factor/scatter factor, liver regeneration and cancer metastasis. <i>British Journal of Surgery</i> , 1993 , 80, 1368-73	5.3	72
5	Rabbit and human renotropin are not epidermal growth factor. <i>Journal of Urology</i> , 1993 , 149, 1186-9	2.5	1
4	Monocyte-conditioned media possess a novel factor which increases motility of cancer cells. <i>International Journal of Cancer</i> , 1993 , 53, 426-31	7.5	21
3	Regulation of spreading and growth of colon cancer cells by hepatocyte growth factor. <i>Clinical and Experimental Metastasis</i> , 1993 , 11, 235-42	4.7	66
2	The expression and prognostic value of ROCK I and ROCK II and their role in human breast cancer 1992 , 33, 585		4
1	U937 cells stimulated with opsonised zymozan particles provide a convenient laboratory source of tumour necrosis factor alpha. <i>Journal of Immunological Methods</i> , 1992 , 152, 201-7	2.5	7