

# Takayoshi Ohkubo

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3967961/takayoshi-ohkubo-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

427  
papers

31,860  
citations

70  
h-index

172  
g-index

453  
ext. papers

37,532  
ext. citations

4.6  
avg, IF

6.09  
L-index

#	Paper	IF	Citations
427	Prediction of Lifetime Risk of Cardiovascular Disease Deaths Stratified by Sex in the Japanese Population. <i>Journal of the American Heart Association</i> , <b>2021</b> , 10, e021753	6	0
426	Isolated Diastolic Hypertension in the IDACO Study: An Age-Stratified Analysis Using 24-Hour Ambulatory Blood Pressure Measurements. <i>Hypertension</i> , <b>2021</b> , 78, 1222-1231	8.5	3
425	In-office and out-of-office blood pressure measurement. <i>Journal of Human Hypertension</i> , <b>2021</b> ,	2.6	3
424	Lifetime risk of stroke stratified by chronic kidney disease and hypertension in the general Asian population: the Ohasama study. <i>Hypertension Research</i> , <b>2021</b> , 44, 866-873	4.7	2
423	Relative and Absolute Risk to Guide the Management of Pulse Pressure, an Age-Related Cardiovascular Risk Factor. <i>American Journal of Hypertension</i> , <b>2021</b> , 34, 929-938	2.3	4
422	Factors Associated with Lower Cognitive Performance Scores Among Older Japanese Men in Hawaii and Japan. <i>Journal of Alzheimer's Disease</i> , <b>2021</b> , 81, 403-412	4.3	
421	Association between socioeconomic status and prolonged television viewing time in a general Japanese population: NIPPON DATA2010. <i>Environmental Health and Preventive Medicine</i> , <b>2021</b> , 26, 57	4.2	3
420	Association of self-measured home, ambulatory, and strictly measured office blood pressure and their variability with intracranial arterial stenosis. <i>Journal of Hypertension</i> , <b>2021</b> , 39, 2030-2039	1.9	0
419	Home blood pressure monitoring: methodology, clinical relevance and practical application: a 2021 position paper by the Working Group on Blood Pressure Monitoring and Cardiovascular Variability of the European Society of Hypertension. <i>Journal of Hypertension</i> , <b>2021</b> , 39, 1742-1767	1.9	15
418	A Combination of Blood Pressure and Total Cholesterol Increases the Lifetime Risk of Coronary Heart Disease Mortality: EPOCH-JAPAN. <i>Journal of Atherosclerosis and Thrombosis</i> , <b>2021</b> , 28, 6-24	4	4
417	Electrocardiographic Left Atrial Abnormality and B-Type Natriuretic Peptide in a General Japanese Population: NIPPON DATA2010. <i>Journal of Atherosclerosis and Thrombosis</i> , <b>2021</b> , 28, 34-43	4	1
416	Examining the trimester-specific effects of low gestational weight gain on birthweight: the BOSHI study. <i>Journal of Developmental Origins of Health and Disease</i> , <b>2021</b> , 12, 280-285	2.4	1
415	Insights on home blood pressure monitoring in Asia: Expert perspectives from 10 countries/regions. <i>Journal of Clinical Hypertension</i> , <b>2021</b> , 23, 3-11	2.3	3
414	Association of Fatal and Nonfatal Cardiovascular Outcomes With 24-Hour Mean Arterial Pressure. <i>Hypertension</i> , <b>2021</b> , 77, 39-48	8.5	7
413	Cluster-randomized controlled trial for the early promotion of clinic visits for untreated hypertension. <i>Hypertension Research</i> , <b>2021</b> , 44, 355-362	4.7	0
412	Differences between home blood pressure and strictly measured office blood pressure and their determinants in Japanese men. <i>Hypertension Research</i> , <b>2021</b> , 44, 80-87	4.7	2
411	The Major Source of Antioxidants Intake From Typical Diet Among Rural Farmers in North-eastern Japan in the 1990s. <i>Journal of Epidemiology</i> , <b>2021</b> , 31, 101-108	3.4	1

410	Alcohol drinking and brain morphometry in apparently healthy community-dwelling Japanese men. <i>Alcohol</i> , <b>2021</b> , 90, 57-65	2.7	2
409	Relationship Between Calcium Intake and Impaired Activities of Daily Living in a Japanese Population: NIPPON DATA90. <i>Journal of Epidemiology</i> , <b>2021</b> , 31, 119-124	3.4	1
408	Association between socioeconomic status and physical inactivity in a general Japanese population: NIPPON DATA2010. <i>PLoS ONE</i> , <b>2021</b> , 16, e0254706	3.7	2
407	The association of disproportionately enlarged subarachnoid space hydrocephalus with cognitive deficit in a general population: the Ohasama study. <i>Scientific Reports</i> , <b>2021</b> , 11, 17061	4.9	0
406	Detailed association between serum uric acid levels and the incidence of chronic kidney disease stratified by sex in middle-aged adults. <i>Atherosclerosis</i> , <b>2021</b> , 330, 107-113	3.1	2
405	Validity and reliability of a checklist for patients with Behçet disease based on the International Classification of Functioning, Disability and Health. <i>Rheumatology International</i> , <b>2021</b> , 1	3.6	
404	Validation of a wrist-type home nocturnal blood pressure monitor in the sitting and supine position according to the ANSI/AAMI/ISO81060-2:2013 guidelines: Omron HEM-9601T. <i>Journal of Clinical Hypertension</i> , <b>2020</b> , 22, 970-978	2.3	11
403	Comparison of nocturnal blood pressure based on home versus ambulatory blood pressure measurement: The Ohasama Study. <i>Clinical and Experimental Hypertension</i> , <b>2020</b> , 42, 685-691	2.2	3
402	Seasonal variation in blood pressure: Evidence, consensus and recommendations for clinical practice. Consensus statement by the European Society of Hypertension Working Group on Blood Pressure Monitoring and Cardiovascular Variability. <i>Journal of Hypertension</i> , <b>2020</b> , 38, 1235-1243	1.9	26
401	Association of maternal home blood pressure trajectory during pregnancy with infant birth weight: the BOSHI study. <i>Hypertension Research</i> , <b>2020</b> , 43, 550-559	4.7	7
400	The Association Between Coronary Artery Calcification and Subclinical Cerebrovascular Diseases in Men: An Observational Study. <i>Journal of Atherosclerosis and Thrombosis</i> , <b>2020</b> , 27, 995-1009	4	5
399	Antioxidant Capacities of Plant-Derived Foods Commonly Consumed in Japan. <i>Journal of Nutritional Science and Vitaminology</i> , <b>2020</b> , 66, 68-74	1.1	1
398	Epidemiology of hypertension in Japan: beyond the new 2019 Japanese guidelines. <i>Hypertension Research</i> , <b>2020</b> , 43, 1344-1351	4.7	13
397	Do estimated 24-h pulse pressure components affect outcome? The Ohasama study. <i>Journal of Hypertension</i> , <b>2020</b> , 38, 1286-1292	1.9	1
396	Antihypertensive drug effects according to the pretreatment self-measured home blood pressure: the HOMED-BP study. <i>BMJ Open</i> , <b>2020</b> , 10, e040524	3	1
395	Blood Pressure Phenotypes Defined by Ambulatory Blood Pressure Monitoring and Carotid Artery Changes in Community-Dwelling Older Japanese Adults: The Ohasama Study. <i>Tohoku Journal of Experimental Medicine</i> , <b>2020</b> , 252, 269-279	2.4	
394	Nocturnal Home Blood Pressure Monitoring. <i>Updates in Hypertension and Cardiovascular Protection</i> , <b>2020</b> , 121-129	0.1	
393	Home Blood Pressure Variability. <i>Updates in Hypertension and Cardiovascular Protection</i> , <b>2020</b> , 143-154	0.1	

392	Home Blood Pressure as Predictor of Adverse Health Outcomes. <i>Updates in Hypertension and Cardiovascular Protection</i> , <b>2020</b> , 33-43	0.1	
391	Diagnostic Value of Home Blood Pressure. <i>Updates in Hypertension and Cardiovascular Protection</i> , <b>2020</b> , 45-54	0.1	2
390	Home Blood Pressure Monitoring Schedule. <i>Updates in Hypertension and Cardiovascular Protection</i> , <b>2020</b> , 55-62	0.1	
389	Exercise Habits Are Associated with Improved Long-Term Mortality Risks in the Nationwide General Japanese Population: A 20-Year Follow-Up of the NIPPON DATA90 Study. <i>Tohoku Journal of Experimental Medicine</i> , <b>2020</b> , 252, 253-262	2.4	0
388	Day-to-day blood pressure variability is associated with lower cognitive performance among the Japanese community-dwelling oldest-old population: the SONIC study. <i>Hypertension Research</i> , <b>2020</b> , 43, 404-411	4.7	11
387	Identification of physical and psychosocial problems based on symptoms in patients with Behçet disease. <i>Rheumatology International</i> , <b>2020</b> , 40, 81-89	3.6	4
386	Hyperuricemia predicts the risk for developing hypertension independent of alcohol drinking status in men and women: the Saku study. <i>Hypertension Research</i> , <b>2020</b> , 43, 442-449	4.7	13
385	Association Between Blood Pressure Variability and Cerebral Small-Vessel Disease: A Systematic Review and Meta-Analysis. <i>Journal of the American Heart Association</i> , <b>2020</b> , 9, e013841	6	34
384	Association of Extreme Nocturnal Dipping With Cardiovascular Events Strongly Depends on Age. <i>Hypertension</i> , <b>2020</b> , 75, 324-330	8.5	12
383	Isolated systolic hypertension and 29-year cardiovascular mortality risk in Japanese adults aged 30–49 years. <i>Journal of Hypertension</i> , <b>2020</b> , 38, 2230-2236	1.9	7
382	Hypertension and related diseases in the era of COVID-19: a report from the Japanese Society of Hypertension Task Force on COVID-19. <i>Hypertension Research</i> , <b>2020</b> , 43, 1028-1046	4.7	65
381	Blood Pressure and Chronic Kidney Disease Stratified by Gender and the Use of Antihypertensive Drugs. <i>Journal of the American Heart Association</i> , <b>2020</b> , 9, e015592	6	5
380	Recent status of self-measured home blood pressure in the Japanese general population: a modern database on self-measured home blood pressure (MDAS). <i>Hypertension Research</i> , <b>2020</b> , 43, 1403-1412	4.7	3
379	The present situation of home blood pressure measurement among outpatients in Japan. <i>Clinical and Experimental Hypertension</i> , <b>2020</b> , 42, 67-74	2.2	4
378	Dietary Inflammatory Index Positively Associated With High-Sensitivity C-Reactive Protein Level in Japanese From NIPPON DATA2010. <i>Journal of Epidemiology</i> , <b>2020</b> , 30, 98-107	3.4	10
377	Proteinuria and Reduced Estimated Glomerular Filtration Rate are Independently Associated With Lower Cognitive Abilities in Apparently Healthy Community-Dwelling Elderly Men in Japan: A Cross-sectional Study. <i>Journal of Epidemiology</i> , <b>2020</b> , 30, 244-252	3.4	3
376	Effects of measurement intervals on the values of repeated auscultatory blood pressure measurements. <i>Clinical and Experimental Hypertension</i> , <b>2020</b> , 42, 105-109	2.2	2
375	Validation of an automated home blood pressure measurement device in oldest-old populations. <i>Hypertension Research</i> , <b>2020</b> , 43, 30-35	4.7	7

374	Impact of diastolic blood pressure threshold for the young population: the Japan Arteriosclerosis Longitudinal Study (JALS). <i>Journal of Hypertension</i> , <b>2019</b> , 37, 652-653	1.9	0
373	Comparison of blood pressure values-self-measured at home, measured at an unattended office, and measured at a conventional attended office. <i>Hypertension Research</i> , <b>2019</b> , 42, 1726-1737	4.7	12
372	Added predictive value of high uric acid for cardiovascular events in the Ambulatory Blood Pressure International Study. <i>Journal of Clinical Hypertension</i> , <b>2019</b> , 21, 966-974	2.3	6
371	Socioeconomic and lifestyle factors associated with depressive tendencies in general Japanese men and women: NIPPON DATA2010. <i>Environmental Health and Preventive Medicine</i> , <b>2019</b> , 24, 37	4.2	9
370	Association of Work Situation With Cardiovascular Disease Mortality Risk Among Working-Age Japanese Men - A 20-Year Follow-up of NIPPON DATA90. <i>Circulation Journal</i> , <b>2019</b> , 83, 1506-1513	2.9	4
369	The impact of sex on risk of cardiovascular disease and all-cause mortality in adults with or without diabetes mellitus: A comparison between the U.S. and Japan. <i>Journal of Diabetes and Its Complications</i> , <b>2019</b> , 33, 417-423	3.2	6
368	Are the cardiovascular outcomes of participants with white-coat hypertension poor compared to those of participants with normotension? A systemic review and meta-analysis. <i>Hypertension Research</i> , <b>2019</b> , 42, 825-833	4.7	16
367	Is antihypertensive treatment based on home blood pressure recommended rather than that based on office blood pressure in adults with essential hypertension? (meta-analysis). <i>Hypertension Research</i> , <b>2019</b> , 42, 807-816	4.7	8
366	Associations of Overweight, Obesity, and Underweight With High Serum Total Cholesterol Level Over 30 Years Among the Japanese Elderly: NIPPON DATA 80, 90, and 2010. <i>Journal of Epidemiology</i> , <b>2019</b> , 29, 133-138	3.4	3
365	Outcome-Driven Thresholds for Ambulatory Blood Pressure Based on the New American College of Cardiology/American Heart Association Classification of Hypertension. <i>Hypertension</i> , <b>2019</b> , 74, 776-783	8.5	13
364	Fasting Blood Glucose Predicts Incidence of Hypertension Independent of HbA1c Levels and Insulin Resistance in Middle-Aged Japanese: The Saku Study. <i>American Journal of Hypertension</i> , <b>2019</b> , 32, 1178-1185	2.3	7
363	The Japanese Society of Hypertension Guidelines for the Management of Hypertension (JSH 2019). <i>Hypertension Research</i> , <b>2019</b> , 42, 1235-1481	4.7	468
362	Association of Office and Ambulatory Blood Pressure With Mortality and Cardiovascular Outcomes. <i>JAMA - Journal of the American Medical Association</i> , <b>2019</b> , 322, 409-420	27.4	136
361	Age-Related Trends in Home Blood Pressure, Home Pulse Rate, and Day-to-Day Blood Pressure and Pulse Rate Variability Based on Longitudinal Cohort Data: The Ohasama Study. <i>Journal of the American Heart Association</i> , <b>2019</b> , 8, e012121	6	3
360	Carotid Intima-Media Thickness and Plaque in Apparently Healthy Japanese Individuals with an Estimated 10-Year Absolute Risk of CAD Death According to the Japan Atherosclerosis Society (JAS) Guidelines 2012: The Shiga Epidemiological Study of Subclinical Atherosclerosis (SESSA). <i>Journal of Atherosclerosis and Thrombosis</i> , <b>2019</b> , 26, 746	4	
359	Emergence of Home Blood Pressure-Guided Management of Hypertension Based on Global Evidence. <i>Hypertension</i> , <b>2019</b> , HYPERTENSIONAHA11912630	8.5	36
358	Opposing Age-Related Trends in Absolute and Relative Risk of Adverse Health Outcomes Associated With Out-of-Office Blood Pressure. <i>Hypertension</i> , <b>2019</b> , 74, 1333-1342	8.5	13
357	Development of Risk Prediction Equations for Incident Chronic Kidney Disease. <i>JAMA - Journal of the American Medical Association</i> , <b>2019</b> , 322, 2104-2114	27.4	52

356	N-Terminal Pro-B-Type Natriuretic Peptide Is a Predictor of Chronic Kidney Disease in an Asian General Population - The Ohasama Study. <i>Circulation Reports</i> , <b>2019</b> , 2, 24-32	0.7	2
355	Effectiveness of a Self-Monitoring Quality of Life Intervention For Patients with Cancer Receiving Palliative Care: A Randomized Controlled Clinical Trial. <i>Asian Pacific Journal of Cancer Prevention</i> , <b>2019</b> , 20, 2795-2802	1.7	4
354	Blood pressure variability and arterial stiffness parameters derived from ambulatory blood pressure monitoring. <i>Kardiologia Polska</i> , <b>2019</b> , 77, 509-514	0.9	3
353	Blood Pressure and Cardiovascular Disease in the Elderly. <i>Current Topics in Environmental Health and Preventive Medicine</i> , <b>2019</b> , 107-119	0.3	
352	Absolute risk score for stroke, myocardial infarction, and all cardiovascular disease: Japan Arteriosclerosis Longitudinal Study. <i>Hypertension Research</i> , <b>2019</b> , 42, 567-579	4.7	9
351	Validity and Reliability of the Japanese Version of the 10-Item Perceived Efficacy in Patient-Physician Interactions (PEPPI-10) Scale in Breast Cancer Outpatients. <i>Tohoku Journal of Experimental Medicine</i> , <b>2019</b> , 249, 121-126	2.4	0
350	The association of home and accurately measured office blood pressure with coronary artery calcification among general Japanese men. <i>Journal of Hypertension</i> , <b>2019</b> , 37, 1676-1681	1.9	4
349	Moderate morning rise in blood pressure has lowest risk of stroke but only in women. <i>Journal of Hypertension</i> , <b>2019</b> , 37, 1437-1447	1.9	1
348	Nocturnal blood pressure measured by home devices: evidence and perspective for clinical application. <i>Journal of Hypertension</i> , <b>2019</b> , 37, 905-916	1.9	45
347	Altered immunogenicity of 23-valent pneumococcal polysaccharide vaccine in elderly patients with diabetes who revealed lower responses to concomitant administration of BIKEN varicella zoster vaccine: Results of post hoc analysis of a randomized double-blind trial. <i>Journal of Diabetes and Its Complications</i> , <b>2019</b> , 33, 243-248	3.2	1
346	Stroke risk due to partial white-coat or masked hypertension based on the ACC/AHA guideline blood pressure threshold: the Ohasama study. <i>Hypertension Research</i> , <b>2019</b> , 42, 120-122	4.7	5
345	Factors associated with intra-individual visit-to-visit variability of blood pressure in four countries: the INTERMAP study. <i>Journal of Human Hypertension</i> , <b>2019</b> , 33, 229-236	2.6	3
344	Lifetime Risk of Stroke and Coronary Heart Disease Deaths According to Blood Pressure Level: EPOCH-JAPAN (Evidence for Cardiovascular Prevention From Observational Cohorts in Japan). <i>Hypertension</i> , <b>2019</b> , 73, 52-59	8.5	19
343	Having few remaining teeth is associated with a low nutrient intake and low serum albumin levels in middle-aged and older Japanese individuals: findings from the NIPPON DATA2010. <i>Environmental Health and Preventive Medicine</i> , <b>2019</b> , 24, 1	4.2	36
342	Steno-Stiffness Approach for Cardiovascular Disease Risk Assessment in Primary Prevention. <i>Hypertension</i> , <b>2019</b> , 73, 508-513	8.5	6
341	Relationship of Estimated GFR and Albuminuria to Concurrent Laboratory Abnormalities: An Individual Participant Data Meta-analysis in a Global Consortium. <i>American Journal of Kidney Diseases</i> , <b>2019</b> , 73, 206-217	7.4	25
340	Risk of developing type 2 diabetes according to blood pressure levels and presence or absence of hypertensive treatment: the Saku study. <i>Hypertension Research</i> , <b>2019</b> , 42, 105-113	4.7	3
339	Vegetable Protein Intake was Inversely Associated with Cardiovascular Mortality in a 15-Year Follow-Up Study of the General Japanese Population. <i>Journal of Atherosclerosis and Thrombosis</i> , <b>2019</b> , 26, 198-206	4	12

338	The association between glycemic control and lung function impairment in individuals with diabetes: the Saku study. <i>Diabetology International</i> , <b>2019</b> , 10, 213-218	2.3	4
337	Seasonal variation in home blood pressure: findings from nationwide web-based monitoring in Japan. <i>BMJ Open</i> , <b>2018</b> , 8, e017351	3	24
336	Simultaneously Measured Interarm Blood Pressure Difference and Stroke: An Individual Participants Data Meta-Analysis. <i>Hypertension</i> , <b>2018</b> , 71, 1030-1038	8.5	17
335	Association of extremely high levels of high-density lipoprotein cholesterol with cardiovascular mortality in a pooled analysis of 9 cohort studies including 43,407 individuals: The EPOCH-JAPAN study. <i>Journal of Clinical Lipidology</i> , <b>2018</b> , 12, 674-684.e5	4.9	61
334	A prospective study of the impact of diabetes mellitus on restrictive and obstructive lung function impairment: The Saku study. <i>Metabolism: Clinical and Experimental</i> , <b>2018</b> , 82, 58-64	12.7	19
333	Overweight or underweight and the risk of decline in activities of daily living in a 22-year cohort study of a Japanese sample. <i>Geriatrics and Gerontology International</i> , <b>2018</b> , 18, 799-805	2.9	5
332	Dietary tofu intake and long-term risk of death from stroke in a general population. <i>Clinical Nutrition</i> , <b>2018</b> , 37, 182-188	5.9	7
331	Cardiovascular risk and blood pressure lowering treatment among elderly individuals: Evidence for Cardiovascular Prevention from Observational Cohorts in Japan. <i>Journal of Hypertension</i> , <b>2018</b> , 36, 410-418	1.8	5
330	Glomerular hyperfiltration is a predictor of adverse cardiovascular outcomes. <i>Kidney International</i> , <b>2018</b> , 93, 195-203	9.9	40
329	High central blood pressure is associated with incident cardiovascular events in treated hypertensives: the ABC-J II Study. <i>Hypertension Research</i> , <b>2018</b> , 41, 947-956	4.7	10
328	Change in Pericardial Fat Volume and Cardiovascular Risk Factors in a General Population of Japanese Men. <i>Circulation Journal</i> , <b>2018</b> , 82, 2542-2548	2.9	4
327	Patterns of ambulatory blood pressure: clinical relevance and application. <i>Journal of Clinical Hypertension</i> , <b>2018</b> , 20, 1112-1115	2.3	18
326	Home blood pressure monitoring in the 21st century. <i>Journal of Clinical Hypertension</i> , <b>2018</b> , 20, 1116-1121	2.3	36
325	Effectiveness of a Self-monitoring Device for Urinary Sodium-to-Potassium Ratio on Dietary Improvement in Free-Living Adults: a Randomized Controlled Trial. <i>Journal of Epidemiology</i> , <b>2018</b> , 28, 41-47	3.4	21
324	Association Between Amplitude of Seasonal Variation in Self-Measured Home Blood Pressure and Cardiovascular Outcomes: HOMED-BP (Hypertension Objective Treatment Based on Measurement By Electrical Devices of Blood Pressure) Study. <i>Journal of the American Heart Association</i> , <b>2018</b> , 7,	6	30
323	Association between tooth loss and cognitive impairment in community-dwelling older Japanese adults: a 4-year prospective cohort study from the Ohasama study. <i>BMC Oral Health</i> , <b>2018</b> , 18, 142	3.7	33
322	N-Terminal Pro-B-Type Natriuretic Peptide Is Not a Significant Predictor of Stroke Incidence After 5 Years - The Ohasama Study. <i>Circulation Journal</i> , <b>2018</b> , 82, 2055-2062	2.9	6
321	Effects of a Self-Monitoring Quality of Life Intervention for Patients with Cancer Receiving Palliative Care in Japan: Study Protocol for a Randomized Controlled Trial. <i>Asian Pacific Journal of Cancer Prevention</i> , <b>2018</b> , 19, 3027-3032	1.7	4

320	Effect of amlodipine, efonidipine, and trichlormethiazide on home blood pressure and upper-normal microalbuminuria assessed by casual spot urine test in essential hypertensive patients. <i>Clinical and Experimental Hypertension</i> , <b>2018</b> , 40, 468-475	2.2	2
319	Nocturnal blood pressure decline based on different time intervals and long-term cardiovascular risk: the Ohasama Study. <i>Clinical and Experimental Hypertension</i> , <b>2018</b> , 40, 1-7	2.2	9
318	Association between alcohol consumption and incidence of impaired insulin secretion and insulin resistance in Japanese: The Saku study. <i>Diabetes Research and Clinical Practice</i> , <b>2018</b> , 135, 11-17	7.4	16
317	Genome-wide association study for white coat effect in Japanese middle-aged to elderly people: The HOMED-BP study. <i>Clinical and Experimental Hypertension</i> , <b>2018</b> , 40, 363-369	2.2	2
316	Relationships among Socioeconomic Factors and Self-rated Health in Japanese Adults: NIPPON DATA2010. <i>Journal of Epidemiology</i> , <b>2018</b> , 28 Suppl 3, S66-S72	3.4	9
315	Development and evaluation of a home nocturnal blood pressure monitoring system using a wrist-cuff device. <i>Blood Pressure Monitoring</i> , <b>2018</b> , 23, 318-326	1.3	11
314	Socioeconomic Inequalities in Oral Health among Middle-Aged and Elderly Japanese: NIPPON DATA2010. <i>Journal of Epidemiology</i> , <b>2018</b> , 28 Suppl 3, S59-S65	3.4	10
313	Home blood pressure variability and subclinical atherosclerosis in multiple vascular beds: a population-based study. <i>Journal of Hypertension</i> , <b>2018</b> , 36, 2193-2203	1.9	13
312	Socioeconomic Inequalities in Oral Health Among Unmarried and Married Women: Evidence From a Population-Based Study in Japan. <i>Journal of Epidemiology</i> , <b>2018</b> , 28, 341-346	3.4	6
311	Antihypertensives prescribed for pregnant women in Japan: Prevalence and timing determined from a database of health insurance claims. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2018</b> , 27, 1325-1334 <sup>2.6</sup>	2.6	6
310	The National Integrated Project for Prospective Observation of Non-communicable Disease and its Trends in the Aged 2010 (NIPPON DATA2010): Objectives, Design, and Population Characteristics. <i>Journal of Epidemiology</i> , <b>2018</b> , 28 Suppl 3, S2-S9	3.4	20
309	Relationships among Food Group Intakes, Household Expenditure, and Education Attainment in a General Japanese Population: NIPPON DATA2010. <i>Journal of Epidemiology</i> , <b>2018</b> , 28 Suppl 3, S23-S28	3.4	5
308	Relationship Between Socioeconomic Status and the Prevalence of Underweight, Overweight or Obesity in a General Japanese Population: NIPPON DATA2010. <i>Journal of Epidemiology</i> , <b>2018</b> , 28 Suppl 3, S10-S16	3.4	19
307	Macronutrient Intake and Socioeconomic Status: NIPPON DATA2010. <i>Journal of Epidemiology</i> , <b>2018</b> , 28 Suppl 3, S17-S22	3.4	11
306	Socioeconomic Status Associated With Urinary Sodium and Potassium Excretion in Japan: NIPPON DATA2010. <i>Journal of Epidemiology</i> , <b>2018</b> , 28 Suppl 3, S29-S34	3.4	11
305	Differences in Lifestyle Improvements With the Intention to Prevent Cardiovascular Diseases by Socioeconomic Status in a Representative Japanese Population: NIPPON DATA2010. <i>Journal of Epidemiology</i> , <b>2018</b> , 28 Suppl 3, S35-S39	3.4	2
304	Associations between Socioeconomic Status and the Prevalence and Treatment of Hypercholesterolemia in a General Japanese Population: NIPPON DATA2010. <i>Journal of Atherosclerosis and Thrombosis</i> , <b>2018</b> , 25, 606-620	4	10
303	Passive Smoking at Home by Socioeconomic Factors in a Japanese Population: NIPPON DATA2010. <i>Journal of Epidemiology</i> , <b>2018</b> , 28 Suppl 3, S40-S45	3.4	3



302	Socioeconomic Status and Knowledge of Cardiovascular Risk Factors: NIPPON DATA2010. <i>Journal of Epidemiology</i> , <b>2018</b> , 28 Suppl 3, S46-S52	3.4	9
301	Predictive power of home blood pressure indices at baseline and during follow-up in hypertensive patients: HOMED-BP study. <i>Hypertension Research</i> , <b>2018</b> , 41, 622-628	4.7	4
300	Ankle-brachial index measured by oscillometry is predictive for cardiovascular disease and premature death in the Japanese population: An individual participant data meta-analysis. <i>Atherosclerosis</i> , <b>2018</b> , 275, 141-148	3.1	18
299	Evidence-based proposal for the number of ambulatory readings required for assessing blood pressure level in research settings: an analysis of the IDACO database. <i>Blood Pressure</i> , <b>2018</b> , 27, 341-350	1.7	17
298	Factors Related to Participation in Health Examinations for Japanese National Health Insurance: NIPPON DATA2010. <i>Journal of Epidemiology</i> , <b>2018</b> , 28 Suppl 3, S53-S58	3.4	4
297	Characterising private and shared signatures of positive selection in 37 Asian populations. <i>European Journal of Human Genetics</i> , <b>2017</b> , 25, 499-508	5.3	15
296	Global Burden of Hypertension and Systolic Blood Pressure of at Least 110 to 115 mm Hg, 1990-2015. <i>JAMA - Journal of the American Medical Association</i> , <b>2017</b> , 317, 165-182	27.4	957
295	Left ventricular hypertrophy by electrocardiogram as a predictor of success in home blood pressure control: HOMED-BP study. <i>Hypertension Research</i> , <b>2017</b> , 40, 504-510	4.7	3
294	Outcome-Driven Thresholds for Increased Home Blood Pressure Variability. <i>Hypertension</i> , <b>2017</b> , 69, 599-607	8.7	44
293	Global Cardiovascular and Renal Outcomes of Reduced GFR. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2017</b> , 28, 2167-2179	12.7	127
292	Brachial-Ankle Pulse Wave Velocity and the Risk Prediction of Cardiovascular Disease: An Individual Participant Data Meta-Analysis. <i>Hypertension</i> , <b>2017</b> , 69, 1045-1052	8.5	220
291	Prevalence, Treatment, and Control Rates of Conventional and Ambulatory Hypertension Across 10 Populations in 3 Continents. <i>Hypertension</i> , <b>2017</b> , 70, 50-58	8.5	49
290	The effects of increasing calcium channel blocker dose vs. adding a diuretic to treatment regimens for patients with uncontrolled hypertension. <i>Hypertension Research</i> , <b>2017</b> , 40, 892-898	4.7	11
289	Response to Yatabe et al. <i>Hypertension Research</i> , <b>2017</b> , 40, 789-790	4.7	2
288	Associations of socioeconomic status with prevalence, awareness, treatment, and control of hypertension in a general Japanese population: NIPPON DATA2010. <i>Journal of Hypertension</i> , <b>2017</b> , 35, 401-408	1.9	59
287	Risk for metabolic diseases in normal weight individuals with visceral fat accumulation: a cross-sectional study in Japan. <i>BMJ Open</i> , <b>2017</b> , 7, e013831	3	23
286	Masked tachycardia. A predictor of adverse outcome in hypertension. <i>Journal of Hypertension</i> , <b>2017</b> , 35, 487-492	1.9	17
285	Impacts of chronic kidney disease and diabetes on cardiovascular mortality in a general Japanese population: A 20-year follow-up of the NIPPON DATA90 study. <i>European Journal of Preventive Cardiology</i> , <b>2017</b> , 24, 505-513	3.9	5

284	Proposed Cutoff Value of Brachial-Ankle Pulse Wave Velocity for the Management of Hypertension. <i>Circulation Journal</i> , <b>2017</b> , 81, 1540-1542	2.9	18
283	Factors Associated with Pneumonia-caused Death in Older Adults with Autopsy-confirmed Dementia. <i>Internal Medicine</i> , <b>2017</b> , 56, 907-914	1.1	15
282	The fine-scale genetic structure and evolution of the Japanese population. <i>PLoS ONE</i> , <b>2017</b> , 12, e0185487	3.7	21
281	Distinct association between educational attainment and overweight/obesity in unmarried and married women: evidence from a population-based study in Japan. <i>BMC Public Health</i> , <b>2017</b> , 17, 903	4.1	15
280	Risk Factors for Stroke among Young-Old and Old-Old Community-Dwelling Adults in Japan: The Ohasama Study. <i>Journal of Atherosclerosis and Thrombosis</i> , <b>2017</b> , 24, 290-300	4	15
279	Hypertension with diabetes mellitus: significance from an epidemiological perspective for Japanese. <i>Hypertension Research</i> , <b>2017</b> , 40, 795-806	4.7	44
278	Home blood pressure predicts stroke incidence among older adults with impaired physical function: the Ohasama study. <i>Journal of Hypertension</i> , <b>2017</b> , 35, 2395-2401	1.9	3
277	Lacunar Infarcts Rather than White Matter Hyperintensity as a Predictor of Future Higher Level Functional Decline: The Ohasama Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2017</b> , 26, 376-384	2.8	4
276	Seasonal variation in self-measured home blood pressure among patients on antihypertensive medications: HOMED-BP study. <i>Hypertension Research</i> , <b>2017</b> , 40, 284-290	4.7	28
275	Blood pressure, heart rate, and double product in a pooled cohort: the Japan Arteriosclerosis Longitudinal Study. <i>Journal of Hypertension</i> , <b>2017</b> , 35, 1808-1815	1.9	12
274	Identification of physical and psychosocial problems associated with diabetic nephropathy using the International Classification of Functioning, Disability and Health Core Set for Diabetes Mellitus. <i>Clinical and Experimental Nephrology</i> , <b>2016</b> , 20, 187-94	2.5	5
273	Menstrual Factors and Stroke Incidence in Japanese Postmenopausal Women: The Ohasama Study. <i>Neuroepidemiology</i> , <b>2016</b> , 47, 109-116	5.4	9
272	Home blood pressure level and decline in renal function among treated hypertensive patients: the J-HOME-Morning Study. <i>Hypertension Research</i> , <b>2016</b> , 39, 107-12	4.7	8
271	The Cardiovascular Risk of White-Coat Hypertension. <i>Journal of the American College of Cardiology</i> , <b>2016</b> , 68, 2033-2043	15.1	96
270	Dietary sodium-to-potassium ratio as a risk factor for stroke, cardiovascular disease and all-cause mortality in Japan: the NIPPON DATA80 cohort study. <i>BMJ Open</i> , <b>2016</b> , 6, e011632	3	53
269	Reference values and associated factors for Japanese newborns' blood pressure and pulse rate: the babies and their parents' longitudinal observation in Suzuki Memorial Hospital on intrauterine period (BOSHI) study. <i>Journal of Hypertension</i> , <b>2016</b> , 34, 1578-85	1.9	18
268	Does Antihypertensive Drug Class Affect Day-to-Day Variability of Self-Measured Home Blood Pressure? The HOMED-BP Study. <i>Journal of the American Heart Association</i> , <b>2016</b> , 5, e002995	6	24
267	Relationship between non-high-density lipoprotein cholesterol and the long-term mortality of cardiovascular diseases: NIPPON DATA 90. <i>International Journal of Cardiology</i> , <b>2016</b> , 220, 262-7	3.2	16

266	Gender differences in the perception of difficulty of self-management in patients with diabetes mellitus: a mixed-methods approach. <i>Diabetology International</i> , <b>2016</b> , 7, 289-298	2.3	1
265	Methodology and technology for peripheral and central blood pressure and blood pressure variability measurement: current status and future directions - Position statement of the European Society of Hypertension Working Group on blood pressure monitoring and cardiovascular variability. <i>Journal of Hypertension</i> , <b>2016</b> , 34, 1665-77	1.9	89
264	The effect of fathers and mothers' educational level on adult oral health in Japan. <i>Community Dentistry and Oral Epidemiology</i> , <b>2016</b> , 44, 283-91	2.8	10
263	Lipoprotein-associated phospholipase A2 is related to risk of subclinical atherosclerosis but is not supported by Mendelian randomization analysis in a general Japanese population. <i>Atherosclerosis</i> , <b>2016</b> , 246, 141-7	3.1	36
262	Serum level of LOX-1 ligand containing ApoB is associated with increased carotid intima-media thickness in Japanese community-dwelling men, especially those with hypercholesterolemia LOX-1 ligand and IMT in Japanese. <i>Journal of Clinical Lipidology</i> , <b>2016</b> , 10, 172-80.e1	4.9	10
261	Combined effects of maternal age and parity on successful initiation of exclusive breastfeeding. <i>Preventive Medicine Reports</i> , <b>2016</b> , 3, 121-6	2.6	49
260	Impaired Higher-Level Functional Capacity as a Predictor of Stroke in Community-Dwelling Older Adults: The Ohasama Study. <i>Stroke</i> , <b>2016</b> , 47, 323-8	6.7	13
259	Associations of serum LDL particle concentration with carotid intima-media thickness and coronary artery calcification. <i>Journal of Clinical Lipidology</i> , <b>2016</b> , 10, 1195-1202.e1	4.9	9
258	Long-Term Stroke Risk Due to Partial White-Coat or Masked Hypertension Based on Home and Ambulatory Blood Pressure Measurements: The Ohasama Study. <i>Hypertension</i> , <b>2016</b> , 67, 48-55	8.5	55
257	Maternal clinic and home blood pressure measurements during pregnancy and infant birth weight: the BOSHI study. <i>Hypertension Research</i> , <b>2016</b> , 39, 151-7	4.7	15
256	Independent Prognostic Value of Single and Multiple Non-Specific 12-Lead Electrocardiographic Findings for Long-Term Cardiovascular Outcomes: A Prospective Cohort Study. <i>PLoS ONE</i> , <b>2016</b> , 11, e0157563	3.7	3
255	The Relationship between Very High Levels of Serum High-Density Lipoprotein Cholesterol and Cause-Specific Mortality in a 20-Year Follow-Up Study of Japanese General Population. <i>Journal of Atherosclerosis and Thrombosis</i> , <b>2016</b> , 23, 800-9	4	33
254	Knowledge, Attitude, and Practices Toward Blood Pressure Measurement at Home Among Japanese Nurses. <i>Home Healthcare Now</i> , <b>2016</b> , 34, 210-7	0.5	3
253	Association of Total Energy Intake with 29-Year Mortality in the Japanese: NIPPON DATA80. <i>Journal of Atherosclerosis and Thrombosis</i> , <b>2016</b> , 23, 339-54	4	12
252	The velocity of antihypertensive effects of seven angiotensin II receptor blockers determined by home blood pressure measurements. <i>Journal of Hypertension</i> , <b>2016</b> , 34, 1218-23	1.9	10
251	Influence of pneumonia complications on the prognosis of patients with autopsy-confirmed Alzheimer's disease, dementia with Lewy bodies, and vascular dementia. <i>Psychogeriatrics</i> , <b>2016</b> , 16, 305-14	1.8	12
250	From mercury sphygmomanometer to electric device on blood pressure measurement: correspondence of Minamata Convention on Mercury. <i>Hypertension Research</i> , <b>2016</b> , 39, 179-82	4.7	11
249	Hypertension types defined by clinic and ambulatory blood pressure in 14 143 patients referred to hypertension clinics worldwide. Data from the ARTEMIS study. <i>Journal of Hypertension</i> , <b>2016</b> , 34, 2187-98	1.9	64

248	Cross-sectional association between exposure to particulate matter and inflammatory markers in the Japanese general population: NIPPON DATA2010. <i>Environmental Pollution</i> , <b>2016</b> , 213, 460-467	9.3	13
247	Does the flushing response modify the relationship between alcohol intake and hypertension in the Japanese population? NIPPON DATA2010. <i>Hypertension Research</i> , <b>2016</b> , 39, 670-9	4.7	8
246	Data set for renal sinus fat volume and visceral adipose tissue volume on computed tomography. <i>Data in Brief</i> , <b>2016</b> , 7, 1658-64	1.2	2
245	Relationship between office and home blood pressure with increasing age: The International Database of HOme blood pressure in relation to Cardiovascular Outcome (IDHOCO). <i>Hypertension Research</i> , <b>2016</b> , 39, 612-7	4.7	14
244	Renal sinus fat volume on computed tomography in middle-aged patients at risk for cardiovascular disease and its association with coronary artery calcification. <i>Atherosclerosis</i> , <b>2016</b> , 246, 374-81	3.1	9
243	Smoking, Smoking Cessation, and Measures of Subclinical Atherosclerosis in Multiple Vascular Beds in Japanese Men. <i>Journal of the American Heart Association</i> , <b>2016</b> , 5,	6	26
242	Prevalence and Determinants of Masked Hypertension Among Black Nigerians Compared With a Reference Population. <i>Hypertension</i> , <b>2016</b> , 67, 1249-55	8.5	9
241	Validation of the european SCORE risk chart in the healthy middle-aged Japanese. <i>Atherosclerosis</i> , <b>2016</b> , 252, 116-121	3.1	6
240	Lifetime cigarette smoking is associated with abdominal obesity in a community-based sample of Japanese men: The Shiga Epidemiological Study of Subclinical Atherosclerosis (SESSA). <i>Preventive Medicine Reports</i> , <b>2016</b> , 4, 225-32	2.6	26
239	Prognostic Value of Ambulatory Blood Pressure in the Obese: The Ambulatory Blood Pressure-International Study. <i>Journal of Clinical Hypertension</i> , <b>2016</b> , 18, 111-8	2.3	5
238	Development and validation of a short-version checklist for patients undergoing hemodialysis based on the International Classification of Functioning, Disability and Health. <i>Clinical and Experimental Nephrology</i> , <b>2015</b> , 19, 953-60	2.5	3
237	Association of aldosterone-to-renin ratio with hypertension differs by sodium intake: the Ohasama study. <i>American Journal of Hypertension</i> , <b>2015</b> , 28, 208-15	2.3	8
236	Long-term outcomes associated with prolonged PR interval in the general Japanese population. <i>International Journal of Cardiology</i> , <b>2015</b> , 184, 291-293	3.2	9
235	Awareness of the Japanese Society of Hypertension Guidelines for the Management of Hypertension and their use in clinical practices: 2009 survey results. <i>Hypertension Research</i> , <b>2015</b> , 38, 400-4	4.7	10
234	Identification of disaster-vulnerable communities by use of census data prior to the Great East Japan Earthquake. <i>Disaster Medicine and Public Health Preparedness</i> , <b>2015</b> , 9, 19-28	2.8	6
233	Trans-ancestry genome-wide association study identifies 12 genetic loci influencing blood pressure and implicates a role for DNA methylation. <i>Nature Genetics</i> , <b>2015</b> , 47, 1282-1293	36.3	223
232	Randomized trial comparing the velocities of the antihypertensive effects on home blood pressure of candesartan and candesartan with hydrochlorothiazide. <i>Hypertension Research</i> , <b>2015</b> , 38, 701-7	4.7	4
231	Defining thresholds for home blood pressure monitoring in octogenarians. <i>Hypertension</i> , <b>2015</b> , 66, 865-73	5	25

230	Secular trends of the impact of overweight and obesity on hypertension in Japan, 1980-2010. <i>Hypertension Research</i> , <b>2015</b> , 38, 790-5	4.7	32
229	Parity as a factor affecting the white-coat effect in pregnant women: the BOSHI study. <i>Hypertension Research</i> , <b>2015</b> , 38, 770-5	4.7	14
228	Differential effects of angiotensin II receptor blocker and losartan/hydrochlorothiazide combination on central blood pressure and augmentation index. <i>Clinical and Experimental Hypertension</i> , <b>2015</b> , 37, 294-302	2.2	3
227	Mapping the genetic diversity of HLA haplotypes in the Japanese populations. <i>Scientific Reports</i> , <b>2015</b> , 5, 17855	4.9	6
226	Risk of hypercholesterolemia for cardiovascular disease and the population attributable fraction in a 24-year Japanese cohort study. <i>Journal of Atherosclerosis and Thrombosis</i> , <b>2015</b> , 22, 95-107	4	25
225	Association between N-terminal pro B-type natriuretic peptide and day-to-day blood pressure and heart rate variability in a general population: the Ohasama study. <i>Journal of Hypertension</i> , <b>2015</b> , 33, 1536-41	1.9	11
224	Differences between clinic and home blood pressure measurements during pregnancy. <i>Journal of Hypertension</i> , <b>2015</b> , 33, 1492-3	1.9	3
223	Associations between Inflammatory Markers and Subclinical Atherosclerosis in Middle-aged White, Japanese-American and Japanese Men: The ERA-JUMP Study. <i>Journal of Atherosclerosis and Thrombosis</i> , <b>2015</b> , 22, 590-8	4	17
222	Association between Pulse Wave Velocity and Coronary Artery Calcification in Japanese men. <i>Journal of Atherosclerosis and Thrombosis</i> , <b>2015</b> , 22, 1266-77	4	17
221	Relationship between maternal gestational hypertension and home blood pressure in 7-year-old children and their mothers: Tohoku Study of Child Development. <i>Hypertension Research</i> , <b>2015</b> , 38, 776-82	4.7	11
220	Optimal number of days for home blood pressure measurement. <i>American Journal of Hypertension</i> , <b>2015</b> , 28, 595-603	2.3	29
219	Genome-wide association meta-analysis identifies novel variants associated with fasting plasma glucose in East Asians. <i>Diabetes</i> , <b>2015</b> , 64, 291-8	0.9	43
218	High-density lipoprotein particle concentration and subclinical atherosclerosis of the carotid arteries in Japanese men. <i>Atherosclerosis</i> , <b>2015</b> , 239, 444-50	3.1	16
217	Stool color card screening for early detection of biliary atresia and long-term native liver survival: a 19-year cohort study in Japan. <i>Journal of Pediatrics</i> , <b>2015</b> , 166, 897-902.e1	3.6	76
216	Combined effect of blood pressure and total cholesterol levels on long-term risks of subtypes of cardiovascular death: Evidence for Cardiovascular Prevention from Observational Cohorts in Japan. <i>Hypertension</i> , <b>2015</b> , 65, 517-24	8.5	31
215	Prognosis of white-coat and masked hypertension: International Database of HOme blood pressure in relation to Cardiovascular Outcome. <i>Hypertension</i> , <b>2014</b> , 63, 675-82	8.5	204
214	Animal protein intake is associated with higher-level functional capacity in elderly adults: the Ohasama study. <i>Journal of the American Geriatrics Society</i> , <b>2014</b> , 62, 426-34	5.6	27
213	Global, regional, and national levels of neonatal, infant, and under-5 mortality during 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , <b>2014</b> , 384, 957-79	4 <sup>0</sup>	497

212	Risk stratification by ambulatory blood pressure monitoring across JNC classes of conventional blood pressure. <i>American Journal of Hypertension</i> , <b>2014</b> , 27, 956-65	2.3	37
211	Day-to-day variability in home blood pressure is associated with cognitive decline: the Ohasama study. <i>Hypertension</i> , <b>2014</b> , 63, 1333-8	8.5	50
210	Aldosterone-to-renin ratio and nocturnal blood pressure decline assessed by self-measurement of blood pressure at home: the Ohasama Study. <i>Clinical and Experimental Hypertension</i> , <b>2014</b> , 36, 108-14	2.2	14
209	Cumulative impact of axial, structural, and repolarization ECG findings on long-term cardiovascular mortality among healthy individuals in Japan: National Integrated Project for Prospective Observation of Non-Communicable Disease and its Trends in the Aged, 1980 and 1990. <i>European Journal of Preventive Cardiology</i> , <b>2014</b> , 21, 1501-8	3.9	12
208	Setting thresholds to varying blood pressure monitoring intervals differentially affects risk estimates associated with white-coat and masked hypertension in the population. <i>Hypertension</i> , <b>2014</b> , 64, 935-42	8.5	108
207	Age-specific differences between conventional and ambulatory daytime blood pressure values. <i>Hypertension</i> , <b>2014</b> , 64, 1073-9	8.5	60
206	Ambulatory hypertension subtypes and 24-hour systolic and diastolic blood pressure as distinct outcome predictors in 8341 untreated people recruited from 12 populations. <i>Circulation</i> , <b>2014</b> , 130, 466-74	16.7	58
205	Lipoprotein particle profiles compared with standard lipids in association with coronary artery calcification in the general Japanese population. <i>Atherosclerosis</i> , <b>2014</b> , 236, 237-43	3.1	17
204	Global, regional, and national incidence and mortality for HIV, tuberculosis, and malaria during 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , <b>2014</b> , 384, 1005-70	40	653
203	A comparison of risk factors for mortality from heart failure in Asian and non-Asian populations: an overview of individual participant data from 32 prospective cohorts from the Asia-Pacific Region. <i>BMC Cardiovascular Disorders</i> , <b>2014</b> , 14, 61	2.3	21
202	Thresholds for conventional and home blood pressure by sex and age in 5018 participants from 5 populations. <i>Hypertension</i> , <b>2014</b> , 64, 695-701	8.5	16
201	Global, regional, and national levels and causes of maternal mortality during 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , <b>2014</b> , 384, 980-1004	40	950
200	Long-chain n-3 polyunsaturated fatty acids intake and cardiovascular disease mortality risk in Japanese: a 24-year follow-up of NIPPON DATA80. <i>Atherosclerosis</i> , <b>2014</b> , 232, 384-9	3.1	42
199	Conformational change in transfer RNA is an early indicator of acute cellular damage. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2014</b> , 25, 2316-26	12.7	70
198	Global, regional, and national prevalence of overweight and obesity in children and adults during 1980-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , <b>2014</b> , 384, 766-81	40	7175
197	Cardiovascular risk with and without antihypertensive drug treatment in the Japanese general population: participant-level meta-analysis. <i>Hypertension</i> , <b>2014</b> , 63, 1189-97	8.5	40
196	Added predictive value of night-time blood pressure variability for cardiovascular events and mortality: the Ambulatory Blood Pressure-International Study. <i>Hypertension</i> , <b>2014</b> , 64, 487-93	8.5	121
195	Personality traits as predictors of decline in higher-level functional capacity over a 7-year follow-up in older adults: the Ohasama study. <i>Tohoku Journal of Experimental Medicine</i> , <b>2014</b> , 234, 197-207	2.4	2

194	Contribution of the ABP-International study to the definition of night-time tachycardia. <i>Journal of Hypertension</i> , <b>2014</b> , 32, 2099-100	1.9	2
193	Cross-sectional comparison of coronary artery calcium scores between Caucasian men in the United States and Japanese men in Japan: the multi-ethnic study of atherosclerosis and the Shiga epidemiological study of subclinical atherosclerosis. <i>American Journal of Epidemiology</i> , <b>2014</b> , 180, 590-8	3.8	29
192	How many measurements are needed to estimate blood pressure variability without loss of prognostic information?. <i>American Journal of Hypertension</i> , <b>2014</b> , 27, 46-55	2.3	30
191	Reference frame for home pulse pressure based on cardiovascular risk in 6470 subjects from 5 populations. <i>Hypertension Research</i> , <b>2014</b> , 37, 672-8	4.7	13
190	Meta-analysis of genome-wide association studies in East Asian-ancestry populations identifies four new loci for body mass index. <i>Human Molecular Genetics</i> , <b>2014</b> , 23, 5492-504	5.6	141
189	Six random specimens of daytime casual urine on different days are sufficient to estimate daily sodium/potassium ratio in comparison to 7-day 24-h urine collections. <i>Hypertension Research</i> , <b>2014</b> , 37, 765-71	4.7	43
188	Risk stratification by self-measured home blood pressure across categories of conventional blood pressure: a participant-level meta-analysis. <i>PLoS Medicine</i> , <b>2014</b> , 11, e1001591	11.6	57
187	Blood pressure variability assessed by home measurements: a systematic review. <i>Hypertension Research</i> , <b>2014</b> , 37, 565-72	4.7	76
186	Changes in body weight and height in survivors of Menkes disease. <i>Journal of Trace Elements in Medicine and Biology</i> , <b>2014</b> , 28, 470-3	4.1	1
185	Is there a role for day-to-day home blood pressure variability in guiding management of hypertension?. <i>Clinical and Experimental Pharmacology and Physiology</i> , <b>2014</b> , 41, 54-7	3	1
184	Outcome-driven thresholds for ambulatory pulse pressure in 9938 participants recruited from 11 populations. <i>Hypertension</i> , <b>2014</b> , 63, 229-37	8.5	30
183	Low-carbohydrate diets and cardiovascular and total mortality in Japanese: a 29-year follow-up of NIPPON DATA80. <i>British Journal of Nutrition</i> , <b>2014</b> , 112, 916-24	3.6	35
182	European Society of Hypertension practice guidelines for ambulatory blood pressure monitoring. <i>Journal of Hypertension</i> , <b>2014</b> , 32, 1359-66	1.9	547
181	Blood pressure load does not add to ambulatory blood pressure level for cardiovascular risk stratification. <i>Hypertension</i> , <b>2014</b> , 63, 925-33	8.5	30
180	The velocity of home blood pressure reduction in response to low-dose eplerenone combined with other antihypertensive drugs determined by exponential decay function analysis. <i>Clinical and Experimental Hypertension</i> , <b>2014</b> , 36, 83-91	2.2	2
179	Decline in estimated glomerular filtration rate and subsequent risk of end-stage renal disease and mortality. <i>JAMA - Journal of the American Medical Association</i> , <b>2014</b> , 311, 2518-2531	27.4	580
178	Income-related inequalities in preventive and curative dental care use among working-age Japanese adults in urban areas: a cross-sectional study. <i>BMC Oral Health</i> , <b>2014</b> , 14, 117	3.7	20
177	High long-chain n-3 fatty acid intake attenuates the effect of high resting heart rate on cardiovascular mortality risk: a 24-year follow-up of Japanese general population. <i>Journal of Cardiology</i> , <b>2014</b> , 64, 218-24	3	9

176	Impact of metabolic syndrome on the risk of cardiovascular disease mortality in the United States and in Japan. <i>American Journal of Cardiology</i> , <b>2014</b> , 113, 84-9	3	60
175	Genome-wide response to antihypertensive medication using home blood pressure measurements: a pilot study nested within the HOMED-BP study. <i>Pharmacogenomics</i> , <b>2013</b> , 14, 1709-21	2.6	28
174	Prognostic values of bundle branch blocks for cardiovascular mortality in Japanese (24year follow-up of NIPPON DATA80). <i>Journal of Electrocardiology</i> , <b>2013</b> , 46, 360-5	1.4	10
173	Predictive value of night-time heart rate for cardiovascular events in hypertension. The ABP-International study. <i>International Journal of Cardiology</i> , <b>2013</b> , 168, 1490-5	3.2	60
172	Masked hypertension in diabetes mellitus: treatment implications for clinical practice. <i>Hypertension</i> , <b>2013</b> , 61, 964-71	8.5	114
171	Compliance to the recommendations on blood pressure measurements in the clinical settings. <i>Journal of Hypertension</i> , <b>2013</b> , 31, 213	1.9	3
170	A cross-sectional association of obesity with coronary calcium among Japanese, Koreans, Japanese Americans, and U.S. whites. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2013</b> , 14, 921-7	4.1	16
169	Response to Masked hypertension in untreated and treated patients with diabetes mellitus: attractive but questionable interpretations and response to Is masked hypertension related to diabetes mellitus?. <i>Hypertension</i> , <b>2013</b> , 62, e23-5	8.5	7
168	Change of the management of treated hypertensive patients with or without diabetes in Japan. <i>Clinical and Experimental Hypertension</i> , <b>2013</b> , 35, 79-86	2.2	2
167	Associations between visit-to-visit variability in blood pressure measured in the office and antihypertensive drugs: the J-HOME-Morning study. <i>Clinical and Experimental Hypertension</i> , <b>2013</b> , 35, 285-90	2.2	4
166	Relationship between stroke subtypes and morning surge or dipping pattern. <i>Hypertension</i> , <b>2013</b> , 61, e21	8.5	0
165	Predictive power of home blood pressure and clinic blood pressure in hypertensive patients with impaired glucose metabolism and diabetes. <i>Journal of Hypertension</i> , <b>2013</b> , 31, 1593-602	1.9	34
164	European Society of Hypertension position paper on ambulatory blood pressure monitoring. <i>Journal of Hypertension</i> , <b>2013</b> , 31, 1731-68	1.9	898
163	Night-time blood pressure is associated with the development of chronic kidney disease in a general population: the Ohasama Study. <i>Journal of Hypertension</i> , <b>2013</b> , 31, 2410-7	1.9	29
162	Is high prorenin levels related to relative aldosterone excess?. <i>American Journal of Hypertension</i> , <b>2013</b> , 26, 153	2.3	
161	Children@ home blood pressure and growth environment. <i>Hypertension</i> , <b>2013</b> , 61, e33	8.5	1
160	Home blood pressure variability as cardiovascular risk factor in the population of Ohasama. <i>Hypertension</i> , <b>2013</b> , 61, 61-9	8.5	95
159	Interaction between dietary marine-derived n-3 fatty acids intake and J-point elevation on the risk of cardiac death: a 24-year follow-up of Japanese men. <i>Heart</i> , <b>2013</b> , 99, 1024-9	5.1	6



158	Outcome-driven thresholds for home blood pressure measurement: international database of home blood pressure in relation to cardiovascular outcome. <i>Hypertension</i> , <b>2013</b> , 61, 27-34	8.5	75
157	Risk stratification by 24-hour ambulatory blood pressure and estimated glomerular filtration rate in 5322 subjects from 11 populations. <i>Hypertension</i> , <b>2013</b> , 61, 18-26	8.5	17
156	Blood pressure measured in the clinic and at home during pregnancy among nulliparous and multiparous women: the BOSHI study. <i>American Journal of Hypertension</i> , <b>2013</b> , 26, 141-8	2.3	31
155	Double product reflects the predictive power of systolic pressure in the general population: evidence from 9,937 participants. <i>American Journal of Hypertension</i> , <b>2013</b> , 26, 665-72	2.3	25
154	Genome-wide association study meta-analysis reveals transethnic replication of mean arterial and pulse pressure loci. <i>Hypertension</i> , <b>2013</b> , 62, 853-9	8.5	60
153	Breastfeeding leads to lower blood pressure in 7-year-old Japanese children: Tohoku Study of Child Development. <i>Hypertension Research</i> , <b>2013</b> , 36, 117-22	4.7	27
152	HbA1c and the risks for all-cause and cardiovascular mortality in the general Japanese population: NIPPON DATA90. <i>Diabetes Care</i> , <b>2013</b> , 36, 3759-65	14.6	42
151	The reason why home blood pressure measurements are preferred over clinic or ambulatory blood pressure in Japan. <i>Hypertension Research</i> , <b>2013</b> , 36, 661-72	4.7	64
150	Association between J-point elevation and death from coronary artery disease--15-year follow up of the NIPPON DATA90. <i>Circulation Journal</i> , <b>2013</b> , 77, 1260-6	2.9	28
149	Epidemiology of hypertension in Japan: where are we now?. <i>Circulation Journal</i> , <b>2013</b> , 77, 2226-31	2.9	130
148	Is more aggressive prevention of coronary artery disease required for patients with early repolarization syndrome?--Reply. <i>Circulation Journal</i> , <b>2013</b> , 77, 1643	2.9	1
147	Low birth weight is associated with high waist-to-height ratio in Japanese elementary school girls. <i>Tohoku Journal of Experimental Medicine</i> , <b>2013</b> , 231, 85-91	2.4	2
146	Carotid intima-media thickness and plaque in apparently healthy Japanese individuals with an estimated 10-year absolute risk of CAD death according to the Japan Atherosclerosis Society (JAS) guidelines 2012: the Shiga Epidemiological Study of Subclinical Atherosclerosis (SESSA). <i>Journal of Atherosclerosis and Thrombosis</i> , <b>2013</b> , 20, 755-66	4	35
145	Long-term outcome of healthy participants with atrial premature complex: a 15-year follow-up of the NIPPON DATA 90 cohort. <i>PLoS ONE</i> , <b>2013</b> , 8, e80853	3.7	23
144	Fatty Acid Intakes and Coronary Heart Disease Mortality in Japan: NIPPON DATA90, 1990-2005. <i>Current Nutrition and Food Science</i> , <b>2013</b> , 9, 26-32	0.7	2
143	The Associations of Indices of Obesity with Lipoprotein Subfractions in Japanese American, African American and Korean Men. <i>Global Heart</i> , <b>2013</b> , 8, 273-280	2.9	2
142	Associations of kidney disease measures with mortality and end-stage renal disease in individuals with and without hypertension: a meta-analysis. <i>Lancet, The</i> , <b>2012</b> , 380, 1649-61	4.0	301
141	Predictive value for mortality of the double product at rest obtained by home blood pressure measurement: the Ohasama study. <i>American Journal of Hypertension</i> , <b>2012</b> , 25, 568-75	2.3	23

140	Hypotensive and heart rate-lowering effects of low-dose bisoprolol determined based on self-measured blood pressure at home. <i>Clinical and Experimental Hypertension</i> , <b>2012</b> , 34, 284-9	2.2	
139	Genome-wide association study of coronary artery disease in the Japanese. <i>European Journal of Human Genetics</i> , <b>2012</b> , 20, 333-40	5.3	123
138	The International Database of HOme blood pressure in relation to Cardiovascular Outcome (IDHOCO): moving from baseline characteristics to research perspectives. <i>Hypertension Research</i> , <b>2012</b> , 35, 1072-9	4.7	26
137	Mother-offspring aggregation in home versus conventional blood pressure in the Tohoku Study of Child Development (TSCD). <i>Acta Cardiologica</i> , <b>2012</b> , 67, 449-56	0.9	10
136	Pharmacists' awareness and attitude toward blood pressure measurement at home and in the pharmacy in Japan. <i>Clinical and Experimental Hypertension</i> , <b>2012</b> , 34, 447-55	2.2	8
135	Association between white matter hyperintensity and lacunar infarction on MRI and subitem scores of the Japanese version of mini-mental state examination for testing cognitive decline: the Ohasama study. <i>Clinical and Experimental Hypertension</i> , <b>2012</b> , 34, 541-7	2.2	4
134	Associations between day-by-day variability in blood pressure measured at home and antihypertensive drugs: the J-HOME-Morning study. <i>Clinical and Experimental Hypertension</i> , <b>2012</b> , 34, 297-304	2.2	29
133	Home blood pressure level, blood pressure variability, smoking, and stroke risk in Japanese men: the Ohasama study. <i>American Journal of Hypertension</i> , <b>2012</b> , 25, 883-91	2.3	27
132	Prognostic values of clockwise and counterclockwise rotation for cardiovascular mortality in Japanese subjects: a 24-year follow-up of the National Integrated Project for Prospective Observation of Noncommunicable Disease and Its Trends in the Aged, 1980-2004 (NIPPON DATA80). <i>Circulation</i> , <b>2012</b> , 125, 1226-33	16.7	21
131	Prognostic significance of home arterial stiffness index derived from self-measurement of blood pressure: the Ohasama Study. <i>American Journal of Hypertension</i> , <b>2012</b> , 25, 67-73	2.3	7
130	Evaluating home blood pressure in treated hypertensives in comparison with the referential value of casual screening of blood pressure: the Ohasama study. <i>Blood Pressure Monitoring</i> , <b>2012</b> , 17, 89-95	1.3	5
129	Role of relative aldosterone excess in salt-sensitive hypertension among African ancestry. <i>American Journal of Hypertension</i> , <b>2012</b> , 25, 398-9; author reply 400	2.3	3
128	Ambulatory versus home versus clinic blood pressure: the association with subclinical cerebrovascular diseases: the Ohasama Study. <i>Hypertension</i> , <b>2012</b> , 59, 22-8	8.5	54
127	Daily serial hemodynamic data during pregnancy and seasonal variation: the BOSHI study. <i>Clinical and Experimental Hypertension</i> , <b>2012</b> , 34, 290-6	2.2	22
126	Cardiovascular outcomes in the first trial of antihypertensive therapy guided by self-measured home blood pressure. <i>Hypertension Research</i> , <b>2012</b> , 35, 1102-10	4.7	126
125	Blood pressure changes during pregnancy. <i>Hypertension Research</i> , <b>2012</b> , 35, 563-4; author reply 34	4.7	9
124	Role of angiotensinogen and relative aldosterone excess in salt-sensitive hypertension. <i>Hypertension</i> , <b>2012</b> , 59, e57; author reply e58	8.5	7
123	Significance of white-coat hypertension in older persons with isolated systolic hypertension: a meta-analysis using the International Database on Ambulatory Blood Pressure Monitoring in Relation to Cardiovascular Outcomes population. <i>Hypertension</i> , <b>2012</b> , 59, 564-71	8.5	146

122	The Japanese Society of Hypertension Guidelines for Self-monitoring of Blood Pressure at Home (Second Edition). <i>Hypertension Research</i> , <b>2012</b> , 35, 777-95	4.7	135
121	Aldosterone-to-renin ratio as a predictor of stroke under conditions of high sodium intake: the Ohasama study. <i>American Journal of Hypertension</i> , <b>2012</b> , 25, 777-83	2.3	19
120	Blood pressure categories and long-term risk of cardiovascular disease according to age group in Japanese men and women. <i>Hypertension Research</i> , <b>2012</b> , 35, 947-53	4.7	87
119	Does body mass index impact on the relationship between systolic blood pressure and cardiovascular disease?: meta-analysis of 419 488 individuals from the Asia pacific cohort studies collaboration. <i>Stroke</i> , <b>2012</b> , 43, 1478-83	6.7	18
118	Pre-hypertension as a significant predictor of chronic kidney disease in a general population: the Ohasama Study. <i>Nephrology Dialysis Transplantation</i> , <b>2012</b> , 27, 3218-23	4.3	35
117	The velocity of antihypertensive effect of losartan/hydrochlorothiazide and angiotensin II receptor blocker. <i>Journal of Hypertension</i> , <b>2012</b> , 30, 1478-86	1.9	15
116	Plasma renin activity and the aldosterone-to-renin ratio are associated with the development of chronic kidney disease: the Ohasama Study. <i>Journal of Hypertension</i> , <b>2012</b> , 30, 1632-8	1.9	24
115	Long-term risk of BP values above normal for cardiovascular mortality: a 24-year observation of Japanese aged 30 to 92 years. <i>Journal of Hypertension</i> , <b>2012</b> , 30, 2299-306	1.9	59
114	Association between low birth weight and high adult waist-to-height ratio in non-obese women: a cross-sectional study in a Japanese population. <i>Tohoku Journal of Experimental Medicine</i> , <b>2012</b> , 228, 205-14	4	4
113	Are blood pressure and diabetes additive or synergistic risk factors? Outcome in 8494 subjects randomly recruited from 10 populations. <i>Hypertension Research</i> , <b>2011</b> , 34, 714-21	4.7	21
112	Genetic variants in novel pathways influence blood pressure and cardiovascular disease risk. <i>Nature</i> , <b>2011</b> , 478, 103-9	50.4	1564
111	Comparability in coronary artery calcium scores on CT scan between two community-based cohort studies. <i>International Journal of Cardiology</i> , <b>2011</b> , 149, 244-245	3.2	7
110	Aldosterone-to-renin ratio and nocturnal blood pressure decline in a general population: the Ohasama study. <i>Journal of Hypertension</i> , <b>2011</b> , 29, 1940-7	1.9	17
109	The relation between health literacy, hypertension knowledge, and blood pressure among middle-aged Japanese adults. <i>Blood Pressure Monitoring</i> , <b>2011</b> , 16, 224-30	1.3	27
108	Health behaviors as predictors for declines in higher-level functional capacity in older adults: the Ohasama study. <i>Journal of the American Geriatrics Society</i> , <b>2011</b> , 59, 1993-2000	5.6	26
107	Association of arterial stiffness with silent cerebrovascular lesions: the Ohasama study. <i>Cerebrovascular Diseases</i> , <b>2011</b> , 31, 329-37	3.2	47
106	How many measurements are needed to provide reliable information in terms of the ambulatory arterial stiffness index? The Ohasama study. <i>Hypertension Research</i> , <b>2011</b> , 34, 314-8	4.7	6
105	Aldosterone-to-renin ratio and home blood pressure in subjects with higher and lower sodium intake: the Ohasama study. <i>Hypertension Research</i> , <b>2011</b> , 34, 361-6	4.7	16

104	Ambulatory blood pressure monitoring in 9357 subjects from 11 populations highlights missed opportunities for cardiovascular prevention in women. <i>Hypertension</i> , <b>2011</b> , 57, 397-405	8.5	80
103	Self-monitoring of ambulatory blood pressure by the Microlife WatchBP O3--an application test. <i>Clinical and Experimental Hypertension</i> , <b>2011</b> , 33, 34-40	2.2	9
102	Associated factors of home versus ambulatory heart rate variability in the general population: the Ohasama study. <i>Clinical and Experimental Hypertension</i> , <b>2011</b> , 33, 404-10	2.2	3
101	Prognostic value of reading-to-reading blood pressure variability over 24 hours in 8938 subjects from 11 populations. <i>Hypertension</i> , <b>2010</b> , 55, 1049-57	8.5	332
100	Prognostic value of the morning blood pressure surge in 5645 subjects from 8 populations. <i>Hypertension</i> , <b>2010</b> , 55, 1040-8	8.5	205
99	Factors associated with day-by-day variability of self-measured blood pressure at home: the Ohasama study. <i>American Journal of Hypertension</i> , <b>2010</b> , 23, 980-6	2.3	49
98	Association of kidney dysfunction with silent lacunar infarcts and white matter hyperintensity in the general population: the Ohasama study. <i>Cerebrovascular Diseases</i> , <b>2010</b> , 30, 43-50	3.2	30
97	Stroke risk in treated hypertension based on home blood pressure: the Ohasama study. <i>American Journal of Hypertension</i> , <b>2010</b> , 23, 508-14	2.3	40
96	Practice and awareness of physicians regarding home blood pressure measurement in Japan. <i>Hypertension Research</i> , <b>2010</b> , 33, 428-34	4.7	30
95	Blood pressure-lowering effect and duration of action of bedtime administration of doxazosin determined by home blood pressure measurement. <i>Clinical and Experimental Hypertension</i> , <b>2010</b> , 32, 311-7	2.2	3
94	Accumulation of common polymorphisms is associated with development of hypertension: a 12-year follow-up from the Ohasama study. <i>Hypertension Research</i> , <b>2010</b> , 33, 129-34	4.7	30
93	Practice and awareness of physicians regarding casual-clinic blood pressure measurement in Japan. <i>Hypertension Research</i> , <b>2010</b> , 33, 960-4	4.7	26
92	Electrocardiographic abnormalities and home blood pressure in treated elderly hypertensive patients: Japan home versus office blood pressure measurement evaluation in the elderly (J-HOME-Elderly) study. <i>Hypertension Research</i> , <b>2010</b> , 33, 670-7	4.7	8
91	Participation in health check-ups and mortality using propensity score matched cohort analyses. <i>Preventive Medicine</i> , <b>2010</b> , 51, 397-402	4.3	31
90	Usefulness of assessing masked and white-coat hypertension by ambulatory blood pressure monitoring for determining prevalent risk of chronic kidney disease: the Ohasama study. <i>Hypertension Research</i> , <b>2010</b> , 33, 1192-8	4.7	34
89	Parental longevity and offspring home blood pressure: the Ohasama study. <i>Journal of Hypertension</i> , <b>2010</b> , 28, 272-7	1.9	5
88	Association of environmental tobacco smoke exposure with elevated home blood pressure in Japanese women: the Ohasama study. <i>Journal of Hypertension</i> , <b>2010</b> , 28, 1814-20	1.9	37
87	Prognostic value of isolated nocturnal hypertension on ambulatory measurement in 8711 individuals from 10 populations. <i>Journal of Hypertension</i> , <b>2010</b> , 28, 2036-45	1.9	263

86	Attributable risk fraction of prehypertension on cardiovascular disease mortality in the Japanese population: the Ohsaki Study. <i>American Journal of Hypertension</i> , <b>2009</b> , 22, 267-72	2.3	18
85	The association between masked hypertension and waist circumference as an obesity-related anthropometric index for metabolic syndrome: the Ohasama study. <i>Hypertension Research</i> , <b>2009</b> , 32, 438-43	4.7	31
84	Stroke risk of blood pressure indices determined by home blood pressure measurement: the Ohasama study. <i>Stroke</i> , <b>2009</b> , 40, 2859-61	6.7	26
83	Uncontrolled hypertension based on morning and evening home blood pressure measurements from the J-HOME study. <i>Hypertension Research</i> , <b>2009</b> , 32, 1072-8	4.7	16
82	Influence of alcohol intake on circadian blood pressure variation in Japanese men: the Ohasama study. <i>American Journal of Hypertension</i> , <b>2009</b> , 22, 1171-6	2.3	19
81	Detection of midpregnancy fall in blood pressure by out-of-office monitoring. <i>Hypertension</i> , <b>2009</b> , 53, e12-3; author reply e14	8.5	6
80	Repeated evening home blood pressure measurement improves prognostic significance for stroke: a 12-year follow-up of the Ohasama study. <i>Blood Pressure Monitoring</i> , <b>2009</b> , 14, 93-8	1.3	16
79	Influence of home blood pressure measuring conditions in the evening on the morning-evening home blood pressure difference in treated hypertensive patients: the J-HOME study. <i>Blood Pressure Monitoring</i> , <b>2009</b> , 14, 160-5	1.3	10
78	Detection of silent cerebrovascular lesions in individuals with masked and white-coat hypertension by home blood pressure measurement: the Ohasama study. <i>Journal of Hypertension</i> , <b>2009</b> , 27, 1049-55	1.9	17
77	Stroke risk and antihypertensive drug treatment in the general population: the Japan arteriosclerosis longitudinal study. <i>Journal of Hypertension</i> , <b>2009</b> , 27, 357-64	1.9	51
76	Time-dependent effects of imidapril administration in patients with morning hypertension measured as home blood pressure. <i>Clinical and Experimental Hypertension</i> , <b>2008</b> , 30, 243-54	2.2	4
75	Day-by-day variability of blood pressure and heart rate at home as a novel predictor of prognosis: the Ohasama study. <i>Hypertension</i> , <b>2008</b> , 52, 1045-50	8.5	313
74	Prognostic value of ambulatory heart rate revisited in 6928 subjects from 6 populations. <i>Hypertension</i> , <b>2008</b> , 52, 229-35	8.5	73
73	Difference between home and office blood pressures among treated hypertensive patients from the Japan Home versus Office Blood Pressure Measurement Evaluation (J-HOME) study. <i>Hypertension Research</i> , <b>2008</b> , 31, 1115-23	4.7	11
72	European Society of Hypertension guidelines for blood pressure monitoring at home: a summary report of the Second International Consensus Conference on Home Blood Pressure Monitoring. <i>Journal of Hypertension</i> , <b>2008</b> , 26, 1505-26	1.9	578
71	Cigarette smoking, systolic blood pressure, and cardiovascular diseases in the Asia-Pacific region. <i>Stroke</i> , <b>2008</b> , 39, 1694-702	6.7	70
70	Proposal of a risk-stratification system for the Japanese population based on blood pressure levels: the Ohasama study. <i>Hypertension Research</i> , <b>2008</b> , 31, 1315-22	4.7	14
69	Masked hypertension determined by self-measured blood pressure at home and chronic kidney disease in the Japanese general population: the Ohasama study. <i>Hypertension Research</i> , <b>2008</b> , 31, 2129-35	4.7	36

68	Fruit and vegetable consumption and the risk of hypertension determined by self measurement of blood pressure at home: the Ohasama study. <i>Hypertension Research</i> , <b>2008</b> , 31, 1435-43	4.7	45
67	Seasonal trends of blood pressure during pregnancy in Japan: the babies and their parentsQ longitudinal observation in Suzuki Memorial Hospital in Intrauterine Period study. <i>Journal of Hypertension</i> , <b>2008</b> , 26, 2406-13	1.9	47
66	Thirty years of research on diagnostic and therapeutic thresholds for the self-measured blood pressure at home. <i>Blood Pressure Monitoring</i> , <b>2008</b> , 13, 352-65	1.3	41
65	Cost-effectiveness of the introduction of home blood pressure measurement in patients with office hypertension. <i>Journal of Hypertension</i> , <b>2008</b> , 26, 685-90	1.9	48
64	Predictive value of ambulatory heart rate in the Japanese general population: the Ohasama study. <i>Journal of Hypertension</i> , <b>2008</b> , 26, 1571-6	1.9	59
63	Prognostic significance of morning surge in blood pressure: which definition, which outcome?. <i>Blood Pressure Monitoring</i> , <b>2008</b> , 13, 161-2	1.3	15
62	Kidney dysfunction as a risk factor for first symptomatic stroke events in a general Japanese population--the Ohasama study. <i>Nephrology Dialysis Transplantation</i> , <b>2007</b> , 22, 1910-5	4.3	155
61	Diagnostic thresholds for ambulatory blood pressure monitoring based on 10-year cardiovascular risk. <i>Circulation</i> , <b>2007</b> , 115, 2145-52	16.7	229
60	Ambulatory arterial stiffness index and 24-hour ambulatory pulse pressure as predictors of mortality in Ohasama, Japan. <i>Stroke</i> , <b>2007</b> , 38, 1161-6	6.7	115
59	Reproducibility of nocturnal blood pressure assessed by self-measurement of blood pressure at home. <i>Hypertension Research</i> , <b>2007</b> , 30, 707-12	4.7	44
58	Plasma fibrinogen, ambulatory blood pressure, and silent cerebrovascular lesions: the Ohasama study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2007</b> , 27, 963-8	9.4	39
57	Prognostic significance of variability in ambulatory and home blood pressure from the Ohasama study. <i>Journal of Epidemiology</i> , <b>2007</b> , 17, 109-13	3.4	42
56	Detection of carotid atherosclerosis in individuals with masked hypertension and white-coat hypertension by self-measured blood pressure at home: the Ohasama study. <i>Journal of Hypertension</i> , <b>2007</b> , 25, 321-7	1.9	75
55	Prognostic superiority of daytime ambulatory over conventional blood pressure in four populations: a meta-analysis of 7,030 individuals. <i>Journal of Hypertension</i> , <b>2007</b> , 25, 1554-64	1.9	266
54	The International Database of Ambulatory Blood Pressure in relation to Cardiovascular Outcome (IDACO): protocol and research perspectives. <i>Blood Pressure Monitoring</i> , <b>2007</b> , 12, 255-62	1.3	111
53	How many times should we ask subjects to measure blood pressure at home on each occasion?. <i>Journal of Hypertension</i> , <b>2007</b> , 25, 1987-91	1.9	19
52	Ambulatory blood pressure, blood pressure variability and the prevalence of carotid artery alteration: the Ohasama study. <i>Journal of Hypertension</i> , <b>2007</b> , 25, 1704-10	1.9	61
51	Control of home heart rate and home blood pressure levels in treated patients with hypertension: the J-HOME study. <i>Blood Pressure Monitoring</i> , <b>2007</b> , 12, 289-95	1.3	3

50	Prognostic accuracy of day versus night ambulatory blood pressure: a cohort study. <i>Lancet, The</i> , <b>2007</b> , 370, 1219-29	40	655
49	Prognostic significance for stroke of a morning pressor surge and a nocturnal blood pressure decline: the Ohasama study. <i>Hypertension</i> , <b>2006</b> , 47, 149-54	8.5	327
48	Predicting stroke using 4 ambulatory blood pressure monitoring-derived blood pressure indices: the Ohasama Study. <i>Hypertension</i> , <b>2006</b> , 48, 877-82	8.5	37
47	The value of self-measured home blood pressure in predicting stroke. <i>Expert Review of Neurotherapeutics</i> , <b>2006</b> , 6, 163-73	4.3	17
46	Prediction of stroke by home "morning" versus "evening" blood pressure values: the Ohasama study. <i>Hypertension</i> , <b>2006</b> , 48, 737-43	8.5	124
45	The current status of home and office blood pressure control among hypertensive patients with diabetes mellitus: the Japan Home Versus Office Blood Pressure Measurement Evaluation (J-HOME) study. <i>Diabetes Research and Clinical Practice</i> , <b>2006</b> , 73, 276-83	7.4	17
44	Introversion associated with large differences between screening blood pressure and home blood pressure measurement: The Ohasama study. <i>Journal of Hypertension</i> , <b>2006</b> , 24, 2183-9	1.9	13
43	Characteristics of resistant hypertension determined by self-measured blood pressure at home and office blood pressure measurements: the J-HOME study. <i>Journal of Hypertension</i> , <b>2006</b> , 24, 1737-43	1.9	61
42	The economic impact of the introduction of home blood pressure measurement for the diagnosis and treatment of hypertension. <i>Blood Pressure Monitoring</i> , <b>2006</b> , 11, 257-67	1.3	43
41	Use of 2003 European Society of Hypertension-European Society of Cardiology guidelines for predicting stroke using self-measured blood pressure at home: the Ohasama study. <i>European Heart Journal</i> , <b>2005</b> , 26, 2026-31	9.5	49
40	Efficacy of Combination Antihypertensive Therapy with Low-Dose Indapamide: Assessment by Blood Pressure Self-Monitoring at Home. <i>Clinical and Experimental Hypertension</i> , <b>2005</b> , 27, 331-341	2.2	9
39	Prognosis of "masked" hypertension and "white-coat" hypertension detected by 24-h ambulatory blood pressure monitoring 10-year follow-up from the Ohasama study. <i>Journal of the American College of Cardiology</i> , <b>2005</b> , 46, 508-15	15.1	459
38	Isolated uncontrolled hypertension at home and in the office among treated hypertensive patients from the J-HOME study. <i>Journal of Hypertension</i> , <b>2005</b> , 23, 1653-60	1.9	84
37	Prevalence of masked uncontrolled and treated white-coat hypertension defined according to the average of morning and evening home blood pressure value: from the Japan Home versus Office Measurement Evaluation Study. <i>Blood Pressure Monitoring</i> , <b>2005</b> , 10, 311-6	1.3	51
36	Short- and long-term incidence of stroke in white-coat hypertension. <i>Hypertension</i> , <b>2005</b> , 45, 203-8	8.5	230
35	Ambulatory blood pressure and 10-year risk of cardiovascular and noncardiovascular mortality: the Ohasama study. <i>Hypertension</i> , <b>2005</b> , 45, 240-5	8.5	320
34	White-coat hypertension as a risk factor for the development of home hypertension: the Ohasama study. <i>Archives of Internal Medicine</i> , <b>2005</b> , 165, 1541-6		114
33	Efficacy and duration of action of the four selective angiotensin II subtype 1 receptor blockers, losartan, candesartan, valsartan and telmisartan, in patients with essential hypertension determined by home blood pressure measurements. <i>Clinical and Experimental Hypertension</i> , <b>2005</b> , 27, 477-89	2.2	35

32	Control of blood pressure as measured at home and office, and comparison with physiciansQ assessment of control among treated hypertensive patients in Japan: First Report of the Japan Home versus Office Blood Pressure Measurement Evaluation (J-HOME) study. <i>Hypertension Research</i> , <b>2004</b> , 27, 755-63	4.7	100
31	Prognostic value of home heart rate for cardiovascular mortality in the general populationThe Ohasama study. <i>American Journal of Hypertension</i> , <b>2004</b> , 17, 1005-1010	2.3	69
30	Prognostic value of home heart rate for cardiovascular mortality in the general population: the Ohasama study. <i>American Journal of Hypertension</i> , <b>2004</b> , 17, 1005-10	2.3	64
29	Prediction of stroke by self-measurement of blood pressure at home versus casual screening blood pressure measurement in relation to the Joint National Committee 7 classification: the Ohasama study. <i>Stroke</i> , <b>2004</b> , 35, 2356-61	6.7	102
28	Prediction of ischaemic and haemorrhagic stroke by self-measured blood pressure at home: the Ohasama study. <i>Blood Pressure Monitoring</i> , <b>2004</b> , 9, 315-20	1.3	45
27	How many times should blood pressure be measured at home for better prediction of stroke risk? Ten-year follow-up results from the Ohasama study. <i>Journal of Hypertension</i> , <b>2004</b> , 22, 1099-104	1.9	201
26	Practical aspect of monitoring hypertension based on self-measured blood pressure at home. <i>Internal Medicine</i> , <b>2004</b> , 43, 771-8	1.1	28
25	Study design of HOMED-BP: hypertension objective treatment based on measurement by electrical devices of blood pressure. <i>Clinical and Experimental Hypertension</i> , <b>2003</b> , 25, 143-4	2.2	8
24	Validation of a food-frequency questionnaire for cohort studies in rural Japan. <i>Public Health Nutrition</i> , <b>2003</b> , 6, 147-57	3.3	120
23	Therapeutic effects of evening administration of guanabenz and clonidine on morning hypertension: evaluation using home-based blood pressure measurements. <i>Journal of Hypertension</i> , <b>2003</b> , 21, 805-11	1.9	36
22	Prognostic significance of the nocturnal decline in blood pressure in individuals with and without high 24-h blood pressure: the Ohasama study. <i>Journal of Hypertension</i> , <b>2002</b> , 20, 2183-9	1.9	767
21	Insufficient duration of action of antihypertensive drugs mediates high blood pressure in the morning in hypertensive population: the Ohasama study. <i>Clinical and Experimental Hypertension</i> , <b>2002</b> , 24, 261-75	2.2	53
20	Blood pressure control assessed by home, ambulatory and conventional blood pressure measurements in the Japanese general population: the Ohasama study. <i>Hypertension Research</i> , <b>2002</b> , 25, 57-63	4.7	66
19	Factors affecting the difference between screening and home blood pressure measurements: the Ohasama Study. <i>Journal of Hypertension</i> , <b>2001</b> , 19, 13-9	1.9	34
18	Usefulness of home blood pressure measurements in assessing the effect of treatment in a single-blind placebo-controlled open trial. <i>Journal of Hypertension</i> , <b>2001</b> , 19, 179-85	1.9	74
17	Effects of exercise training on home blood pressure values in older adults: a randomized controlled trial. <i>Journal of Hypertension</i> , <b>2001</b> , 19, 1045-52	1.9	31
16	Device for the self-measurement of blood pressure that can monitor blood pressure during sleep. <i>Blood Pressure Monitoring</i> , <b>2001</b> , 6, 203-5	1.3	80
15	Predictive values of automated blood pressure measurement: what can we learn from the Japanese population - the Ohasama study. <i>Blood Pressure Monitoring</i> , <b>2001</b> , 6, 335-9	1.3	33



14	Relationship between health practices and education level in the rural Japanese population. <i>Journal of Epidemiology</i> , <b>2000</b> , 10, 149-56	3.4	32
13	Prediction of stroke by ambulatory blood pressure monitoring versus screening blood pressure measurements in a general population: the Ohasama study. <i>Journal of Hypertension</i> , <b>2000</b> , 18, 847-54	1.9	175
12	Prognosis of isolated systolic and isolated diastolic hypertension as assessed by self-measurement of blood pressure at home: the Ohasama study. <i>Archives of Internal Medicine</i> , <b>2000</b> , 160, 3301-6		108
11	Medical cost for disability: a longitudinal observation of national health insurance beneficiaries in Japan. <i>Journal of the American Geriatrics Society</i> , <b>1999</b> , 47, 470-6	5.6	39
10	Characteristics of blood pressure measured at home in the morning and in the evening: the Ohasama study. <i>Journal of Hypertension</i> , <b>1999</b> , 17, 889-98	1.9	84
9	Relationships among blood pressures obtained using different measurement methods in the general population of Ohasama, Japan. <i>Hypertension Research</i> , <b>1999</b> , 22, 261-72	4.7	24
8	Reference values for 24-hour ambulatory blood pressure monitoring based on a prognostic criterion: the Ohasama Study. <i>Hypertension</i> , <b>1998</b> , 32, 255-9	8.5	145
7	Home blood pressure measurement has a stronger predictive power for mortality than does screening blood pressure measurement: a population-based observation in Ohasama, Japan. <i>Journal of Hypertension</i> , <b>1998</b> , 16, 971-5	1.9	521
6	A prospective cohort study on National Health Insurance beneficiaries in Ohsaki, Miyagi Prefecture, Japan: study design, profiles of the subjects and medical cost during the first year. <i>Journal of Epidemiology</i> , <b>1998</b> , 8, 258-63	3.4	78
5	Factors affecting the nocturnal decrease in blood pressure: a community-based study in Ohasama. <i>Journal of Hypertension</i> , <b>1997</b> , 15, 827-38	1.9	17
4	Prediction of mortality by ambulatory blood pressure monitoring versus screening blood pressure measurements: a pilot study in Ohasama. <i>Journal of Hypertension</i> , <b>1997</b> , 15, 357-64	1.9	186
3	Ambulatory blood pressure monitoring in evaluating the prevalence of hypertension in adults in Ohasama, a rural Japanese community. <i>Hypertension Research</i> , <b>1996</b> , 19, 207-12	4.7	49
2	Seasonal variation in blood pressure in normotensive women studied by home measurements. <i>Clinical Science</i> , <b>1996</b> , 90, 55-60	6.5	74
1	Prevalence of hypertension and rate of blood pressure control as assessed by home blood pressure measurements in a rural Japanese community, Ohasama. <i>Clinical and Experimental Hypertension</i> , <b>1996</b> , 18, 713-28	2.2	22