Stephen B Edge

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3968818/publications.pdf

Version: 2024-02-01

77 papers

14,555 citations

33 h-index 76900 74 g-index

78 all docs 78 docs citations

78 times ranked 19319 citing authors

| # | Article | IF | Citations |
|----|--|------|-----------|
| 1 | The American Joint Committee on Cancer: the 7th Edition of the AJCC Cancer Staging Manual and the Future of TNM. Annals of Surgical Oncology, 2010, 17, 1471-1474. | 1.5 | 7,085 |
| 2 | American Society of Clinical Oncology Guideline Recommendations for Sentinel Lymph Node Biopsy in Early-Stage Breast Cancer. Journal of Clinical Oncology, 2005, 23, 7703-7720. | 1.6 | 1,674 |
| 3 | Revision of the American Joint Committee on Cancer Staging System for Breast Cancer. Journal of Clinical Oncology, 2002, 20, 3628-3636. | 1.6 | 1,035 |
| 4 | Prognostic Factors in Breast Cancer. Archives of Pathology and Laboratory Medicine, 2000, 124, 966-978. | 2.5 | 916 |
| 5 | Postmastectomy Radiotherapy: Clinical Practice Guidelines of the American Society of Clinical Oncology*. Journal of Clinical Oncology, 2001, 19, 1539-1569. | 1.6 | 742 |
| 6 | Patterns of breast carcinoma treatment in older women. Cancer, 2000, 89, 561-573. | 4.1 | 264 |
| 7 | Sentinel node biopsy in breast cancer. Annals of Surgical Oncology, 1998, 5, 126-130. | 1.5 | 209 |
| 8 | American Society of Clinical Oncology/National Comprehensive Cancer Network Quality Measures. Journal of Clinical Oncology, 2008, 26, 3631-3637. | 1.6 | 205 |
| 9 | Residual cancer burden after neoadjuvant chemotherapy and long-term survival outcomes in breast cancer: a multicentre pooled analysis of 5161 patients. Lancet Oncology, The, 2022, 23, 149-160. | 10.7 | 148 |
| 10 | Lymphedema Secondary to Postmastectomy Radiation: Incidence and Risk Factors. Annals of Surgical Oncology, 2004, 11, 573-580. | 1.5 | 135 |
| 11 | BI-RADS Classification for Management of Abnormal Mammograms. Journal of the American Board of Family Medicine, 2006, 19, 161-164. | 1.5 | 117 |
| 12 | Adoption of Gene Expression Profile Testing and Association With Use of Chemotherapy Among Women With Breast Cancer. Journal of Clinical Oncology, 2012, 30, 2218-2226. | 1.6 | 114 |
| 13 | Surgery of the primary tumor does not improve survival in stage IV breast cancer. Breast Cancer Research and Treatment, 2011, 129, 459-465. | 2.5 | 101 |
| 14 | Time to Adjuvant Chemotherapy for Breast Cancer in National Comprehensive Cancer Network Institutions. Journal of the National Cancer Institute, 2013, 105, 104-112. | 6.3 | 100 |
| 15 | Title is missing!., 2017,,. | | 98 |
| 16 | Emergence of Sentinel Node Biopsy in Breast Cancer as Standard-of-Care in Academic Comprehensive Cancer Centers. Journal of the National Cancer Institute, 2003, 95, 1514-1521. | 6.3 | 94 |
| 17 | New and Important Changes in the TNM Staging System for Breast Cancer. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2018, 38, 457-467. | 3.8 | 83 |
| 18 | Downregulation of Gelsolin Correlates with the Progression to Breast Carcinoma. Breast Cancer Research and Treatment, 2001, 65, 11-21. | 2.5 | 78 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Biological Subtype Predicts Risk of Locoregional Recurrence After Mastectomy and Impact of Postmastectomy Radiation in a Large National Database. International Journal of Radiation Oncology Biology Physics, 2015, 93, 622-630. | 0.8 | 77 |
| 20 | Mammographic Predictors of the Presence and Size of Invasive Carcinomas Associated With Malignant Microcalcification Lesions Without a Mass. American Journal of Roentgenology, 2003, 181, 1679-1684. | 2.2 | 76 |
| 21 | Race and Ethnicity are Associated with Delays in Breast Cancer Treatment (2003–2006). Journal of Health Care for the Poor and Underserved, 2011, 22, 128-141. | 0.8 | 76 |
| 22 | Intraoperative Pathologic Evaluation of a Breast Cancer Sentinel Lymph Node Biopsy as a Determinant for Synchronous Axillary Lymph Node Dissection. Annals of Surgical Oncology, 2001, 8, 361-367. | 1.5 | 74 |
| 23 | Measuring and Predicting Surgeons??? Practice Styles for Breast Cancer Treatment in Older Women. Medical Care, 2001, 39, 228-242. | 2.4 | 72 |
| 24 | Completeness of American Cancer Registry Treatment Data: Implications for Quality of Care Research. Journal of the American College of Surgeons, 2013, 216, 428-437. | 0.5 | 67 |
| 25 | Comparative effectiveness of stereotactic radiosurgery versus wholeâ€brain radiation therapy for patients with brain metastases from breast or non–small cell lung cancer. Cancer, 2016, 122, 2091-100. | 4.1 | 57 |
| 26 | Impact of Guideline Changes on Use or Omission of Radiation in the Elderly with Early Breast Cancer: Practice Patterns at National Comprehensive Cancer Network Institutions. Journal of the American College of Surgeons, 2014, 219, 796-802. | 0.5 | 53 |
| 27 | Axillary recurrence in women with a negative sentinel lymph node and no axillary dissection in breast cancer. Journal of Surgical Oncology, 2006, 93, 129-132. | 1.7 | 50 |
| 28 | Downâ€regulation of gelsolin expression in human breast ductal carcinoma in situ with and without invasion. Breast Cancer Research and Treatment, 1999, 55, 177-186. | 2.5 | 43 |
| 29 | Sequelae of axillary lymph node dissection in older women with stage 1 and 2 breast carcinoma. Cancer, 2002, 95, 2445-2454. | 4.1 | 42 |
| 30 | Patient and provider characteristics that affect the use of axillary dissection in older women with Stage I-II breast carcinoma. Cancer, 2002, 94, 2534-2541. | 4.1 | 41 |
| 31 | Factors Associated With Guideline-Concordant Use of Radiotherapy After Mastectomy in the National Comprehensive Cancer Network. International Journal of Radiation Oncology Biology Physics, 2008, 72, 1434-1440. | 0.8 | 39 |
| 32 | Endometrial carcinoma associated with breast carcinoma: Low incidence with tamoxifen use. Cancer, 1996, 77, 2058-2063. | 4.1 | 37 |
| 33 | Laparoscopic cholecystectomy and unsuspected gallbladder carcinoma., 1999, 16, 327-331. | | 35 |
| 34 | Provider case volume and outcome in the evaluation and treatment of patients with mammogram-detected breast carcinoma. Cancer, 2002, 95, 704-712. | 4.1 | 35 |
| 35 | Novel MicroRNA-Based Risk Score Identified by Integrated Analyses to Predict Metastasis and Poor Prognosis in Breast Cancer. Annals of Surgical Oncology, 2018, 25, 4037-4046. | 1.5 | 34 |
| 36 | Accuracy of sentinel node biopsy in predicting nodal status in patients with breast carcinoma. Journal of Surgical Oncology, 2001, 77, 243-246. | 1.7 | 32 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Chemotherapy Use for Hormone Receptor–Positive, Lymph Node–Negative Breast Cancer. Journal of Clinical Oncology, 2008, 26, 5553-5560. | 1.6 | 32 |
| 38 | American Society of Clinical Oncology Criteria for High-Quality Clinical Pathways in Oncology. Journal of Oncology Practice, 2017, 13, 207-210. | 2.5 | 32 |
| 39 | Postexcision Mammography Is Indicated After Resection of Ductal Carcinoma-In-Situ of the Breast. Annals of Surgical Oncology, 2000, 7, 665-668. | 1.5 | 31 |
| 40 | Oncology Clinical Pathways: Charting the Landscape of Pathway Providers. Journal of Oncology Practice, 2018, 14, e194-e200. | 2.5 | 29 |
| 41 | Efficacy of Palbociclib Combinations in Hormone Receptor–Positive Metastatic Breast Cancer Patients After Prior Everolimus Treatment. Clinical Breast Cancer, 2018, 18, e1401-e1405. | 2.4 | 24 |
| 42 | Claims data linked to hospital registry data enhance evaluation of the quality of care of breast cancer. Journal of Surgical Oncology, 2010, 101, 593-599. | 1.7 | 18 |
| 43 | Cancer Registration in Resource-limited Environments—Experience in Lagos, Nigeria. Journal of Surgical Research, 2019, 235, 167-170. | 1.6 | 15 |
| 44 | Clinical risk score to predict likelihood of recurrence after ductal carcinoma in situ treated with breast-conserving surgery. Breast Cancer Research and Treatment, 2018, 167, 751-759. | 2.5 | 14 |
| 45 | Decision Making After <i>BRCA</i> Genetic Testing. Clinical Journal of Oncology Nursing, 2014, 18, E58-E63. | 0.6 | 13 |
| 46 | Oncologist uptake of comprehensive genomic profile guided targeted therapy. Oncotarget, 2019, 10, 4616-4629. | 1.8 | 13 |
| 47 | Effect of stereotactic core needle biopsy on pathologic measurement of tumor size of T1 invasive breast carcinomas presenting as mammographic masses. Cancer, 2003, 97, 2137-2141. | 4.1 | 12 |
| 48 | Evidence and Controversies in the Use of Post-Mastectomy Radiation. Journal of the National Comprehensive Cancer Network: JNCCN, 2007, 5, 331-338. | 4.9 | 12 |
| 49 | In situ breast carcinoma after treatment during adolescence for thyroid cancer with radioiodine. Medical and Pediatric Oncology, 1995, 24, 82-86. | 1.0 | 11 |
| 50 | Cellular proliferative activity of mammographic normal dense and fatty tissue determined by DNA S phase percentage. Breast Cancer Research and Treatment, 1996, 37, 229-236. | 2,5 | 11 |
| 51 | Counterpoint: Sentinel Lymph Node Biopsy Is Not Indicated for Ductal Carcinoma In Situ. Journal of the National Comprehensive Cancer Network: JNCCN, 2003, 1, 207-212. | 4.9 | 9 |
| 52 | Case-only analyses of the associations between polymorphisms in the metastasis-modifying genes BRMS1 and SIPA1 and breast tumor characteristics, lymph node metastasis, and survival. Breast Cancer Research and Treatment, 2013, 139, 873-885. | 2.5 | 9 |
| 53 | Quality measurement in breast cancer. Journal of Surgical Oncology, 2014, 110, 509-517. | 1.7 | 9 |
| 54 | Patterns of breast carcinoma treatment in older women. Cancer, 2000, 89, 561-573. | 4.1 | 9 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Breast Cancer: Noninvasive and Special Situations. Journal of the National Comprehensive Cancer Network: JNCCN, 2010, 8, 1182-1207. | 4.9 | 8 |
| 56 | A National Study of the Use of Asymptomatic Systemic Imaging for Surveillance Following Breast Cancer Treatment (AFT-01). Annals of Surgical Oncology, 2018, 25, 2587-2595. | 1.5 | 8 |
| 57 | New and important changes in breast cancer TNM: incorporation of biologic factors into staging. Expert Review of Anticancer Therapy, 2019, 19, 309-318. | 2.4 | 8 |
| 58 | The role of the surgeon in quality cancer care. Current Problems in Surgery, 2003, 40, 511-590. | 1.1 | 7 |
| 59 | The Anticipated and Unintended Consequences of the Patient Protection and Affordable Care Act on Cancer Research. Cancer Journal (Sudbury, Mass), 2010, 16, 606-613. | 2.0 | 7 |
| 60 | Using the American College of Surgeons Cancer Registry to Drive Quality. Journal of Oncology Practice, 2013, 9, 149-151. | 2.5 | 7 |
| 61 | Establishing a Core Set of Performance Measures to Improve Value in Cancer Care: ASCO Consensus Conference Recommendation Report. Journal of Oncology Practice, 2017, 13, 135-140. | 2.5 | 7 |
| 62 | Real-World Experience with CDK4/6 Inhibitors for Metastatic HR+/HER2â^' Breast Cancer at a Single Cancer Center. Oncologist, 2022, 27, 646-654. | 3.7 | 7 |
| 63 | Breast Education in General Surgery Residency. American Surgeon, 2012, 78, 42-45. | 0.8 | 6 |
| 64 | Postmastectomy Radiotherapy: An American Society of Clinical Oncology, American Society for Radiation Oncology, and Society of Surgical Oncology Focused Guideline Update Summary. Journal of Oncology Practice, 2016, 12, 1258-1261. | 2.5 | 6 |
| 65 | Options to Determine Pathological Response of Axillary Lymph Node Metastasis after Neoadjuvant Chemotherapy in Advanced Breast Cancer. Cancers, 2021, 13, 4167. | 3.7 | 6 |
| 66 | Endometrial carcinoma associated with breast carcinoma: Low incidence with tamoxifen use. Cancer, 1996, 77, 2058-2063. | 4.1 | 5 |
| 67 | A Presurgicalâ€Window Intervention Trial of Isothiocyanateâ€Rich Broccoli Sprout Extract in Patients with Breast Cancer. Molecular Nutrition and Food Research, 2022, , 2101094. | 3.3 | 5 |
| 68 | Simple technique of early identification of the thoracodorsal nerve during axillary dissection. Journal of Surgical Oncology, 2001, 76, 141-142. | 1.7 | 4 |
| 69 | Linked claims and medical records for cancer case management. Cancer, 2007, 110, 518-524. | 4.1 | 4 |
| 70 | Advances in Breast Surgery, 2002-2012. Journal of the National Comprehensive Cancer Network: JNCCN, 2013, 11, 53-59. | 4.9 | 4 |
| 71 | Association between the 21-gene recurrence score and isolated locoregional recurrence in stage I-II, hormone receptor-positive breast cancer. Radiation Oncology, 2020, 15, 198. | 2.7 | 4 |
| 72 | Low RUFY3 expression level is associated with lymph node metastasis in older women with invasive breast cancer. Breast Cancer Research and Treatment, 2022, 192, 19-32. | 2.5 | 4 |

STEPHEN B EDGE

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Defining Core Information for the Training and Continuing Education of Surgical Oncologists. Annals of Surgical Oncology, 2001, 8, 562-563. | 1.5 | 2 |
| 74 | Early Adoption and Disturbing Disparities in Sentinel Node Biopsy in Breast Cancer. Journal of the National Cancer Institute, 2008, 100, 449-450. | 6.3 | 2 |
| 75 | Reply to Letter of Shukla and Milsom. Annals of Surgical Oncology, 2011, 18, 300-300. | 1.5 | 2 |
| 76 | Behind the clock: elucidating factors contributing to longer clinic appointment duration and patient wait time. BMC Health Services Research, 2021, 21, 87. | 2.2 | 1 |
| 77 | Update: breast cancer guidelines. Journal of the National Comprehensive Cancer Network: JNCCN, 2003, 1 Suppl 3, S-3-8. | 4.9 | 0 |