## Enno Swart

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3969128/publications.pdf

Version: 2024-02-01

840776 839539 19 590 11 18 citations h-index g-index papers 21 21 21 693 citing authors all docs docs citations times ranked

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Association between aircraft, road and railway traffic noise and depression in a large case-control study based on secondary data. Environmental Research, 2017, 152, 263-271.   | 7.5 | 109       |
| 2  | Guidelines and recommendations for ensuring Good Epidemiological Practice (GEP): a guideline developed by the German Society for Epidemiology. European Journal of Epidemiology, 2019, 34, 301-317.  | 5.7 | 89        |
| 3  | Cohort profile: The lidA Cohort Study-a German Cohort Study on Work, Age, Health and Work<br>Participation. International Journal of Epidemiology, 2014, 43, 1736-1749.  | 1.9 | 79        |
| 4  | Aircraft, road and railway traffic noise as risk factors for heart failure and hypertensive heart diseaseâ€"A case-control study based on secondary data. International Journal of Hygiene and Environmental Health, 2016, 219, 749-758.                                 | 4.3 | 76        |
| 5  | Traffic noise and hypertension – results from a large case-control study. Environmental Research, 2017, 157, 110-117.  | 7.5 | 50        |
| 6  | Myocardial Infarction Risk Due to Aircraft, Road, and Rail Traffic Noise: Results of a Case–Control Study Based on Secondary Data. Deutsches Ärzteblatt International, 2016, 113, 407-14.  | 0.9 | 35        |
| 7  | The effect of aircraft, road, and railway traffic noise on stroke - results of a case-control study based on secondary data. Noise and Health, 2018, 20, 152-161.  | 0.5 | 27        |
| 8  | The influence of cross-sectoral treatment models on patients with mental disorders in Germany: study protocol of a nationwide long-term evaluation study (EVA64). BMC Psychiatry, 2018, 18, 139.   | 2.6 | 23        |
| 9  | Multiperspective and Multimethod Evaluation of Flexible and Integrative Psychiatric Care Models in Germany: Study Protocol of a Prospective, Controlled Multicenter Observational Study (PsychCare). Frontiers in Psychiatry, 2021, 12, 659773.                          | 2.6 | 16        |
| 10 | Developing an Extended Model of the Relation between Work Motivation and Health as Affected by the Work Ability as Part of a Corporate Age Management Approach. International Journal of Environmental Research and Public Health, 2018, 15, 779.                        | 2.6 | 12        |
| 11 | The prevalence of medical services use. How comparable are the results of large-scale population surveys in Germany?. Gms Psycho-social-medicine, 2012, 9, Doc10.  | 1.2 | 11        |
| 12 | Early comprehensive care of preterm infantsâ€"effects on quality of life, childhood development, and healthcare utilization: study protocol for a cohort study linking administrative healthcare data with patient reported primary data. BMC Pediatrics, 2016, 16, 104. | 1.7 | 10        |
| 13 | Good Practice Data Linkage (GPD): A Translation of the German Version. International Journal of Environmental Research and Public Health, 2020, 17, 7852.  | 2.6 | 9         |
| 14 | Evaluation of a flexible and integrative psychiatric care model in a department of child and adolescent psychiatry in TÃ $^1\!\!/\!4$ bingen, Germany: study protocol (EVA_TIBAS). BMC Health Services Research, 2021, 21, 1262.   | 2.2 | 5         |
| 15 | Evaluation of outcome relevance of quality indicators in the emergency department (ENQuIRE): study protocol for a prospective multicentre cohort study. BMJ Open, 2020, 10, e038776.   | 1.9 | 4         |
| 16 | Regional Utilization of Preventive Services in the 55-Plus Age Group: Protocol for a Mixed Methods Study. JMIR Research Protocols, 2022, 11, e33512.   | 1.0 | 3         |
| 17 | Exercise-Based Cardiac Rehabilitation: Secondary Data Analyses of Mortality and Working Capacity in Germany, 2010–2017. Sports Medicine - Open, 2021, 7, 88.   | 3.1 | 3         |
| 18 | Study protocol for the SeMaCo study: A longitudinal regional cohort study to assess COVID-19 seroprevalence in blood donors. F1000Research, 0, 10, 982.  | 1.6 | 1         |

# ARTICLE IF CITATIONS

19 Claims Data for Evaluation., 2021,, 557-573. 0