

Shuangda Li

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3969226/shuangda-li-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

56

papers

1,885

citations

28

h-index

42

g-index

65

ext. papers

2,368

ext. citations

6.4

avg, IF

5.05

L-index

#	Paper	IF	Citations
56	LncRNA SNHG7 sponges miR-216b to promote proliferation and liver metastasis of colorectal cancer through upregulating GALNT1. <i>Cell Death and Disease</i> , 2018 , 9, 722	9.8	141
55	MicroRNA-130b targets PTEN to mediate drug resistance and proliferation of breast cancer cells via the PI3K/Akt signaling pathway. <i>Scientific Reports</i> , 2017 , 7, 41942	4.9	115
54	Long non-coding RNA-SNHG7 acts as a target of miR-34a to increase GALNT7 level and regulate PI3K/Akt/mTOR pathway in colorectal cancer progression. <i>Journal of Hematology and Oncology</i> , 2018 , 11, 89	22.4	112
53	MiR-106b and miR-93 regulate cell progression by suppression of PTEN via PI3K/Akt pathway in breast cancer. <i>Cell Death and Disease</i> , 2017 , 8, e2796	9.8	105
52	Long non-coding RNA HOTAIR promotes osteoarthritis progression via miR-17-5p/FUT2/βcatenin axis. <i>Cell Death and Disease</i> , 2018 , 9, 711	9.8	83
51	miR-125a-3p/FUT5-FUT6 axis mediates colorectal cancer cell proliferation, migration, invasion and pathological angiogenesis via PI3K-Akt pathway. <i>Cell Death and Disease</i> , 2017 , 8, e2968	9.8	72
50	Tumor-suppressive miR-26a and miR-26b inhibit cell aggressiveness by regulating FUT4 in colorectal cancer. <i>Cell Death and Disease</i> , 2017 , 8, e2892	9.8	61
49	miR-140-5p/miR-149 Affects Chondrocyte Proliferation, Apoptosis, and Autophagy by Targeting FUT1 in Osteoarthritis. <i>Inflammation</i> , 2018 , 41, 959-971	5.1	56
48	LINC01296/miR-26a/GALNT3 axis contributes to colorectal cancer progression by regulating O-glycosylated MUC1 via PI3K/AKT pathway. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018 , 37, 316	12.8	54
47	Upregulation of microRNA-135b and microRNA-182 promotes chemoresistance of colorectal cancer by targeting ST6GALNAC2 via PI3K/AKT pathway. <i>Molecular Carcinogenesis</i> , 2017 , 56, 2669-2680	5	47
46	Comprehensive N-glycan profiles of hepatocellular carcinoma reveal association of fucosylation with tumor progression and regulation of FUT8 by microRNAs. <i>Oncotarget</i> , 2016 , 7, 61199-61214	3.3	47
45	Exosomal MALAT1 sponges miR-26a/26b to promote the invasion and metastasis of colorectal cancer via FUT4 enhanced fucosylation and PI3K/Akt pathway. <i>Journal of Experimental and Clinical Cancer Research</i> , 2020 , 39, 54	12.8	44
44	Increased fucosylation has a pivotal role in multidrug resistance of breast cancer cells through miR-224-3p targeting FUT4. <i>Gene</i> , 2016 , 578, 232-41	3.8	44
43	Caveolin-1 up-regulates CD147 glycosylation and the invasive capability of murine hepatocarcinoma cell lines. <i>International Journal of Biochemistry and Cell Biology</i> , 2006 , 38, 1584-93	5.6	42
42	Upregulation of miR-181c inhibits chemoresistance by targeting ST8SIA4 in chronic myelocytic leukemia. <i>Oncotarget</i> , 2016 , 7, 60074-60086	3.3	40
41	HOTAIR/miR-326/FUT6 axis facilitates colorectal cancer progression through regulating fucosylation of CD44 via PI3K/AKT/mTOR pathway. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2019 , 1866, 750-760	4.9	38
40	Long noncoding RNA HOTAIR promotes renal cell carcinoma malignancy through alpha-2, 8-sialyltransferase 4 by sponging microRNA-124. <i>Cell Proliferation</i> , 2018 , 51, e12507	7.9	38

39	Functional roles of sialylation in breast cancer progression through miR-26a/26b targeting ST8SIA4. <i>Cell Death and Disease</i> , 2016 , 7, e2561	9.8	37
38	miR-493-5p attenuates the invasiveness and tumorigenicity in human breast cancer by targeting FUT4. <i>Oncology Reports</i> , 2016 , 36, 1007-15	3.5	36
37	miR-182 and miR-135b Mediate the Tumorigenesis and Invasiveness of Colorectal Cancer Cells via Targeting ST6GALNAC2 and PI3K/AKT Pathway. <i>Digestive Diseases and Sciences</i> , 2017 , 62, 3447-3459	4	35
36	MiR-26a and miR-26b mediate osteoarthritis progression by targeting FUT4 via NF- κ B signaling pathway. <i>International Journal of Biochemistry and Cell Biology</i> , 2018 , 94, 79-88	5.6	35
35	The HOTAIR/miR-214/ST6GAL1 crosstalk modulates colorectal cancer procession through mediating sialylated c-Met via JAK2/STAT3 cascade. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019 , 38, 455	12.8	34
34	The potential of exosomes derived from colorectal cancer as a biomarker. <i>Clinica Chimica Acta</i> , 2019 , 490, 186-193	6.2	34
33	Aberrant mannosylation profile and FTX/miR-342/ALG3-axis contribute to development of drug resistance in acute myeloid leukemia. <i>Cell Death and Disease</i> , 2018 , 9, 688	9.8	31
32	MicroRNA-33a and let-7e inhibit human colorectal cancer progression by targeting ST8SIA1. <i>International Journal of Biochemistry and Cell Biology</i> , 2017 , 90, 48-58	5.6	30
31	LncRNA ST3Gal6-AS1/ST3Gal6 axis mediates colorectal cancer progression by regulating β 2,3 sialylation via PI3K/Akt signaling. <i>International Journal of Cancer</i> , 2019 , 145, 450-460	7.5	30
30	Deglycosylation of CD147 down-regulates Matrix Metalloproteinase-11 expression and the adhesive capability of murine hepatocarcinoma cell HcaF in vitro. <i>IUBMB Life</i> , 2006 , 58, 209-16	4.7	29
29	MicroRNA-106b targets FUT6 to promote cell migration, invasion, and proliferation in human breast cancer. <i>IUBMB Life</i> , 2016 , 68, 764-75	4.7	28
28	miR-9 regulates the multidrug resistance of chronic myelogenous leukemia by targeting ABCB1. <i>Oncology Reports</i> , 2017 , 37, 2193-2200	3.5	26
27	CD147 regulates vascular endothelial growth factor-A expression, tumorigenicity, and chemosensitivity to curcumin in hepatocellular carcinoma. <i>IUBMB Life</i> , 2008 , 60, 57-63	4.7	26
26	siRNA targeted against matrix metalloproteinase 11 inhibits the metastatic capability of murine hepatocarcinoma cell Hca-F to lymph nodes. <i>International Journal of Biochemistry and Cell Biology</i> , 2007 , 39, 2049-62	5.6	26
25	MiRNA expression profiles reveal the involvement of miR-26a, miR-548l and miR-34a in hepatocellular carcinoma progression through regulation of ST3GAL5. <i>Laboratory Investigation</i> , 2017 , 97, 530-542	5.9	25
24	The regulatory ZFAS1/miR-150/ST6GAL1 crosstalk modulates sialylation of EGFR via PI3K/Akt pathway in T-cell acute lymphoblastic leukemia. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019 , 38, 199	12.8	25
23	MiR-193a-3p and miR-224 mediate renal cell carcinoma progression by targeting alpha-2,3-sialyltransferase IV and the phosphatidylinositol 3 kinase/Akt pathway. <i>Molecular Carcinogenesis</i> , 2018 , 57, 1067-1077	5	25
22	Downregulation of miR-224 and let-7i contribute to cell survival and chemoresistance in chronic myeloid leukemia cells by regulating ST3GAL IV expression. <i>Gene</i> , 2017 , 626, 106-118	3.8	24

21	MiR-29b/Sp1/FUT4 axis modulates the malignancy of leukemia stem cells by regulating fucosylation via Wnt/βcatenin pathway in acute myeloid leukemia. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019 , 38, 200	12.8	24
20	Arsenic induces apoptosis by the lysosomal-mitochondrial pathway in INS-1 cells. <i>Environmental Toxicology</i> , 2016 , 31, 133-41	4.2	23
19	Functional screen analysis reveals miR-3142 as central regulator in chemoresistance and proliferation through activation of the PTEN-AKT pathway in CML. <i>Cell Death and Disease</i> , 2017 , 8, e2830	9.8	17
18	Expression of CD147 mediates tumor cells invasion and multidrug resistance in hepatocellular carcinoma. <i>Cancer Investigation</i> , 2008 , 26, 977-83	2.1	17
17	Silencing CD147 inhibits tumor progression and increases chemosensitivity in murine lymphoid neoplasm P388D1 cells. <i>Annals of Hematology</i> , 2009 , 88, 753-60	3	16
16	CD147 depletion down-regulates matrix metalloproteinase-11, vascular endothelial growth factor-A expression and the lymphatic metastasis potential of murine hepatocarcinoma Hca-F cells. <i>International Journal of Biochemistry and Cell Biology</i> , 2007 , 39, 2135-42	5.6	16
15	LncRNA MEG3 contributes to drug resistance in acute myeloid leukemia by positively regulating ALG9 through sponging miR-155. <i>International Journal of Laboratory Hematology</i> , 2020 , 42, 464-472	2.5	13
14	miR-4299 mediates the invasive properties and tumorigenicity of human follicular thyroid carcinoma by targeting ST6GALNAC4. <i>IUBMB Life</i> , 2016 , 68, 136-44	4.7	13
13	Alpha-2, 3-sialyltransferases regulate the multidrug resistance of chronic myeloid leukemia through miR-4701-5p targeting ST3GAL1. <i>Laboratory Investigation</i> , 2016 , 96, 731-40	5.9	13
12	Nutritional support in the treatment of aplastic anemia. <i>Nutrition</i> , 2011 , 27, 1194-201	4.8	11
11	CHST11/13 Regulate the Metastasis and Chemosensitivity of Human Hepatocellular Carcinoma Cells Via Mitogen-Activated Protein Kinase Pathway. <i>Digestive Diseases and Sciences</i> , 2016 , 61, 1972-85	4	10
10	Combination of chick embryo and nutrient mixture prevent D-galactose-induced cognitive deficits, immune impairment and oxidative stress in aging rat model. <i>Scientific Reports</i> , 2019 , 9, 4092	4.9	4
9	Nutritional support contributes to recuperation in a rat model of aplastic anemia by enhancing mitochondrial function. <i>Nutrition</i> , 2018 , 46, 67-77	4.8	3
8	Effect of ST3GAL 4 and FUT 7 on sialyl Lewis X synthesis and multidrug resistance in human acute myeloid leukemia. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2014 , 1842, 1681-92	6.9	3
7	The lncRNA mediates renal cell cancer progression by regulating transcription and EGFR sialylation. <i>Journal of Cell Science</i> , 2020 , 133,	5.3	3
6	Retraction Note: Functional screen analysis reveals miR-3142 as central regulator in chemoresistance and proliferation through activation of the PTEN-AKT pathway in CML. <i>Cell Death and Disease</i> , 2020 , 11, 121	9.8	2
5	The positive effect of chick embryo and nutrient mixture on bone marrow- derived mesenchymal stem cells from aging rats. <i>Scientific Reports</i> , 2018 , 8, 7051	4.9	2
4	Exosome-derived SNHG16 sponging miR-4500 activates HUVEC angiogenesis by targeting GALNT1 via PI3K/Akt/mTOR pathway in hepatocellular carcinoma. <i>Journal of Physiology and Biochemistry</i> , 2021 , 77, 667-682	5	2

3	Retraction Note: Aberrant mannosylation profile and FTX/miR-342/ALG3-axis contribute to development of drug resistance in acute myeloid leukemia. <i>Cell Death and Disease</i> , 2020 , 11, 122	9.8	1
2	Effect of nutritional supplement on bone marrow-derived mesenchymal stem cells from aplastic anaemia. <i>British Journal of Nutrition</i> , 2018 , 119, 748-758	3.6	1
1	LncRNA LEF1-AS1/LEF1/FUT8 Axis Mediates Colorectal Cancer Progression by Regulating β , 6-Fucosylation via Wnt/ β Catenin Pathway. <i>Digestive Diseases and Sciences</i> , 2021 , 1	4	1