

A B Pedersen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3970397/publications.pdf>

Version: 2024-02-01

80
papers

4,525
citations

108046

37
h-index

116156

66
g-index

80
all docs

80
docs citations

80
times ranked

5341
citing authors

#	ARTICLE	IF	CITATIONS
1	Socioeconomic status and use of analgesic drugs before and after primary hip arthroplasty: a population-based cohort study of 103,209 patients during 1996–2018. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2022, 93, 171-178.	1.2	8
2	The association between socioeconomic status and the 30- and 90-day risk of infection after total hip arthroplasty. <i>Bone and Joint Journal</i> , 2022, 104-B, 221-226.	1.9	13
3	Postoperative complications, mortality, and quality of in-hospital care among hip fracture patients with Parkinson's disease. <i>Injury</i> , 2022, 53, 2150-2157.	0.7	3
4	Prediction of Early Periprosthetic Joint Infection After Total Hip Arthroplasty. <i>Clinical Epidemiology</i> , 2022, Volume 14, 239-253.	1.5	6
5	Prediction Ability of Charlson, Elixhauser, and Rx-Risk Comorbidity Indices for Mortality in Patients with Hip Fracture. A Danish Population-Based Cohort Study from 2014 – 2018. <i>Clinical Epidemiology</i> , 2022, Volume 14, 275-287.	1.5	7
6	Do changes in outcomes following primary and revision hip replacement differ and relate to markers of socioeconomic status? A 1-year population-based cohort study. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2022, 93, 397-404.	1.2	4
7	Optimized medial unicompartmental knee arthroplasty outcome: learning from 20 years of propensity score matched registry data. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2022, 93, 390-396.	1.2	11
8	Association of perioperative thromboprophylaxis on revision rate due to infection and aseptic loosening in primary total hip arthroplasty – new evidence from the Nordic Arthroplasty Registry Association (NARA). <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2022, 93, 417-423.	1.2	1
9	The Interaction Effect Between Previous Stroke and Hip Fracture on Postoperative Mortality: A Nationwide Cohort Study. <i>Clinical Epidemiology</i> , 2022, Volume 14, 543-553.	1.5	4
10	Similar early mortality risk after cemented compared with cementless total hip arthroplasty for primary osteoarthritis: data from 188,606 surgeries in the Nordic Arthroplasty Register Association database. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021, 92, 47-53.	1.2	12
11	Risk factors for new chronic opioid use after hip fracture surgery: a Danish nationwide cohort study from 2005 to 2016 using the Danish multidisciplinary hip fracture registry. <i>BMJ Open</i> , 2021, 11, e039238.	0.8	10
12	Risk of infections and mortality in Danish patients with cancer diagnosed with bone metastases: a population-based cohort study. <i>BMJ Open</i> , 2021, 11, e049831.	0.8	4
13	A positive <i>Helicobacter pylori</i> test is associated with low spondylarthritis incidence in a Danish historical cohort study. <i>Rheumatology International</i> , 2020, 40, 359-366.	1.5	2
14	<p>The Positive Predictive Value of Hip Fracture Diagnoses and Surgical Procedure Codes in the Danish Multidisciplinary Hip Fracture Registry and the Danish National Patient Registry</p>. <i>Clinical Epidemiology</i> , 2020, Volume 12, 123-131.	1.5	31
15	<p>The Danish Multidisciplinary Hip Fracture Registry 13-Year Results from a Population-Based Cohort of Hip Fracture Patients</p>. <i>Clinical Epidemiology</i> , 2020, Volume 12, 9-21.	1.5	36
16	<i>Helicobacter pylori</i> infection is not associated with rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2019, 48, 24-31.	0.6	8
17	<p>Homogeneity in prediction of survival probabilities for subcategories of hipprosthesis data: the Nordic Arthroplasty Register Association, 2000–2013</p>. <i>Clinical Epidemiology</i> , 2019, Volume 11, 519-524.	1.5	2
18	Use of anti-osteoporosis medication dispensing by patients with hip fracture: could we do better?. <i>Osteoporosis International</i> , 2019, 30, 1817-1825.	1.3	12

#	ARTICLE	IF	CITATIONS
19	Choice of therapeutic interventions and outcomes for the treatment of infections caused by multidrug-resistant gram-negative pathogens: a systematic review. <i>Antimicrobial Resistance and Infection Control</i> , 2019, 8, 170.	1.5	30
20	<p>Delay in surgery, risk of hospital-treated infections and the prognostic impact of comorbidity in hip fracture patients. A Danish nationwide cohort study, 2005&ac2016</p>. <i>Clinical Epidemiology</i> , 2019, Volume 11, 383-395.	1.5	20
21	Optimal duration of anticoagulant thromboprophylaxis in total hip arthroplasty: new evidence in 55,540 patients with osteoarthritis from the Nordic Arthroplasty Register Association (NARA) group. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019, 90, 298-305.	1.2	9
22	P4433Equal cardiovascular risk in patients with diabetes mellitus versus rheumatoid arthritis?. <i>European Heart Journal</i> , 2019, 40, .	1.0	0
23	Preoperative antithrombotic therapy and risk of blood transfusion and mortality following hip fracture surgery: a Danish nationwide cohort study. <i>Osteoporosis International</i> , 2019, 30, 583-591.	1.3	30
24	Liver disease and mortality among patients with hip fracture: a population-based cohort study. <i>Clinical Epidemiology</i> , 2018, Volume 10, 991-1000.	1.5	15
25	Selective serotonin reuptake inhibitor use and mortality, postoperative complications, and quality of care in hip fracture patients: a Danish nationwide cohort study. <i>Clinical Epidemiology</i> , 2018, Volume 10, 1053-1071.	1.5	8
26	Is decreasing mortality in total hip and knee arthroplasty patients dependent on patients&ac8217; comorbidity?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 288-293.	1.2	35
27	Reverse hybrid total hip arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 248-254.	1.2	18
28	Increased Mortality After Prosthetic Joint Infection in Primary THA. <i>Clinical Orthopaedics and Related Research</i> , 2017, 475, 2623-2631.	0.7	140
29	Socioeconomic inequality in clinical outcome among hip fracture patients: a nationwide cohort study. <i>Osteoporosis International</i> , 2017, 28, 1233-1243.	1.3	39
30	One-year incidence of prosthetic joint infection in total hip arthroplasty: a cohort study with linkage of the Danish Hip Arthroplasty Register and Danish Microbiology Databases. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 685-693.	0.6	41
31	Does hydroxyapatite coating of uncemented cups improve long-term survival? An analysis of 28,605 primary total hip arthroplasty procedures from the Nordic Arthroplasty Register Association (NARA). <i>Osteoarthritis and Cartilage</i> , 2017, 25, 1980-1987.	0.6	31
32	Hip Fracture, Comorbidity, and the Risk of Myocardial Infarction and Stroke: A Danish Nationwide Cohort Study, 1995&ac2015. <i>Journal of Bone and Mineral Research</i> , 2017, 32, 2339-2346.	3.1	35
33	Venous thromboembolism and risk of cancer in patients with rheumatoid arthritis. <i>Journal of Thrombosis and Haemostasis</i> , 2017, 15, 2325-2332.	1.9	5
34	Using national hip fracture registries and audit databases to develop an international perspective. <i>Injury</i> , 2017, 48, 2174-2179.	0.7	80
35	Excess risk of venous thromboembolism in hip fracture patients and the prognostic impact of comorbidity. <i>Osteoporosis International</i> , 2017, 28, 3421-3430.	1.3	23
36	Impact of body mass index on risk of acute kidney injury and mortality in elderly patients undergoing hip fracture surgery. <i>Osteoporosis International</i> , 2017, 28, 1087-1097.	1.3	35

#	ARTICLE	IF	CITATIONS
37	Substantial rise in the lifetime risk of primary total knee replacement surgery for osteoarthritis from 2003 to 2013: an international, population-level analysis. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 455-461.	0.6	82
38	Missing data and multiple imputation in clinical epidemiological research. <i>Clinical Epidemiology</i> , 2017, Volume 9, 157-166.	1.5	567
39	The Danish Hip Arthroplasty Register. <i>Clinical Epidemiology</i> , 2016, Volume 8, 509-514.	1.5	51
40	Risk of acute renal failure and mortality after surgery for a fracture of the hip. <i>Bone and Joint Journal</i> , 2016, 98-B, 1112-1118.	1.9	32
41	Association between hospital procedure volume and risk of revision after total hip arthroplasty: a population-based study within the Nordic Arthroplasty Register Association database. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 419-426.	0.6	46
42	Implant survival of the most common cemented total hip devices from the Nordic Arthroplasty Register Association database. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 546-553.	1.2	59
43	Risk of osteonecrosis in patients with systemic lupus erythematosus: A nationwide population-based study. <i>European Journal of Internal Medicine</i> , 2016, 35, e23-e24.	1.0	5
44	Validation of the diagnosis "prosthetic joint infection"™ in the Danish Hip Arthroplasty Register. <i>Bone and Joint Journal</i> , 2016, 98-B, 320-325.	1.9	47
45	Body mass index, risk of allogeneic red blood cell transfusion, and mortality in elderly patients undergoing hip fracture surgery. <i>Osteoporosis International</i> , 2016, 27, 2765-2775.	1.3	17
46	Perceived stress and risk of any osteoporotic fracture. <i>Osteoporosis International</i> , 2016, 27, 2035-2045.	1.3	12
47	Rheumatoid Arthritis: Trends in Antirheumatic Drug Use, C-reactive Protein Levels, and Surgical Burden. <i>Journal of Rheumatology</i> , 2015, 42, 2247-2254.	1.0	13
48	Effectiveness and safety of different duration of thromboprophylaxis in 16,865 hip replacement patients - A real-world, prospective observational study. <i>Thrombosis Research</i> , 2015, 135, 322-328.	0.8	21
49	The "true" incidence of surgically treated deep prosthetic joint infection after 32,896 primary total hip arthroplasties. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015, 86, 326-334.	1.2	125
50	Hydroxyapatite coating does not improve uncemented stem survival after total hip arthroplasty!. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015, 86, 18-25.	1.2	54
51	Comorbidities in Patients With Anterior Cruciate Ligament Reconstruction Compared With Matched Controls Without Anterior Cruciate Ligament Injury From Danish Registries. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2015, 31, 1741-1747.e4.	1.3	12
52	Do Rerevision Rates Differ After First-time Revision of Primary THA With a Cemented and Cementless Femoral Component?. <i>Clinical Orthopaedics and Related Research</i> , 2015, 473, 3391-3398.	0.7	23
53	Increased risk of revision for infection in rheumatoid arthritis patients with total hip replacements. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015, 86, 469-476.	1.2	39
54	Trends in arthroscopy-documented cartilage injuries of the knee and repair procedures among 15-60-year-old patients. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2015, 25, e400-7.	1.3	14

#	ARTICLE	IF	CITATIONS
55	Failure rate of cemented and uncemented total hip replacements: register study of combined Nordic database of four nations. <i>BMJ, The</i> , 2014, 348, f7592-f7592.	3.0	155
56	Risk of re-admission, reoperation, and mortality within 90 days of total hip and knee arthroplasty in fast-track departments in Denmark from 2005 to 2011. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014, 85, 493-500.	1.2	68
57	Increased risk of revision in patients with non-traumatic femoral head necrosis. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014, 85, 11-17.	1.2	53
58	The risk of venous thromboembolism, myocardial infarction, stroke, major bleeding and death in patients undergoing total hip and knee replacement. <i>Bone and Joint Journal</i> , 2014, 96-B, 479-485.	1.9	84
59	Association between fixation technique and revision risk in total hip arthroplasty patients younger than 55 years of age. Results from the Nordic Arthroplasty Register Association. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 659-667.	0.6	54
60	Low revision rate after total hip arthroplasty in patients with pediatric hip diseases. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2012, 83, 436-441.	1.2	53
61	Increased one-year risk of symptomatic venous thromboembolism following total hip replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012, 94-B, 1598-1603.	3.4	19
62	Increasing risk of prosthetic joint infection after total hip arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2012, 83, 449-458.	1.2	242
63	Statistical analysis of arthroplasty data. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2011, 82, 258-267.	1.2	124
64	Statistical analysis of arthroplasty data. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2011, 82, 253-257.	1.2	48
65	Short- and long-term mortality following primary total hip replacement for osteoarthritis. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 172-177.	3.4	77
66	Venous Thromboembolism in Patients Having Knee Replacement and Receiving Thromboprophylaxis. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011, 93, 1281-1287.	1.4	53
67	Risk factors for revision due to infection after primary total hip arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2010, 81, 542-547.	1.2	120
68	Knee arthroplasty in Denmark, Norway and Sweden. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2010, 81, 82-89.	1.2	189
69	Risk of revision of a total hip replacement in patients with diabetes mellitus. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010, 92-B, 929-934.	3.4	79
70	Survival of primary total hip arthroplasty in rheumatoid arthritis patients. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2010, 81, 60-65.	1.2	45
71	Inferior outcome after hip resurfacing arthroplasty than after conventional arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2010, 81, 535-541.	1.2	50
72	Risk Factors for Venous Thromboembolism in Patients Undergoing Total Hip Replacement and Receiving Routine Thromboprophylaxis. <i>Journal of Bone and Joint Surgery - Series A</i> , 2010, 92, 2156-2164.	1.4	108

#	ARTICLE	IF	CITATIONS
73	Allogeneic blood transfusion and prognosis following total hip replacement: a population-based follow up study. <i>BMC Musculoskeletal Disorders</i> , 2009, 10, 167.	0.8	108
74	The first results from the Danish ACL reconstruction registry: epidemiologic and 2-year follow-up results from 5,818 knee ligament reconstructions. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2009, 17, 117-124.	2.3	288
75	Use of diuretics and risk of implant failure after primary total hip arthroplasty: A nationwide population-based study. <i>Bone</i> , 2009, 45, 499-504.	1.4	14
76	The Nordic Arthroplasty Register Association. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2009, 80, 393-401.	1.2	171
77	Implant survival after primary total hip arthroplasty due to childhood hip disorders Results from the Danish Hip Arthroplasty Registry. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2008, 79, 769-776.	1.2	79
78	Effect of hydroxyapatite coating on risk of revision after primary total hip arthroplasty in younger patients: Findings from the Danish Hip Arthroplasty Registry. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2007, 78, 622-628.	1.2	40
79	Patient-related predictors of implant failure after primary total hip replacement in the initial, short- and long-terms. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2006, 88-B, 1303-1308.	3.4	119
80	Total hip arthroplasty in Denmark. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2005, 76, 182-189.	1.2	98