Carmen Gutiérrez

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/397097/publications.pdf

Version: 2024-02-01

46 papers 1,575 citations

218381 26 h-index 39 g-index

47 all docs

47 docs citations

47 times ranked

1587 citing authors

#	Article	IF	CITATIONS
1	Trends in soil mercury stock associated with pollution sources on a Mediterranean island (Majorca,) Tj ETQq $1\ 1\ 0$.	784314 rg	gBJT /Overl <mark>oci</mark>
2	Soil organic carbon stock on the Majorca Island: Temporal change in agricultural soil over the last 10†years. Catena, 2019, 181, 104087.	2.2	27
3	Wood and bark of Pinus halepensis as archives of heavy metal pollution in the Mediterranean Region. Environmental Pollution, 2018, 239, 438-447.	3.7	37
4	Entomopathogenic nematode food webs in an ancient, mining pollution gradient in Spain. Science of the Total Environment, 2016, 572, 312-323.	3.9	26
5	Effect of soil properties, heavy metals and emerging contaminants in the soil nematodes diversity. Environmental Pollution, 2016, 213, 184-194.	3.7	76
6	Effect of mine tailing on the spatial variability of soil nematodes from lead pollution in La Union (Spain). Science of the Total Environment, 2014, 473-474, 518-529.	3.9	57
7	Steinernema feltiae Intraspecific Variability: Infection Dynamics and Sex-Ratio. Journal of Nematology, 2014, 46, 35-43.	0.4	9
8	Source Identification of Soil Mercury in the Spanish Islands. Archives of Environmental Contamination and Toxicology, 2013, 64, 171-179.	2.1	41
9	Geospatial patterns of soil properties and the biological control potential of entomopathogenic nematodes in Florida citrus groves. Soil Biology and Biochemistry, 2013, 66, 163-174.	4.2	58
10	Use of transgenic GFP reporter strains of the nematode Caenorhabditis elegans to investigate the patterns of stress responses induced by pesticides and by organic extracts from agricultural soils. Ecotoxicology, 2013, 22, 72-85.	1.1	43
11	Transgenic nematodes as biosensors for metal stress in soil pore water samples. Ecotoxicology, 2012, 21, 439-455.	1.1	47
12	Entomopathogenic Nematode Ecology and Biological Control in Florida Citrus Orchards. , 2010, , 101-130.		7
13	Effect of seasonality and agricultural practices on occurrence of entomopathogenic nematodes and soil characteristics in La Rioja (Northern Spain). Pedobiologia, 2010, 53, 253-258.	0.5	15
14	A laboratory study on the activity of Steinernema feltiae (Rhabditida: Steinernematidae) Rioja strain against horticultural insect pests. Journal of Pest Science, 2009, 82, 305-309.	1.9	10
15	Screening Spanish isolates of steinernematid nematodes for use as biological control agents through laboratory and greenhouse microcosm studies. Journal of Invertebrate Pathology, 2009, 100, 100-105.	1.5	42
16	Characterization of Xenorhabdus isolates from La Rioja (Northern Spain) and virulence with and without their symbiotic entomopathogenic nematodes (Nematoda: Steinernematidae). Journal of Invertebrate Pathology, 2009, 102, 173-181.	1.5	15
17	Diversity, occurrence, and life characteristics of natural entomopathogenic nematode populations from La Rioja (Northern Spain) under different agricultural management and their relationships with soil factors. Soil Biology and Biochemistry, 2008, 40, 1474-1484.	4.2	63
18	Comparative study of entomopathogenic nematode isolation using Galleria mellonella (Pyralidae) and Spodoptera littoralis (Noctuidae) as baits. Biocontrol Science and Technology, 2008, 18, 621-626.	0.5	7

#	Article	IF	CITATIONS
19	Comparative study of the effect of selected agrochemical products on <i>Steinernema feltiae </i> (Rhabditida: Steinernematidae). Biocontrol Science and Technology, 2008, 18, 101-108.	0.5	27
20	Distribution of the entomopathogenic nematodes from La Rioja (Northern Spain). Journal of Invertebrate Pathology, 2007, 95, 125-139.	1.5	52
21	Phoresy of the entomopathogenic nematode Steinernema feltiae by the earthworm Eisenia fetida. Journal of Invertebrate Pathology, 2006, 92, 50-54.	1.5	41
22	Morphological and Ecological Characterization of Steinernema feltiae (Rhabditida: Steinernematidae) Rioja Strain Isolated from Bibio hortulanus (Diptera: Bibionidae) in Spain. Journal of Nematology, 2006, 38, 68-75.	0.4	17
23	Crystal Structure and Superoxide Dismutase Activity of [Cu(ethylenediamine)2Cl][PF6]. Monatshefte FA1/4r Chemie, 2004, 135, 785.	0.9	12
24	Natural insecticides: Structure diversity, effects and structure-activity relationships. A case study. Studies in Natural Products Chemistry, 2002, , 849-879.	0.8	9
25	Defensive Chemistry of Senecio miser. Journal of Natural Products, 2001, 64, 6-11.	1.5	81
26	Minor diterpenes from Persea indica: their antifeedant activity. Phytochemistry, 2001, 56, 315-320.	1.4	32
27	Structure- and Species-Dependent Insecticidal Effects ofneo-Clerodane Diterpenes. Journal of Agricultural and Food Chemistry, 2000, 48, 3677-3681.	2.4	23
28	Insecticidal and Mutagenic Evaluation of Two Annonaceous Acetogenins. Journal of Natural Products, 2000, 63, 773-776.	1.5	50
29	ESTUDIO FITOQUIMICO Y ACTIVIDAD ANTIALIMENTARIA DE SENNA STIPULACEAE. Journal of the Chilean Chemical Society, 2000, 45, .	0.1	1
30	Antifeedant properties of natural products from Parthenium argentatum, P. argentatum×P. tomentosum (Asteraceae) and Castela emoryi (Simaroubeaceae) against Reticulitermes flavipes. Industrial Crops and Products, 1999, 10, 35-40.	2.5	29
31	Selective Insect Antifeedant and Toxic Action of Ryanoid Diterpenes. Journal of Agricultural and Food Chemistry, 1999, 47, 4419-4424.	2.4	45
32	Pyrrolizidine Alkaloids fromHeliotropium megalanthum. Journal of Natural Products, 1998, 61, 1418-1420.	1.5	28
33	AntifeedantDelphiniumDiterpenoid Alkaloids. Structureâ^'Activity Relationships. Journal of Agricultural and Food Chemistry, 1998, 46, 286-290.	2.4	56
34	Insect Antifeedant Isoryanodane Diterpenes fromPersea indica. Journal of Natural Products, 1997, 60, 880-883.	1.5	36
35	Silphinene Derivatives:Â Their Effects and Modes of Action on Colorado Potato Beetle. Journal of Agricultural and Food Chemistry, 1997, 45, 946-950.	2.4	33
36	Behavioral and Sublethal Effects of Structurally Related Lower Terpenes on Myzus persicae. Journal of Chemical Ecology, 1997, 23, 1641-1650.	0.9	67

#	Article	IF	CITATIONS
37	Antifeedant Effects of Some Novel Terpenoids on Chrysomelidae Beetles: Comparisons with Alkaloids on an Alkaloid-Adapted and Nonadapted Species. Journal of Chemical Ecology, 1997, 23, 1851-1866.	0.9	49
38	Bioactive saturated pyrrolizidine alkaloids from Heliotropium floridum. Phytochemistry, 1997, 46, 845-853.	1.4	52
39	Antifeedant and toxic effects of sesquiterpenes from Senecio palmensis to colorado potato beetle. Journal of Chemical Ecology, 1995, 21, 1255-1270.	0.9	66
40	A High Performance Liquid Chromatography Method for Quantification of Diboa, DIMBOA, and MBOA from Aqueous Extracts of Corn and Winter Cereal Plants. Journal of Liquid Chromatography and Related Technologies, 1994, 17, 2651-2665.	0.9	15
41	Three inhibitor types from wheat endosperm are differentially active against αâ€amylases of Lepidoptera pests. Entomologia Experimentalis Et Applicata, 1993, 66, 47-52.	0.7	27
42	Epidemiology of RPV- and PAV-like barley yellow dwarf viruses on winter barley in central Spain. Crop Protection, 1993, 12, 224-228.	1.0	5
43	Insecticidal activity and diterpene content of Persea indica. Phytochemistry, 1992, 31, 1549-1552.	1.4	23
44	α-amylase activities of agricultural insect pests are specifically affected by different inhibitor preparations from wheat and barley endosperms. Plant Science, 1990, 72, 37-44.	1.7	47
45	Woundâ€induced changes in DIMBOA (2, 4 dihydroxyâ€7â€methoxyâ€2Hâ€1, 4 benzoxazinâ€3(4H)â€one) cond in maize plants caused by <i>Sesamia nonagrioides</i> (Lepidoptera: Noctuidae). Annals of Applied Biology, 1988, 113, 447-454.	entration 1.3	43
46	A high-performance liquid chromatographic method for quantitation of DIMBOA and MBOA in maize plant extract. Journal of Agricultural and Food Chemistry, 1982, 30, 1258-1260.	2.4	20