

# Amin Asadi

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3971033/amin-asadi-publications-by-year.pdf>

**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

53 papers	2,817 citations	28 h-index	53 g-index
56 ext. papers	3,415 ext. citations	5.5 avg, IF	6.29 L-index

#	Paper	IF	Citations
53	Estimating the density of hybrid nanofluids for thermal energy application: Application of non-parametric and evolutionary polynomial regression data-intelligent techniques. <i>Measurement: Journal of the International Measurement Confederation</i> , <b>2021</b> , 110524	4.6	6
52	Toward the accurate estimation of elliptical side orifice discharge coefficient applying two rigorous kernel-based data-intelligence paradigms. <i>Scientific Reports</i> , <b>2021</b> , 11, 19784	4.9	3
51	On the specific heat capacity estimation of metal oxide-based nanofluid for energy perspective [A comprehensive assessment of data analysis techniques. <i>International Communications in Heat and Mass Transfer</i> , <b>2021</b> , 123, 105217	5.8	32
50	On the Thermal Conductivity Assessment of Oil-Based Hybrid Nanofluids using Extended Kalman Filter integrated with feed-forward neural network. <i>International Journal of Heat and Mass Transfer</i> , <b>2021</b> , 172, 121159	4.9	19
49	On the optimization of a vertical twisted tape arrangement in a channel subjected to MWCNT-Water nanofluid by coupling numerical simulation and genetic algorithm. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2021</b> , 144, 189-201	4.1	11
48	Feasibility of least-square support vector machine in predicting the effects of shear rate on the rheological properties and pumping power of MWCNT-MgO/oil hybrid nanofluid based on experimental data. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2021</b> , 143, 1439-1454	4.1	19
47	On the assessment of specific heat capacity of nanofluids for solar energy applications: Application of Gaussian process regression (GPR) approach. <i>Journal of Energy Storage</i> , <b>2021</b> , 33, 102067	7.8	24
46	Specific heat capacity of molten salt-based nanofluids in solar thermal applications: A paradigm of two modern ensemble machine learning methods. <i>Journal of Molecular Liquids</i> , <b>2021</b> , 335, 116434	6	12
45	Two-phase study of nanofluids mixed convection and entropy generation in an I-shaped porous cavity with triangular hot block and different aspect ratios. <i>Mathematical Methods in the Applied Sciences</i> , <b>2020</b> ,	2.3	1
44	Predictability evaluation of support vector regression methods for thermophysical properties, heat transfer performance, and pumping power estimation of MWCNT/ZnO-Engine oil hybrid nanofluid. <i>Engineering With Computers</i> , <b>2020</b> , 37, 3813	4.5	11
43	Thermal and Fluid Dynamics Performance of MWCNT-Water Nanofluid Based on Thermophysical Properties: An Experimental and Theoretical Study. <i>Scientific Reports</i> , <b>2020</b> , 10, 5185	4.9	29
42	On the heat transfer effectiveness and pumping power assessment of a diamond-water nanofluid based on thermophysical properties: An experimental study. <i>Powder Technology</i> , <b>2020</b> , 373, 397-410	5.2	20
41	A multi-stage stochastic energy management of responsive irrigation pumps in dynamic electricity markets. <i>Applied Energy</i> , <b>2020</b> , 265, 114804	10.7	14
40	On the Thermal Performance of a Fractal Microchannel Subjected to Water and Kerosene Carbon Nanotube Nanofluid. <i>Scientific Reports</i> , <b>2020</b> , 10, 7243	4.9	19
39	An experimental study on characterization, stability and dynamic viscosity of CuO-TiO <sub>2</sub> /water hybrid nanofluid. <i>Journal of Molecular Liquids</i> , <b>2020</b> , 307, 112987	6	70
38	A hybrid solid oxide fuel cell-gas turbine fed by the motive steam of a multi-effects desalination-thermo vapor compressor system. <i>Energy Conversion and Management</i> , <b>2020</b> , 216, 112951	10.6	3
37	A general model for prediction of BaSO <sub>4</sub> and SrSO <sub>4</sub> solubility in aqueous electrolyte solutions over a wide range of temperatures and pressures. <i>Journal of Molecular Liquids</i> , <b>2020</b> , 299, 112142	6	3

36	On the natural convection of nanofluids in diverse shapes of enclosures: an exhaustive review. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2020</b> , 1	4.1	25
35	A New Thermal Conductivity Model and Two-Phase Mixed Convection of CuO-Water Nanofluids in a Novel I-Shaped Porous Cavity Heated by Oriented Triangular Hot Block. <i>Nanomaterials</i> , <b>2020</b> , 10,	5.4	6
34	Integration of Joint Power-Heat Flexibility of Oil Refinery Industries to Uncertain Energy Markets. <i>Energies</i> , <b>2020</b> , 13, 4874	3.1	9
33	Effects of ultrasonication time on stability, dynamic viscosity, and pumping power management of MWCNT-water nanofluid: an experimental study. <i>Scientific Reports</i> , <b>2020</b> , 10, 15182	4.9	12
32	Effects of constructal theory on thermal management of a power electronic system. <i>Scientific Reports</i> , <b>2020</b> , 10, 21436	4.9	1
31	Numerical investigation of turbulent flow and heat transfer of nanofluid inside a wavy microchannel with different wavelengths. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2020</b> , 139, 2365-2380	4.1	53
30	A numerical investigation on the effects of mixed convection of Ag-water nanofluid inside a sim-circular lid-driven cavity on the temperature of an electronic silicon chip. <i>Applied Thermal Engineering</i> , <b>2019</b> , 162, 114298	5.8	39
29	An experimental investigation on the effects of ultrasonication time on stability and thermal conductivity of MWCNT-water nanofluid: Finding the optimum ultrasonication time. <i>Ultrasonics Sonochemistry</i> , <b>2019</b> , 58, 104639	8.9	85
28	Recent advances in preparation methods and thermophysical properties of oil-based nanofluids: A state-of-the-art review. <i>Powder Technology</i> , <b>2019</b> , 352, 209-226	5.2	126
27	Investigation of a computer CPU heat sink under laminar forced convection using a structural stability method. <i>International Journal of Heat and Mass Transfer</i> , <b>2019</b> , 134, 1218-1226	4.9	50
26	On the thermal characteristics of a manifold microchannel heat sink subjected to nanofluid using two-phase flow simulation. <i>International Journal of Heat and Mass Transfer</i> , <b>2019</b> , 143, 118518	4.9	43
25	Effect of sonication characteristics on stability, thermophysical properties, and heat transfer of nanofluids: A comprehensive review. <i>Ultrasonics Sonochemistry</i> , <b>2019</b> , 58, 104701	8.9	120
24	On the rheological properties of MWCNT-TiO <sub>2</sub> /oil hybrid nanofluid: An experimental investigation on the effects of shear rate, temperature, and solid concentration of nanoparticles. <i>Powder Technology</i> , <b>2019</b> , 355, 157-162	5.2	80
23	An Experimental Study on the Performance Evaluation and Thermodynamic Modeling of a Thermoelectric Cooler Combined with Two Heatsinks. <i>Scientific Reports</i> , <b>2019</b> , 9, 20336	4.9	7
22	Feasibility of ANFIS-PSO and ANFIS-GA Models in Predicting Thermophysical Properties of AIO-MWCNT/Oil Hybrid Nanofluid. <i>Materials</i> , <b>2019</b> , 12,	3.5	62
21	Thermo-mechanical contact problems and elastic behaviour of single and double sides functionally graded brake disks with temperature-dependent material properties. <i>Scientific Reports</i> , <b>2019</b> , 9, 15317	4.9	6
20	Effects of magnetic field on the convective heat transfer rate and entropy generation of a nanofluid in an inclined square cavity equipped with a conductor fin: Considering the radiation effect. <i>International Journal of Heat and Mass Transfer</i> , <b>2019</b> , 133, 256-267	4.9	72
19	Heat transfer performance of two oil-based nanofluids containing ZnO and MgO nanoparticles; a comparative experimental investigation. <i>Powder Technology</i> , <b>2019</b> , 343, 296-308	5.2	80

18	An experimental study on stability and thermal conductivity of water/silica nanofluid: Eco-friendly production of nanoparticles. <i>Journal of Cleaner Production</i> , <b>2019</b> , 206, 1089-1100	10.3	129
17	Fake/Bogus Conferences: Their Features and Some Subtle Ways to Differentiate Them from Real Ones. <i>Science and Engineering Ethics</i> , <b>2018</b> , 24, 779-784	3.1	4
16	An experimental and theoretical investigation on the effects of adding hybrid nanoparticles on heat transfer efficiency and pumping power of an oil-based nanofluid as a coolant fluid. <i>International Journal of Refrigeration</i> , <b>2018</b> , 89, 83-92	3.8	82
15	Heat transfer efficiency of Al <sub>2</sub> O <sub>3</sub> -MWCNT/thermal oil hybrid nanofluid as a cooling fluid in thermal and energy management applications: An experimental and theoretical investigation. <i>International Journal of Heat and Mass Transfer</i> , <b>2018</b> , 117, 474-486	4.9	185
14	An experimental and theoretical investigation on heat transfer capability of Mg (OH) <sub>2</sub> /MWCNT-engine oil hybrid nano-lubricant adopted as a coolant and lubricant fluid. <i>Applied Thermal Engineering</i> , <b>2018</b> , 129, 577-586	5.8	100
13	A guideline towards easing the decision-making process in selecting an effective nanofluid as a heat transfer fluid. <i>Energy Conversion and Management</i> , <b>2018</b> , 175, 1-10	10.6	68
12	Performance evaluation of two solar stills of different geometries: Tubular versus triangular: Experimental study, numerical simulation, and second law analysis. <i>Desalination</i> , <b>2018</b> , 443, 44-55	10.3	69
11	Online-Based Approaches to Identify Real Journals and Publishers from Hijacked Ones. <i>Science and Engineering Ethics</i> , <b>2017</b> , 23, 305-308	3.1	14
10	The effect of surfactant and sonication time on the stability and thermal conductivity of water-based nanofluid containing Mg(OH) <sub>2</sub> nanoparticles: An experimental investigation. <i>International Journal of Heat and Mass Transfer</i> , <b>2017</b> , 108, 191-198	4.9	100
9	Solar intensity measurement using a thermoelectric module; experimental study and mathematical modeling. <i>Energy Conversion and Management</i> , <b>2016</b> , 129, 344-353	10.6	31
8	Dynamic viscosity of MWCNT/ZnO Engine oil hybrid nanofluid: An experimental investigation and new correlation in different temperatures and solid concentrations. <i>International Communications in Heat and Mass Transfer</i> , <b>2016</b> , 76, 41-45	5.8	139
7	An experimental investigation on productivity and performance of a new improved design portable asymmetrical solar still utilizing thermoelectric modules. <i>Energy Conversion and Management</i> , <b>2016</b> , 118, 55-62	10.6	96
6	The effect of temperature and solid concentration on dynamic viscosity of MWCNT/MgO (2080)BAE50 hybrid nano-lubricant and proposing a new correlation: An experimental study. <i>International Communications in Heat and Mass Transfer</i> , <b>2016</b> , 78, 48-53	5.8	106
5	Applications of feedforward multilayer perceptron artificial neural networks and empirical correlation for prediction of thermal conductivity of Mg(OH) <sub>2</sub> EG using experimental data. <i>International Communications in Heat and Mass Transfer</i> , <b>2015</b> , 67, 46-50	5.8	110
4	Thermal conductivity of Cu/TiO <sub>2</sub> /water/EG hybrid nanofluid: Experimental data and modeling using artificial neural network and correlation. <i>International Communications in Heat and Mass Transfer</i> , <b>2015</b> , 66, 100-104	5.8	280
3	Mandatory and Self-citation; Types, Reasons, Their Benefits and Disadvantages. <i>Science and Engineering Ethics</i> , <b>2015</b> , 21, 1581-5	3.1	13
2	Fake Journals: Their Features and Some Viable Ways to Distinguishing Them. <i>Science and Engineering Ethics</i> , <b>2015</b> , 21, 821-4	3.1	11
1	Thermal conductivity and viscosity of Mg(OH) <sub>2</sub> -ethylene glycol nanofluids. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2015</b> , 120, 1145-1149	4.1	96

