
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3972232/publications.pdf Version: 2024-02-01



ANNE LINDRERC

#	Article	IF	CITATIONS
1	Not 15 But 50% of smokers develop COPD?—Report from the Obstructive Lung Disease in Northern Sweden Studies. Respiratory Medicine, 2003, 97, 115-122.	2.9	494
2	Health-related quality of life is related to COPD disease severity. Health and Quality of Life Outcomes, 2005, 3, 56.	2.4	264
3	Prevalence and underdiagnosis of COPD by disease severity and the attributable fraction of smoking. Respiratory Medicine, 2006, 100, 264-272.	2.9	243
4	Increased prevalence of allergic asthma from 1996 to 2006 and further to 2016—results from three population surveys. Clinical and Experimental Allergy, 2017, 47, 1426-1435.	2.9	176
5	Prevalence of Chronic Obstructive Pulmonary Disease according to BTS, ERS, GOLD and ATS Criteria in Relation to Doctor's Diagnosis, Symptoms, Age, Gender, and Smoking Habits. Respiration, 2005, 72, 471-479.	2.6	147
6	Ten-Year Cumulative Incidence of COPD and Risk Factors for Incident Disease in a Symptomatic Cohort. Chest, 2005, 127, 1544-1552.	0.8	134
7	Electronic cigarettes: a task force report from the European Respiratory Society. European Respiratory Journal, 2019, 53, 1801151.	6.7	131
8	Gender Differences in Symptoms Related to Sleep Apnea in a General Population and in Relation to Referral to Sleep Clinic. Chest, 2003, 124, 204-211.	0.8	119
9	The Effects of Regular Inhaled Formoterol, Budesonide, and Placebo on Mucosal Inflammation and Clinical Indices in Mild Asthma. American Journal of Respiratory and Critical Care Medicine, 1999, 159, 79-86.	5.6	112
10	Seven-Year Cumulative Incidence of COPD in an Age-Stratified General Population Sample. Chest, 2006, 129, 879-885.	0.8	94
11	Prevalence trends in respiratory symptoms and asthma in relation to smoking - two cross-sectional studies ten years apart among adults in northern Sweden. World Allergy Organization Journal, 2014, 7, 1.	3.5	91
12	Passive Smoking Exposure Is Associated With Increased Risk of COPD in Never Smokers. Chest, 2014, 145, 1298-1304.	0.8	88
13	Association of Electronic Cigarette Use With Smoking Habits, Demographic Factors, and Respiratory Symptoms. JAMA Network Open, 2018, 1, e180789.	5.9	86
14	Effect of inhaled fluticasone with and without salmeterol on airway inflammation in asthma. Journal of Allergy and Clinical Immunology, 2003, 112, 72-78.	2.9	79
15	Outcome and severity of adult onset asthma—Report from the obstructive lung disease in northern Sweden studies (OLIN). Respiratory Medicine, 2007, 101, 2370-2377.	2.9	78
16	Low incidence and high remission of allergic sensitization among adults. Journal of Allergy and Clinical Immunology, 2012, 129, 136-142.	2.9	76
17	Severe asthma—A population study perspective. Clinical and Experimental Allergy, 2019, 49, 819-828.	2.9	70
18	Evaluation of the global lung function initiative 2012 reference values for spirometry in a Swedish population sample. BMC Pulmonary Medicine, 2015, 15, 26.	2.0	66

#	Article	IF	CITATIONS
19	Up-to-date on mortality in COPD - report from the OLIN COPD study. BMC Pulmonary Medicine, 2012, 12, 1.	2.0	64
20	Health economic costs of COPD in Sweden by disease severity – Has it changed during a ten years period?. Respiratory Medicine, 2013, 107, 1931-1938.	2.9	59
21	Allergic sensitization is age-dependently associated with rhinitis, but less so with asthma. Journal of Allergy and Clinical Immunology, 2015, 136, 1559-1565.e2.	2.9	56
22	Bronchodilator efficacy of tiotropium in patients with mild to moderate COPD. Primary Care Respiratory Journal: Journal of the General Practice Airways Group, 2008, 17, 169-175.	2.3	55
23	Restrictive spirometric pattern in the general adult population: Methods of defining the condition and consequences on prevalence. Respiratory Medicine, 2016, 120, 116-123.	2.9	52
24	Decreased prevalence of moderate to severe COPD over 15 years in northern Sweden. Respiratory Medicine, 2016, 114, 103-110.	2.9	51
25	Control of mild to moderate asthma over 1-year with the combination of salmeterol and fluticasone propionate. Respiratory Medicine, 2006, 100, 2-10.	2.9	50
26	Association of heart diseases with COPD and restrictive lung function – Results from a population survey. Respiratory Medicine, 2013, 107, 98-106.	2.9	50
27	Fatigue in chronic obstructive pulmonary disease: a qualitative study of people's experiences. Scandinavian Journal of Caring Sciences, 2014, 28, 130-138.	2.1	50
28	Increase in sensitization to common airborne allergens among adults – two population-based studies 15Âyears apart. Allergy, Asthma and Clinical Immunology, 2013, 9, 20.	2.0	49
29	Fast onset of effect of budesonide/formoterol versus salmeterol/fluticasone and salbutamol in patients with chronic obstructive pulmonary disease and reversible airway obstruction. Respirology, 2007, 12, 732-739.	2.3	46
30	The economic consequences of asthma among adults in Sweden. Respiratory Medicine, 2007, 101, 2263-2270.	2.9	45
31	Co-morbidity in Mild-to-Moderate COPD: Comparison to Normal and Restrictive Lung Function. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2011, 8, 421-428.	1.6	45
32	Physical activity and fatigue in chronic obstructive pulmonary disease – A population based study. Respiratory Medicine, 2015, 109, 1048-1057.	2.9	44
33	Prevalence and risk factors of COPD among never-smokers in two areas of Sweden – Occupational exposure to gas, dust or fumes is an important risk factor. Respiratory Medicine, 2015, 109, 1439-1445.	2.9	42
34	COPD among non-smokers – Report from the Obstructive Lung Disease in Northern Sweden (OLIN) studies. Respiratory Medicine, 2012, 106, 980-988.	2.9	40
35	Decline in FEV ₁ in Relation to Incident Chronic Obstructive Pulmonary Disease in a Cohort with Respiratory Symptoms. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2007, 4, 5-13.	1.6	38
36	Fatigue in COPD and the Impact of Respiratory Symptoms and Heart Disease—A Population-based Study. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2013, 10, 125-132.	1.6	38

#	Article	IF	CITATIONS
37	Subjects with COPD and productive cough have an increased risk for exacerbations and death. Respiratory Medicine, 2015, 109, 88-95.	2.9	38
38	Obstructive Sleep Apnoea Syndrome Is Common in Subjects with Chronic Bronchitis. Respiration, 2001, 68, 250-255.	2.6	37
39	Fatigue Affects Health Status and Predicts Mortality Among Subjects with COPD: Report from the Population-Based OLIN COPD Study. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2015, 12, 199-206.	1.6	37
40	Occupational exposure to chemicals drives the increased risk of asthma and rhinitis observed for exposure to vapours, gas, dust and fumes: a cross-sectional population-based study. Occupational and Environmental Medicine, 2016, 73, 663-669.	2.8	36
41	Survival in individuals with severe alpha 1-antitrypsin deficiency (PiZZ) in comparison to a general population with known smoking habits. European Respiratory Journal, 2017, 50, 1700198.	6.7	36
42	Low nicotine dependence and high self-efficacy can predict smoking cessation independent of the presence of chronic obstructive pulmonary disease: a three year follow up of a population-based study. Tobacco Induced Diseases, 2015, 13, 27.	0.6	34
43	Serum metalloproteinase-9 is related to COPD severity and symptoms - cross-sectional data from a population based cohort-study. Respiratory Research, 2015, 16, 28.	3.6	34
44	Asthma control over 3years in a real-life study. Respiratory Medicine, 2009, 103, 348-355.	2.9	32
45	Reference values for spirometry – report from the Obstructive Lung Disease in Northern Sweden studies. European Clinical Respiratory Journal, 2015, 2, 26375.	1.5	30
46	Vital capacity and COPD: the Swedish CArdioPulmonary bioImage Study (SCAPIS). International Journal of COPD, 2016, 11, 927.	2.3	30
47	Hand grip strength is associated with forced expiratory volume in 1 second among subjects with COPD: report from a population-based cohort study. International Journal of COPD, 2016, Volume 11, 2527-2534.	2.3	30
48	Hand grip strength is strongly associated with lower limb strength but only weakly with postural control in community-dwelling older adults. Archives of Gerontology and Geriatrics, 2021, 94, 104345.	3.0	30
49	A 20-Year Follow-Up of a Population Study-Based COPD Cohort-Report from the Obstructive Lung Disease in Northern Sweden Studies. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2009, 6, 263-271.	1.6	29
50	Self-reported physician-diagnosed asthma among Swedish adolescent, adult and former elite endurance athletes. Journal of Asthma, 2015, 52, 1046-1053.	1.7	27
51	Human Puumala hantavirus infection in northern Sweden; increased seroprevalence and association to risk and health factors. BMC Infectious Diseases, 2016, 16, 566.	2.9	27
52	Asthma and Asthma Medication Are Common among Recreational Athletes Participating in Endurance Sport Competitions. Canadian Respiratory Journal, 2018, 2018, 1-7.	1.6	24
53	Decreased COPD prevalence in Sweden after decades of decrease in smoking. Respiratory Research, 2020, 21, 283.	3.6	24
54	A population-based cohort of adults with asthma: mortality and participation in a long-term follow-up. European Clinical Respiratory Journal, 2017, 4, 1334508.	1.5	22

#	Article	IF	CITATIONS
55	The impact of comorbidities on mortality among men and women with COPD: report from the OLIN COPD study. Therapeutic Advances in Respiratory Disease, 2019, 13, 175346661986005.	2.6	22
56	The COPD Assessment Test (CAT) can screen for fatigue among patients with COPD. Therapeutic Advances in Respiratory Disease, 2018, 12, 175346661878738.	2.6	20
57	Only severe COPD is associated with being underweight : results from a population survey. ERJ Open Research, 2016, 2, 00051-2015.	2.6	19
58	Chronic airway obstruction in a population-based adult asthma cohort: Prevalence, incidence and prognostic factors. Respiratory Medicine, 2018, 138, 115-122.	2.9	19
59	Severe asthma is related to high societal costs and decreased health related quality of life. Respiratory Medicine, 2020, 162, 105860.	2.9	19
60	FEV1 decline in relation to blood eosinophils and neutrophils in a population-based asthma cohort. World Allergy Organization Journal, 2020, 13, 100110.	3.5	19
61	Large underreporting of COPD as cause of death-results from a population-based cohort study. Respiratory Medicine, 2021, 186, 106518.	2.9	19
62	Remission of adult-onset asthma is rare: a 15-year follow-up study. ERJ Open Research, 2020, 6, 00620-2020.	2.6	18
63	Hospitalization Due to Co-Morbid Conditions is the Main Cost Driver Among Subjects With COPD–A Report From the Population-Based OLIN COPD Study. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2015, 12, 381-389.	1.6	17
64	Cost Differences for COPD With and Without Physician-Diagnosis. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2005, 2, 427-434.	1.6	15
65	Cytotoxic lymphocytes in COPD airways: increased NK cells associated with disease, iNKT and NKT-like cells with current smoking. Respiratory Research, 2018, 19, 244.	3.6	15
66	High incidence rate of asthma among elite endurance athletes: a prospective 4-year survey. Journal of Asthma, 2021, 58, 735-741.	1.7	15
67	Low socioeconomic status relates to asthma and wheeze, especially in women. ERJ Open Research, 2020, 6, 00258-2019.	2.6	15
68	Creating a balance between breathing and viability: experiences of well-being when living with chronic obstructive pulmonary disease. Primary Health Care Research and Development, 2015, 16, 42-52.	1.2	13
69	Hand grip strength is associated with fatigue among men with COPD: epidemiological data from northern Sweden. Physiotherapy Theory and Practice, 2020, 36, 408-416.	1.3	13
70	Targeted high-throughput sequencing of candidate genes for chronic obstructive pulmonary disease. BMC Pulmonary Medicine, 2016, 16, 146.	2.0	12
71	Respiratory symptoms increase health care consumption and affect everyday life – a cross-sectional population-based study from Finland, Estonia, and Sweden. European Clinical Respiratory Journal, 2016, 3, 31024.	1.5	11
72	Pre- and post-bronchodilator airway obstruction are associated with similar clinical characteristics but different prognosis – report from a population-based study. International Journal of COPD, 2017, Volume 12, 1269-1277.	2.3	11

#	Article	IF	CITATIONS
73	Severe alphaâ€1â€antitrypsin deficiency increases the risk of venous thromboembolism. Journal of Thrombosis and Haemostasis, 2021, 19, 1519-1525.	3.8	11
74	Preoperative Point-of-Care Assessment of Left Ventricular Systolic Dysfunction With Transthoracic Echocardiography. Anesthesia and Analgesia, 2021, 132, 717-725.	2.2	11
75	Receiving support to quit smoking and quit attempts among smokers with and without smoking related diseases: Findings from the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A14.	0.6	11
76	Central arterial stiffness is increased among subjects with severe and very severe COPD: report from a population-based cohort study. European Clinical Respiratory Journal, 2015, 2, 27023.	1.5	10
77	The ratio FEV ₁ /FVC and its association to respiratory symptoms—A Swedish general population study. Clinical Physiology and Functional Imaging, 2021, 41, 181-191.	1.2	10
78	Airway regulatory T cells are decreased in COPD with a rapid decline in lung function. Respiratory Research, 2020, 21, 330.	3.6	9
79	Assessment of Global Lung Function Initiative (GLI) reference equations for diffusing capacity in relation to respiratory burden in the Swedish CArdioPulmonary bioImage Study (SCAPIS). European Respiratory Journal, 2020, 56, 1901995.	6.7	9
80	Ischemic ECG abnormalities are associated with an increased risk for death among subjects with COPD, also among those without known heart disease. International Journal of COPD, 2017, Volume 12, 2507-2514.	2.3	8
81	Proteolytic biomarkers are related to prognosis in COPD- report from a population-based cohort. Respiratory Research, 2018, 19, 64.	3.6	8
82	Cancer risk in severe alpha-1-antitrypsin deficiency. European Respiratory Journal, 2022, 60, 2103200.	6.7	8
83	Uncontrolled asthma predicts severe COVID-19: a report from the Swedish National Airway Register. Therapeutic Advances in Respiratory Disease, 2022, 16, 175346662210911.	2.6	8
84	Pattern of Cardiovascular Comorbidity in COPD in a Country with Low-smoking Prevalence: Results from Two-population-based Cohorts from Sweden. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2018, 15, 454-463.	1.6	7
85	Job titles classified into socioeconomic and occupational groups identify subjects with increased risk for respiratory symptoms independent of occupational exposure to vapour, gas, dust, or fumes. European Clinical Respiratory Journal, 2018, 5, 1468715.	1.5	7
86	lschemic heart disease among subjects with and without chronic obstructive pulmonary disease – ECG-findings in a population-based cohort study. BMC Pulmonary Medicine, 2015, 15, 156.	2.0	6
87	Childhood onset asthma is associated with lower educational level in young adults – A prospective cohort study. Respiratory Medicine, 2021, 186, 106514.	2.9	6
88	COPD is Associated with Epigenome-wide Differential Methylation in BAL Lung Cells. American Journal of Respiratory Cell and Molecular Biology, 2022, , .	2.9	6
89	Chronic airflow limitation and its relation to respiratory symptoms among ever-smokers and never-smokers: a cross-sectional study. BMJ Open Respiratory Research, 2020, 7, e000600.	3.0	5
90	>Decreased Risk of Ischemic Heart Disease in Individuals with Severe Alpha 1-Antitrypsin Deficiency (PiZZ) in Comparison with the General Population. International Journal of COPD, 2020, Volume 15, 1245-1252.	2.3	5

#	Article	IF	CITATIONS
91	High but stable incidence of adult-onset asthma in northern Sweden over the last decades. ERJ Open Research, 2021, 7, 00262-2021.	2.6	5
92	Predictors of severe COVID-19 in a registry-based Swedish cohort of patients with COPD. European Respiratory Journal, 2021, 58, 2101920.	6.7	5
93	Restrictive spirometry versus restrictive lung function using the GLI reference values. Clinical Physiology and Functional Imaging, 2022, 42, 181-189.	1.2	5
94	From COPD epidemiology to studies of pathophysiological disease mechanisms: challenges with regard to study design and recruitment process. European Clinical Respiratory Journal, 2017, 4, 1415095.	1.5	4
95	Cardiac biomarkers of prognostic importance in chronic obstructive pulmonary disease. Respiratory Research, 2020, 21, 162.	3.6	4
96	Usage of and attitudes toward heat―and moistureâ€exchanging breathing devices among adolescent skiers. Translational Sports Medicine, 2021, 4, 337-343.	1.1	4
97	Asthma Control and Asthma Medication Use among Swedish Elite Endurance Athletes. Canadian Respiratory Journal, 2018, 2018, 1-11.	1.6	3
98	The prevalence of prolonged QTc increases by GOLD stage, and is associated with worse survival among subjects with COPD. Heart and Lung: Journal of Acute and Critical Care, 2019, 48, 148-154.	1.6	3
99	Socioeconomic inequalities in asthma and respiratory symptoms in a high-income country: changes from 1996 to 2016. Journal of Asthma, 2023, 60, 185-194.	1.7	3
100	Differences in diagnostic patterns of obstructive airway disease between areas and sex in Sweden and Finland - the Nordic EpiLung study. Journal of Asthma, 2020, 58, 1-12.	1.7	2
101	Cause-Specific Death in Chronic Airway Obstruction and Restrictive Spirometric Pattern. Annals of the American Thoracic Society, 2022, 19, 1783-1787.	3.2	2
102	Among respiratory symptoms, wheeze associates most strongly with impaired lung function in adults with asthma: a long-term prospective cohort study. BMJ Open Respiratory Research, 2021, 8, e000981.	3.0	1
103	Cancer risk in severe alpha-1 antitrypsin deficiency: the importance of early identification. European Respiratory Journal, 2022, 60, 2200846.	6.7	1
104	Corrigendum to: "Prevalence and underdiagnosis of COPD by disease severity and attributable fraction of smoking. Report from the Obstructive Lung Disease in Northern Sweden Studiesâ€ . Respiratory Medicine, 2007, 101, 2569.	2.9	0
105	The impact of exacerbations among subjects with COPD, what can we learn from 'big data'?. Respiratory Medicine, 2018, 145, 226-227.	2.9	0
106	Pre-operative point-of-care assessment of left ventricular diastolic dysfunction, an observational study. BMC Anesthesiology, 2022, 22, 96.	1.8	0