

Anne Lindberg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3972232/publications.pdf>

Version: 2024-02-01

106
papers

4,458
citations

101543

36
h-index

114465

63
g-index

106
all docs

106
docs citations

106
times ranked

5318
citing authors

#	ARTICLE	IF	CITATIONS
1	Socioeconomic inequalities in asthma and respiratory symptoms in a high-income country: changes from 1996 to 2016. <i>Journal of Asthma</i> , 2023, 60, 185-194.	1.7	3
2	COPD is Associated with Epigenome-wide Differential Methylation in BAL Lung Cells. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2022, , .	2.9	6
3	Cancer risk in severe alpha-1-antitrypsin deficiency. <i>European Respiratory Journal</i> , 2022, 60, 2103200.	6.7	8
4	Pre-operative point-of-care assessment of left ventricular diastolic dysfunction, an observational study. <i>BMC Anesthesiology</i> , 2022, 22, 96.	1.8	0
5	Uncontrolled asthma predicts severe COVID-19: a report from the Swedish National Airway Register. <i>Therapeutic Advances in Respiratory Disease</i> , 2022, 16, 175346662210911.	2.6	8
6	Restrictive spirometry versus restrictive lung function using the GLI reference values. <i>Clinical Physiology and Functional Imaging</i> , 2022, 42, 181-189.	1.2	5
7	Cancer risk in severe alpha-1 antitrypsin deficiency: the importance of early identification. <i>European Respiratory Journal</i> , 2022, 60, 2200846.	6.7	1
8	Cause-Specific Death in Chronic Airway Obstruction and Restrictive Spirometric Pattern. <i>Annals of the American Thoracic Society</i> , 2022, 19, 1783-1787.	3.2	2
9	High incidence rate of asthma among elite endurance athletes: a prospective 4-year survey. <i>Journal of Asthma</i> , 2021, 58, 735-741.	1.7	15
10	Usage of and attitudes toward heat and moisture exchanging breathing devices among adolescent skiers. <i>Translational Sports Medicine</i> , 2021, 4, 337-343.	1.1	4
11	The ratio FEV_{1}/FVC and its association to respiratory symptoms – A Swedish general population study. <i>Clinical Physiology and Functional Imaging</i> , 2021, 41, 181-191.	1.2	10
12	Severe alpha-1 antitrypsin deficiency increases the risk of venous thromboembolism. <i>Journal of Thrombosis and Haemostasis</i> , 2021, 19, 1519-1525.	3.8	11
13	Hand grip strength is strongly associated with lower limb strength but only weakly with postural control in community-dwelling older adults. <i>Archives of Gerontology and Geriatrics</i> , 2021, 94, 104345.	3.0	30
14	High but stable incidence of adult-onset asthma in northern Sweden over the last decades. <i>ERJ Open Research</i> , 2021, 7, 00262-2021.	2.6	5
15	Among respiratory symptoms, wheeze associates most strongly with impaired lung function in adults with asthma: a long-term prospective cohort study. <i>BMJ Open Respiratory Research</i> , 2021, 8, e000981.	3.0	1
16	Predictors of severe COVID-19 in a registry-based Swedish cohort of patients with COPD. <i>European Respiratory Journal</i> , 2021, 58, 2101920.	6.7	5
17	Childhood onset asthma is associated with lower educational level in young adults – A prospective cohort study. <i>Respiratory Medicine</i> , 2021, 186, 106514.	2.9	6
18	Large underreporting of COPD as cause of death-results from a population-based cohort study. <i>Respiratory Medicine</i> , 2021, 186, 106518.	2.9	19

#	ARTICLE	IF	CITATIONS
19	Preoperative Point-of-Care Assessment of Left Ventricular Systolic Dysfunction With Transthoracic Echocardiography. <i>Anesthesia and Analgesia</i> , 2021, 132, 717-725.	2.2	11
20	Hand grip strength is associated with fatigue among men with COPD: epidemiological data from northern Sweden. <i>Physiotherapy Theory and Practice</i> , 2020, 36, 408-416.	1.3	13
21	Severe asthma is related to high societal costs and decreased health related quality of life. <i>Respiratory Medicine</i> , 2020, 162, 105860.	2.9	19
22	Chronic airflow limitation and its relation to respiratory symptoms among ever-smokers and never-smokers: a cross-sectional study. <i>BMJ Open Respiratory Research</i> , 2020, 7, e000600.	3.0	5
23	Airway regulatory T cells are decreased in COPD with a rapid decline in lung function. <i>Respiratory Research</i> , 2020, 21, 330.	3.6	9
24	Decreased COPD prevalence in Sweden after decades of decrease in smoking. <i>Respiratory Research</i> , 2020, 21, 283.	3.6	24
25	Differences in diagnostic patterns of obstructive airway disease between areas and sex in Sweden and Finland - the Nordic EpiLung study. <i>Journal of Asthma</i> , 2020, 58, 1-12.	1.7	2
26	FEV1 decline in relation to blood eosinophils and neutrophils in a population-based asthma cohort. <i>World Allergy Organization Journal</i> , 2020, 13, 100110.	3.5	19
27	<p>Decreased Risk of Ischemic Heart Disease in Individuals with Severe Alpha 1-Antitrypsin Deficiency (PiZZ) in Comparison with the General Population</p>. <i>International Journal of COPD</i> , 2020, Volume 15, 1245-1252.	2.3	5
28	Cardiac biomarkers of prognostic importance in chronic obstructive pulmonary disease. <i>Respiratory Research</i> , 2020, 21, 162.	3.6	4
29	Assessment of Global Lung Function Initiative (GLI) reference equations for diffusing capacity in relation to respiratory burden in the Swedish CARDioPulmonary bioImage Study (SCAPIS). <i>European Respiratory Journal</i> , 2020, 56, 1901995.	6.7	9
30	Low socioeconomic status relates to asthma and wheeze, especially in women. <i>ERJ Open Research</i> , 2020, 6, 00258-2019.	2.6	15
31	Remission of adult-onset asthma is rare: a 15-year follow-up study. <i>ERJ Open Research</i> , 2020, 6, 00620-2020.	2.6	18
32	The impact of comorbidities on mortality among men and women with COPD: report from the OLIN COPD study. <i>Therapeutic Advances in Respiratory Disease</i> , 2019, 13, 175346661986005.	2.6	22
33	Severe asthma – A population study perspective. <i>Clinical and Experimental Allergy</i> , 2019, 49, 819-828.	2.9	70
34	The prevalence of prolonged QTc increases by GOLD stage, and is associated with worse survival among subjects with COPD. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2019, 48, 148-154.	1.6	3
35	Electronic cigarettes: a task force report from the European Respiratory Society. <i>European Respiratory Journal</i> , 2019, 53, 1801151.	6.7	131
36	Chronic airway obstruction in a population-based adult asthma cohort: Prevalence, incidence and prognostic factors. <i>Respiratory Medicine</i> , 2018, 138, 115-122.	2.9	19

#	ARTICLE	IF	CITATIONS
37	The impact of exacerbations among subjects with COPD, what can we learn from 'big data'?. <i>Respiratory Medicine</i> , 2018, 145, 226-227.	2.9	0
38	Pattern of Cardiovascular Comorbidity in COPD in a Country with Low-smoking Prevalence: Results from Two-population-based Cohorts from Sweden. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2018, 15, 454-463.	1.6	7
39	Cytotoxic lymphocytes in COPD airways: increased NK cells associated with disease, iNKT and NKT-like cells with current smoking. <i>Respiratory Research</i> , 2018, 19, 244.	3.6	15
40	Job titles classified into socioeconomic and occupational groups identify subjects with increased risk for respiratory symptoms independent of occupational exposure to vapour, gas, dust, or fumes. <i>European Clinical Respiratory Journal</i> , 2018, 5, 1468715.	1.5	7
41	Asthma Control and Asthma Medication Use among Swedish Elite Endurance Athletes. <i>Canadian Respiratory Journal</i> , 2018, 2018, 1-11.	1.6	3
42	Association of Electronic Cigarette Use With Smoking Habits, Demographic Factors, and Respiratory Symptoms. <i>JAMA Network Open</i> , 2018, 1, e180789.	5.9	86
43	The COPD Assessment Test (CAT) can screen for fatigue among patients with COPD. <i>Therapeutic Advances in Respiratory Disease</i> , 2018, 12, 175346661878738.	2.6	20
44	Proteolytic biomarkers are related to prognosis in COPD- report from a population-based cohort. <i>Respiratory Research</i> , 2018, 19, 64.	3.6	8
45	Asthma and Asthma Medication Are Common among Recreational Athletes Participating in Endurance Sport Competitions. <i>Canadian Respiratory Journal</i> , 2018, 2018, 1-7.	1.6	24
46	Receiving support to quit smoking and quit attempts among smokers with and without smoking related diseases: Findings from the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , 2018, 16, A14.	0.6	11
47	Increased prevalence of allergic asthma from 1996 to 2006 and further to 2016—results from three population surveys. <i>Clinical and Experimental Allergy</i> , 2017, 47, 1426-1435.	2.9	176
48	Survival in individuals with severe alpha 1-antitrypsin deficiency (PiZZ) in comparison to a general population with known smoking habits. <i>European Respiratory Journal</i> , 2017, 50, 1700198.	6.7	36
49	A population-based cohort of adults with asthma: mortality and participation in a long-term follow-up. <i>European Clinical Respiratory Journal</i> , 2017, 4, 1334508.	1.5	22
50	From COPD epidemiology to studies of pathophysiological disease mechanisms: challenges with regard to study design and recruitment process. <i>European Clinical Respiratory Journal</i> , 2017, 4, 1415095.	1.5	4
51	Ischemic ECG abnormalities are associated with an increased risk for death among subjects with COPD, also among those without known heart disease. <i>International Journal of COPD</i> , 2017, Volume 12, 2507-2514.	2.3	8
52	Pre- and post-bronchodilator airway obstruction are associated with similar clinical characteristics but different prognosis — report from a population-based study. <i>International Journal of COPD</i> , 2017, Volume 12, 1269-1277.	2.3	11
53	Vital capacity and COPD: the Swedish CARDioPulmonary bioImage Study (SCAPIS). <i>International Journal of COPD</i> , 2016, 11, 927.	2.3	30
54	Hand grip strength is associated with forced expiratory volume in 1 second among subjects with COPD: report from a population-based cohort study. <i>International Journal of COPD</i> , 2016, Volume 11, 2527-2534.	2.3	30

#	ARTICLE	IF	CITATIONS
55	Respiratory symptoms increase health care consumption and affect everyday life – a cross-sectional population-based study from Finland, Estonia, and Sweden. <i>European Clinical Respiratory Journal</i> , 2016, 3, 31024.	1.5	11
56	Human Puumala hantavirus infection in northern Sweden; increased seroprevalence and association to risk and health factors. <i>BMC Infectious Diseases</i> , 2016, 16, 566.	2.9	27
57	Occupational exposure to chemicals drives the increased risk of asthma and rhinitis observed for exposure to vapours, gas, dust and fumes: a cross-sectional population-based study. <i>Occupational and Environmental Medicine</i> , 2016, 73, 663-669.	2.8	36
58	Restrictive spirometric pattern in the general adult population: Methods of defining the condition and consequences on prevalence. <i>Respiratory Medicine</i> , 2016, 120, 116-123.	2.9	52
59	Decreased prevalence of moderate to severe COPD over 15 years in northern Sweden. <i>Respiratory Medicine</i> , 2016, 114, 103-110.	2.9	51
60	Only severe COPD is associated with being underweight – results from a population survey. <i>ERJ Open Research</i> , 2016, 2, 00051-2015.	2.6	19
61	Targeted high-throughput sequencing of candidate genes for chronic obstructive pulmonary disease. <i>BMC Pulmonary Medicine</i> , 2016, 16, 146.	2.0	12
62	Reference values for spirometry – report from the Obstructive Lung Disease in Northern Sweden studies. <i>European Clinical Respiratory Journal</i> , 2015, 2, 26375.	1.5	30
63	Central arterial stiffness is increased among subjects with severe and very severe COPD: report from a population-based cohort study. <i>European Clinical Respiratory Journal</i> , 2015, 2, 27023.	1.5	10
64	Ischemic heart disease among subjects with and without chronic obstructive pulmonary disease – ECG-findings in a population-based cohort study. <i>BMC Pulmonary Medicine</i> , 2015, 15, 156.	2.0	6
65	Low nicotine dependence and high self-efficacy can predict smoking cessation independent of the presence of chronic obstructive pulmonary disease: a three year follow up of a population-based study. <i>Tobacco Induced Diseases</i> , 2015, 13, 27.	0.6	34
66	Evaluation of the global lung function initiative 2012 reference values for spirometry in a Swedish population sample. <i>BMC Pulmonary Medicine</i> , 2015, 15, 26.	2.0	66
67	Self-reported physician-diagnosed asthma among Swedish adolescent, adult and former elite endurance athletes. <i>Journal of Asthma</i> , 2015, 52, 1046-1053.	1.7	27
68	Subjects with COPD and productive cough have an increased risk for exacerbations and death. <i>Respiratory Medicine</i> , 2015, 109, 88-95.	2.9	38
69	Creating a balance between breathing and viability: experiences of well-being when living with chronic obstructive pulmonary disease. <i>Primary Health Care Research and Development</i> , 2015, 16, 42-52.	1.2	13
70	Allergic sensitization is age-dependently associated with rhinitis, but less so with asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 136, 1559-1565.e2.	2.9	56
71	Physical activity and fatigue in chronic obstructive pulmonary disease – A population based study. <i>Respiratory Medicine</i> , 2015, 109, 1048-1057.	2.9	44
72	Serum metalloproteinase-9 is related to COPD severity and symptoms - cross-sectional data from a population based cohort-study. <i>Respiratory Research</i> , 2015, 16, 28.	3.6	34

#	ARTICLE	IF	CITATIONS
73	Prevalence and risk factors of COPD among never-smokers in two areas of Sweden â€œ Occupational exposure to gas, dust or fumes is an important risk factor. <i>Respiratory Medicine</i> , 2015, 109, 1439-1445.	2.9	42
74	Hospitalization Due to Co-Morbid Conditions is the Main Cost Driver Among Subjects With COPDâ€œA Report From the Population-Based OLIN COPD Study. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2015, 12, 381-389.	1.6	17
75	Fatigue Affects Health Status and Predicts Mortality Among Subjects with COPD: Report from the Population-Based OLIN COPD Study. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2015, 12, 199-206.	1.6	37
76	Passive Smoking Exposure Is Associated With Increased Risk of COPD in Never Smokers. <i>Chest</i> , 2014, 145, 1298-1304.	0.8	88
77	Prevalence trends in respiratory symptoms and asthma in relation to smoking - two cross-sectional studies ten years apart among adults in northern Sweden. <i>World Allergy Organization Journal</i> , 2014, 7, 1.	3.5	91
78	Fatigue in chronic obstructive pulmonary disease: a qualitative study of people's experiences. <i>Scandinavian Journal of Caring Sciences</i> , 2014, 28, 130-138.	2.1	50
79	Health economic costs of COPD in Sweden by disease severity â€œ Has it changed during a ten years period?. <i>Respiratory Medicine</i> , 2013, 107, 1931-1938.	2.9	59
80	Increase in sensitization to common airborne allergens among adults â€œ two population-based studies 15Åyears apart. <i>Allergy, Asthma and Clinical Immunology</i> , 2013, 9, 20.	2.0	49
81	Association of heart diseases with COPD and restrictive lung function â€œ Results from a population survey. <i>Respiratory Medicine</i> , 2013, 107, 98-106.	2.9	50
82	Fatigue in COPD and the Impact of Respiratory Symptoms and Heart Diseaseâ€œA Population-based Study. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2013, 10, 125-132.	1.6	38
83	COPD among non-smokers â€œ Report from the Obstructive Lung Disease in Northern Sweden (OLIN) studies. <i>Respiratory Medicine</i> , 2012, 106, 980-988.	2.9	40
84	Low incidence and high remission of allergic sensitization among adults. <i>Journal of Allergy and Clinical Immunology</i> , 2012, 129, 136-142.	2.9	76
85	Up-to-date on mortality in COPD - report from the OLIN COPD study. <i>BMC Pulmonary Medicine</i> , 2012, 12, 1.	2.0	64
86	Co-morbidity in Mild-to-Moderate COPD: Comparison to Normal and Restrictive Lung Function. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2011, 8, 421-428.	1.6	45
87	A 20-Year Follow-Up of a Population Study-Based COPD Cohort-Report from the Obstructive Lung Disease in Northern Sweden Studies. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2009, 6, 263-271.	1.6	29
88	Asthma control over 3years in a real-life study. <i>Respiratory Medicine</i> , 2009, 103, 348-355.	2.9	32
89	Bronchodilator efficacy of tiotropium in patients with mild to moderate COPD. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2008, 17, 169-175.	2.3	55
90	Outcome and severity of adult onset asthmaâ€œReport from the obstructive lung disease in northern Sweden studies (OLIN). <i>Respiratory Medicine</i> , 2007, 101, 2370-2377.	2.9	78

#	ARTICLE	IF	CITATIONS
91	The economic consequences of asthma among adults in Sweden. <i>Respiratory Medicine</i> , 2007, 101, 2263-2270.	2.9	45
92	Corrigendum to: "Prevalence and underdiagnosis of COPD by disease severity and attributable fraction of smoking. Report from the Obstructive Lung Disease in Northern Sweden Studies" <i>Respiratory Medicine</i> , 2007, 101, 2569.	2.9	0
93	Decline in FEV ₁ in Relation to Incident Chronic Obstructive Pulmonary Disease in a Cohort with Respiratory Symptoms. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2007, 4, 5-13.	1.6	38
94	Fast onset of effect of budesonide/formoterol versus salmeterol/fluticasone and salbutamol in patients with chronic obstructive pulmonary disease and reversible airway obstruction. <i>Respirology</i> , 2007, 12, 732-739.	2.3	46
95	Prevalence and underdiagnosis of COPD by disease severity and the attributable fraction of smoking. <i>Respiratory Medicine</i> , 2006, 100, 264-272.	2.9	243
96	Control of mild to moderate asthma over 1-year with the combination of salmeterol and fluticasone propionate. <i>Respiratory Medicine</i> , 2006, 100, 2-10.	2.9	50
97	Seven-Year Cumulative Incidence of COPD in an Age-Stratified General Population Sample. <i>Chest</i> , 2006, 129, 879-885.	0.8	94
98	Prevalence of Chronic Obstructive Pulmonary Disease according to BTS, ERS, GOLD and ATS Criteria in Relation to Doctor's Diagnosis, Symptoms, Age, Gender, and Smoking Habits. <i>Respiration</i> , 2005, 72, 471-479.	2.6	147
99	Ten-Year Cumulative Incidence of COPD and Risk Factors for Incident Disease in a Symptomatic Cohort. <i>Chest</i> , 2005, 127, 1544-1552.	0.8	134
100	Cost Differences for COPD With and Without Physician-Diagnosis. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2005, 2, 427-434.	1.6	15
101	Health-related quality of life is related to COPD disease severity. <i>Health and Quality of Life Outcomes</i> , 2005, 3, 56.	2.4	264
102	Not 15 But 50% of smokers develop COPD? Report from the Obstructive Lung Disease in Northern Sweden Studies. <i>Respiratory Medicine</i> , 2003, 97, 115-122.	2.9	494
103	Effect of inhaled fluticasone with and without salmeterol on airway inflammation in asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2003, 112, 72-78.	2.9	79
104	Gender Differences in Symptoms Related to Sleep Apnea in a General Population and in Relation to Referral to Sleep Clinic. <i>Chest</i> , 2003, 124, 204-211.	0.8	119
105	Obstructive Sleep Apnoea Syndrome Is Common in Subjects with Chronic Bronchitis. <i>Respiration</i> , 2001, 68, 250-255.	2.6	37
106	The Effects of Regular Inhaled Formoterol, Budesonide, and Placebo on Mucosal Inflammation and Clinical Indices in Mild Asthma. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1999, 159, 79-86.	5.6	112