

Kou Chen Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3972971/publications.pdf>

Version: 2024-02-01

31
papers

786
citations

567281

15
h-index

501196

28
g-index

31
all docs

31
docs citations

31
times ranked

1243
citing authors

#	ARTICLE	IF	CITATIONS
1	Surface Plasmon Resonance Optical Sensor: A Review on Light Source Technology. <i>Biosensors</i> , 2018, 8, 80.	4.7	271
2	Graphene oxide-based SPR biosensor chip for immunoassay applications. <i>Nanoscale Research Letters</i> , 2014, 9, 445.	5.7	63
3	The resistive switching characteristics of a Ti/Gd ₂ O ₃ /Pt RRAM device. <i>Microelectronics Reliability</i> , 2010, 50, 670-673.	1.7	54
4	Rapid detection and quantification of Enterovirus 71 by a portable surface plasmon resonance biosensor. <i>Biosensors and Bioelectronics</i> , 2017, 92, 186-191.	10.1	52
5	Graphene-based Portable SPR Sensor for the Detection of Mycobacterium tuberculosis DNA Strain. <i>Procedia Engineering</i> , 2016, 168, 541-545.	1.2	36
6	Rapid screening of Mycobacterium tuberculosis complex (MTBC) in clinical samples by a modular portable biosensor. <i>Sensors and Actuators B: Chemical</i> , 2018, 254, 742-748.	7.8	34
7	Room temperature fabricated transparent amorphous indium zinc oxide based thin film transistor using high- κ HfO ₂ as gate insulator. <i>Thin Solid Films</i> , 2012, 520, 3079-3083.	1.8	29
8	Improving Electrical Performances of SnO_2 Thin-Film Transistors Using Double-Gated Structure. <i>IEEE Electron Device Letters</i> , 2015, 36, 1053-1055.	3.9	29
9	Performance of white organic light-emitting diode for portable optical biosensor. <i>Sensors and Actuators B: Chemical</i> , 2016, 222, 1058-1065.	7.8	25
10	Structural and optical properties of zirconia thin films deposited by reactive high-power impulse magnetron sputtering. <i>Thin Solid Films</i> , 2014, 570, 404-411.	1.8	24
11	Gold nanoparticle-assisted plasmonic enhancement for DNA detection on a graphene-based portable surface plasmon resonance sensor. <i>Nanotechnology</i> , 2021, 32, 095503.	2.6	22
12	Effect of ultraviolet light exposure on a HfO _x RRAM device. <i>Thin Solid Films</i> , 2010, 518, 7460-7463.	1.8	18
13	The role of oxygen plasma in the formation of oxygen defects in HfO _x films deposited at room temperature. <i>Journal of Materials Chemistry C</i> , 2015, 3, 4104-4114.	5.5	18
14	Defect passivation by O ₂ plasma treatment on high-k dielectric HfO ₂ films at room temperature. <i>Thin Solid Films</i> , 2011, 519, 5110-5113.	1.8	17
15	Investigation on the abnormal resistive switching induced by ultraviolet light exposure based on HfO _x film. <i>Microelectronics Reliability</i> , 2010, 50, 1931-1934.	1.7	16
16	Enhanced Plasmonic Biosensor Utilizing Paired Antibody and Label-Free Fe ₃ O ₄ Nanoparticles for Highly Sensitive and Selective Detection of Parkinson's α -Synuclein in Serum. <i>Biosensors</i> , 2021, 11, 402.	4.7	12
17	Role of Depolarization Factors in the Evolution of a Dipolar Plasmonic Spectral Line in the Far- and Near-Field Regimes. <i>Journal of Physical Chemistry C</i> , 2020, 124, 3250-3259.	3.1	11
18	Room temperature epitaxial growth of (001) CeO ₂ on (001) LaAlO ₃ by pulsed laser deposition. <i>Crystal Research and Technology</i> , 2013, 48, 308-313.	1.3	10

#	ARTICLE	IF	CITATIONS
19	Effect of pulsed off-times on the reactive HiPIMS preparation of zirconia thin films. Vacuum, 2015, 118, 38-42.	3.5	10
20	Resistive switching characteristics of multilayered (HfO ₂ /Al ₂ O ₃) _n =19 thin film. Thin Solid Films, 2012, 520, 3415-3418.	1.8	8
21	Nano-film aluminum-gold for ultra-high dynamic-range surface plasmon resonance chemical sensor. Frontiers of Optoelectronics, 2019, 12, 286-295.	3.7	6
22	A Turbidity Test Based Centrifugal Microfluidics Diagnostic System for Simultaneous Detection of HBV, HCV, and CMV. Advances in Materials Science and Engineering, 2015, 2015, 1-8.	1.8	5
23	Correlating the Density of Trap-States and the Field-Effect Performance in Metal-Oxide Thin-Film Transistors With High- κ Gate Dielectrics via a Trap-Limited Conduction Method. IEEE Nanotechnology Magazine, 2021, 20, 321-331.	2.0	3
24	Assessing Plasma Levels of τ -Synuclein and Neurofilament Light Chain by Different Blood Preparation Methods. Frontiers in Aging Neuroscience, 2021, 13, 759182.	3.4	3
25	HfO _x Thin Films for Resistive Memory Device by Use of Atomic Layer Deposition. Materials Research Society Symposia Proceedings, 2007, 997, 1.	0.1	2
26	Optimization of electrical properties of Al/LaAlO ₃ /indium tin oxide capacitor by adjusting oxygen pressures in pulsed laser deposition and applying post-deposition annealing at low temperatures. Thin Solid Films, 2014, 555, 153-158.	1.8	2
27	Multi-metallic sensing layers for surface plasmon resonance sensor. , 2017, , .		2
28	Feasibility of using bimetallic Au@Ag nanoparticles for organic light-emitting devices. Nanoscale, 2021, 13, 12164-12176.	5.6	2
29	Oxygen pressure induced the electrical properties of amorphous LaAlO ₃ dielectric deposited by pulsed laser deposition at room temperature. , 2015, , .		1
30	Designing the Topology of a Unipolar Pulsed-DC Power Supply using the Open-source Scilab/Xcos Software for a Low-cost Plasma Etcher. Solid State Electronics Letters, 2020, 2, 35-43.	1.0	1
31	Gold nanoparticles enhanced fluorescence in organic lighting emission diodes. , 2012, , .		0