

Manuel Benito Crespo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3973104/publications.pdf>

Version: 2024-02-01

177
papers

1,623
citations

516215

16
h-index

395343

33
g-index

177
all docs

177
docs citations

177
times ranked

1425
citing authors

#	ARTICLE	IF	CITATIONS
1	Morphological and molecular data support recognition of <i>Spergularia quartzicola</i> (Caryophyllaceae) as a new species endemic to South Africa. <i>Plant Biosystems</i> , 2022, 156, 506-514.	0.8	3
2	On biodiversity and conservation of the <i>Iris hexagona</i> complex (Phaeiris, Iridaceae). <i>Ecosphere</i> , 2021, 12, e03331.	1.0	0
3	Remarks on the types of <i>Tamarix</i> names (Tamaricaceae) described from the Iberian Peninsula. <i>Phytotaxa</i> , 2021, 484, 281-290.	0.1	1
4	<i>Triandra pellabergensis</i> (Hyacinthaceae subfam. Urgineoideae), a new genus and species from Pella se Berge, Northern Cape Province, South Africa. <i>Phytotaxa</i> , 2021, 487, 65-74.	0.1	4
5	Lectotype designation of Desfontaines's name <i>Cistus heterophyllus</i> and its hybrid <i>C. Å—clausonii</i> (Cistaceae). <i>Phytotaxa</i> , 2021, 491, 158-166.	0.1	0
6	Taxonomic identity and evolutionary relationships of South African taxa related to the <i>Spergularia media</i> group (Caryophyllaceae). <i>Plant Systematics and Evolution</i> , 2021, 307, 1.	0.3	5
7	New combinations in Hyacinthaceae subfam. Ornithogaloideae. <i>Phytotaxa</i> , 2021, 524, 59-64.	0.1	0
8	Diversification of <i>Biscutella</i> ser. <i>Biscutella</i> (Brassicaceae) followed post-Miocene geologic and climatic changes in the Mediterranean basin. <i>Molecular Phylogenetics and Evolution</i> , 2020, 142, 106644.	1.2	6
9	(2750) Proposal to conserve the name <i>Panicum crusægalli</i> (<i>Echinochloa</i>) Tj ETQq1 1 0.784314 rgBT /Over 820-822.	0.4	2
10	The identity of <i>Drimia purpurascens</i> , with a new nomenclatural and taxonomic approach to the <i>Drimia undata</i> group (Hyacinthaceae=Asparagaceae subfam. Scilloideae). <i>Plant Systematics and Evolution</i> , 2020, 306, 1.	0.3	4
11	The <i>Macroptilium gracile</i> species complex (Fabaceae, Papilionoideae): an integrative taxonomic study based on morphological, molecular and ecological data. <i>Botanical Journal of the Linnean Society</i> , 2020, 194, 118-139.	0.8	2
12	Born in the Mediterranean: Comprehensive Taxonomic Revision of <i>Biscutella</i> ser. <i>Biscutella</i> (Brassicaceae) Based on Morphological and Phylogenetic Data. <i>Annals of the Missouri Botanical Garden</i> , 2020, 105, 195-231.	1.3	5
13	<i>Trimelopter crispolanatum</i> (Asparagaceae, Scilloideae), a new species from Namaqualand, South Africa. <i>Phytotaxa</i> , 2020, 447, 73-76.	0.1	1
14	<i>Austronea phyllopogon</i> (Hyacinthaceae, Urgineoideae), a new species from the Kamiesberg, Northern Cape Province in South Africa. <i>Phytotaxa</i> , 2020, 449, 203-206.	0.1	0
15	Two new calcicolous species of <i>Pinguicula</i> sect. <i>Pinguicula</i> (Lentibulariaceae) growing on rocky habitats of the Iberian Peninsula. <i>Phytotaxa</i> , 2020, 456, 269-284.	0.1	1
16	Typification of <i>Hammada articulata</i> (Amaranthaceae). <i>Phytotaxa</i> , 2020, 456, 212-214.	0.1	0
17	Miscellaneous notes on nomenclature and taxonomy of some Old World names in tribe Paniceae (Panicoideae, Poaceae). <i>Phytotaxa</i> , 2020, 454, 244-254.	0.1	1
18	<i>Melinis maroccana</i> (Melinidinae, Paniceae, Poaceae), a new combination for the Moroccan flora, and comments on related taxa. <i>Phytotaxa</i> , 2020, 433, 77-80.	0.1	1

#	ARTICLE	IF	CITATIONS
19	<i>Iris zhaoana</i> , a new name for <i>Iris potaninii</i> var. <i>ionantha</i> (sect. <i>Pseudoregelia</i> ser. <i>Tigridiae</i> , Iridaceae) from China: evidence from morphological and plastid DNA data. <i>Phytotaxa</i> , 2020, 470, 282-289.	0.1	2
20	<i>Eliokarmos humanii</i> (Hyacinthaceae, Ornithogaloideae), a new species from Namaqualand in South Africa and a new combination in the genus. <i>Phytotaxa</i> , 2020, 474, 87-92.	0.1	1
21	Extended studies of interspecific relationships in <i>Daucus</i> (Apiaceae) using DNA sequences from ten nuclear orthologues. <i>Botanical Journal of the Linnean Society</i> , 2019, 191, 164-187.	0.8	3
22	<i>Austronea patersoniae</i> (Asparagaceae, Scilloideae), a new species from the Eastern Cape Province in South Africa. <i>Phytotaxa</i> , 2019, 400, 76.	0.1	1
23	Correct citation and lectotype designation for the name <i>Iberis carica</i> (Brassicaceae). <i>Phytotaxa</i> , 2019, 405, 297.	0.1	2
24	Lectotype designation for <i>Scilla undulata</i> Desf. (Asparagaceae) from among the mixed original material. <i>Phytotaxa</i> , 2019, 411, 89-92.	0.1	3
25	Typification of fourteen names of North African taxa of <i>Biscutella</i> ser. <i>Biscutella</i> (Brassicaceae). <i>Phytotaxa</i> , 2019, 416, 175-183.	0.1	0
26	New combinations in the tribe Urgineae (Asparagaceae subfam. Scilloideae) with comments on contrasting taxonomic treatments. <i>Phytotaxa</i> , 2019, 397, 291.	0.1	5
27	Out of the Middle East: New phylogenetic insights in the genus <i>Tamarix</i> (Tamaricaceae). <i>Journal of Systematics and Evolution</i> , 2019, 57, 488-507.	1.6	14
28	Revisiting the lectotype of <i>Daucus mauritanicus</i> L. (Apiaceae). <i>Taxon</i> , 2019, 68, 1359-1362.	0.4	2
29	(2717) Proposal to reject the name <i>Iris biflora</i> (Iridaceae). <i>Taxon</i> , 2019, 68, 1118-1119.	0.4	3
30	A taxonomic revision of <i>Geschollia</i> (Asparagaceae). <i>Phytotaxa</i> , 2019, 427, 85-114.	0.1	2
31	<i>Iosanthus</i> (Hyacinthaceae subfam. Urgineoideae), a new genus from Southern Africa to include <i>Ornithogalum toxicarium</i> and its removal from Ornithogaloideae. <i>Plant Biosystems</i> , 2019, 153, 580-588.	0.8	5
32	Crespo, M.B., Martínez-Azorán, M. & Mavrodiev, E.V. (2018) Notes on taxonomy and nomenclature of Juno irises (Juno, Iridaceae). <i>Phytotaxa</i> 376 (5): 185-200. <i>Phytotaxa</i> , 2019, 387, 300.	0.1	0
33	Morphological and molecular data support recognition of a new rupicolous species of <i>Pinguicula</i> (Lentibulariaceae) from the Iberian Peninsula. <i>Plant Biosystems</i> , 2019, 153, 77-87.	0.8	1
34	<i>Biscutella pseudolyrata</i> (Brassicaceae, Biscutelleae), a new species endemic to NW Morocco based on morphological and molecular evidence. <i>Willdenowia</i> , 2019, 49, 155.	0.5	5
35	Taxonomic revision of the <i>Limonium latebracteatum</i> group (Plumbaginaceae), with the description of a new species. <i>Phytotaxa</i> , 2018, 333, 41.	0.1	6
36	<i>Acantholimon davisii</i> (Plumbaginaceae), a new specific name for the Turkish endemic <i>A. caryophyllaceum</i> subsp. <i>parviflorum</i> . <i>Phytotaxa</i> , 2018, 334, 80.	0.1	1

#	ARTICLE	IF	CITATIONS
37	A new infraspecific arrangement of <i>Teucrium thymifolium</i> (Lamiaceae), an aggregate endemic to the Iberian Peninsula. <i>Plant Biosystems</i> , 2018, 152, 1079-1087.	0.8	3
38	<i>Vera-duthiea zebrina</i> (Asparagaceae, Scilloideae), a new species from eastern South Africa, and a first genus record for southern Africa. <i>Phytotaxa</i> , 2018, 375, 283.	0.1	5
39	Notes on taxonomy and nomenclature of Juno irises (<i>Juno</i> , Iridaceae). <i>Phytotaxa</i> , 2018, 376, 185.	0.1	2
40	<i>Zingela</i> (Asparagaceae, Scilloideae), a distinct new urgineoid genus from KwaZulu-Natal, South Africa. <i>Phytotaxa</i> , 2018, 371, 33.	0.1	5
41	<i>Austronea</i> (Asparagaceae, Scilloideae), a new genus from southern Africa, including the description of seven new species. <i>Phytotaxa</i> , 2018, 365, 101.	0.1	14
42	<i>Massonia visseriae</i> (Asparagaceae, Scilloideae): rediscovery of a neglected species of <i>Neobakeria</i> and its transfer to <i>Massonia</i> . <i>Phytotaxa</i> , 2018, 334, 70.	0.1	3
43	<i>Massonia inaequalis</i> (Asparagaceae, Scilloideae), a distinct new species from South Africa. <i>Phytotaxa</i> , 2018, 343, 94.	0.1	2
44	<i>Salicornia cuscoensis</i> (Amaranthaceae/Chenopodiaceae), a new species from Peru (South America). <i>Phytotaxa</i> , 2017, 319, 254.	0.1	3
45	<i>Teucrium amplexicaule</i> (Lamiaceae), a neglected name for a Spanish endemic. <i>Phytotaxa</i> , 2017, 312, 139.	0.1	1
46	New data on <i>Iris pskemensis</i> and its placement in <i>Alatavia</i> (Iridaceae). <i>Phytotaxa</i> , 2017, 321, 294.	0.1	0
47	<i>Massonia gypsicola</i> (Asparagaceae, Scilloideae), a new species from the Knersvlakte in South Africa. <i>Phytotaxa</i> , 2017, 308, 144.	0.1	4
48	<i>Aulostemon</i> (Asparagaceae, Scilloideae), a new genus from South Africa. <i>Phytotaxa</i> , 2017, 321, 287.	0.1	12
49	Chorological and taxonomic notes on African plants, 2. <i>Botany Letters</i> , 2017, 164, 135-153.	0.7	16
50	An updated report on the distribution and conservation status of the endangered Cat™s Head Rockrose <l> <i>Helianthemum caput-felis</i> </l> (Magnoliopsida: Violales: Cistaceae) in Algeria. <i>Journal of Threatened Taxa</i> , 2017, 9, 9885.	0.1	3
51	Confirmation of the presence of <i>Ornithogalum umbellatum</i> (Hyacinthaceae) in the Iberian Peninsula. <i>Anales Del Jardin Botanico De Madrid</i> , 2017, 74, 049.	0.2	0
52	(2452) Proposal to reject the name <i> <i>Fucus baillouviana</i> </i> (<i> <i>Dasya</i> </i> <i> <i>baillouviana</i> </i>) (<i> <i>Rhodophycota</i> </i>: <i> <i>Dasyaceae</i> </i>). <i>Taxon</i> , 2016, 65, 882-883.	0.4	0
53	Taxonomic circumscription of the N African endemic <i>Biscutella raphanifolia</i> (Brassicaceae) based on morphological and molecular characters. <i>Willdenowia</i> , 2016, 46, 411.	0.5	5
54	(2483) Proposal to conserve the name <i> <i>Scilla</i> </i> (<i> <i>Hyacinthaceae</i> </i>) with a conserved type. <i>Taxon</i> , 2016, 65, 1427-1428.	0.4	2

#	ARTICLE	IF	CITATIONS
55	(48) Request for a binding decision on whether <i>Scilla</i> L. (<i>Hyacinthaceae</i> subfam.) Tj ETQq1 1 0.784314 rgBT /Overlock 10 are sufficiently alike to be confused. <i>Taxon</i> , 2016, 65, 1437-1438.	0.4	4
56	<i>Drimia trichophylla</i> (<i>Hyacinthaceae</i> , <i>Urgineoideae</i>), a New Species from the Eastern Cape Province, South Africa. <i>Systematic Botany</i> , 2016, 41, 944-949.	0.2	2
57	A revised typification of <i>Cistus origanifolius</i> , basionym of <i>Helianthemum origanifolium</i> (<i>Cistaceae</i>). <i>Phytotaxa</i> , 2016, 258, 95.	0.1	0
58	Revisiting the lectotype of <i>Biscutella boetica</i> (<i>Brassicaceae</i>). <i>Phytotaxa</i> , 2016, 268, 291.	0.1	2
59	Remarks and clarifications on the type material of <i>Ximenesia encelioides</i> (<i>Verbesina encelioides</i> ;) Tj ETQq1 1 0.784314 rgBT /Overlock 10 0.1	0.1	0
60	A new North African subspecies in the <i>Helianthemum origanifolium</i> aggregate (<i>H.</i> subg. <i>Plectolobum</i> ;) Tj ETQq0 0 0 rgBT /Overlock 10 0.1	0.1	8
61	Corrections on the previous typifications of some names in <i>Tamarix</i> (<i>Tamaricaceae</i>). <i>Phytotaxa</i> , 2016, 289, 96.	0.1	0
62	Lectotypification of three Linnaean names in <i>Leucojum</i> (<i>Amaryllidaceae</i>). <i>Taxon</i> , 2016, 65, 867-871.	0.4	0
63	Integrated Molecular and Morphological Studies of the <i>Daucus guttatus</i> Complex (<i>Apiaceae</i>). <i>Systematic Botany</i> , 2016, 41, 479-492.	0.2	15
64	Lectotype Designation for Seven Species Names in the <i>Daucus guttatus</i> Complex (<i>Apiaceae</i>) from the Central and Eastern Mediterranean Basin. <i>Systematic Botany</i> , 2016, 41, 464-478.	0.2	10
65	<i>Limonium tobarrense</i> (<i>Plumbaginaceae</i>), a new species from the southeastern Iberian Peninsula. <i>Phytotaxa</i> , 2016, 257, 61.	0.1	9
66	Morphological features, nuclear microsatellites and plastid haplotypes reveal hybridisation processes between two sympatric <i>Vriesea</i> species in Brazil (<i>Bromeliaceae</i>). <i>Phytotaxa</i> , 2016, 261, 58.	0.1	10
67	Nomenclatural type designation of four Linnaean names in <i>Iris sensu lato</i> (<i>Iridaceae</i>). <i>Phytotaxa</i> , 2016, 268, 296.	0.1	2
68	Notes on typification of three names in <i>Jurinea</i> (<i>Asteraceae</i>). <i>Phytotaxa</i> , 2016, 284, 138.	0.1	0
69	<i>Helianthemum</i> (sect. <i>Helianthemum</i>) <i>raskebdanae</i> (<i>Cistaceae</i>), a new species from northeastern Morocco. <i>Phytotaxa</i> , 2015, 207, 253.	0.1	4
70	Can a rainbow consist of a single colour? A new comprehensive generic arrangement of the <i>Iris sensu latissimo</i> clade (<i>Iridaceae</i>), congruent with morphology and molecular data. <i>Phytotaxa</i> , 2015, 232, 1.	0.1	53
71	<i>Massonia bakeriana</i> (<i>Asparagaceae</i> , <i>Scilloideae</i>), a new pustulate species from the Northern Cape Province (South Africa). <i>Phytotaxa</i> , 2015, 222, 51.	0.1	6
72	<i>Massonia obermeyerae</i> (<i>Asparagaceae</i> , <i>Scilloideae</i>), a new species from South Africa. <i>Phytotaxa</i> , 2015, 205, 39.	0.1	4

#	ARTICLE	IF	CITATIONS
73	<i>Eliokarmos craibii</i> (Asparagaceae, Scilloideae), a new species from Pella se Berge, Northern Cape Province, South Africa. <i>Phytotaxa</i> , 2015, 204, 65.	0.1	2
74	Epitype designation for the name <i>Biscutella didyma</i> L. (Brassicaceae). <i>Phytotaxa</i> , 2015, 233, 288.	0.1	4
75	Clarification of <i>Massonia echinata</i> and some other frequently misunderstood <i>Massonia</i> species (Asparagaceae, Scilloideae), with the description of <i>M. pseudoechinata</i> and <i>M. roggveldensis</i> . <i>Phytotaxa</i> , 2015, 239, 101.	0.1	4
76	Type designation for <i>Cyclachaena xanthiifolia</i> (<i>Euphrosyne xanthiifolia</i>) (Heliantheae, Asteraceae). <i>Phytotaxa</i> , 2015, 197, 132.	0.1	0
77	New combinations and lectotype designations in Asparagaceae subfam. Scilloideae. <i>Phytotaxa</i> , 2015, 201, 165.	0.1	3
78	<i>Stellarioides exigua</i> (Asparagaceae, Scilloideae), a new species from South Africa. <i>Phytotaxa</i> , 2015, 204, 137.	0.1	2
79	Lectotype designation for three North African names of <i>Biscutella</i> (Brassicaceae) published by Claude Thomas Alexis Jordan. <i>Phytotaxa</i> , 2015, 212, 236.	0.1	4
80	Remarks on typification of nineteen names in <i>Tamarix</i> (Tamaricaceae). <i>Nordic Journal of Botany</i> , 2015, 33, 591-600.	0.2	4
81	(2401) Proposal to conserve the name <i>Dianthus crassipes</i> against <i>D. ferrugineus</i> (Caryophyllaceae). <i>Taxon</i> , 2015, 64, 1322-1323.	0.4	3
82	Lectotypification of <i>Macroptilium atropurpureum</i> (Leguminosae). <i>Kew Bulletin</i> , 2015, 70, 1.	0.4	0
83	Puzzling out the reproductive biology of the endangered cat's head rockrose (<i>Helianthemum</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.6	10
84	<i>Tamarix minoa</i> (Tamaricaceae), a new species from the island of Crete (Greece) based on morphological and plastid molecular sequence data. <i>Willdenowia</i> , 2015, 45, 161.	0.5	9
85	Orchids of the State Park of Serra do Tabuleiro, Southern Brazil. <i>Anales Del Jardin Botanico De Madrid</i> , 2015, 72, e020.	0.2	2
86	At Least 23 Genera Instead of One: The Case of <i>Iris</i> L. s.l. (Iridaceae). <i>PLoS ONE</i> , 2014, 9, e106459.	1.1	65
87	Nomenclatural remarks and typification of <i>Dasya</i> species (Dasyaceae, Rhodophyta) from the western Mediterranean. <i>Nordic Journal of Botany</i> , 2014, 32, 196-208.	0.2	3
88	Lectotypification of two names in <i>Limoniastrum</i> (Plumbaginaceae). <i>Taxon</i> , 2014, 63, 1342-1346.	0.4	6
89	Nomenclatural novelties and taxonomic notes in <i>Battandiera</i> Maire (Ornithogaloideae,) Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.8	3
90	Genetic assessment of population restorations of the critically endangered <i>Silene hifacensis</i> in the Iberian Peninsula. <i>Journal for Nature Conservation</i> , 2014, 22, 532-538.	0.8	10

#	ARTICLE	IF	CITATIONS
91	<i>Nicipe rosulata</i> (Ornithogaloideae, Hyacinthaceae), a New Species from the Little Karoo in South Africa, with a New Combination in the Genus. Systematic Botany, 2014, 39, 785-790.	0.2	3
92	Type specimens of <i>Tamarix</i> (Tamaricaceae) described by Josef Franz Freyn in 1903. Phytotaxa, 2014, 172, 289.	0.1	5
93	<i>Massonia saniensis</i> (Asparagaceae, Scilloideae), a new species from Lesotho, southern Africa. Phytotaxa, 2014, 173, 181.	0.1	7
94	<i>Massonia dentata</i> (Asparagaceae, Scilloideae), a new species from the Nuweveldberge, and typification of the Sneeuberg endemic <i>M. calvata</i> (southern Great Escarpment, South Africa). Phytotaxa, 2014, 175, 201.	0.1	10
95	New data on the recently described <i>Xiphion heracleantum</i> (Iridaceae), endemic to Morocco. Phytotaxa, 2014, 162, 31.	0.1	1
96	Typification of <i>Pascalina glauca</i> (Heliantheae, Asteraceae), with historical notes on that name. Phytotaxa, 2014, 186, 215.	0.1	1
97	<i>Acantholimon riyatguelii</i> (Plumbaginaceae), a threatened new unarmed species from Central Anatolia, Turkey. Phytotaxa, 2014, 175, 73.	0.1	5
98	<i>Dasya patentissima</i> (Ceramiales, Dasyaceae), a new species from the Cabrera Archipelago (Balearic) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.1	2
99	<i>Massonia amoena</i> (Asparagaceae, Scilloideae), a striking new species from the Eastern Cape, South Africa. Phytotaxa, 2014, 181, 121.	0.1	11
100	The genus <i>Tamarix</i> (<i>Tamaricaceae</i>) in Crete (Greece). Willdenowia, 2014, 44, 321-326.	0.5	8
101	Validation of several species names in Hyacinthaceae. Taxon, 2014, 63, 1327-1334.	0.4	4
102	What is <i>Ornithogalum canaliculatum</i> ? New data on the African genus <i>Stellarioides</i> (Hyacinthaceae). Nordic Journal of Botany, 2013, 31, 213-221.	0.2	2
103	Out of Africa: Miocene Dispersal, Vicariance, and Extinction within Hyacinthaceae Subfamily Urgineoideae. Journal of Integrative Plant Biology, 2013, 55, 950-964.	4.1	17
104	Taxonomic Relationships in the <i>Hypericum ericoides</i> Aggregate (<i>H.</i>sect. <i>Coridium</i>), Tj ETQq0 0 0 rgBT /Overlock 10 Tf 8	0.6	8
105	Taxonomic status of <i>Ononis tridentata</i> (Fabaceae) from Morocco, resolved by multivariate morphometric analyses. Plant Biosystems, 2013, 147, 645-653.	0.8	4
106	<i>Stellarioides chartacea</i> (Hyacinthaceae, Ornithogaloideae), a new species from the Eastern Cape Province in South Africa. Phytotaxa, 2013, 85, .	0.1	2
107	<i>Drimia cochlearis</i> (Hyacinthaceae), a New Species from South Africa. Systematic Botany, 2013, 38, 332-338.	0.2	10
108	<i>Massonia citrina</i> (Hyacinthaceae, Hyacinthoideae)â€”a new species from the Western Cape Province (South Africa). Phytotaxa, 2013, 112, 50.	0.1	12

#	ARTICLE	IF	CITATIONS
109	<i>Xiphion heracleum</i> sp. nov. (Iridaceae) from Morocco. <i>Nordic Journal of Botany</i> , 2013, 31, 090-093.	0.2	2
110	New data on <i>Albuca crispa</i> (Hyacinthaceae, Ornithogaloideae), an erect-flowered <i>Albuca</i> from South Africa. <i>Phytotaxa</i> , 2013, 104, 1.	0.1	2
111	Two new species of <i>Limonium</i> (Plumbaginaceae) from Rhodes Island (eastern Aegean) Tj ETQq1 1,0,784314,rgBT/O 0.1	0.1	4
112	Typification of six Linnaean names in <i>Cistus</i> L. (Cistaceae). <i>Taxon</i> , 2013, 62, 1046-1049.	0.4	4
113	<i>Trimelopter craibii</i> (Hyacinthaceae, Ornithogaloideae), a new species from the North West Province of South Africa. <i>Phytotaxa</i> , 2013, 87, 50.	0.1	3
114	<i>Sagittanthera</i> (Hyacinthaceae, Urgineoideae), a new buzz pollinated genus from the Eastern Cape Province of South Africa. <i>Phytotaxa</i> , 2013, 98, 43.	0.1	24
115	(2116) Proposal to conserve the name <i>Xiphion vulgare</i> against <i>Iris xiphium</i> (Iridaceae, Iridoideae). <i>Taxon</i> , 2013, 62, 175-176.	0.4	0
116	Typification of <i>Statice dichotoma</i> Cav. (Plumbaginaceae). <i>Anales Del Jardin Botanico De Madrid</i> , 2013, 70, 111-112.	0.2	2
117	The Identity of <i>Albuca bifolia</i> (Hyacinthaceae), and the Description of Two Related New Species, <i>A. anisocrispa</i> and <i>A. pseudobifolia</i> , from Eastern Cape, South Africa. <i>Systematic Botany</i> , 2012, 37, 599-605.	0.2	0
118	(2073) Proposal to conserve the name <i>Pseudiris Chukr & A. Gil</i> against <i>Pseudo-iris Medik.</i> (Iridaceae), or to conserve <i>Limniris</i> against <i>Pseudo-iris</i> . <i>Taxon</i> , 2012, 61, 684-685.	0.4	1
119	(6) Request for a binding decision on whether <i>Lerouxia MÃ©rat</i> (Primulaceae) and <i>Lerouxia Caball.</i> (Plumbaginaceae) are sufficiently alike to be confused. <i>Taxon</i> , 2012, 61, 1335-1335.	0.4	1
120	(2080) Proposal to conserve the name <i>Ornithogalum narbonense</i> (Hyacinthaceae, Ornithogaloideae) with a conserved type. <i>Taxon</i> , 2012, 61, 881-881.	0.4	0
121	Inventory of related wild species of priority crops in Venezuela. <i>Genetic Resources and Crop Evolution</i> , 2012, 59, 655-681.	0.8	18
122	Genetic structure and phylogeography in <i>Juniperus oxycedrus</i> subsp. <i>macrocarpa</i> around the Mediterranean and Atlantic coasts of the Iberian Peninsula, based on AFLP and plastid markers. <i>European Journal of Forest Research</i> , 2012, 131, 845-856.	1.1	22
123	Molecular and morphological evidence supports the resurrection of a neglected species of <i>Daucus</i> (Apiaceae) from North Africa. <i>Botanical Journal of the Linnean Society</i> , 2012, 169, 320-337.	0.8	6
124	Does <i>Tamarix dalmatica</i> (Tamaricaceae) occur in Spain?. <i>Anales Del Jardin Botanico De Madrid</i> , 2012, 69, 253-258.	0.2	8
125	Hyacinthaceae. <i>Bothalia</i> , 2012, 42, 193-196.	0.2	3
126	<i>Ethesia tanquana</i> (Ornithogaloideae, Hyacinthaceae), a new species from the Tanqua Karoo (South Africa), with notes on <i>E. haalenbergensis</i> . <i>Anales Del Jardin Botanico De Madrid</i> , 2012, 69, 201-208.	0.2	1

#	ARTICLE	IF	CITATIONS
127	Morphology and Taxonomic Status of <i>Dasya rigescens</i> (Rhodophyta, Dasyaceae). <i>Cryptogamie, Algologie</i> , 2011, 32, 63-76.	0.3	5
128	Molecular phylogenetics of subfamily Ornithogaloideae (Hyacinthaceae) based on nuclear and plastid DNA regions, including a new taxonomic arrangement. <i>Annals of Botany</i> , 2011, 107, 1-37.	1.4	97
129	The rediscovery of <i>Albuca tenuifolia</i> , an orophilous species from the eastern Great Escarpment in South Africa. <i>Nordic Journal of Botany</i> , 2011, 29, 465-470.	0.2	6
130	Nomenclatural Notes on <i>Sarcocornia Perennis</i> (Mill.) A. J. Scott (Amaranthaceae). <i>Candollea</i> , 2011, 66, 331.	0.1	3
131	Endemism and evolution in Macaronesian and Mediterranean <i>Limonium</i> taxa., 2011, , 325-337.		13
132	<i>Albuca annulata</i> sp. nov. (Hyacinthaceae) from the Albany Centre of Endemism, South Africa. <i>Nordic Journal of Botany</i> , 2011, 29, 696-699.	0.2	2
133	The identity of <i>Albuca caudata</i> Jacq. (Hyacinthaceae) and a description of a new related species: <i>A. bakeri</i> . <i>PhytoKeys</i> , 2011, 5, 5.	0.4	5
134	Taxonomic revision of <i>Ornithogalum</i> subg. <i>Ornithogalum</i> (Hyacinthaceae) in the Iberian Peninsula and the Balearic Islands. <i>Plant Systematics and Evolution</i> , 2010, 289, 181-211.	0.3	16
135	(1982) Proposal to conserve the name <i>Euphrasia kaliformis</i> (<i>Odontites kaliformis</i>) (Orobanchaceae). <i>Tj ETQq1 1 0.784314 rgBT /Ove</i>	0.4	1
136	Apreciaciones sintaxonómicas y nomenclaturales sobre las comunidades rupícolas de la asociación <i>Jansonio glutinosae</i> - <i>Teucrietum thymifolii</i> . <i>Lazaroa</i> , 2010, 31, 155-163.	0.8	3
137	(1974) Proposal to conserve the name <i>Dasya</i> , nom. cons., against <i>Rhodonema</i> (Dasyaceae, Rhodophyta). <i>Taxon</i> , 2010, 59, 1892-1892.	0.4	2
138	Scanning electron microscope characters and their systematic significance within <i>Medicago</i> L. sect. <i>Dendrotelis</i> (Fabaceae: Trifolieae). <i>Feddes Repertorium</i> , 2009, 120, 158-168.	0.2	0
139	A New Coastal Species of <i>Limonium</i> (Plumbaginaceae) from Southeastern Spain. <i>Folia Geobotanica</i> , 2009, 44, 177-190.	0.4	12
140	What is <i>Dasya ocellata</i> indeed (Dasyaceae, Rhodophyta)? <i>Nordic Journal of Botany</i> , 2008, 26, 74-76.	0.2	2
141	Taxonomic and Nomenclatural Notes on South American Taxa of <i>Sarcocornia</i> (Chenopodiaceae). <i>Annales Botanici Fennici</i> , 2008, 45, 241-254.	0.0	58
142	Taxonomic revision of <i>Ornithogalum</i> subgen <i>Cathissa</i> (Salisb.) Baker (Hyacinthaceae). <i>Anales Del Jardin Botanico De Madrid</i> , 2007, 64, .	0.2	15
143	A revision of <i>Ornithogalum</i> subgenus <i>Aspasia</i> section <i>Aspasia</i> , the chincherinchees (Hyacinthaceae). <i>Bothalia</i> , 2007, 37, 133-164.	0.2	14
144	Typification of names of taxa in <i>Ornithogalum</i> L. subg. <i>Cathissa</i> (Salisb.) Baker (<i>Hyacinthaceae</i>). <i>Taxon</i> , 2006, 55, 1014-1018.	0.4	5

#	ARTICLE	IF	CITATIONS
145	A taxonomic revision of the <i>Linaria verticillata</i> group (Antirrhineae, Scrophulariaceae). Botanical Journal of the Linnean Society, 2005, 148, 229-244.	0.8	12
146	A new spineless species of <i>Vella</i> (Brassicaceae) from the high mountains of south-eastern Spain. Botanical Journal of the Linnean Society, 2005, 149, 121-128.	0.8	3
147	Molecular phylogenetics of <i>Limonium</i> and related genera (Plumbaginaceae): biogeographical and systematic implications. American Journal of Botany, 2005, 92, 1189-1198.	0.8	107
148	<i>Myriolimon</i> , a new name for the recently published <i>Myriolepis</i> (<i>Plumbaginaceae</i>). Taxon, 2005, 54, 811-812.	0.4	9
149	Patterns of variability and gene flow in <i>Medicago citrina</i> , an endangered endemic of islands in the western Mediterranean, as revealed by amplified fragment length polymorphism (AFLP). Molecular Ecology, 2004, 13, 2679-2690.	2.0	78
150	A new species of Orobanche (Orobanchaceae) from south-eastern Spain. Botanical Journal of the Linnean Society, 2004, 146, 97-102.	0.8	8
151	Taxonomic notes on <i>Linaria</i> mill. (Scrophulariaceae) for Flora Iberica. Folia Geobotanica, 2004, 39, 293-318.	0.4	8
152	The reproductive ecology of <i>Medicago citrina</i> (Font Quer) Greuter (Leguminosae): a bee-pollinated plant in Mediterranean islands where bees are absent. Plant Systematics and Evolution, 2003, 241, 29-46.	0.3	45
153	<i>Myriolepis</i> , a new genus segregated from <i>Limonium</i> (Plumbaginaceae). Taxon, 2003, 52, 67-73.	0.4	7
154	<i>Myriolepis</i> , a New Genus Segregated from <i>Limonium</i> (Plumbaginaceae). Taxon, 2003, 52, 67.	0.4	16
155	Las comunidades de Crithmo-Staticion Molinier 1934 (clase Crithmo-Staticetea Br.-Bl. in Br.-Bl.), Tj ETQq1 1 0.784314 rgBT /Qverlock 1.2/9		
156	<i>Borrichia</i> Adans. (Asteraceae, Heliantheae), a new record for the Mediterranean flora. Israel Journal of Plant Sciences, 2002, 50, 239-242.	0.3	2
157	<i>Epipactis kleinii</i> , a new name to replace the illegitimate <i>E. parviflora</i> (A. & C. Niesch.) E. Klein, non (Blume) A.A. Eaton (Orchidaceae, Neottieae). Taxon, 2001, 50, 853-855.	0.4	1
158	Phylogenetic position and taxonomic status of the genus <i>Aegialitis</i> and subfamilies <i>Staticoideae</i> and <i>Plumbaginoideae</i> (Plumbaginaceae): evidence from plastid DNA sequences and morphology. Plant Systematics and Evolution, 2001, 229, 107-124.	0.3	32
159	Polyphyly of <i>Limoniastrum</i> (Plumbaginaceae): evidence from DNA sequences of plastid <i>rbcl</i> , <i>trnL</i> intron and <i>trnL-F</i> intergene spacer. Botanical Journal of the Linnean Society, 2000, 132, 175-191.	0.8	11
160	Two new North African genera related to <i>Limoniastrum</i> (Plumbaginaceae). Botanical Journal of the Linnean Society, 2000, 132, 165-174.	0.8	1
161	Polyphyly of <i>Limoniastrum</i> (Plumbaginaceae): evidence from DNA sequences of plastid <i>rbcL</i> , <i>trnL</i> intron and <i>trnL-F</i> intergene spacer. Botanical Journal of the Linnean Society, 2000, 132, 175-191.	0.8	9
162	Title is missing!. Biodiversity and Conservation, 2000, 9, 1707-1721.	1.2	114

#	ARTICLE	IF	CITATIONS
163	Subtribe Vellinae (Brassicaceae, Brassicaceae): a Combined Analysis of ITS nrDNA Sequences and Morphological Data. <i>Annals of Botany</i> , 2000, 86, 53-62.	1.4	37
164	From the waters of Babylon? <i>Populus euphratica</i> in Spain is clonal and probably introduced. <i>Biodiversity and Conservation</i> , 1999, 8, 769-778.	1.2	21
165	THE GENUS <i>HOFFMANNSEGGIA</i> CAV. (FABACEAE, CAESALPINIOIDEAE), NEW FOR THE MEDITERRANEAN FLORA. <i>Israel Journal of Plant Sciences</i> , 1999, 47, 283-286.	0.3	6
166	<i>Wimmerella</i> , a New South African Genus of Lobelioideae (Campanulaceae). <i>Novon</i> , 1999, 9, 414.	0.3	3
167	<i>Solenopsis</i> (Lobeliaceae): A genus endemic in the Mediterranean Region. <i>Plant Systematics and Evolution</i> , 1998, 210, 211-229.	0.3	13
168	Systematics of Plumbaginaceae Based upon Cladistic Analysis of rbcL Sequence Data. <i>Systematic Botany</i> , 1998, 23, 21.	0.2	124
169	Lectotypification of four names in <i>Lobelia</i> (Lobeliaceae). <i>Taxon</i> , 1996, 45, 117-120.	0.4	5
170	In vitro multiplication of <i>Vella lucentina</i> M. B. crespó (Brassicaceae), a threatened Spanish endemic species. <i>In Vitro Cellular and Developmental Biology - Plant</i> , 1995, 31, 199-201.	0.9	8
171	<i>PENNISETUM CLANDESTINUM</i> HOCHST. EX CHIOV. (POACEAE), AN AFRICAN GRASS IN EUROPE. <i>Israel Journal of Plant Sciences</i> , 1995, 43, 159-162.	0.3	6
172	THE ROLE OF CYTOKININS AND ETHYLENE INHIBITORS ON LENTICEL HYPERTROPHY GENERATION AND ETHYLENE PRODUCTION IN IN VITRO CULTURES OF <i>POPULUS EUPHRATICA</i> OLIVIER. <i>Israel Journal of Plant Sciences</i> , 1995, 43, 339-345.	0.3	5
173	A new Spanish species of <i>Linaria</i> Miller (Scrophulariaceae). <i>Botanical Journal of the Linnean Society</i> , 1994, 116, 135-144.	0.8	5
174	A new Spanish species of the genus <i>Ononis</i> L. (Fabaceae). <i>Botanical Journal of the Linnean Society</i> , 1993, 111, 37-46.	0.8	3
175	A new species of <i>Vella</i> L. (Brassicaceae) from the south-eastern part of the Iberian Peninsula. <i>Botanical Journal of the Linnean Society</i> , 1992, 109, 369-376.	0.8	8
176	Nomenclatural reappraisal of the <i>Macroptilium gracile</i> (Leguminosae) species complex. <i>Kew Bulletin</i> , 0, 1.	0.4	1
177	Reinstatement of <i>Squilla</i> Steinh., a priority name against the illegitimate <i>Charybdis</i> Speta (Hyacinthaceae, Urgineoideae). <i>Mediterranean Botany</i> , 0, 43, e78272.	0.9	3