## Munetaka Kunishima

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3974023/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Synthesis and characterization of tetraphenylammonium salts. Nature Communications, 2022, 13, 2537.	12.8	2
2	A versatile iodo(iii)etherification of terminal ethynylsilanes using BF3–OiPr2 and alkyl benzyl ethers. Organic and Biomolecular Chemistry, 2021, 19, 3825-3828.	2.8	1
3	Development of a triazinedione-based dehydrative condensing reagent containing 4-(dimethylamino)pyridine as an acyl transfer catalyst. Organic and Biomolecular Chemistry, 2021, 19, 4712-4719.	2.8	3
4	Efficiency Enhancement of a Photocatalytic Decarbonylation of an Aminocyclopropenone by Benzothiophene Substitution. Journal of Organic Chemistry, 2021, 86, 3625-3636.	3.2	4
5	Conjugation of 4-(dimethylamino)pyridine to primary amines in aqueous buffer solutions using an N-hydroxysuccinimide ester reagent. Tetrahedron Letters, 2021, 81, 153343.	1.4	Ο
6	Trizaine-based dehydrative condensation reagents bearing carbon-substituents. Tetrahedron, 2020, 76, 130900.	1.9	6
7	Development of Triazinone-Based Condensing Reagents for Amide Formation. Journal of Organic Chemistry, 2019, 84, 15042-15051.	3.2	8
8	Preparation of Alkyl Ethers with Diallyltriazinedioneâ€Type Alkylating Agents (ATTACKsâ€R) Under Acid Catalysis. European Journal of Organic Chemistry, 2019, 2019, 4436-4446.	2.4	4
9	Substitution of the Dimethylamino Group in Gramines and One-Pot Cyclization to Tetrahydro-β-carbolines Using a Triazine-Based Activating Agent. Journal of Organic Chemistry, 2019, 84, 8380-8391.	3.2	7
10	Phototriggered Active Alkyne Generation from Cyclopropenones with Visible Light-Responsive Photocatalysts. Organic Letters, 2019, 21, 4101-4105.	4.6	26
11	Development of a Storable Triazinone-Based Reagent for <i>O</i> - <i>p</i> -Methoxybenzylation under Mild Heating Conditions. Organic Letters, 2019, 21, 3093-3097.	4.6	5
12	Triazine-Based Cationic Leaving Group: Synergistic Driving Forces for Rapid Formation of Carbocation Species. Journal of Organic Chemistry, 2018, 83, 4568-4580.	3.2	8
13	Development of radioiodine labeled acetaminophen for specific, high-contrast imaging of malignant melanoma. Nuclear Medicine and Biology, 2018, 59, 16-21.	0.6	2
14	Development of highly electron-deficient and less sterically-hindered phosphine ligands possessing 1,3,5-triazinyl groups. Molecular Catalysis, 2018, 445, 87-93.	2.0	7
15	An Isolable and Bench-Stable Epoxidizing Reagent Based on Triazine: Triazox. Organic Letters, 2018, 20, 2015-2019.	4.6	14
16	Combination Metabolomics Approach for Identifying Endogenous Substrates of Carnitine/Organic Cation Transporter OCTN1. Pharmaceutical Research, 2018, 35, 224.	3.5	11
17	Phototriggered Ketone Formation from an Aminocyclopropenone and a Carboxylic Acid. Journal of Organic Chemistry, 2018, 83, 13595-13603.	3.2	4
18	Imido-substituted triazines as dehydrative condensing reagents for the chemoselective formation of amides in the presence of free hydroxyÂgroups. RSC Advances, 2018, 8, 22482-22489.	3.6	9

#	Article	IF	CITATIONS
19	Cooperation of the Neutral and the Cationic Leaving Group Pathways in Acid-Catalyzed O-Benzylation of TriBOT. Journal of Organic Chemistry, 2018, 83, 10684-10687.	3.2	0
20	Development of triazine-based esterifying reagents containing pyridines as a nucleophilic catalyst. Organic and Biomolecular Chemistry, 2018, 16, 6569-6575.	2.8	9
21	<i>N</i> , <i>N′</i> â€Dimethylated Benzyloxytriazinedione: A Stable Solid Reagent for Acidâ€Catalyzed <i>O</i> â€Benzylation. European Journal of Organic Chemistry, 2017, 2017, 833-839.	2.4	16
22	Chemo-enzymatic synthesis of a glycosylated peptide containing a complex N-glycan based on unprotected oligosaccharides by using DMT-MM and Endo-M. Glycoconjugate Journal, 2017, 34, 481-487.	2.7	5
23	Phototriggered Dehydration Condensation Using an Aminocyclopropenone. Organic Letters, 2017, 19, 4912-4915.	4.6	13
24	Study of <i>O</i> -Allylation Using Triazine-Based Reagents. Chemical and Pharmaceutical Bulletin, 2017, 65, 112-115.	1.3	10
25	Development of a method for the synthesis of 2,4,5-trisubstituted oxazoles composed of carboxylic acid, amino acid, and boronic acid. Beilstein Journal of Organic Chemistry, 2017, 13, 1478-1485.	2.2	10
26	Novel Alkylating Reagents Designed by the Characteristics of 1,3,5-Triazines. Yuki Gosei Kagaku Kyokaishi/Journal of Synthetic Organic Chemistry, 2017, 75, 1023-1034.	0.1	3
27	Potent triazine-based dehydrocondensing reagents substituted by an amido group. Beilstein Journal of Organic Chemistry, 2016, 12, 1897-1903.	2.2	12
28	Mild Amideâ€Cleavage Reaction Mediated by Electrophilic Benzylation. Chemistry - A European Journal, 2016, 22, 14042-14047.	3.3	15
29	Development of acid-catalyzed fluorous benzylating reagents based on a triazinedione core. Journal of Fluorine Chemistry, 2016, 190, 68-74.	1.7	12
30	Development of a Triazineâ€Based <i>tert</i> â€Butylating Reagent, TriATâ€ <i>t</i> Bu. European Journal of Organic Chemistry, 2016, 2016, 4093-4098.	2.4	20
31	Alcohol―and Amineâ€Tolerant Synthesis of Sixâ€Membered Cyclic Quaternary Ammonium Salts by Using a Triazineâ€Based Reagent. Asian Journal of Organic Chemistry, 2016, 5, 1508-1517.	2.7	5
32	Increased Plasma Concentrations of Unbound SN-38, the Active Metabolite of Irinotecan, in Cancer Patients with Severe Renal Failure. Pharmaceutical Research, 2016, 33, 269-282.	3.5	31
33	<i>O</i> â€Benzylation of Carboxylic Acids Using 2,4,6â€Tris(benzyloxy)â€1,3,5â€triazine (TriBOT) under Acidic or Thermal Conditions. European Journal of Organic Chemistry, 2015, 2015, 7997-8002.	2.4	20
34	Study of the Reactivities of Acid-Catalyzed O-Benzylating Reagents Based on Structural Isomers of 1,3,5-Triazine. Journal of Organic Chemistry, 2015, 80, 11200-11205.	3.2	24
35	Development of a New Benzylating Reagent Spontaneously Releasing Benzyl Cation Equivalents at Room Temperature. Chemistry - A European Journal, 2014, 20, 12274-12278.	3.3	21
36	Role of Linkers in Tertiary Amines That Mediate or Catalyze 1,3,5-Triazine-Based Amide-Forming Reactions. Journal of Organic Chemistry, 2014, 79, 3709-3714.	3.2	20

Munetaka Kunishima

#	Article	IF	CITATIONS
37	Specific Labeling of Streptavidin for Better Understanding of Ligand Modification in Modular Method for Affinity Labeling (MoAL). Chemical and Pharmaceutical Bulletin, 2014, 62, 1146-1150.	1.3	8
38	Synthesis of Pyrrolidinium Salts Using a Triazine-based Reagent under Mild Conditions. Chemistry Letters, 2014, 43, 1593-1595.	1.3	8
39	Binding of sulforhodamine B to human serum albumin: A spectroscopic study. Dyes and Pigments, 2013, 99, 588-593.	3.7	31
40	A new method using 2-chloro-4,6-dimethoxy-1,3,5-triazine for facile elimination of dimethylamino group in Eschenmoser's methylenation for synthesis of α,β-unsaturated esters. Tetrahedron Letters, 2013, 54, 1758-1760.	1.4	18
41	A Practical Method for p-Methoxybenzylation of Hydroxy Groups Using 2,4,6-Tris(p-methoxybenzyloxy)-1,3,5-triazine (TriBOT-PM). Synthesis, 2013, 45, 2989-2997.	2.3	23
42	Study of 1,3,5-Triazine-Based Catalytic Amide-Forming Reactions: Effect of Solvents and Basicity of Reactants. Chemical and Pharmaceutical Bulletin, 2013, 61, 882-886.	1.3	12
43	<i>N</i> -Isopropyl- <i>p</i> -iodoamphetamine Hydrochloride Is Predominantly Metabolized by CYP2C19. Drug Metabolism and Disposition, 2012, 40, 843-846.	3.3	2
44	One-Pot Preparation of Oxazol-5(4 <i>H</i> )-ones from Amino Acids in Aqueous Solvents. Chemical and Pharmaceutical Bulletin, 2012, 60, 907-912.	1.3	5
45	Study on 1,3,5â€Triazine Chemistry in Dehydrocondensation: <i>Gauche</i> Effect on the Generation of Active Triazinylammonium Species. Chemistry - A European Journal, 2012, 18, 15856-15867.	3.3	45
46	A Novel Acid-Catalyzed <i>O</i> -Benzylating Reagent with the Smallest Unit of Imidate Structure. Organic Letters, 2012, 14, 5026-5029.	4.6	75
47	Substrateâ€Selective Dehydrocondensation at the Interface of Micelles and Emulsions of Common Surfactants. Angewandte Chemie - International Edition, 2012, 51, 2080-2083.	13.8	30
48	New approach to oligotriazoles using a cobalt complex of propargyl azides as a synthetic component. Tetrahedron Letters, 2011, 52, 3358-3360.	1.4	10
49	Effects of stereochemistry and $\hat{l}^2$ -substituents on the rates of vinylic SN2 reaction of hypervalent vinyl(phenyl)- $\hat{l}$ » 3-iodanes with tetrabutylammonium halides. Tetrahedron, 2010, 66, 5819-5826.	1.9	17
50	Labeling study of avidin by modular method for affinity labeling (MoAL). Bioorganic and Medicinal Chemistry Letters, 2010, 20, 7050-7053.	2.2	13
51	A Simple Practical Method for the Synthesis of 4,6-Dimethoxy-1,3,5-triazin-2(1H)-one Using Dimethylamine-Functionalized Solid-Phase Reagents. Synthesis, 2009, 2009, 542-544.	2.3	2
52	Synthesis of Aza-Bridged Calix(4-methoxy)triazines toward Flattened π-Conjugated Macrocycles. Heterocycles, 2009, 79, 609.	0.7	3
53	Convenient modular method for affinity labeling (MoAL method) based on a catalytic amidation. Chemical Communications, 2009, , 5597.	4.1	29
54	Antitumor studies – Part 2: Structure–activity relationship study for flavin analogs including investigations on their in vitro antitumor assay and docking simulation into protein tyrosine kinase. European Journal of Medicinal Chemistry, 2008, 43, 1376-1389.	5.5	23

Munetaka Kunishima

#	Article	IF	CITATIONS
55	Convenient One-Pot Synthesis of 2-Oxazolines from Carboxylic Acids. Chemical and Pharmaceutical Bulletin, 2008, 56, 1735-1737.	1.3	6
56	Direct Preparation of Primary Amides by Reaction of Carboxylic Acids and Ammonia in Alcohols Using DMT-MM. Chemistry Letters, 2008, 37, 1190-1191.	1.3	8
57	Immobilized Triazine-Type Dehydrocondensing Reagents for Carboxamide Formation: ROMP-Trz-Cl and ROMP(OH)-Trz-Cl. Chemical and Pharmaceutical Bulletin, 2007, 55, 825-828.	1.3	14
58	Development of chlorotriazine polymer dehydrocondensing reagents (Poly-Trzs). Tetrahedron, 2007, 63, 2604-2612.	1.9	14
59	Spontaneous Membrane Fusion Induced by Chemical Formation of Ceramides in a Lipid Bilayer. Journal of the American Chemical Society, 2006, 128, 14452-14453.	13.7	28
60	A Study on Medicinal Plants from Malaysia Focused onAcalypha siamensisOliv.exGage. Isolation and Structure of a New Tetraterpene, Acalyphaser A. Chemistry and Biodiversity, 2006, 3, 1301-1306.	2.1	10
61	Primary-Amine-Specific Lactamization ofï‰-Amino Acids by an Artificial Cyclotransferase Based on [18]Crown-6. Angewandte Chemie - International Edition, 2006, 45, 1252-1255.	13.8	23
62	Useful Reagents for Introduction of Boc and Fmoc Protective Groups to AminesÂ: Boc-DMT and Fmoc-DMT. Synthesis, 2006, 2006, 1931-1933.	2.3	2
63	Unusual Rate Enhancement of Bimolecular Dehydrocondensation To Form Amides at the Interface of Micelles of Fatty Acid Salts. Angewandte Chemie - International Edition, 2005, 44, 7254-7257.	13.8	33
64	Development of novel polymer-type dehydrocondensing reagents comprised of chlorotriazines. Chemical Communications, 2005, , 2698.	4.1	13
65	Substrate-Specific Amidation of Carboxylic Acids in a Liquid?Liquid Two-Phase System Using Cyclodextrins as Inverse Phase-Transfer Catalysts. European Journal of Organic Chemistry, 2004, 2004, 4535-4540.	2.4	15
66	Preparation of Weinreb Amides Using 4-(4,6-Dimethoxy-1,3,5-triazin-2-yl)-4-methylmorpholinium Chloride (DMT-MM). Chemical and Pharmaceutical Bulletin, 2004, 52, 470-472.	1.3	19
67	Development of a Simple System for Dehydrocondensation Using Solid-Phase Adsorption of a Water-Soluble Dehydrocondensing Reagent (DMT-MM). Chemical and Pharmaceutical Bulletin, 2004, 52, 1223-1226.	1.3	10
68	Benzyl 4,6-Dimethoxy-1,3,5-triazinyl Carbonate asN-Protecting Reagent. Chemistry Letters, 2002, 31, 66-67.	1.3	8
69	A Racemization Test in Peptide Synthesis Using 4-(4,6-Dimethoxy-1,3,5-triazin-2-yl)-4-methylmorpholinium Chloride (DMT-MM) Chemical and Pharmaceutical Bulletin, 2002, 50, 549-550.	1.3	32
70	Halogenolactamization of 2-(3-Butenyl)-1,3-oxazolines to Bifunctional Î <sup>3</sup> - and δ-Lactams. Chemistry Letters, 2002, 31, 522-523.	1.3	13
71	Approach to green chemistry of DMT-MM: recovery and recycle of coproduct to chloromethane-free DMT-MM. Tetrahedron Letters, 2002, 43, 3323-3326.	1.4	34
72	Cyclodextrin-Based Artificial Acyltransferase:  Substrate-Specific Catalytic Amidation of Carboxylic Acids in Aqueous Solvent. Journal of the American Chemical Society, 2001, 123, 10760-10761.	13.7	50

#	Article	IF	CITATIONS
73	Reduction of Acetals with Samarium Diiodide in Acetonitrile in the Presence of Lewis Acids Chemical and Pharmaceutical Bulletin, 2001, 49, 97-100.	1.3	8
74	Formation of carboxamides by direct condensation of carboxylic acids and amines in alcohols using a new alcohol- and water-soluble condensing agent: DMT-MM. Tetrahedron, 2001, 57, 1551-1558.	1.9	300
75	Reduction of monothioacetals with Sml2: application to [2,3]-Wittig rearrangement. Tetrahedron Letters, 2001, 42, 415-418.	1.4	11
76	Generation and Reactions of Alkynylsamariums. Tetrahedron, 2000, 56, 9927-9935.	1.9	24
77	Generation and Reactions of Samarium Carbanions Mediated by Samarium Iodide Yuki Gosei Kagaku Kyokaishi/Journal of Synthetic Organic Chemistry, 1999, 57, 127-135.	0.1	9
78	Synthesis and characterization of 4-(4,6-dimethoxy-1,3,5-triazin-2-yl)-4-methylmorpholinium chloride. Tetrahedron Letters, 1999, 40, 5327-5330.	1.4	188
79	4-(4,6-dimethoxy-1,3,5-triazin-2-yl)-4-methyl-morpholinium chloride: an efficient condensing agent leading to the formation of amides and esters. Tetrahedron, 1999, 55, 13159-13170.	1.9	416
80	Transition-State Stabilization by a Mammalian Reductive Dehalogenase. Journal of the American Chemical Society, 1999, 121, 4722-4723.	13.7	25
81	[2,3]-Wittig Rearrangement Initiated by 1,5-Hydrogen Atom Transfer from ano-Iodophenyl Group on theα-Carbon of Allylic Ethers by Reduction with Sml2. Chemistry Letters, 1999, 28, 683-684.	1.3	6
82	2,3-Wittig rearrangement by partial reduction of diallyl acetals with Sml2 in acetonitrile. Tetrahedron Letters, 1998, 39, 5229-5232.	1.4	18
83	SmI2-Induced 2,3-Wittig Rearrangement: Regioselective Generation of α-Allyloxy Carbanions via 1,5-Hydrogen Transfer of Vinyl Radicals. Journal of Organic Chemistry, 1997, 62, 7542-7543.	3.2	38
84	SmI2-Mediated coupling reactions between iodoalkynes and ketones or aldehydes to give propargyl alcohols. Tetrahedron Letters, 1995, 36, 3707-3710.	1.4	24
85	Alkylidenecarbenes from 1,1-dihalogenoalkenes with samarium diiodide: Mild and efficient method for the synthesis of cyclopentenes. Tetrahedron Letters, 1994, 35, 7253-7254.	1.4	45
86	Nucleophilic vinylic substitutions of (Z)-(β-(phenylsulfonyl)-alkenyl)iodonium tetrafluoroborates with sodium benzenesulfinate: Stereoselective synthesis of (Z)-1,2-bis(phenylsulfonyl)alkenes. Tetrahedron Letters, 1993, 34, 4829-4830.	1.4	31
87	Generation of alkylidenecarbenes from 1,1-dibromoalk-1-enes by the reaction with samarium diiodide in hexamethylphosphoric triamide–benzene. Journal of the Chemical Society Chemical Communications, 1992, , 219-220.	2.0	32
88	Generation of [.beta(phenylsulfonyl)alkylidene]carbenes from hypervalent alkenyl- and alkynyliodonium tetrafluoroborates and synthesis of 1-(phenylsulfonyl)cyclopentenes. Journal of the American Chemical Society, 1991, 113, 3135-3142.	13.7	120
89	Michael type addition of halides to alkynyl(phenyl)iodonium tetrafluoroborates. Stereoselective synthesis of (Z)-β-halovinyl(phenyl)iodonium halides. Tetrahedron Letters, 1991, 32, 4753-4756. 	1.4	28
90	Synthesis of ethynyl(phenyl)iodonium tetrafluoroborate. A new reagent for ethynylation of 1,3-dicarbonyl compounds. Journal of the Chemical Society Chemical Communications, 1990, , 118.	2.0	109