

Michael A Rogawski

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3974190/michael-a-rokawski-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

199
papers

15,616
citations

70
h-index

120
g-index

223
ext. papers

17,159
ext. citations

7
avg, IF

7.01
L-index

#	Paper	IF	Citations
199	Perampanel, a potent AMPA receptor antagonist, protects against tetramethylenedisulfotetramine-induced seizures and lethality in mice: comparison with diazepam. <i>Archives of Toxicology</i> , 2021 , 95, 2459-2468	5.8	0
198	Cortical excitability threshold can be increased by the AMPA blocker Perampanel in amyotrophic lateral sclerosis. <i>Muscle and Nerve</i> , 2021 , 64, 215-219	3.4	3
197	Intranasal Allopregnanolone Confers Rapid Seizure Protection: Evidence for Direct Nose-to-Brain Delivery. <i>Neurotherapeutics</i> , 2021 , 18, 544-555	6.4	5
196	Strain differences in the extent of brain injury in mice after tetramethylenedisulfotetramine-induced status epilepticus. <i>NeuroToxicology</i> , 2021 , 87, 43-50	4.4	
195	Mechanisms of action of currently used antiseizure drugs. <i>Neuropharmacology</i> , 2020 , 168, 107966	5.5	102
194	Epilepsy Benchmarks Area III: Improved Treatment Options for Controlling Seizures and Epilepsy-Related Conditions Without Side Effects. <i>Epilepsy Currents</i> , 2020 , 20, 23S-30S	1.3	5
193	Allopregnanolone and perampanel as adjuncts to midazolam for treating diisopropylfluorophosphate-induced status epilepticus in rats. <i>Annals of the New York Academy of Sciences</i> , 2020 , 1480, 183-206	6.5	7
192	Persistent behavior deficits, neuroinflammation, and oxidative stress in a rat model of acute organophosphate intoxication. <i>Neurobiology of Disease</i> , 2020 , 133, 104431	7.5	37
191	The chemical convulsant diisopropylfluorophosphate (DFP) causes persistent neuropathology in adult male rats independent of seizure activity. <i>Archives of Toxicology</i> , 2020 , 94, 2149-2162	5.8	12
190	Safety, tolerability, and pharmacokinetics of allopregnanolone as a regenerative therapeutic for Alzheimer's disease: A single and multiple ascending dose phase 1b/2a clinical trial. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2020 , 6, e12107	6	7
189	Diazepam buccal film for the treatment of acute seizures. <i>Epilepsy and Behavior</i> , 2019 , 101, 106537	3.2	13
188	Blood-brain barrier dysfunction in aging induces hyperactivation of TGF β signaling and chronic yet reversible neural dysfunction. <i>Science Translational Medicine</i> , 2019 , 11,	17.5	72
187	Allopregnanolone Treatment Improves Plasma Metabolomic Profile Associated with GABA Metabolism in Fragile X-Associated Tremor/Ataxia Syndrome: a Pilot Study. <i>Molecular Neurobiology</i> , 2019 , 56, 3702-3713	6.2	18
186	Intramuscular allopregnanolone and ganaxolone in a mouse model of treatment-resistant status epilepticus. <i>Epilepsia</i> , 2018 , 59 Suppl 2, 220-227	6.4	28
185	Determination of minimal steady-state plasma level of diazepam causing seizure threshold elevation in rats. <i>Epilepsia</i> , 2018 , 59, 935-944	6.4	6
184	Commonalities in epileptogenic processes from different acute brain insults: Do they translate?. <i>Epilepsia</i> , 2018 , 59, 37-66	6.4	123
183	Defective GABAergic neurotransmission in the nucleus tractus solitarius in Mecp2-null mice, a model of Rett syndrome. <i>Neurobiology of Disease</i> , 2018 , 109, 25-32	7.5	16

182	Neuroinflammatory Responses in a Mouse Model of Tetramethylenedisulfotetramine-Induced Status Epilepticus. <i>FASEB Journal</i> , 2018 , 32, lb645	0.9	1
181	Allopregnanolone decreases interictal spiking and fast ripples in an animal model of mesial temporal lobe epilepsy. <i>Neuropharmacology</i> , 2017 , 121, 12-19	5.5	16
180	Rapid Throughput Analysis of GABA Receptor Subtype Modulators and Blockers Using DiSBAC(3) Membrane Potential Red Dye. <i>Molecular Pharmacology</i> , 2017 , 92, 88-99	4.3	15
179	Transcriptional profile of hippocampal dentate granule cells in four rat epilepsy models. <i>Scientific Data</i> , 2017 , 4, 170061	8.2	32
178	First-in-man allopregnanolone use in super-refractory status epilepticus. <i>Annals of Clinical and Translational Neurology</i> , 2017 , 4, 411-414	5.3	32
177	Effects of the synthetic neurosteroid ganaxolone on seizure activity and behavioral deficits in an Angelman syndrome mouse model. <i>Neuropharmacology</i> , 2017 , 116, 142-150	5.5	24
176	Open-Label Allopregnanolone Treatment of Men with Fragile X-Associated Tremor/Ataxia Syndrome. <i>Neurotherapeutics</i> , 2017 , 14, 1073-1083	6.4	28
175	Models to identify treatments for the acute and persistent effects of seizure-inducing chemical threat agents. <i>Annals of the New York Academy of Sciences</i> , 2016 , 1378, 124-136	6.5	23
174	A New SV2A Ligand for Epilepsy. <i>Cell</i> , 2016 , 167, 587	56.2	14
173	Mechanisms of Action of Antiseizure Drugs and the Ketogenic Diet. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2016 , 6,	5.4	153
172	Evaluation of the neuroactive steroid ganaxolone on social and repetitive behaviors in the BTBR mouse model of autism. <i>Psychopharmacology</i> , 2016 , 233, 309-23	4.7	32
171	A fatty acid in the MCT ketogenic diet for epilepsy treatment blocks AMPA receptors. <i>Brain</i> , 2016 , 139, 306-9	11.2	14
170	2014 Epilepsy Benchmarks Area III: Improve Treatment Options for Controlling Seizures and Epilepsy-Related Conditions Without Side Effects. <i>Epilepsy Currents</i> , 2016 , 16, 192-7	1.3	5
169	Combined treatment with diazepam and allopregnanolone reverses tetramethylenedisulfotetramine (TETS)-induced calcium dysregulation in cultured neurons and protects TETS-intoxicated mice against lethal seizures. <i>Neuropharmacology</i> , 2015 , 95, 332-42	5.5	19
168	The riluzole derivative 2-amino-6-trifluoromethylthio-benzothiazole (SKA-19), a mixed KCa2 activator and NaV blocker, is a potent novel anticonvulsant. <i>Neurotherapeutics</i> , 2015 , 12, 234-49	6.4	28
167	Is a separate monotherapy indication warranted for antiepileptic drugs?. <i>Lancet Neurology</i> , 2015 , 14, 1229-40	24.1	30
166	Contrasting actions of a convulsant barbiturate and its anticonvulsant enantiomer on the $\alpha 1 \beta 2 \gamma 2$ GABAA receptor account for their in vivo effects. <i>Journal of Physiology</i> , 2015 , 593, 4943-61	3.9	8
165	Current understanding of the mechanism of action of the antiepileptic drug lacosamide. <i>Epilepsy Research</i> , 2015 , 110, 189-205	3	114

164	Allopregnanolone preclinical acute pharmacokinetic and pharmacodynamic studies to predict tolerability and efficacy for Alzheimer's disease. <i>PLoS ONE</i> , 2015 , 10, e0128313	3.7	28
163	Anticonvulsant potencies of the enantiomers of the neurosteroids androsterone and etiocholanolone exceed those of the natural forms. <i>Psychopharmacology</i> , 2014 , 231, 3325-32	4.7	9
162	The potential of antiseizure drugs and agents that act on novel molecular targets as antiepileptogenic treatments. <i>Neurotherapeutics</i> , 2014 , 11, 385-400	6.4	65
161	Role of GluK1 kainate receptors in seizures, epileptic discharges, and epileptogenesis. <i>Journal of Neuroscience</i> , 2014 , 34, 5765-75	6.6	28
160	Perampanel inhibition of AMPA receptor currents in cultured hippocampal neurons. <i>PLoS ONE</i> , 2014 , 9, e108021	3.7	30
159	Pediatric super-refractory status epilepticus treated with allopregnanolone. <i>Annals of Neurology</i> , 2014 , 76, 911-5	9.4	91
158	Post-exposure administration of diazepam combined with soluble epoxide hydrolase inhibition stops seizures and modulates neuroinflammation in a murine model of acute TETS intoxication. <i>Toxicology and Applied Pharmacology</i> , 2014 , 281, 185-94	4.6	28
157	The intrinsic severity hypothesis of pharmacoresistance to antiepileptic drugs. <i>Epilepsia</i> , 2013 , 54 Suppl 2, 33-40	6.4	66
156	Epilepsy therapy development: technical and methodologic issues in studies with animal models. <i>Epilepsia</i> , 2013 , 54 Suppl 4, 13-23	6.4	36
155	Seizure protection by intrapulmonary delivery of midazolam in mice. <i>Neuropharmacology</i> , 2013 , 73, 425-31	3.5	7
154	Proconvulsant actions of intrahippocampal botulinum neurotoxin B in the rat. <i>Neuroscience</i> , 2013 , 252, 253-61	3.9	12
153	Preclinical pharmacology of perampanel, a selective non-competitive AMPA receptor antagonist. <i>Acta Neurologica Scandinavica</i> , 2013 , 127, 19-24	3.8	152
152	Glia and epilepsy: excitability and inflammation. <i>Trends in Neurosciences</i> , 2013 , 36, 174-84	13.3	461
151	AMPA receptors as a molecular target in epilepsy therapy. <i>Acta Neurologica Scandinavica</i> , 2013 , 127, 9-18	3.8	148
150	Long-lasting attenuation of amygdala-kindled seizures after convection-enhanced delivery of botulinum neurotoxins a and B into the amygdala in rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2013 , 346, 528-34	4.7	14
149	Issues related to development of new antiseizure treatments. <i>Epilepsia</i> , 2013 , 54 Suppl 4, 24-34	6.4	59
148	Neuroactive steroids for the treatment of status epilepticus. <i>Epilepsia</i> , 2013 , 54 Suppl 6, 93-8	6.4	109
147	Epoxy fatty acids and inhibition of the soluble epoxide hydrolase selectively modulate GABA mediated neurotransmission to delay onset of seizures. <i>PLoS ONE</i> , 2013 , 8, e80922	3.7	50

146	Compromised function in the Na(v)1.2 Dravet syndrome mutation R1312T. <i>Neurobiology of Disease</i> , 2012 , 47, 378-84	7.5	24
145	Tetramethylenedisulfotetramine alters Ca ²⁺ dynamics in cultured hippocampal neurons: mitigation by NMDA receptor blockade and GABA(A) receptor-positive modulation. <i>Toxicological Sciences</i> , 2012 , 130, 362-72	4.4	38
144	Characterization of seizures induced by acute and repeated exposure to tetramethylenedisulfotetramine. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2012 , 341, 435-46	4.7	36
143	Role of neurosteroids in the anticonvulsant activity of midazolam. <i>British Journal of Pharmacology</i> , 2012 , 165, 2684-91	8.6	18
142	Propofol hemisuccinate suppresses cortical spreading depression. <i>Neuroscience Letters</i> , 2012 , 514, 67-70	9.3	22
141	How theories evolved concerning the mechanism of action of barbiturates. <i>Epilepsia</i> , 2012 , 53 Suppl 8, 12-25	6.4	114
140	Mechanisms of action of antiseizure drugs. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2012 , 108, 663-81	3	44
139	Altered fast and slow inactivation of the N440K Nav1.4 mutant in a periodic paralysis syndrome. <i>Neurology</i> , 2012 , 79, 1033-40	6.5	14
138	Clustered burst firing in FMR1 premutation hippocampal neurons: amelioration with allopregnanolone. <i>Human Molecular Genetics</i> , 2012 , 21, 2923-35	5.6	77
137	Adjunctive perampanel for refractory partial-onset seizures: randomized phase III study 304. <i>Neurology</i> , 2012 , 79, 589-96	6.5	348
136	Neurosteroids: Endogenous Regulators of Seizure Susceptibility and Role in the Treatment of Epilepsy 2012 , 984-1002		33
135	11 β -Hydroxylase inhibitors protect against seizures in mice by increasing endogenous neurosteroid synthesis. <i>Neuropharmacology</i> , 2011 , 61, 133-7	5.5	15
134	Revisiting AMPA receptors as an antiepileptic drug target. <i>Epilepsy Currents</i> , 2011 , 11, 56-63	1.3	231
133	A new policy for disclosure of competing interests. <i>Epilepsy Currents</i> , 2011 , 11, 7-8	1.3	
132	Treatment of infantile spasms: emerging insights from clinical and basic science perspectives. <i>Journal of Child Neurology</i> , 2011 , 26, 1411-21	2.5	52
131	Seizure protection by intrapulmonary delivery of propofol hemisuccinate. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2011 , 336, 215-22	4.7	13
130	Disclosure of clinical trial results when product development is abandoned. <i>Science Translational Medicine</i> , 2011 , 3, 102cm29	17.5	4
129	Ganaxolone suppression of behavioral and electrographic seizures in the mouse amygdala kindling model. <i>Epilepsy Research</i> , 2010 , 89, 254-60	3	67

128	Neurosteroids on the epilepsy chessboard-keeping seizures in check. <i>Epilepsy Currents</i> , 2010 , 10, 161-3	1.3	
127	Treatment of early and late kainic acid-induced status epilepticus with the noncompetitive AMPA receptor antagonist GYKI 52466. <i>Epilepsia</i> , 2010 , 51, 108-17	6.4	50
126	Anticonvulsant and proconvulsant actions of 2-deoxy-D-glucose. <i>Epilepsia</i> , 2010 , 51, 1385-94	6.4	45
125	"Jasper@ Basic Mechanisms of the Epilepsies" Workshop. <i>Epilepsia</i> , 2010 , 51 Suppl 5, 1-5	6.4	21
124	Migraine and epilepsy: Shared mechanisms?. <i>Epilepsia</i> , 2010 , 51, 80-80	6.4	6
123	Neurosteroids as endogenous regulators of seizure susceptibility and use in the treatment of epilepsy. <i>Epilepsia</i> , 2010 , 51, 84	6.4	10
122	Neurosteroid Replacement Therapy for Catamenial Epilepsy 2010 , 501-513		
121	17beta-Nitro-5alpha-androstan-3alpha-ol and its 3beta-methyl derivative: neurosteroid analogs with potent anticonvulsant and anxiolytic activities. <i>European Journal of Pharmacology</i> , 2009 , 617, 68-73 ^{5.3}		3
120	Neurosteroids and epileptogenesis in the pilocarpine model: evidence for a relationship between P450scc induction and length of the latent period. <i>Epilepsia</i> , 2009 , 50 Suppl 1, 53-8	6.4	44
119	Convection-enhanced delivery in the treatment of epilepsy. <i>Neurotherapeutics</i> , 2009 , 6, 344-51	6.4	70
118	Neurosteroid replacement therapy for catamenial epilepsy. <i>Neurotherapeutics</i> , 2009 , 6, 392-401	6.4	107
117	Topiramate reduces excitability in the basolateral amygdala by selectively inhibiting GluK1 (GluR5) kainate receptors on interneurons and positively modulating GABAA receptors on principal neurons. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009 , 330, 558-66	4.7	54
116	Pathological alterations in GABAergic interneurons and reduced tonic inhibition in the basolateral amygdala during epileptogenesis. <i>Neuroscience</i> , 2009 , 163, 415-29	3.9	42
115	Protective Efficacy and Potency of Neuroactive Steroids and Benzodiazepines in the Amygdala Kindling Model of Epilepsy. <i>FASEB Journal</i> , 2009 , 23, 947.6	0.9	
114	Evidence for the involvement of the kainate receptor subunit GluR6 (GRIK2) in mediating behavioral displays related to behavioral symptoms of mania. <i>Molecular Psychiatry</i> , 2008 , 13, 858-72	15.1	137
113	Brivaracetam: a rational drug discovery success story. <i>British Journal of Pharmacology</i> , 2008 , 154, 1555-78.6		53
112	Efficacy of the ketogenic diet in the 6-Hz seizure test. <i>Epilepsia</i> , 2008 , 49, 334-9	6.4	42
111	The anticonvulsant activity of acetone does not depend upon its metabolites. <i>Epilepsia</i> , 2008 , 49, 936-7	6.4	4

110	Intrinsic severity as a determinant of antiepileptic drug refractoriness. <i>Epilepsy Currents</i> , 2008 , 8, 127-30	1.3	106
109	Common pathophysiologic mechanisms in migraine and epilepsy. <i>Archives of Neurology</i> , 2008 , 65, 709-14		88
108	New molecular targets for antiepileptic drugs: alpha(2)delta, SV2A, and K(v)7/KCNQ/M potassium channels. <i>Current Neurology and Neuroscience Reports</i> , 2008 , 8, 345-52	6.6	75
107	Antiepileptic drugs and migraine 2008 , 153-178		6
106	The anticonvulsant activity of acetone, the major ketone body in the ketogenic diet, is not dependent on its metabolites acetol, 1,2-propanediol, methylglyoxal, or pyruvic acid. <i>Epilepsia</i> , 2007 , 48, 793-800	6.4	55
105	The ketogenic diet: stoking the powerhouse of the cell. <i>Epilepsy Currents</i> , 2007 , 7, 58-60	1.3	6
104	Molecular targets for antiepileptic drug development. <i>Neurotherapeutics</i> , 2007 , 4, 18-61	6.4	357
103	Prolonged attenuation of amygdala-kindled seizure measures in rats by convection-enhanced delivery of the N-type calcium channel antagonists omega-conotoxin GVIA and omega-conotoxin MVIIA. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007 , 323, 458-68	4.7	35
102	The neuropharmacology of the ketogenic diet. <i>Pediatric Neurology</i> , 2007 , 36, 281-92	2.9	222
101	Support for the NIH public access policy. <i>Science</i> , 2006 , 313, 1572	33.3	
100	Alcohol Withdrawal Seizures 2006 , 161-177		3
99	The pheromone androst-enol (5 alpha-androst-16-en-3 alpha-ol) is a neurosteroid positive modulator of GABAA receptors. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006 , 317, 694-703	4.7	29
98	Endogenous neurosteroids modulate epileptogenesis in a model of temporal lobe epilepsy. <i>Experimental Neurology</i> , 2006 , 201, 519-24	5.7	59
97	Neuroprotective and disease-modifying effects of the ketogenic diet. <i>Behavioural Pharmacology</i> , 2006 , 17, 431-9	2.4	310
96	Molecular targets versus models for new antiepileptic drug discovery. <i>Epilepsy Research</i> , 2006 , 68, 22-8	3	117
95	Diverse mechanisms of antiepileptic drugs in the development pipeline. <i>Epilepsy Research</i> , 2006 , 69, 273-94	3.94	275
94	Termination of epileptiform activity by cooling in rat hippocampal slice epilepsy models. <i>Epilepsy Research</i> , 2006 , 70, 200-10	3	42
93	Anxiolytic activity of progesterone in progesterone receptor knockout mice. <i>Neuropharmacology</i> , 2005 , 48, 14-24	5.5	122

92	Evidence for low GluR2 AMPA receptor subunit expression at synapses in the rat basolateral amygdala. <i>Journal of Neurochemistry</i> , 2005 , 94, 1728-38	6	11
91	Update on the neurobiology of alcohol withdrawal seizures. <i>Epilepsy Currents</i> , 2005 , 5, 225-30	1.3	54
90	Regulation of brain water: is there a role for aquaporins in epilepsy?. <i>Epilepsy Currents</i> , 2005 , 5, 104-6	1.3	14
89	Anticonvulsant activity of androsterone and etiocholanolone. <i>Epilepsia</i> , 2005 , 46, 819-27	6.4	82
88	Adult murine skeletal muscle contains cells that can differentiate into beating cardiomyocytes in vitro. <i>PLoS Biology</i> , 2005 , 3, e87	9.7	79
87	Anticonvulsant activity of progesterone and neurosteroids in progesterone receptor knockout mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2004 , 310, 230-9	4.7	137
86	Allopregnanolone analogs that positively modulate GABA receptors protect against partial seizures induced by 6-Hz electrical stimulation in mice. <i>Epilepsia</i> , 2004 , 45, 864-7	6.4	145
85	The neurobiology of antiepileptic drugs. <i>Nature Reviews Neuroscience</i> , 2004 , 5, 553-64	13.5	878
84	Topiramate selectively protects against seizures induced by ATPA, a GluR5 kainate receptor agonist. <i>Neuropharmacology</i> , 2004 , 46, 1097-104	5.5	96
83	Cerebellar ataxia, seizures, premature death, and cardiac abnormalities in mice with targeted disruption of the <i>Cacna2d2</i> gene. <i>American Journal of Pathology</i> , 2004 , 165, 1007-18	5.8	71
82	The neurobiology of antiepileptic drugs for the treatment of nonepileptic conditions. <i>Nature Medicine</i> , 2004 , 10, 685-92	50.5	373
81	What is the rationale for new treatment strategies in Alzheimer's disease?. <i>CNS Spectrums</i> , 2004 , 9, 6-12	1.8	13
80	GluR5 kainate receptors, seizures, and the amygdala. <i>Annals of the New York Academy of Sciences</i> , 2003 , 985, 150-62	6.5	51
79	The neuropharmacological basis for the use of memantine in the treatment of Alzheimer's disease. <i>CNS Neuroscience & Therapeutics</i> , 2003 , 9, 275-308		256
78	Clinical spectrum of succinic semialdehyde dehydrogenase deficiency. <i>Neurology</i> , 2003 , 60, 1413-7	6.5	161
77	Selective antagonism of GluR5 kainate-receptor-mediated synaptic currents by topiramate in rat basolateral amygdala neurons. <i>Journal of Neuroscience</i> , 2003 , 23, 7069-74	6.6	172
76	Progesterone, neurosteroids, and the hormonal basis of catamenial epilepsy. <i>Annals of Neurology</i> , 2003 , 53, 288-91	9.4	27
75	Effects of neurosteroids on epileptiform activity induced by picrotoxin and 4-aminopyridine in the rat hippocampal slice. <i>Epilepsy Research</i> , 2003 , 55, 71-82	3	33

74	Stress-induced deoxycorticosterone-derived neurosteroids modulate GABA(A) receptor function and seizure susceptibility. <i>Journal of Neuroscience</i> , 2002 , 22, 3795-805	6.6	225
73	New Evidence Supporting a Role for T-Type Ca(2+) Channels in Absence Epilepsy and in the Action of Ethosuximide. <i>Epilepsy Currents</i> , 2002 , 2, 57	1.3	5
72	Antiepileptogenesis by Deep Brain Stimulation. <i>Epilepsy Currents</i> , 2002 , 2, 153-154	1.3	4
71	New strategies for the identification of drugs to prevent the development or progression of epilepsy. <i>Epilepsy Research</i> , 2002 , 50, 71-8	3	60
70	Epileptiform activity extinguished by amygdala infusion of the neurotoxin ibotenate in a rat model of temporal lobe epilepsy. <i>Journal of Neurosurgery</i> , 2002 , 97, 450-4	3.2	7
69	Neurosteroids and infantile spasms: the deoxycorticosterone hypothesis. <i>International Review of Neurobiology</i> , 2002 , 49, 199-219	4.4	38
68	Does P-glycoprotein play a role in pharmacoresistance to antiepileptic drugs?. <i>Epilepsy and Behavior</i> , 2002 , 3, 493-495	3.2	14
67	Neurosteroid withdrawal model of perimenstrual catamenial epilepsy. <i>Epilepsia</i> , 2001 , 42, 328-36	6.4	115
66	Enhanced anticonvulsant activity of neuroactive steroids in a rat model of catamenial epilepsy. <i>Epilepsia</i> , 2001 , 42, 337-44	6.4	92
65	Generalized epileptic disorders: an update. <i>Epilepsia</i> , 2001 , 42, 445-57	6.4	75
64	Kainate receptor-mediated heterosynaptic facilitation in the amygdala. <i>Nature Neuroscience</i> , 2001 , 4, 612-20	25.5	94
63	Future directions for epilepsy research. <i>Neurology</i> , 2001 , 57, 1536-42	6.5	81
62	IgG isolated from LP-BM5 infected mouse brain activates ionotropic glutamate receptors. <i>Neurobiology of Disease</i> , 2001 , 8, 1069-81	7.5	6
61	Role of AMPA and GluR5 kainate receptors in the development and expression of amygdala kindling in the mouse. <i>Neuropharmacology</i> , 2001 , 40, 28-35	5.5	49
60	Input-specific LTP and depotentiation in the basolateral amygdala. <i>NeuroReport</i> , 2001 , 12, 635-40	1.7	33
59	LP-BM5 virus-infected mice produce activating autoantibodies to the AMPA receptor. <i>Journal of Clinical Investigation</i> , 2001 , 107, 737-44	15.9	19
58	Felbamate block of recombinant N-methyl-D-aspartate receptors: selectivity for the NR2B subunit. <i>Epilepsy Research</i> , 2000 , 39, 47-55	3	70
57	Re: Mazarati et al. "...clinically available [antiepileptic drug] with a moderate affinity for the glycine site of the N-methyl-D-aspartate (NMDA) receptor". <i>Epilepsia</i> , 2000 , 41, 918-9	6.4	2

56	Low affinity channel blocking (uncompetitive) NMDA receptor antagonists as therapeutic agents--toward an understanding of their favorable tolerability. <i>Amino Acids</i> , 2000 , 19, 133-49	3.5	98
55	D-serine is an endogenous ligand for the glycine site of the N-methyl-D-aspartate receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 4926-31	11.5	906
54	KCNQ2/KCNQ3 K ⁺ channels and the molecular pathogenesis of epilepsy: implications for therapy. <i>Trends in Neurosciences</i> , 2000 , 23, 393-8	13.3	115
53	Induction of seizures by the potent K ⁺ channel-blocking scorpion venom peptide toxins tityustoxin-K(alpha) and pandinustoxin-K(alpha). <i>Epilepsy Research</i> , 1999 , 34, 177-86	3	44
52	Convulsant actions of the neurosteroid pregnenolone sulfate in mice. <i>Brain Research</i> , 1999 , 831, 119-24	3.7	56
51	Allosteric regulation of alpha-amino-3-hydroxy-5-methyl-4-isoxazole-propionate receptors by thiocyanate and cyclothiazide at a common modulatory site distinct from that of 2,3-benzodiazepines. <i>Neuroscience</i> , 1998 , 87, 615-29	3.9	33
50	GluR5 kainate receptor mediated synaptic transmission in rat basolateral amygdala in vitro. <i>Neuropharmacology</i> , 1998 , 37, 1279-86	5.5	91
49	Bidirectional synaptic plasticity in the rat basolateral amygdala: characterization of an activity-dependent switch sensitive to the presynaptic metabotropic glutamate receptor antagonist 2S-alpha-ethylglutamic acid. <i>Journal of Neuroscience</i> , 1998 , 18, 1662-70	6.6	103
48	Docosahexaenoic acid block of neuronal voltage-gated K ⁺ channels: subunit selective antagonism by zinc. <i>Neuropharmacology</i> , 1996 , 35, 969-82	5.5	62
47	Anandamide, an endogenous cannabinoid, inhibits Shaker-related voltage-gated K ⁺ channels. <i>Neuropharmacology</i> , 1996 , 35, 983-91	5.5	111
46	Ibogaine block of the NMDA receptor: in vitro and in vivo studies. <i>Neuropharmacology</i> , 1996 , 35, 423-31	5.5	37
45	Neuroactive steroids protect against pilocarpine- and kainic acid-induced limbic seizures and status epilepticus in mice. <i>Neuropharmacology</i> , 1996 , 35, 1049-56	5.5	134
44	Dizocilpine-like discriminative stimulus effects of low-affinity uncompetitive NMDA antagonists. <i>Neuropharmacology</i> , 1996 , 35, 1709-19	5.5	52
43	Direct activation of GABA _A receptors by barbiturates in cultured rat hippocampal neurons. <i>Journal of Physiology</i> , 1996 , 497 (Pt 2), 509-22	3.9	137
42	Effects of D1 and D2 dopamine receptor antagonists and catecholamine depleting agents on the locomotor stimulation induced by dizocilpine in mice. <i>Behavioural Brain Research</i> , 1995 , 70, 145-51	3.4	34
41	Intracellular polyamines mediate inward rectification of Ca(2+)-permeable alpha-amino-3-hydroxy-5-methyl-4-isoxazolepropionic acid receptors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995 , 92, 9298-302	11.5	197
40	Anticonvulsant efficacy of ADCI (5-aminocarbonyl-10,11-dihydro-5H-dibenzo[a,d]cyclohepten-5,10-imine) after acute and chronic dosing in mice. <i>Epilepsia</i> , 1995 , 36, 566-71	6.4	11
39	RTI-4793-14, a new ligand with high affinity and selectivity for the (+)-MK801-insensitive [3H]1-[1-(2-thienyl)cyclohexyl]piperidine binding site (PCP site 2) of guinea pig brain. <i>Synapse</i> , 1994 , 16, 59-65	2.4	5

38	Mechanism of action of the anticonvulsant felbamate: opposing effects on N-methyl-D-aspartate and gamma-aminobutyric acidA receptors. <i>Annals of Neurology</i> , 1994 , 35, 229-34	9.4	187
37	Alaproclate effects on voltage-dependent K ⁺ channels and NMDA receptors: studies in cultured rat hippocampal neurons and fibroblast cells transformed with Kv1.2 K ⁺ channel cDNA. <i>Neuropharmacology</i> , 1994 , 33, 795-804	5.5	10
36	Potassium channel activators counteract anoxic hyperexcitability but not 4-aminopyridine-induced epileptiform activity in the rat hippocampal slice. <i>Neuropharmacology</i> , 1994 , 33, 1515-22	5.5	22
35	GYKI 52466, a 2,3-benzodiazepine, is a highly selective, noncompetitive antagonist of AMPA/kainate receptor responses. <i>Neuron</i> , 1993 , 10, 51-9	13.9	318
34	Therapeutic potential of excitatory amino acid antagonists: channel blockers and 2,3-benzodiazepines. <i>Trends in Pharmacological Sciences</i> , 1993 , 14, 325-31	13.2	269
33	Anticonvulsant activity of AMPA/kainate antagonists: comparison of GYKI 52466 and NBOB in maximal electroshock and chemoconvulsant seizure models. <i>Epilepsy Research</i> , 1993 , 15, 179-84	3	127
32	Phencyclidine block of calcium current in isolated guinea-pig hippocampal neurones. <i>Journal of Physiology</i> , 1992 , 456, 85-105	3.9	20
31	Anticonvulsant 1-phenylcycloalkylamines: two analogues with low motor toxicity when orally administered. <i>Epilepsia</i> , 1992 , 33, 188-94	6.4	10
30	New antiepileptic drugs: from serendipity to rational discovery. <i>Epilepsia</i> , 1992 , 33 Suppl 1, S1-6	6.4	47
29	1,10-Diaminododecane and 1,12-diaminododecane block NMDA receptor currents by an open channel mechanism. <i>Neuroscience Letters</i> , 1992 , 147, 213-6	3.3	10
28	The NMDA receptor, NMDA antagonists and epilepsy therapy. A status report. <i>Drugs</i> , 1992 , 44, 279-92	12.1	134
27	Muscarinic antagonists attenuate dizocilpine-induced hypermotility in mice. <i>Life Sciences</i> , 1992 , 50, PL59668	6.4	8
26	High concentrations of neutral amino acids activate NMDA receptor currents in rat hippocampal neurons. <i>Neuroscience Letters</i> , 1992 , 141, 97-100	3.3	41
25	Pregnenolone sulfate augments NMDA receptor mediated increases in intracellular Ca ²⁺ in cultured rat hippocampal neurons. <i>Neuroscience Letters</i> , 1992 , 141, 30-4	3.3	143
24	Charybdotoxin, dendrotoxin and mast cell degranulating peptide block the voltage-activated K ⁺ current of fibroblast cells stably transfected with NGK1 (Kv1.2) K ⁺ channel complementary DNA. <i>Neuroscience</i> , 1992 , 50, 935-46	3.9	42
23	Protection against dendrotoxin-induced clonic seizures in mice by anticonvulsant drugs. <i>Brain Research</i> , 1992 , 575, 138-42	3.7	30
22	Effects of anticonvulsant drugs on 4-aminopyridine-induced seizures in mice. <i>Epilepsy Research</i> , 1992 , 11, 9-16	3	141
21	A model of the T-type calcium current and the low-threshold spike in thalamic neurons. <i>Journal of Neurophysiology</i> , 1991 , 66, 839-50	3.2	126

20	Synthesis and anticonvulsant activity of 1-phenylcyclohexylamine analogues. <i>Journal of Medicinal Chemistry</i> , 1990 , 33, 1452-8	8.3	42
19	BRL 34915 (cromakalim) enhances voltage-dependent K ⁺ current in cultured rat hippocampal neurons. <i>European Journal of Pharmacology</i> , 1989 , 168, 7-14	5.3	15
18	Cycloleucine blocks NMDA responses in cultured hippocampal neurones under voltage clamp: antagonism at the strychnine-insensitive glycine receptor. <i>British Journal of Pharmacology</i> , 1989 , 98, 1005-13	8.6	6
17	Transient outward current (I _A) in clonal anterior pituitary cells: blockade by aminopyridine analogs. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1988 , 338, 125-32	3.4	11
16	Vasopressin enhances a calcium current in human ACTH-secreting pituitary adenoma cells. <i>FASEB Journal</i> , 1988 , 2, 2907-12	0.9	25
15	Electrical properties of cultured human adrenocorticotropin-secreting adenoma cells: effects of high K ⁺ , corticotropin-releasing factor, and angiotensin II. <i>Endocrinology</i> , 1987 , 121, 395-405	4.8	29
14	Tetrahydroaminoacridine blocks voltage-dependent ion channels in hippocampal neurons. <i>European Journal of Pharmacology</i> , 1987 , 142, 169-72	5.3	87
13	New directions in neurotransmitter action: dopamine provides some important clues. <i>Trends in Neurosciences</i> , 1987 , 10, 200-205	13.3	23
12	Colchicine myopathy and neuropathy. <i>New England Journal of Medicine</i> , 1987 , 316, 1562-8	59.2	341
11	The A-current: how ubiquitous a feature of excitable cells is it?. <i>Trends in Neurosciences</i> , 1985 , 8, 214-219	13.3	291
10	Acetylcholine 1985 , 143-197		11
9	Effects of 4-aminopyridine on calcium action potentials and calcium current under voltage clamp in spinal neurons. <i>Brain Research</i> , 1983 , 280, 180-5	3.7	93
8	Cholecystokinin octapeptide: effects on the excitability of cultured spinal neurons. <i>Peptides</i> , 1982 , 3, 545-51	3.8	43
7	Activation of lateral geniculate neurons by locus coeruleus or dorsal noradrenergic bundle stimulation: selective blockade by the alpha 1-adrenoceptor antagonist prazosin. <i>Brain Research</i> , 1982 , 250, 31-9	3.7	100
6	Modulation of lateral geniculate neurone excitability by noradrenaline microiontophoresis or locus coeruleus stimulation. <i>Nature</i> , 1980 , 287, 731-4	50.4	183
5	Activation of lateral geniculate neurons by norepinephrine: mediation by an alpha-adrenergic receptor. <i>Brain Research</i> , 1980 , 182, 345-59	3.7	100
4	Norepinephrine and serotonin: opposite effects on the activity of lateral geniculate neurons evoked by optic pathway stimulation. <i>Experimental Neurology</i> , 1980 , 69, 678-94	5.7	115
3	Melatonin: deacetylation to 5-methoxytryptamine by liver but not brain aryl acylamidase. <i>Journal of Neurochemistry</i> , 1979 , 32, 1219-26	6	53

- | | | | |
|---|--|-----|----|
| 2 | Response of central monoaminergic neurons to lisuride: comparison with LSD. <i>Life Sciences</i> , 1979 , 24, 1289-97 | 6.8 | 73 |
| 1 | Effects of ethanol on tryptophan hydroxylase activity from striate synaptosomes. <i>Biochemical Pharmacology</i> , 1974 , 23, 1955-62 | 6 | 9 |