

BoÅ¼ena E Sobkowicz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3974459/publications.pdf>

Version: 2024-02-01

67
papers

4,904
citations

567281

15
h-index

110387

64
g-index

73
all docs

73
docs citations

73
times ranked

5098
citing authors

#	ARTICLE	IF	CITATIONS
1	2019 ESC Guidelines for the diagnosis and management of acute pulmonary embolism developed in collaboration with the European Respiratory Society (ERS). <i>European Heart Journal</i> , 2020, 41, 543-603.	2.2	2,426
2	Fibrinolysis for Patients with Intermediate-Risk Pulmonary Embolism. <i>New England Journal of Medicine</i> , 2014, 370, 1402-1411.	27.0	1,221
3	Prognostic Factors in Medically Treated Patients With Chronic Pulmonary Embolism. <i>Chest</i> , 2001, 119, 818-823.	0.8	340
4	Impact of Thrombolytic Therapy on the Long-Term Outcome of Intermediate-Risk Pulmonary Embolism. <i>Journal of the American College of Cardiology</i> , 2017, 69, 1536-1544.	2.8	258
5	Incomplete echocardiographic recovery at 6 months predicts long-term sequelae after intermediate-risk pulmonary embolism. A post-hoc analysis of the Pulmonary Embolism Thrombolysis (PEITHO) trial. <i>Clinical Research in Cardiology</i> , 2019, 108, 772-778.	3.3	44
6	Enhanced IL-6 trans-signaling in pulmonary arterial hypertension and its potential role in disease-related systemic damage. <i>Cytokine</i> , 2015, 76, 187-192.	3.2	36
7	Apelin: a novel marker for the patients with first ST-elevation myocardial infarction. <i>Heart and Vessels</i> , 2010, 25, 363-367.	1.2	33
8	Apelin in acute myocardial infarction and heart failure induced by ischemia. <i>Clinica Chimica Acta</i> , 2012, 413, 406-410.	1.1	30
9	Serum levels of CD163 and TWEAK in patients with pulmonary arterial hypertension. <i>Cytokine</i> , 2014, 66, 40-45.	3.2	26
10	The value of apelin-36 and brain natriuretic peptide measurements in patients with first ST-elevation myocardial infarction. <i>Clinica Chimica Acta</i> , 2010, 411, 2014-2018.	1.1	25
11	Atrial Fibrillation in Patients with Acute Pulmonary Embolism: Clinical Significance and Impact on Prognosis. <i>BioMed Research International</i> , 2019, 2019, 1-5.	1.9	25
12	The causes of thrombocytopenia after transcatheter aortic valve implantation. <i>Thrombosis Research</i> , 2017, 156, 39-44.	1.7	20
13	Thrombocytopenia associated with TAVI – The summary of possible causes. <i>Advances in Medical Sciences</i> , 2017, 62, 378-382.	2.1	20
14	Impact of COVID-19 pandemic on acute heart failure admissions and mortality: a multicentre study (COHF-SIRIO 6 study). <i>ESC Heart Failure</i> , 2022, 9, 721-728.	3.1	20
15	Myocardial perfusion assessed by contrast echocardiography correlates with angiographic perfusion parameters in patients with a first acute myocardial infarction successfully treated with angioplasty. <i>Canadian Journal of Cardiology</i> , 2008, 24, 633-639.	1.7	17
16	An implantable pump Lenus pro® in the treatment of pulmonary arterial hypertension with intravenous treprostinil. <i>BMC Pulmonary Medicine</i> , 2017, 17, 162.	2.0	16
17	The relationships among monocyte subsets, miRNAs and inflammatory cytokines in patients with acute myocardial infarction. <i>Pharmacological Reports</i> , 2019, 71, 73-81.	3.3	16
18	Hypotensive effect of atorvastatin in hypertensive patients: the association among flow-mediated dilation, oxidative stress and endothelial dysfunction. <i>Archives of Medical Science</i> , 2011, 6, 955-962.	0.9	14

#	ARTICLE	IF	CITATIONS
19	Parameters influencing in-hospital mortality in patients hospitalized in intensive cardiac care unit: is there an influence of anemia and iron deficiency?. <i>Internal and Emergency Medicine</i> , 2015, 10, 337-344.	2.0	14
20	Echocardiographic Assessment of Right Ventricularâ€œArterial Coupling in Predicting Prognosis of Pulmonary Arterial Hypertension Patients. <i>Journal of Clinical Medicine</i> , 2021, 10, 2995.	2.4	14
21	Coronary blood flow in patients with end-stage renal disease assessed by thrombolysis in myocardial infarction frame count method. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 926-930.	0.7	13
22	Paroxysmal Atrial Fibrillation in the Course of Acute Pulmonary Embolism: Clinical Significance and Impact on Prognosis. <i>BioMed Research International</i> , 2017, 2017, 1-7.	1.9	13
23	Does admission anaemia still predict mortality six years after myocardial infarction?. <i>Kardiologia Polska</i> , 2014, 72, 488-493.	0.6	13
24	Prognostic role of PET/MRI hybrid imaging in patients with pulmonary arterial hypertension. <i>Heart</i> , 2021, 107, 54-60.	2.9	12
25	Estimation of glomerular filtration rate in patients with normal serum creatinine undergoing primary PCI: is it really normal?. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 1736-1738.	0.7	11
26	Prognostic significance of the admission plasma B-type natriuretic peptide measurement in patients with first ST-elevation myocardial infarction in comparison with C-reactive protein and TIMI risk score. <i>Clinica Chimica Acta</i> , 2007, 382, 106-111.	1.1	11
27	Predictors of Long-Term Mortality in Patients Hospitalized in an Intensive Cardiac Care Unit. <i>International Heart Journal</i> , 2016, 57, 67-72.	1.0	11
28	Persistently elevated plasma heart-type fatty acid binding protein concentration is related with poor outcome in acute decompensated heart failure patients. <i>Clinica Chimica Acta</i> , 2018, 487, 48-53.	1.1	11
29	Multimodal assessment of right ventricle overload-metabolic and clinical consequences in pulmonary arterial hypertension. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021, 23, 49.	3.3	11
30	The significance of anaemia in patients with acute ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention. <i>Kardiologia Polska</i> , 2011, 69, 33-9.	0.6	11
31	Value of the real-time myocardial contrast echocardiography for risk stratification and for the detection of significant coronary stenosis in patients with end-stage renal disease. <i>Nephrology Dialysis Transplantation</i> , 2006, 22, 668-669.	0.7	10
32	Anemia in Intensive Cardiac Care Unit patients â€œ An underestimated problem. <i>Advances in Medical Sciences</i> , 2015, 60, 307-314.	2.1	10
33	Different manifestations of pulmonary embolism in younger compared to older patients: Clinical presentation, prediction rules and long-term outcomes. <i>Advances in Medical Sciences</i> , 2017, 62, 254-258.	2.1	9
34	The strengths and weaknesses of non-invasive parameters obtained by echocardiography and cardiopulmonary exercise testing in comparison with the hemodynamic assessment by the right heart catheterization in patients with pulmonary hypertension. <i>Advances in Medical Sciences</i> , 2017, 62, 39-44.	2.1	9
35	Perioperative thrombocytopenia predicts poor outcome in patients undergoing transcatheter aortic valve implantation. <i>Advances in Medical Sciences</i> , 2018, 63, 179-184.	2.1	9
36	The significance of diminished sTWEAK and P-selectin content in platelets of patients with pulmonary arterial hypertension. <i>Cytokine</i> , 2018, 107, 52-58.	3.2	8

#	ARTICLE	IF	CITATIONS
37	Increased platelet content of SDF-1alpha is associated with worse prognosis in patients with pulmonary prterial hypertension. <i>Platelets</i> , 2019, 30, 445-451.	2.3	8
38	Is Real Time Contrast Echocardiography Useful for Assessment of the Right Ventricular Morphology, Function, and Perfusion?. <i>Echocardiography</i> , 2015, 32, 1080-1086.	0.9	7
39	Prognostic value of late gadolinium enhancement mass index in patients with pulmonary arterial hypertension. <i>Advances in Medical Sciences</i> , 2021, 66, 28-34.	2.1	7
40	Atrial fibrillation is more frequently associated with non-obstructive coronary lesions: The Bialystok Coronary Project. <i>Polish Archives of Internal Medicine</i> , 2020, 130, 1029-1036.	0.4	7
41	Levosimendan in the treatment of patients with acute cardiac conditions: an expert opinion of the Association of Intensive Cardiac Care of the Polish Cardiac Society. <i>Kardiologia Polska</i> , 2020, 78, 825-834.	0.6	7
42	Repetitive use of LEvosimendan in Ambulatory Heart Failure patients (LEIA-HF) - The rationale and study design. <i>Advances in Medical Sciences</i> , 2022, 67, 18-22.	2.1	7
43	Intraoperative echocardiographic assessment of the severe isolated ostial stenosis of left main coronary artery before and after surgical patch angioplasty. <i>European Journal of Echocardiography</i> , 2005, 6, 280-285.	2.3	6
44	Original research Perfusion assessed by real-time contrast echocardiography correlates with clinical and echocardiographic parameters in patients with first STEMI treated with PCI â€“ 6-month follow-up. <i>Archives of Medical Science</i> , 2010, 2, 176-182.	0.9	6
45	Pregnancy as a predictor of deviations from the recommended diagnostic pathway in women with suspected pulmonary embolism: ZATPOL registry data. <i>Archives of Medical Science</i> , 2018, 14, 838-845.	0.9	6
46	Galectin-3 as the Prognostic Factor of Adverse Cardiovascular Events in Long-Term Follow up in Patients after Myocardial Infarctionâ€™A Pilot Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 1640.	2.4	6
47	ECG in the clinical and prognostic evaluation of patients with pulmonary arterial hypertension: an underestimated value. <i>Therapeutic Advances in Respiratory Disease</i> , 2022, 16, 175346662210878.	2.6	6
48	Altered microRNA dynamics in acute coronary syndrome. <i>Postepy W Kardiologii Interwencyjnej</i> , 2020, 16, 287-293.	0.2	5
49	The Benefits of Repeated Measurements of B-type Natriuretic Peptide in Patients With First ST-Elevation Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention. <i>International Heart Journal</i> , 2006, 47, 843-854.	1.0	4
50	Platelet sTWEAK and plasma IL-6 are associated with 18F-fluorodeoxyglucose uptake in right ventricles of patients with pulmonary arterial hypertension: A pilot study. <i>Advances in Clinical and Experimental Medicine</i> , 2022, 31, 991-998.	1.4	4
51	Application of Myocardial Contrast Echocardiography for the Perfusion Assessment in Patients with End-Stage Renal Failure – Comparison with Coronary Angiography. <i>American Journal of Nephrology</i> , 2008, 28, 929-934.	3.1	3
52	Atrial fibrillation in dialysis patients: is there a place for non-vitamin K antagonist oral anticoagulants?. <i>International Urology and Nephrology</i> , 2018, 50, 1633-1642.	1.4	3
53	Variation in the incidence of pulmonary embolism and related mortality depending on the season and day of the week. <i>Polish Archives of Internal Medicine</i> , 2015, 125, 92-94.	0.4	3
54	Monocyte Subsets in Patients with Chronic Heart Failure Treated with Cardiac Resynchronization Therapy. <i>Cells</i> , 2021, 10, 3482.	4.1	3

#	ARTICLE	IF	CITATIONS
55	Perfusion defects on real-time myocardial contrast echocardiography predict higher mortality in patients with end-stage renal disease – A 3-year follow-up. <i>Renal Failure</i> , 2010, 32, 1160-1166.	2.1	2
56	Fluid therapy in non-septic, refractory acute decompensated heart failure patients – The cautious role of central venous pressure. <i>Advances in Medical Sciences</i> , 2019, 64, 37-43.	2.1	2
57	A 39-Year-Old Woman with Ventricular Electrical Storm Treated with Emergency Cardiac Defibrillation Followed by Multidisciplinary Management. <i>American Journal of Case Reports</i> , 0, 23, .	0.8	2
58	Giant calcifications in the interventricular septum deriving from the aortic stenosis. <i>European Heart Journal Cardiovascular Imaging</i> , 2012, 13, 365-365.	1.2	1
59	Diagnostic and Therapeutic Challenges. <i>Retina</i> , 2015, 35, 2417-2420.	1.7	1
60	Redistribution of dabigatran after idarucizumab administration in a 90-year old woman with renal failure due to persistent large intestinal bleeding. <i>Polish Archives of Internal Medicine</i> , 2019, 129, 932-933.	0.4	1
61	Complexity of clinical status and therapeutic difficulties in 85-year-old patient with atrial fibrillation. <i>Kardiologia Polska</i> , 2016, 74, 44-47.	0.6	1
62	Predicting Mortality in Patients with Atrial Fibrillation and Obstructive Chronic Coronary Syndrome: The Białystok Coronary Project. <i>Journal of Clinical Medicine</i> , 2021, 10, 4949.	2.4	1
63	Cardiac device-related endocarditis in the patient with end-stage renal failure in the course of Fabry disease. <i>International Urology and Nephrology</i> , 2013, 45, 1533-1535.	1.4	0
64	Right-sided atrial tumour in a patient with abdominal neoplasm. <i>Kardiologia Polska</i> , 2014, 72, 843-843.	0.6	0
65	Infective endocarditis of the aortic valve in a patient with a coronary artery fistula. <i>Polish Archives of Internal Medicine</i> , 2015, 125, 584-585.	0.4	0
66	The pilot study of role of electrical cardiometry in non-invasive assessment of hemodynamic parameters in patients with pulmonary arterial hypertension (RCD code: II-1A.1). <i>Journal of Rare Cardiovascular Diseases</i> , 2017, 3, .	0.0	0
67	A questionnaire-based, multicenter registry of resistant and pseudo-resistant arterial. <i>Wiadomości Lekarskie</i> , 2019, 72, 1866-1871.	0.3	0