BoÅ¹/₄ena E Sobkowicz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3974459/publications.pdf

Version: 2024-02-01

67 papers 4,904 citations

567281 15 h-index 64 g-index

73 all docs

73 docs citations

73 times ranked

5098 citing authors

#	Article	IF	CITATIONS
1	Repetitive use of LEvosimendan in Ambulatory Heart Failure patients (LEIA-HF) - The rationale and study design. Advances in Medical Sciences, 2022, 67, 18-22.	2.1	7
2	Impact of COVIDâ€19 pandemic on acute heart failure admissions and mortality: a multicentre study (COVâ€HFâ€6IRIO 6 study). ESC Heart Failure, 2022, 9, 721-728.	3.1	20
3	ECG in the clinical and prognostic evaluation of patients with pulmonary arterial hypertension: an underestimated value. Therapeutic Advances in Respiratory Disease, 2022, 16, 175346662210878.	2.6	6
4	Platelet sTWEAK and plasma IL-6 are associated with 18F-fluorodeoxyglucose uptake in right ventricles of patients with pulmonary arterial hypertension: A pilot study. Advances in Clinical and Experimental Medicine, 2022, 31, 991-998.	1.4	4
5	Prognostic role of PET/MRI hybrid imaging in patients with pulmonary arterial hypertension. Heart, 2021, 107, 54-60.	2.9	12
6	Prognostic value of late gadolinium enhancement mass index in patients with pulmonary arterial hypertension. Advances in Medical Sciences, 2021, 66, 28-34.	2.1	7
7	Multimodal assessment of right ventricle overload-metabolic and clinical consequences in pulmonary arterial hypertension. Journal of Cardiovascular Magnetic Resonance, 2021, 23, 49.	3.3	11
8	Echocardiographic Assessment of Right Ventricular–Arterial Coupling in Predicting Prognosis of Pulmonary Arterial Hypertension Patients. Journal of Clinical Medicine, 2021, 10, 2995.	2.4	14
9	Predicting Mortality in Patients with Atrial Fibrillation and Obstructive Chronic Coronary Syndrome: The Bialystok Coronary Project. Journal of Clinical Medicine, 2021, 10, 4949.	2.4	1
10	Monocyte Subsets in Patients with Chronic Heart Failure Treated with Cardiac Resynchronization Therapy. Cells, 2021, 10, 3482.	4.1	3
11	2019 ESC Guidelines for the diagnosis and management of acute pulmonary embolism developed in collaboration with the European Respiratory Society (ERS). European Heart Journal, 2020, 41, 543-603.	2.2	2,426
12	Galectin-3 as the Prognostic Factor of Adverse Cardiovascular Events in Long-Term Follow up in Patients after Myocardial Infarction—A Pilot Study. Journal of Clinical Medicine, 2020, 9, 1640.	2.4	6
13	Atrial fibrillation is more frequently associated with non-obstructive coronary lesions: The Bialystok Coronary Project. Polish Archives of Internal Medicine, 2020, 130, 1029-1036.	0.4	7
14	Levosimendan in the treatment of patients with acute cardiac conditions: an expert opinion of the Association of Intensive Cardiac Care of the Polish Cardiac Society. Kardiologia Polska, 2020, 78, 825-834.	0.6	7
15	Altered microRNA dynamics in acute coronary syndrome. Postepy W Kardiologii Interwencyjnej, 2020, 16, 287-293.	0.2	5
16	Atrial Fibrillation in Patients with Acute Pulmonary Embolism: Clinical Significance and Impact on Prognosis. BioMed Research International, 2019, 2019, 1-5.	1.9	25
17	Incomplete echocardiographic recovery at 6Âmonths predicts long-term sequelae after intermediate-risk pulmonary embolism. A post-hoc analysis of the Pulmonary Embolism Thrombolysis (PEITHO) trial. Clinical Research in Cardiology, 2019, 108, 772-778.	3.3	44
18	Fluid therapy in non-septic, refractory acute decompensated heart failure patients – The cautious role of central venous pressure. Advances in Medical Sciences, 2019, 64, 37-43.	2.1	2

#	Article	IF	Citations
19	The relationships among monocyte subsets, miRNAs and inflammatory cytokines in patients with acute myocardial infarction. Pharmacological Reports, 2019, 71, 73-81.	3.3	16
20	Increased platelet content of SDF-1alpha is associated with worse prognosis in patients with pulmonary prterial hypertension. Platelets, 2019, 30, 445-451.	2.3	8
21	Redistribution of dabigatran after idarucizumab administration in a 90-year old woman with renal failure due to persistent large intestinal bleeding. Polish Archives of Internal Medicine, 2019, 129, 932-933.	0.4	1
22	A questionnaire-based, multicenter registry of resistant and pseudo-resistant arterial. WiadomoÅci Lekarskie, 2019, 72, 1866-1871.	0.3	0
23	Pregnancy as a predictor of deviations from the recommended diagnostic pathway in women with suspected pulmonary embolism: ZATPOL registry data. Archives of Medical Science, 2018, 14, 838-845.	0.9	6
24	The significance of diminished sTWEAK and P-selectin content in platelets of patients with pulmonary arterial hypertension. Cytokine, 2018, 107, 52-58.	3.2	8
25	Perioperative thrombocytopenia predicts poor outcome in patients undergoing transcatheter aortic valve implantation. Advances in Medical Sciences, 2018, 63, 179-184.	2.1	9
26	Persistently elevated plasma heart-type fatty acid binding protein concentration is related with poor outcome in acute decompensated heart failure patients. Clinica Chimica Acta, 2018, 487, 48-53.	1.1	11
27	Atrial fibrillation in dialysis patients: is there a place for non-vitamin K antagonist oral anticoagulants?. International Urology and Nephrology, 2018, 50, 1633-1642.	1.4	3
28	Different manifestations of pulmonary embolism in younger compared to older patients: Clinical presentation, prediction rules and long-term outcomes. Advances in Medical Sciences, 2017, 62, 254-258.	2.1	9
29	The causes of thrombocytopenia after transcatheter aortic valve implantation. Thrombosis Research, 2017, 156, 39-44.	1.7	20
30	Thrombocytopenia associated with TAVIâ€"The summary of possible causes. Advances in Medical Sciences, 2017, 62, 378-382.	2.1	20
31	Impact of Thrombolytic Therapy onÂtheÂLong-Term Outcome of Intermediate-Risk PulmonaryÂEmbolism. Journal of the American College of Cardiology, 2017, 69, 1536-1544.	2.8	258
32	The strengths and weaknesses of non-invasive parameters obtained by echocardiography and cardiopulmonary exercise testing in comparison with the hemodynamic assessment by the right heart catheterization in patients with pulmonary hypertension. Advances in Medical Sciences, 2017, 62, 39-44.	2.1	9
33	Paroxysmal Atrial Fibrillation in the Course of Acute Pulmonary Embolism: Clinical Significance and Impact on Prognosis. BioMed Research International, 2017, 2017, 1-7.	1.9	13
34	An implantable pump Lenus pro \hat{A}^{\otimes} in the treatment of pulmonary arterial hypertension with intravenous treprostinil. BMC Pulmonary Medicine, 2017, 17, 162.	2.0	16
35	The pilot study of role of electrical cardiometry in non-invasive assessment of hemodynamic parameters in patients with pulmonary arterial hypertension (RCD code: II-1A.1). Journal of Rare Cardiovascular Diseases, 2017, 3, .	0.0	0
36	Predictors of Long-Term Mortality in Patients Hospitalized in an Intensive Cardiac Care Unit. International Heart Journal, 2016, 57, 67-72.	1.0	11

#	Article	IF	CITATIONS
37	Complexity of clinical status and therapeutic difficulties in 85-year-old patient with atrial fibrillation. Kardiologia Polska, 2016, 74, 44-47.	0.6	1
38	Is Real Time Contrast Echocardiography Useful for Assessment of the Right Ventricular Morphology, Function, and Perfusion?. Echocardiography, 2015, 32, 1080-1086.	0.9	7
39	Diagnostic and Therapeutic Challenges. Retina, 2015, 35, 2417-2420.	1.7	1
40	Parameters influencing in-hospital mortality in patients hospitalized in intensive cardiac care unit: is there an influence of anemia and iron deficiency?. Internal and Emergency Medicine, 2015, 10, 337-344.	2.0	14
41	Anemia in Intensive Cardiac Care Unit patients – An underestimated problem. Advances in Medical Sciences, 2015, 60, 307-314.	2.1	10
42	Enhanced IL-6 trans-signaling in pulmonary arterial hypertension and its potential role in disease-related systemic damage. Cytokine, 2015, 76, 187-192.	3.2	36
43	Variation in the incidence of pulmonary embolism and related mortality depending on the season and day of the week. Polish Archives of Internal Medicine, 2015, 125, 92-94.	0.4	3
44	Infective endocarditis of the aortic valve in a patient with a coronary artery fistula. Polish Archives of Internal Medicine, 2015, 125, 584-585.	0.4	0
45	Serum levels of CD163 and TWEAK in patients with pulmonary arterial hypertension. Cytokine, 2014, 66, 40-45.	3.2	26
46	Fibrinolysis for Patients with Intermediate-Risk Pulmonary Embolism. New England Journal of Medicine, 2014, 370, 1402-1411.	27.0	1,221
47	Does admission anaemia still predict mortality six years after myocardial infarction?. Kardiologia Polska, 2014, 72, 488-493.	0.6	13
48	Right-sided atrial tumour in a patient with abdominal neoplasm. Kardiologia Polska, 2014, 72, 843-843.	0.6	0
49	Cardiac device-related endocarditis in the patient with end-stage renal failure in the course of Fabry disease. International Urology and Nephrology, 2013, 45, 1533-1535.	1.4	0
50	Giant calcifications in the interventricular septum deriving from the aortic stenosis. European Heart Journal Cardiovascular Imaging, 2012, 13, 365-365.	1.2	1
51	Apelin in acute myocardial infarction and heart failure induced by ischemia. Clinica Chimica Acta, 2012, 413, 406-410.	1.1	30
52	Hypotensive effect of atorvastatin in hypertensive patients: the association among flow-mediated dilation, oxidative stress and endothelial dysfunction. Archives of Medical Science, 2011, 6, 955-962.	0.9	14
53	The significance of anaemia in patients with acute ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention. Kardiologia Polska, 2011, 69, 33-9.	0.6	11
54	Apelin: a novel marker for the patients with first ST-elevation myocardial infarction. Heart and Vessels, 2010, 25, 363-367.	1.2	33

#	Article	IF	CITATIONS
55	Original research Perfusion assessed by real-time contrast echocardiography correlates with clinical and echocardiographic parameters in patients with first STEMI treated with PCI – 6-month follow-up. Archives of Medical Science, 2010, 2, 176-182.	0.9	6
56	Coronary blood flow in patients with end-stage renal disease assessed by thrombolysis in myocardial infarction frame count method. Nephrology Dialysis Transplantation, 2010, 25, 926-930.	0.7	13
57	The value of apelin-36 and brain natriuretic peptide measurements in patients with first ST-elevation myocardial infarction. Clinica Chimica Acta, 2010, 411, 2014-2018.	1.1	25
58	Perfusion defects on real-time myocardial contrast echocardiography predict higher mortality in patients with end-stage renal disease – A 3-year follow-up. Renal Failure, 2010, 32, 1160-1166.	2.1	2
59	Myocardial perfusion assessed by contrast echocardiography correlates with angiographic perfusion parameters in patients with a first acute myocardial infarction successfully treated with angioplasty. Canadian Journal of Cardiology, 2008, 24, 633-639.	1.7	17
60	Application of Myocardial Contrast Echocardiography for the Perfusion Assessment in Patients with End-Stage Renal Failure – Comparison with Coronary Angiography. American Journal of Nephrology, 2008, 28, 929-934.	3.1	3
61	Prognostic significance of the admission plasma B-type natriuretic peptide measurement in patients with first ST-elevation myocardial infarction in comparison with C-reactive protein and TIMI risk score. Clinica Chimica Acta, 2007, 382, 106-111.	1.1	11
62	Value of the real-time myocardial contrast echocardiography for risk stratification and for the detection of significant coronary stenosis in patients with end-stage renal disease. Nephrology Dialysis Transplantation, 2006, 22, 668-669.	0.7	10
63	Estimation of glomerular filtration rate in patients with normal serum creatinine undergoing primary PCI: is it really normal?. Nephrology Dialysis Transplantation, 2006, 21, 1736-1738.	0.7	11
64	The Benefits of Repeated Measurements of B-type Natriuretic Peptide in Patients With First ST-Elevation Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention. International Heart Journal, 2006, 47, 843-854.	1.0	4
65	Intraoperative echocardiographic assessment of the severe isolated ostial stenosis of left main coronary artery before and after surgical patch angioplasty. European Journal of Echocardiography, 2005, 6, 280-285.	2.3	6
66	Prognostic Factors in Medically Treated Patients With Chronic Pulmonary Embolism. Chest, 2001, 119, 818-823.	0.8	340
67	A 39-Year-Old Woman with Ventricular Electrical Storm Treated with Emergency Cardiac Defibrillation Followed by Multidisciplinary Management. American Journal of Case Reports, 0, 23, .	0.8	2