Dorte Møller Jensen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3975277/publications.pdf

Version: 2024-02-01

117 papers 6,295 citations

36 h-index 69214 77 g-index

123 all docs

123 docs citations

times ranked

123

6455 citing authors

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | The unexplored role of sedentary time and physical activity in glucose and lipid metabolismâ€related placental mRNAs in pregnant women who are obese: the DALI lifestyle randomised controlled trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 708-721. | 1.1 | 6 |
| 2 | Interaction between rs10830962 polymorphism in MTNR1B and lifestyle intervention on maternal and neonatal outcomes: secondary analyses of the DALI lifestyle randomized controlled trial. American Journal of Clinical Nutrition, 2022, 115, 388-396. | 2.2 | 5 |
| 3 | Strategies to promote health behaviors in parents with small childrenâ€"A systematic review and realist synthesis of behavioral interventions. Obesity Reviews, 2022, 23, e13359. | 3.1 | 4 |
| 4 | The Temporal Profile of Circulating miRNAs during Gestation in Overweight and Obese Women with or without Gestational Diabetes Mellitus. Biomedicines, 2022, 10, 482. | 1.4 | 6 |
| 5 | Hypoglycemia in Pregnancies Following Gastric Bypass—a Systematic Review and Meta-analysis. Obesity Surgery, 2022, 32, 2047-2055. | 1.1 | 5 |
| 6 | Twins in Guinea-Bissau have a †thin-fat†body composition compared to singletons. Journal of Developmental Origins of Health and Disease, 2022, 13, 787-793. | 0.7 | 1 |
| 7 | Long-Term Metabolic Outcomes after Gestational Diabetes Mellitus (GDM): Results from the Odense GDM Follow-Up Study (OGFUS). Journal of Diabetes Research, 2022, 2022, 1-11. | 1.0 | 1 |
| 8 | Home Blood Pressure for the Prediction of Preeclampsia in Women With Preexisting Diabetes. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e3670-e3678. | 1.8 | 3 |
| 9 | The importance of maternal insulin resistance throughout pregnancy on neonatal adiposity. Paediatric and Perinatal Epidemiology, 2021, 35, 83-91. | 0.8 | 11 |
| 10 | Less sedentary time is associated with a more favourable glucose-insulin axis in obese pregnant women—a secondary analysis of the DALI study. International Journal of Obesity, 2021, 45, 296-307. | 1.6 | 12 |
| 11 | Prevalence of anxiety and depression symptoms in pregnant women with type 2 diabetes and the impact on glycaemic control. Diabetic Medicine, 2021, 38, e14506. | 1.2 | 11 |
| 12 | The Predictive Value of miR-16, -29a and -134 for Early Identification of Gestational Diabetes: A Nested Analysis of the DALI Cohort. Cells, 2021, 10, 170. | 1.8 | 35 |
| 13 | Adapting fasting plasma glucose threshold for GDM diagnosis according to the population distribution $\hat{a} \in \mathcal{C}$ An approach to the Danish paradox. Diabetes Research and Clinical Practice, 2021, 175, 108832. | 1.1 | 6 |
| 14 | Unchanged Prevalence of Preeclampsia After Implementation of Prophylactic Aspirin for All Pregnant Women With Preexisting Diabetes: A Prospective Cohort Study. Diabetes Care, 2021, , dc211182. | 4.3 | 11 |
| 15 | Systematically developing a family-based health promotion intervention for women with prior gestational diabetes based on evidence, theory and co-production: the Face-it study. BMC Public Health, 2021, 21, 1616. | 1.2 | 11 |
| 16 | The impact of antiâ€hypertensive treatment on foetal growth and haemodynamics in pregnant women with preâ€existing diabetes – An explorative study. Diabetic Medicine, 2021, , e14722. | 1.2 | 0 |
| 17 | Impact of Lean Body Mass and Insulin Sensitivity on the IGF-1–Bone Mass Axis in Adolescence: the EPICOM Study. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e772-e781. | 1.8 | 3 |
| 18 | GAD65 autoantibodies and glucose tolerance in offspring born to women with and without type 1 diabetes (The EPICOM study). Endocrinology, Diabetes and Metabolism, 2021, 5, e00310. | 1.0 | 2 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 19 | Apolipoprotein D and transthyretin are reduced in female adolescent offspring of women with type 1 diabetes: The EPICOM study. Diabetic Medicine, 2021, , e14776. | 1.2 | 2 |
| 20 | The DALI vitamin D randomized controlled trial for gestational diabetes mellitus prevention: No major benefit shown besides vitamin D sufficiency. Clinical Nutrition, 2020, 39, 976-984. | 2.3 | 42 |
| 21 | Vitamin D levels were significantly higher during and after lifestyle intervention in pregnancy: A randomized controlled trial. Acta Obstetricia Et Gynecologica Scandinavica, 2020, 99, 350-356. | 1.3 | 1 |
| 22 | Venous thromboembolism in anorexia nervosa: four cases from a specialized unit. Indication for thromboprophylaxis?. Eating and Weight Disorders, 2020, 25, 1833-1837. | 1.2 | 4 |
| 23 | Physical activity, sedentary behavior and development of preeclampsia in women with preexisting diabetes. Acta Diabetologica, 2020, 57, 559-567. | 1.2 | 3 |
| 24 | Performance of early pregnancy HbA1c for predicting gestational diabetes mellitus and adverse pregnancy outcomes in obese European women. Diabetes Research and Clinical Practice, 2020, 168, 108378. | 1.1 | 14 |
| 25 | Diabetes in urban Guinea-Bissau; patient characteristics, mortality and prevalence of undiagnosed dysglycemia. Global Health Action, 2020, 13, 1802136. | 0.7 | 2 |
| 26 | Live-born children after assisted reproduction in women with type 1 diabetes and type 2 diabetes: a nationwide cohort study. Diabetologia, 2020, 63, 1736-1744. | 2.9 | 4 |
| 27 | Temporal relationships between maternal metabolic parameters with neonatal adiposity in women with obesity differ by neonatal sex: Secondary analysis of the DALI study. Pediatric Obesity, 2020, 15, e12628. | 1.4 | 11 |
| 28 | Protocol for a randomised controlled trial of a co-produced, complex, health promotion intervention for women with prior gestational diabetes and their families: the Face-it study. Trials, 2020, 21, 146. | 0.7 | 17 |
| 29 | The Guinea-Bissau Twin Registry Update: A Platform for Studying Twin Mortality and Metabolic Disease. Twin Research and Human Genetics, 2019, 22, 554-560. | 0.3 | 4 |
| 30 | White coat hypertension in early pregnancy in women with pre-existing diabetes: prevalence and pregnancy outcomes. Diabetologia, 2019, 62, 2188-2199. | 2.9 | 15 |
| 31 | Gestational weight gain outside the Institute of Medicine recommendations and adverse pregnancy outcomes: analysis using individual participant data from randomised trials. BMC Pregnancy and Childbirth, 2019, 19, 322. | 0.9 | 87 |
| 32 | Lower daily carbohydrate consumption than recommended by the Institute of Medicine is common among women with type 2 diabetes in early pregnancy in Denmark. Diabetes Research and Clinical Practice, 2019, 152, 88-95. | 1.1 | 6 |
| 33 | Fatty Liver Among Adolescent Offspring of Women With Type 1 Diabetes (the EPICOM Study). Diabetes Care, 2019, 42, 1560-1568. | 4.3 | 13 |
| 34 | Nutritional Lifestyle Intervention in Obese Pregnant Women, Including Lower Carbohydrate Intake, Is Associated With Increased Maternal Free Fatty Acids, 3-β-Hydroxybutyrate, and Fasting Glucose Concentrations: A Secondary Factorial Analysis of the European Multicenter, Randomized Controlled DALI Lifestyle Intervention Trial. Diabetes Care, 2019, 42, 1380-1389. | 4.3 | 21 |
| 35 | A reduction in sedentary behaviour in obese women during pregnancy reduces neonatal adiposity: the DALI randomised controlled trial. Diabetologia, 2019, 62, 915-925. | 2.9 | 50 |
| 36 | First-trimester proteomic profiling identifies novel predictors of gestational diabetes mellitus. PLoS ONE, 2019, 14, e0214457. | 1.1 | 23 |

| # | Article | lF | CITATIONS |
|----|--|-------------|--------------------|
| 37 | Mediators of Lifestyle Behaviour Changes in Obese Pregnant Women. Secondary Analyses from the DALI Lifestyle Randomised Controlled Trial. Nutrients, 2019, 11, 311. | 1.7 | 6 |
| 38 | Impact of maternal education on response to lifestyle interventions to reduce gestational weight gain: individual participant data meta-analysis. BMJ Open, 2019, 9, e025620. | 0.8 | 9 |
| 39 | Effect of motivational interviewing on gestational weight gain and fetal growth in pregnant women with type 2 diabetes. BMJ Open Diabetes Research and Care, 2019, 7, e000733. | 1.2 | 10 |
| 40 | The Effects of Lifestyle and/or Vitamin D Supplementation Interventions on Pregnancy Outcomes: What Have We Learned from the DALI Studies?. Current Diabetes Reports, 2019, 19, 162. | 1.7 | 8 |
| 41 | Impact of type 1 diabetes on maternal long-term risk of hospitalisation and mortality: a nationwide combined clinical and register-based cohort study (The EPICOM study). Diabetologia, 2018, 61, 1071-1080. | 2.9 | 7 |
| 42 | Urine albumin is a superior predictor of preeclampsia compared to urine plasminogen in type I diabetes patients. Journal of the American Society of Hypertension, 2018, 12, 97-107. | 2.3 | 10 |
| 43 | Cost-effectiveness of healthy eating and/or physical activity promotion in pregnant women at increased risk of gestational diabetes mellitus: economic evaluation alongside the DALI study, a European multicenter randomized controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 23. | 2.0 | 34 |
| 44 | Polycystic ovary syndrome and hyperglycaemia in pregnancy. A narrative review and results from a prospective Danish cohort study. Diabetes Research and Clinical Practice, 2018, 145, 167-177. | 1.1 | 30 |
| 45 | Gestational Diabetes Mellitus: Does One Size Fit All? A Challenge to Uniform Worldwide Diagnostic Thresholds. Diabetes Care, 2018, 41, 1339-1342. | 4.3 | 68 |
| 46 | Differential effects of age and sex on insulin sensitivity and body composition in adolescent offspring of women with type 1 diabetes: results from the EPICOM study. Diabetologia, 2018, 61, 210-219. | 2.9 | 14 |
| 47 | Association between Gestational Weight Gain, Gestational Diabetes Risk, and Obstetric Outcomes: A Randomized Controlled Trial Post Hoc Analysis. Nutrients, 2018, 10, 1568. | 1.7 | 22 |
| 48 | Lifestyle Intervention in Danish Obese Pregnant Women With Early Gestational Diabetes Mellitus According to WHO 2013 Criteria Does Not Change Pregnancy Outcomes: Results From the LiP (Lifestyle) Tj ETQo | ղ04030 rgBT | © verlock] |
| 49 | Risk factors for hyperglycemia in pregnancy in the DALI study differ by period of pregnancy and OGTT time point. European Journal of Endocrinology, 2018, 179, 39-49. | 1.9 | 20 |
| 50 | Re: Vitamin D and gestational diabetes mellitus: a systematic review based on data free of Hawthorne effect. BJOG: an International Journal of Obstetrics and Gynaecology, 2018, 125, 1338-1339. | 1.1 | 5 |
| 51 | Effect of physical activity and/or healthy eating on GDM risk: The DALI Lifestyle Study. Journal of Clinical Endocrinology and Metabolism, 2017, 102, jc.2016-3455. | 1.8 | 140 |
| 52 | The effects of dietary and lifestyle interventions among pregnant women who are overweight or obese on longer-term maternal and early childhood outcomes: protocol for an individual participant data (IPD) meta-analysis. Systematic Reviews, 2017, 6, 51. | 2.5 | 14 |
| 53 | Abnormal levels of adipokines in adolescent offspring of women with type 1 diabetes – Results from the EPICOM study. Metabolism: Clinical and Experimental, 2017, 72, 47-56. | 1.5 | 6 |
| 54 | Variations in reporting of outcomes in randomized trials on diet and physical activity in pregnancy: A systematic review. Journal of Obstetrics and Gynaecology Research, 2017, 43, 1101-1110. | 0.6 | 12 |

| # | Article | IF | Citations |
|----|--|-------------------|------------------------------|
| 55 | Epidemiology of gestational diabetes mellitus according to IADPSG/WHO 2013 criteria among obese pregnant women in Europe. Diabetologia, 2017, 60, 1913-1921. | 2.9 | 117 |
| 56 | Pregnancy and perinatal outcomes according to surgery to conception interval and gestational weight gain in women with previous gastric bypass. Journal of Maternal-Fetal and Neonatal Medicine, 2017, 30, 1182-1188. | 0.7 | 44 |
| 57 | Is a motivational interviewing based lifestyle intervention for obese pregnant women across Europe implemented as planned? Process evaluation of the DALI study. BMC Pregnancy and Childbirth, 2017, 17, 293. | 0.9 | 6 |
| 58 | Correlates of poor mental health in early pregnancy in obese European women. BMC Pregnancy and Childbirth, 2017, 17, 404. | 0.9 | 11 |
| 59 | Assessment of Attention Deficits in Adolescent Offspring Exposed to Maternal Type 1 Diabetes. PLoS ONE, 2017, 12, e0169308. | 1.1 | 13 |
| 60 | Octreotide therapy and restricted fetal growth: pregnancy in familial hyperinsulinemic hypoglycemia. Endocrinology, Diabetes and Metabolism Case Reports, 2017, 2017, . | 0.2 | 6 |
| 61 | Effects of antenatal diet and physical activity on maternal and fetal outcomes: individual patient data meta-analysis and health economic evaluation. Health Technology Assessment, 2017, 21, 1-158. | 1.3 | 214 |
| 62 | Beliefs, Barriers, and Preferences of European Overweight Women to Adopt a Healthier Lifestyle in Pregnancy to Minimize Risk of Developing Gestational Diabetes Mellitus: An Explorative Study. Journal of Pregnancy, 2016, 2016, 1-11. | 1.1 | 31 |
| 63 | IADPSG and WHO 2013 Gestational Diabetes Mellitus Criteria Identify Obese Women With Marked Insulin Resistance in Early Pregnancy. Diabetes Care, 2016, 39, e90-e92. | 4.3 | 79 |
| 64 | Signs of low-grade systemic inflammation in female offspring of women with typeÂ1 diabetes: The EPICOM study. Diabetes and Metabolism, 2016, 42, 462-465. | 1.4 | 4 |
| 65 | Prevalence of impaired glucose tolerance and other types of dysglycaemia among young twins and singletons in Guinea-Bissau. BMC Endocrine Disorders, 2016, 16, 46. | 0.9 | 7 |
| 66 | Long-term Cognitive Implications of Intrauterine Hyperglycemia in Adolescent Offspring of Women With Type 1 Diabetes (the EPICOM Study). Diabetes Care, 2016, 39, 1356-1363. | 4.3 | 29 |
| 67 | First-trimester multimarker prediction of gestational diabetes mellitus using targeted mass spectrometry. Diabetologia, 2016, 59, 970-979. | 2.9 | 27 |
| 68 | Effects of Lifestyle Intervention in Pregnancy and Anthropometrics at Birth on Offspring Metabolic Profile at 2.8 Years: Results From the Lifestyle in Pregnancy and Offspring (LiPO) Study. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 175-183. | 1.8 | 58 |
| 69 | Diabetes in pregnancy outcomes: A systematic review and proposed codification of definitions. Diabetes/Metabolism Research and Reviews, 2015, 31, 680-690. | 1.7 | 71 |
| 70 | Results From a European Multicenter Randomized Trial of Physical Activity and/or Healthy Eating to Reduce the Risk of Gestational Diabetes Mellitus: The DALI Lifestyle Pilot. Diabetes Care, 2015, 38, 1650-1656. | 4.3 | 93 |
| 71 | Academic Achievement in Primary School in Offspring Born to Mothers With Type 1 Diabetes (the) Tj ETQq $1\ 1$ (|).784314 ı 4.3 | rgBT_/Overlo <mark>ck</mark> |
| 72 | Increased metabolic risk in adolescent offspring of mothers with type 1 diabetes: the EPICOM study. Diabetologia, 2015, 58, 1454-1463. | 2.9 | 44 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 73 | Multisystem Morbidity and Mortality in Offspring of Women With Type 1 Diabetes (the EPICOM Study): A Register-Based Prospective Cohort Study. Diabetes Care, 2015, 38, 821-826. | 4.3 | 16 |
| 74 | Hyperandrogenism and phenotypes of polycystic ovary syndrome are not associated with differences in obstetric outcomes. Acta Obstetricia Et Gynecologica Scandinavica, 2015, 94, 204-211. | 1.3 | 38 |
| 75 | Glutamic acid decarboxylase autoantibodyâ€positivity postâ€partum is associated with impaired β–cell function in women with gestational diabetes mellitus. Diabetic Medicine, 2015, 32, 198-205. | 1.2 | 6 |
| 76 | Physical activity, depressed mood and pregnancy worries in European obese pregnant women: results from the DALI study. BMC Pregnancy and Childbirth, 2015, 15, 158. | 0.9 | 36 |
| 77 | Global cost-effectiveness of GDM screening and management: Current knowledge and future needs. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2015, 29, 206-224. | 1.4 | 24 |
| 78 | Maternal and neonatal outcomes in pregnancies complicated by gestational diabetes. a nation-wide study. Journal of Maternal-Fetal and Neonatal Medicine, 2015, 28, 1720-1724. | 0.7 | 117 |
| 79 | Anthropometrics and Body Composition by Dual Energy X-Ray in Children of Obese Women: A Follow-Up of a Randomized Controlled Trial (the Lifestyle in Pregnancy and Offspring [LiPO] Study). PLoS ONE, 2014, 9, e89590. | 1.1 | 46 |
| 80 | Metabolic effects of lifestyle intervention in obese pregnant women. Results from the randomized controlled trial â€~Lifestyle in Pregnancy' (LiP). Diabetic Medicine, 2014, 31, 1323-1330. | 1.2 | 36 |
| 81 | Postpartum weight retention and breastfeeding among obese women from the randomized controlled Lifestyle in Pregnancy (LiP) trial. Acta Obstetricia Et Gynecologica Scandinavica, 2014, 93, 794-801. | 1.3 | 64 |
| 82 | Intima-Media Thickness Measurements in the Fetus and Mother During Pregnancy: A Feasibility Study. Ultrasound in Medicine and Biology, 2014, 40, 1949-1957. | 0.7 | 8 |
| 83 | Infant twin mortality and hospitalisations after the perinatal period – a prospective cohort study from Guineaâ€Bissau. Tropical Medicine and International Health, 2014, 19, 1477-1487. | 1.0 | 6 |
| 84 | DALI: Vitamin D and lifestyle intervention for gestational diabetes mellitus (GDM) prevention: an European multicentre, randomised trial – study protocol. BMC Pregnancy and Childbirth, 2013, 13, 142. | 0.9 | 85 |
| 85 | Evolution of diagnostic criteria for gestational diabetes mellitus. Acta Obstetricia Et Gynecologica Scandinavica, 2013, 92, 739-745. | 1.3 | 21 |
| 86 | Pregestational body mass index is related to neonatal abdominal circumference at birthâ€"a Danish populationâ€based study. BJOG: an International Journal of Obstetrics and Gynaecology, 2013, 120, 320-330. | 1.1 | 20 |
| 87 | Pregnancy in women with type 1 diabetes: Have the goals of St. Vincent declaration been met concerning foetal and neonatal complications?. Journal of Maternal-Fetal and Neonatal Medicine, 2013, 26, 1682-1686. | 0.7 | 96 |
| 88 | Establishing a Twin Registry in Guinea-Bissau. Twin Research and Human Genetics, 2013, 16, 179-184. | 0.3 | 9 |
| 89 | Risk of Metabolic Syndrome and Diabetes Among Young Twins and Singletons in Guinea-Bissau. Diabetes Care, 2013, 36, 3549-3556. | 4.3 | 7 |
| 90 | Cognitive Function in Adult Offspring of Women with Gestational Diabetes–The Role of Glucose and Other Factors. PLoS ONE, 2013, 8, e67107. | 1.1 | 38 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | A prospective study of twinning and perinatal mortality in urban Guinea-Bissau. BMC Pregnancy and Childbirth, 2012, 12, 140. | 0.9 | 27 |
| 92 | Clinical Consequences of Abnormal Glucose Metabolism., 2012,, 31-42. | | O |
| 93 | Cognitive function in adult offspring of women with Type $\hat{a} \in f1$ diabetes. Diabetic Medicine, 2011, 28, 838-844. | 1.2 | 33 |
| 94 | The LiP (Lifestyle in Pregnancy) Study. Diabetes Care, 2011, 34, 2502-2507. | 4.3 | 267 |
| 95 | Microalbuminuria, Preeclampsia, and Preterm Delivery in Pregnant Women With Type 1 Diabetes. Diabetes Care, 2010, 33, 90-94. | 4.3 | 77 |
| 96 | Peri-Conceptional A1C and Risk of Serious Adverse Pregnancy Outcome in 933 Women With Type 1 Diabetes. Diabetes Care, 2009, 32, 1046-1048. | 4.3 | 187 |
| 97 | Overweight and the Metabolic Syndrome in Adult Offspring of Women with Diet-Treated Gestational Diabetes Mellitus or Type 1 Diabetes. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 2464-2470. | 1.8 | 378 |
| 98 | Adverse pregnancy outcome in women with mild glucose intolerance: is there a clinically meaningful threshold value for glucose?. Acta Obstetricia Et Gynecologica Scandinavica, 2008, 87, 59-62. | 1.3 | 75 |
| 99 | Elevated third-trimester haemoglobin A1c predicts preterm delivery in type 1 diabetes. Journal of Diabetes and Its Complications, 2008, 22, 297-302. | 1.2 | 43 |
| 100 | High Prevalence of Type 2 Diabetes and Pre-Diabetes in Adult Offspring of Women With Gestational Diabetes Mellitus or Type 1 Diabetes. Diabetes Care, 2008, 31, 340-346. | 4.3 | 601 |
| 101 | Outcomes in Type 1 Diabetic Pregnancies: A Nationwide, Population-Based Study. Obstetrical and Gynecological Survey, 2005, 60, 279-280. | 0.2 | 3 |
| 102 | Gestational Weight Gain and Pregnancy Outcomes in 481 Obese Glucose-Tolerant Women. Diabetes Care, 2005, 28, 2118-2122. | 4.3 | 128 |
| 103 | HbA1c Levels Are Significantly Lower in Early and Late Pregnancy. Diabetes Care, 2004, 27, 1200-1201. | 4.3 | 262 |
| 104 | Increasing Incidence of Diabetes After Gestational Diabetes: A long-term follow-up in a Danish population. Diabetes Care, 2004, 27, 1194-1199. | 4.3 | 230 |
| 105 | Outcomes in Type 1 Diabetic Pregnancies: A nationwide, population-based study. Diabetes Care, 2004, 27, 2819-2823. | 4.3 | 424 |
| 106 | Pregnancy outcome and prepregnancy body mass index in 2459 glucose-tolerant Danish women. American Journal of Obstetrics and Gynecology, 2003, 189, 239-244. | 0.7 | 304 |
| 107 | Screening for gestational diabetes mellitus by a model based on risk indicators: a prospective study. American Journal of Obstetrics and Gynecology, 2003, 189, 1383-1388. | 0.7 | 102 |
| 108 | Proposed diagnostic thresholds for gestational diabetes mellitus according to a 75-g oral glucose tolerance test. Maternal and perinatal outcomes in 3260 Danish women. Diabetic Medicine, 2003, 20, 51-57. | 1.2 | 66 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 109 | Reference intervals for glucose, \hat{l}^2 -cell polypeptides, and counterregulatory factors during prolonged fasting. American Journal of Physiology - Endocrinology and Metabolism, 2001, 280, E50-E58. | 1.8 | 72 |
| 110 | Clinical impact of mild carbohydrate intolerance in pregnancy: A study of 2904 nondiabetic Danish women with risk factors for gestational diabetes mellitus. American Journal of Obstetrics and Gynecology, 2001, 185, 413-419. | 0.7 | 140 |
| 111 | Maternal and perinatal outcomes in 143 Danish women with gestational diabetes mellitus and 143 controls with a similar risk profile. Diabetic Medicine, 2000, 17, 281-286. | 1.2 | 90 |
| 112 | Evidence for an association between diabetes and birth weight still exists. Diabetologia, 1999, 42, 899-900. | 2.9 | 0 |
| 113 | Low birth weight is associated with NIDDM in discordant monozygotic and dizygotic twin pairs. Diabetologia, 1997, 40, 439-446. | 2.9 | 299 |
| 114 | Severe Hypothyroidism Masquerading as Renal Impairment. Nephron, 1996, 73, 299-300. | 0.6 | 3 |
| 115 | Continuous Venovenous Haemodialysis: A Three-Pump System. Nephron, 1996, 72, 159-162. | 0.9 | 2 |
| 116 | Treatment of ANCA-Positive, Pauci-Immune Extracapillary Glomerulonephritis with Etoposide. Nephron, 1995, 69, 341-342. | 0.9 | 1 |
| 117 | Isolated hyperproinsulinaemia heralding diabetes mellitus?. Diabetologia, 1994, 37, 729-730. | 2.9 | 23 |