

# Kazuyoshi Saito

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3975936/publications.pdf>

Version: 2024-02-01

88  
papers

1,905  
citations

218677

26  
h-index

289244

40  
g-index

93  
all docs

93  
docs citations

93  
times ranked

2685  
citing authors

#	ARTICLE	IF	CITATIONS
1	Discontinuation of adalimumab after achieving remission in patients with established rheumatoid arthritis: 1-year outcome of the HONOR study. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 389-395.	0.9	149
2	A multicenter phase I/II trial of rituximab for refractory systemic lupus erythematosus. <i>Modern Rheumatology</i> , 2007, 17, 191-197.	1.8	107
3	Constitutive Chemokine Production Results in Activation of Leukocyte Function-Associated Antigen-1 on Adult T-Cell Leukemia Cells. <i>Blood</i> , 1998, 91, 3909-3919.	1.4	75
4	Japan College of Rheumatology 2009 guidelines for the use of tocilizumab, a humanized anti-interleukin-6 receptor monoclonal antibody, in rheumatoid arthritis. <i>Modern Rheumatology</i> , 2009, 19, 351-357.	1.8	75
5	Efficacy of combination therapy of anti-TNF- $\alpha$ antibody infliximab and methotrexate in refractory entero-Behçet's disease. <i>Modern Rheumatology</i> , 2011, 21, 184-191.	1.8	69
6	Efficacy and tolerability of tocilizumab in rheumatoid arthritis patients seen in daily clinical practice in Japan: results from a retrospective study (REACTION study). <i>Modern Rheumatology</i> , 2011, 21, 122-133.	1.8	65
7	Retrospective clinical study on the notable efficacy and related factors of infliximab therapy in a rheumatoid arthritis management group in Japan: one-year clinical outcomes (RECONFIRM-2). <i>Modern Rheumatology</i> , 2008, 18, 146-152.	1.8	61
8	Retrospective clinical study on the notable efficacy and related factors of infliximab therapy in a rheumatoid arthritis management group in Japan (RECONFIRM). <i>Modern Rheumatology</i> , 2007, 17, 28-32.	1.8	56
9	Low complements and high titre of anti-Sm antibody as predictors of histopathologically proven silent lupus nephritis without abnormal urinalysis in patients with systemic lupus erythematosus. <i>Rheumatology</i> , 2015, 54, 405-412.	1.9	55
10	IL-6-accelerated calcification by induction of ROR2 in human adipose tissue-derived mesenchymal stem cells is STAT3 dependent. <i>Rheumatology</i> , 2014, 53, 1282-1290.	1.9	52
11	Genetic determinants and an epistasis of <i>LILRA3</i> and HLA-B*52 in Takayasu arteritis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 13045-13050.	7.1	51
12	Microsatellite instability in gallbladder carcinoma: two independent genetic pathways of gallbladder carcinogenesis. <i>Journal of Gastroenterology</i> , 2000, 35, 768-774.	5.1	50
13	Multicenter double-blind randomized controlled trial to evaluate the effectiveness and safety of bortezomib as a treatment for refractory systemic lupus erythematosus. <i>Modern Rheumatology</i> , 2018, 28, 986-992.	1.8	50
14	<i>Pneumocystis jirovecii</i> pneumonia associated with etanercept treatment in patients with rheumatoid arthritis: a retrospective review of 15 cases and analysis of risk factors. <i>Modern Rheumatology</i> , 2012, 22, 849-858.	1.8	46
15	A Wide and Specific Spectrum of Genetic Variants and Genotype-Phenotype Correlations Revealed by Next-Generation Sequencing in Patients with Left Ventricular Noncompaction. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	46
16	Assessment of the expression of p53, MIB-1 (Ki-67 antigen), and argyrophilic nucleolar organizer regions in carcinoma of the extrahepatic bile duct. , 1998, 82, 86-95.		44
17	Discontinuation of infliximab in rheumatoid arthritis patients in clinical remission. <i>Modern Rheumatology</i> , 2008, 18, 460-464.	1.8	42
18	Effectiveness of abatacept for patients with Sjögren's syndrome associated with rheumatoid arthritis. An open label, multicenter, one-year, prospective study: ROSE (Rheumatoid Arthritis with Orencia Trial) <i>TJ ETQq0001sgBT /Overlock 10 T</i>		42

#	ARTICLE	IF	CITATIONS
19	Optimal regimens of sulfamethoxazole-trimethoprim for chemoprophylaxis of <i>Pneumocystis pneumonia</i> in patients with systemic rheumatic diseases: results from a non-blinded, randomized controlled trial. <i>Arthritis Research and Therapy</i> , 2017, 19, 7.	3.5	41
20	Retrospective clinical study on the notable efficacy and related factors of infliximab therapy in a rheumatoid arthritis management group in Japan: one-year outcome of joint destruction (RECONFIRM-2). <i>Modern Rheumatology</i> , 2008, 18, 447-454.	1.8	40
21	Effectiveness and safety of adalimumab in Japanese patients with rheumatoid arthritis: retrospective analyses of data collected during the first year of adalimumab treatment in routine clinical practice (HARMONY study). <i>Modern Rheumatology</i> , 2012, 22, 327-338.	1.8	38
22	Aberrations of the K-ras, p53, and APC genes in extrahepatic bile duct cancer. , 2000, 73, 158-163.		35
23	A twin study of rheumatoid arthritis in the Japanese population. <i>Modern Rheumatology</i> , 2016, 26, 685-689.	1.8	32
24	Long-Term Prognosis of Patients With Left Ventricular Noncompaction—Comparison Between Infantile and Juvenile Types. <i>Circulation Journal</i> , 2017, 81, 694-700.	1.6	31
25	MicroRNA-145-5p and microRNA-320a encapsulated in endothelial microparticles contribute to the progression of vasculitis in acute Kawasaki Disease. <i>Scientific Reports</i> , 2018, 8, 1016.	3.3	31
26	Successful Cardiac Resynchronization Therapy in a 3-Year-Old Girl With Isolated Left Ventricular Non-Compaction and Narrow QRS Complex. <i>Circulation Journal</i> , 2009, 73, 2173-2177.	1.6	29
27	Clinical characteristics and risk factors for <i>Pneumocystis jirovecii</i> pneumonia in patients with rheumatoid arthritis receiving adalimumab: a retrospective review and case-control study of 17 patients. <i>Modern Rheumatology</i> , 2013, 23, 1085-1093.	1.8	28
28	Infrequent microsatellite instability in biliary tract cancer. <i>Journal of Surgical Oncology</i> , 2001, 76, 121-126.	1.7	27
29	MicroRNA-93 may control vascular endothelial growth factor A in circulating peripheral blood mononuclear cells in acute Kawasaki disease. <i>Pediatric Research</i> , 2016, 80, 425-432.	2.3	26
30	Sarcomere gene variants act as a genetic trigger underlying the development of left ventricular noncompaction. <i>Pediatric Research</i> , 2018, 84, 733-742.	2.3	26
31	Safety and tolerability of sifalimumab, an anti-interferon- $\gamma$ monoclonal antibody, in Japanese patients with systemic lupus erythematosus: A multicenter, phase 2, open-label study. <i>Modern Rheumatology</i> , 2020, 30, 93-100.	1.8	23
32	Etanercept overcomes P-glycoprotein-induced drug resistance in lymphocytes of patients with intractable rheumatoid arthritis. <i>Modern Rheumatology</i> , 2010, 20, 139-146.	1.8	20
33	The REAL database reveals no significant risk of serious infection during treatment with a methotrexate dose of more than 8 mg/week in patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2011, 21, 444-448.	1.8	16
34	Dermal mast cell density in fingers reflects severity of skin sclerosis in systemic sclerosis. <i>Modern Rheumatology</i> , 2013, 23, 1151-1157.	1.8	16
35	Safety, pharmacokinetics, and pharmacodynamics of epratuzumab in Japanese patients with moderate-to-severe systemic lupus erythematosus: Results from a phase 1/2 randomized study. <i>Modern Rheumatology</i> , 2016, 26, 87-93.	1.8	16
36	Quantitative susceptibility mapping in patients with systemic lupus erythematosus: detection of abnormalities in normal-appearing basal ganglia. <i>European Radiology</i> , 2016, 26, 1056-1063.	4.5	16

#	ARTICLE	IF	CITATIONS
37	Evaluation of the alternative classification criteria of systemic lupus erythematosus established by Systemic Lupus International Collaborating Clinics (SLICC). <i>Modern Rheumatology</i> , 2018, 28, 642-648.	1.8	16
38	Overcoming treatment unresponsiveness mediated by P-glycoprotein overexpression on lymphocytes in refractory active systemic lupus erythematosus. <i>Modern Rheumatology</i> , 2005, 15, 28-32.	1.8	15
39	Enhanced effect of high-dose leukocytapheresis using a large filter in rheumatoid arthritis. <i>Modern Rheumatology</i> , 2007, 17, 481-485.	1.8	15
40	Analysis of bone metabolism during early stage and clinical benefits of early intervention with alendronate in patients with systemic rheumatic diseases treated with high-dose glucocorticoid: Early Diagnosis and Treatment of Osteoporosis in Japan (EDITOR-J) study. <i>Journal of Bone and Mineral Metabolism</i> , 2016, 34, 646-654.	2.7	15
41	Association of the multi-biomarker disease activity score with joint destruction in patients with rheumatoid arthritis receiving tumor necrosis factor-alpha inhibitor treatment in clinical practice. <i>Modern Rheumatology</i> , 2016, 26, 850-856.	1.8	14
42	Relevance of P-glycoprotein on CXCR4 <sup>+</sup> B cells to organ manifestation in highly active rheumatoid arthritis. <i>Modern Rheumatology</i> , 2018, 28, 276-286.	1.8	14
43	Comparative study of corticosteroid monotherapy, and TNF inhibitors with or without corticosteroid in patients with refractory entero-Behçet's disease. <i>Arthritis Research and Therapy</i> , 2019, 21, 151.	3.5	13
44	Familial Left Ventricular Non-Compaction Is Associated With a Rare p.V407I Variant in Bone Morphogenetic Protein 10. <i>Circulation Journal</i> , 2019, 83, 1737-1746.	1.6	12
45	Establishment of an Î±-Fetoprotein-producing Gastric Cancer Cell Line in Serum-free Media. <i>Japanese Journal of Cancer Research</i> , 1991, 82, 883-885.	1.7	11
46	Anomalous origin of the right coronary artery evaluated with multidetector computed tomography and its clinical relevance. <i>Journal of Cardiology</i> , 2016, 68, 196-201.	1.9	11
47	Type I and II interferons commit to abnormal expression of chemokine receptor on B cells in patients with systemic lupus erythematosus. <i>Clinical Immunology</i> , 2019, 200, 1-9.	3.2	11
48	Achieving simplified disease activity index remission in patients with active rheumatoid arthritis is associated with subsequent good functional and structural outcomes in a real-world clinical setting under a treat-to-target strategy. <i>Modern Rheumatology</i> , 2017, 27, 811-819.	1.8	10
49	Role of P-glycoprotein on CD69 <sup>+</sup> CD4 <sup>+</sup> cells in the pathogenesis of proliferative lupus nephritis and non-responsiveness to immunosuppressive therapy. <i>RMD Open</i> , 2017, 3, e000423.	3.8	10
50	Fifty-Two-Week Results of Clinical and Imaging Assessments of a Patient with Rheumatoid Arthritis Complicated by Systemic Sclerosis with Interstitial Pneumonia and Type 1 Diabetes despite Multiple Disease-Modifying Antirheumatic Drug Therapy That Was Successfully Treated with Baricitinib: A Novel Case Report. <i>Case Reports in Rheumatology</i> , 2019, 2019, 1-5.	0.6	8
51	Clinical aspects in patients with rheumatoid arthritis complicated with lymphoproliferative disorders without regression after methotrexate withdrawal and treatment for arthritis after regression of lymphoproliferative disorders. <i>Modern Rheumatology</i> , 2021, 31, 94-100.	1.8	8
52	Clinical and Echocardiographic Impact of Tafazzin Variants on Dilated Cardiomyopathy Phenotype in Left Ventricular Non-Compaction Patients in Early Infancy. <i>Circulation Journal</i> , 2018, 82, 2609-2618.	1.6	7
53	An open-label, randomized controlled trial of sulfamethoxazole-trimethoprim for Pneumocystis prophylaxis: results of 52-week follow-up. <i>Rheumatology Advances in Practice</i> , 2020, 4, rkaa029.	0.7	7
54	Treatment of rheumatoid arthritis after regression of lymphoproliferative disorders in patients treated with methotrexate: a retrospective, multi-center descriptive study. <i>Modern Rheumatology</i> , 2022, 32, 41-49.	1.8	7

#	ARTICLE	IF	CITATIONS
55	Structural damages disturb functional improvement in patients with rheumatoid arthritis treated with etanercept. <i>Modern Rheumatology</i> , 2012, 22, 186-194.	1.8	6
56	Serum TNF $\pm$ levels at 24 h after certolizumab pegol predict effectiveness at week 12 in patients with rheumatoid arthritis from TSUBAME study. <i>Arthritis Research and Therapy</i> , 2021, 23, 154.	3.5	6
57	Human urinary trypsin inhibitor bolus infusion improved severe interstitial pneumonia in mixed connective tissue disease. <i>Modern Rheumatology</i> , 2005, 15, 374-380.	1.8	5
58	5-year remission rate after the discontinuation of adalimumab in patients with rheumatoid arthritis: Long-term follow-up results of the HONOR study. <i>Modern Rheumatology</i> , 2020, 30, 799-806.	1.8	5
59	B $\alpha$ B Cell Interactions in the Spontaneous Activation of B Cells in Autoimmune NZB Mice. <i>Microbiology and Immunology</i> , 1991, 35, 741-753.	1.4	4
60	A case of catastrophic antiphospholipid antibody syndrome complicated with systemic lupus erythematosus, double positive for anti-cardiolipin/I $^2$ glycoprotein I and anti-phosphatidylserine/prothrombin autoantibodies. <i>Modern Rheumatology</i> , 2012, 22, 769-773.	1.8	4
61	Successful treatment of osteomalacia caused by renal tubular acidosis associated with Sj $\ddot{A}$ gren $\hat{e}$ 's syndrome. <i>Modern Rheumatology</i> , 2013, 23, 401-405.	1.8	4
62	Remission induction by Raising the dose of Remicade in RA (RRRR) study: Rationale and study protocol for a randomized controlled trial comparing for sustained clinical remission after discontinuation of infliximab in patients with rheumatoid arthritis. <i>Contemporary Clinical Trials Communications</i> , 2017, 8, 49-54.	1.1	4
63	The usefulness of cyclophosphamide pretreatment for subrenal capsule assay against human esophageal cancer. <i>The Japanese Journal of Surgery</i> , 1991, 21, 184-192.	0.2	3
64	Long esophageal myotomy with a fundic patch procedure for treating diffuse esophageal spasm: Report of a case. <i>Surgery Today</i> , 1993, 23, 360-365.	1.5	3
65	Pneumocystis carinii pneumonia in patients with connective tissue diseases. <i>Japanese Journal of Clinical Immunology</i> , 2002, 25, 310-318.	0.0	3
66	NON-FUNCTIONING MALIGNANT ISLET CELL TUMOR WITH AGENESIS OF DORSAL PANCREAS-A CASE REPORT-. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association)</i> , 2004, 65, 790-795.	0.0	3
67	Selection of treatment regimens based on shared decision-making in patients with rheumatoid arthritis on remission in the FREE-J study. <i>Rheumatology</i> , 2022, 61, 4273-4285.	1.9	3
68	Systemic Lupus Erythematosus. <i>Academic Radiology</i> , 2014, 21, 617-623.	2.5	2
69	Efficacy of Intravenous Cyclophosphamide Pulse Therapy for P-Glycoprotein-expressing B Cell-associated Active True Renal Lupus Vasculitis in Lupus Nephritis. <i>Internal Medicine</i> , 2017, 56, 1575-1580.	0.7	2
70	The two cases of acute acalculous cholecystitis associated with systemic lupus erythematosus (SLE) presented different clinical aspects. <i>Modern Rheumatology Case Reports</i> , 2019, 3, 114-118.	0.7	2
71	A double heterozygous variant in MYH6 and MYH7 associated with hypertrophic cardiomyopathy in a Japanese Family. <i>Journal of Cardiology Cases</i> , 2022, 25, 213-217.	0.5	2
72	A CASE OF GIST OF THE DUODENUM.. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical)</i> Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	0.0	2

#	ARTICLE	IF	CITATIONS
73	Efficacy of mizoribine treatment in patients with Sjögren's syndrome: an open pilot trial. <i>Modern Rheumatology</i> , 2003, 13, 339-345.	1.8	2
74	Establishment of an esophageal squamous cell carcinoma tumor line and development of serum squamous cell carcinoma-related antigen in athymic nude mice. <i>Journal of Surgical Oncology</i> , 1990, 44, 225-228.	1.7	1
75	The occurrence of hypertrophic pachymeningitis with infiltration of IgG4-positive plasma cells and with different aetiology: report of three cases. <i>Modern Rheumatology Case Reports</i> , 2017, 1, 108-112.	0.7	1
76	A case of systemic lupus erythematosus in which Cushing's syndrome caused by adrenal adenoma accidentally occurred during long-term maintenance therapy with corticosteroids. <i>Modern Rheumatology Case Reports</i> , 2020, 4, 34-38.	0.7	1
77	Assessment of the expression of p53, MIB-1 (Ki-67 antigen), and argyrophilic nucleolar organizer regions in carcinoma of the extrahepatic bile duct. <i>Cancer</i> , 1998, 82, 86-95.	4.1	1
78	Intercellular adhesion molecule-1 (ICAM-1) mediated gene delivery to rheumatoid synovial cells using the Fab fragments of anti-ICAM-1 monoclonal antibody. <i>Japanese Journal of Clinical Immunology</i> , 2000, 23, 533-537.	0.0	1
79	Abatacept inhibits radiographic progression in patients with rheumatoid arthritis: a retrospective analysis of 6 months of abatacept treatment in routine clinical practice. The ALTAIR study. <i>Modern Rheumatology</i> , 2013, , 1.	1.8	0
80	A Case of Retroperitoneal Nonfunctioning Paraganglioma. <i>Nihon Gekakei Rengo Gakkaishi (Journal of Japanese Orthopedic Association)</i> , 1987, 23, 100-101.	0.0	0
81	FOUR CASES OF THE NONPARASITIC LIVER CYST. <i>The Journal of the Japanese Practical Surgeon Society</i> , 1979, 40, 461-469.	0.0	0
82	A CASE OF POST BLUNT ABDOMINAL TRAUMATIC STENOSIS OF THE SMALL INTESTINE. <i>The Journal of the Japanese Practical Surgeon Society</i> , 1985, 46, 1649-1653.	0.0	0
83	A CASE OF PORCELAIN GALLBLADDER AND REVIEW OF 100 CASES IN JAPAN. <i>The Journal of the Japanese Practical Surgeon Society</i> , 1986, 47, 673-679.	0.0	0
84	A CASE OF PERIAPPENDICULAR ACTINOMYCOSIS. <i>The Journal of the Japanese Practical Surgeon Society</i> , 1997, 58, 2080-2083.	0.0	0
85	RUPTURE OF AN ANEURYSM OF THE INFERIOR PANCREATODUODENAL ARTERY OCCURRED AFTER OPERATION FOR RECTAL CANCER -A CASE REPORT-. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Orthopedic Association)</i> , 1984, 50, 7843-7844.	0.0	0
86	Clinical Usefulness of CYFRA 21-1 As a Tumor Marker In Patients With Esophageal Squamous Cell Carcinoma. <i>Nihon Gekakei Rengo Gakkaishi (Journal of Japanese College of Surgeons)</i> , 1998, 23, 766-771.	0.0	0
87	A CASE OF CAVERNOUS HEMANGIOMA OF THE LIVER. <i>The Journal of the Japanese Practical Surgeon Society</i> , 1983, 44, 577-581.	0.0	0
88	Severe skin ulceration associated with Wegener's granulomatosis: successful treatment with hyperbaric oxygen and prostaglandin E1. <i>Modern Rheumatology</i> , 2003, 13, 346-349.	1.8	0