

# Kazuyoshi Saito

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3975936/publications.pdf>

Version: 2024-02-01

88  
papers

1,905  
citations

218677

26  
h-index

289244

40  
g-index

93  
all docs

93  
docs citations

93  
times ranked

2685  
citing authors

#	ARTICLE	IF	CITATIONS
1	Treatment of rheumatoid arthritis after regression of lymphoproliferative disorders in patients treated with methotrexate: a retrospective, multi-center descriptive study. <i>Modern Rheumatology</i> , 2022, 32, 41-49.	1.8	7
2	A double heterozygous variant in MYH6 and MYH7 associated with hypertrophic cardiomyopathy in a Japanese Family. <i>Journal of Cardiology Cases</i> , 2022, 25, 213-217.	0.5	2
3	Selection of treatment regimens based on shared decision-making in patients with rheumatoid arthritis on remission in the FREE-J study. <i>Rheumatology</i> , 2022, 61, 4273-4285.	1.9	3
4	Clinical aspects in patients with rheumatoid arthritis complicated with lymphoproliferative disorders without regression after methotrexate withdrawal and treatment for arthritis after regression of lymphoproliferative disorders. <i>Modern Rheumatology</i> , 2021, 31, 94-100.	1.8	8
5	Serum TNF $\pm$ levels at 24 h after certolizumab pegol predict effectiveness at week 12 in patients with rheumatoid arthritis from TSUBAME study. <i>Arthritis Research and Therapy</i> , 2021, 23, 154.	3.5	6
6	Safety and tolerability of sifalimumab, an anti-interferon- $\gamma$ monoclonal antibody, in Japanese patients with systemic lupus erythematosus: A multicenter, phase 2, open-label study. <i>Modern Rheumatology</i> , 2020, 30, 93-100.	1.8	23
7	A case of systemic lupus erythematosus in which Cushing's syndrome caused by adrenal adenoma accidentally occurred during long-term maintenance therapy with corticosteroids. <i>Modern Rheumatology Case Reports</i> , 2020, 4, 34-38.	0.7	1
8	5-year remission rate after the discontinuation of adalimumab in patients with rheumatoid arthritis: Long-term follow-up results of the HONOR study. <i>Modern Rheumatology</i> , 2020, 30, 799-806.	1.8	5
9	An open-label, randomized controlled trial of sulfamethoxazole-trimethoprim for <i>Pneumocystis</i> prophylaxis: results of 52-week follow-up. <i>Rheumatology Advances in Practice</i> , 2020, 4, rkaa029.	0.7	7
10	Fifty-Two-Week Results of Clinical and Imaging Assessments of a Patient with Rheumatoid Arthritis Complicated by Systemic Sclerosis with Interstitial Pneumonia and Type 1 Diabetes despite Multiple Disease-Modifying Antirheumatic Drug Therapy That Was Successfully Treated with Baricitinib: A Novel Case Report. <i>Case Reports in Rheumatology</i> , 2019, 2019, 1-5.	0.6	8
11	Familial Left Ventricular Non-Compaction Is Associated With a Rare p.V407I Variant in Bone Morphogenetic Protein 10. <i>Circulation Journal</i> , 2019, 83, 1737-1746.	1.6	12
12	Comparative study of corticosteroid monotherapy, and TNF inhibitors with or without corticosteroid in patients with refractory entero-Behçet's disease. <i>Arthritis Research and Therapy</i> , 2019, 21, 151.	3.5	13
13	Type I and II interferons commit to abnormal expression of chemokine receptor on B cells in patients with systemic lupus erythematosus. <i>Clinical Immunology</i> , 2019, 200, 1-9.	3.2	11
14	The two cases of acute acalculous cholecystitis associated with systemic lupus erythematosus (SLE) presented different clinical aspects. <i>Modern Rheumatology Case Reports</i> , 2019, 3, 114-118.	0.7	2
15	Multicenter double-blind randomized controlled trial to evaluate the effectiveness and safety of bortezomib as a treatment for refractory systemic lupus erythematosus. <i>Modern Rheumatology</i> , 2018, 28, 986-992.	1.8	50
16	MicroRNA-145-5p and microRNA-320a encapsulated in endothelial microparticles contribute to the progression of vasculitis in acute Kawasaki Disease. <i>Scientific Reports</i> , 2018, 8, 1016.	3.3	31
17	Relevance of P-glycoprotein on CXCR4 <sup>+</sup> B cells to organ manifestation in highly active rheumatoid arthritis. <i>Modern Rheumatology</i> , 2018, 28, 276-286.	1.8	14
18	Evaluation of the alternative classification criteria of systemic lupus erythematosus established by Systemic Lupus International Collaborating Clinics (SLICC). <i>Modern Rheumatology</i> , 2018, 28, 642-648.	1.8	16



#	ARTICLE	IF	CITATIONS
37	Quantitative susceptibility mapping in patients with systemic lupus erythematosus: detection of abnormalities in normal-appearing basal ganglia. <i>European Radiology</i> , 2016, 26, 1056-1063.	4.5	16
38	Discontinuation of adalimumab after achieving remission in patients with established rheumatoid arthritis: 1-year outcome of the HONOR study. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 389-395.	0.9	149
39	Low complements and high titre of anti-Sm antibody as predictors of histopathologically proven silent lupus nephritis without abnormal urinalysis in patients with systemic lupus erythematosus. <i>Rheumatology</i> , 2015, 54, 405-412.	1.9	55
40	IL-6-accelerated calcification by induction of ROR2 in human adipose tissue-derived mesenchymal stem cells is STAT3 dependent. <i>Rheumatology</i> , 2014, 53, 1282-1290.	1.9	52
41	Systemic Lupus Erythematosus. <i>Academic Radiology</i> , 2014, 21, 617-623.	2.5	2
42	Successful treatment of osteomalacia caused by renal tubular acidosis associated with Sjögren's syndrome. <i>Modern Rheumatology</i> , 2013, 23, 401-405.	1.8	4
43	Abatacept inhibits radiographic progression in patients with rheumatoid arthritis: a retrospective analysis of 6 months of abatacept treatment in routine clinical practice. The ALTAIR study. <i>Modern Rheumatology</i> , 2013, , 1.	1.8	0
44	Clinical characteristics and risk factors for <i>Pneumocystis jirovecii</i> pneumonia in patients with rheumatoid arthritis receiving adalimumab: a retrospective review and case-control study of 17 patients. <i>Modern Rheumatology</i> , 2013, 23, 1085-1093.	1.8	28
45	Dermal mast cell density in fingers reflects severity of skin sclerosis in systemic sclerosis. <i>Modern Rheumatology</i> , 2013, 23, 1151-1157.	1.8	16
46	Effectiveness and safety of adalimumab in Japanese patients with rheumatoid arthritis: retrospective analyses of data collected during the first year of adalimumab treatment in routine clinical practice (HARMONY study). <i>Modern Rheumatology</i> , 2012, 22, 327-338.	1.8	38
47	A case of catastrophic antiphospholipid antibody syndrome complicated with systemic lupus erythematosus, double positive for anti-cardiolipin/I <sup>2</sup> glycoprotein I and anti-phosphatidylserine/prothrombin autoantibodies. <i>Modern Rheumatology</i> , 2012, 22, 769-773.	1.8	4
48	<i>Pneumocystis jirovecii</i> pneumonia associated with etanercept treatment in patients with rheumatoid arthritis: a retrospective review of 15 cases and analysis of risk factors. <i>Modern Rheumatology</i> , 2012, 22, 849-858.	1.8	46
49	Structural damages disturb functional improvement in patients with rheumatoid arthritis treated with etanercept. <i>Modern Rheumatology</i> , 2012, 22, 186-194.	1.8	6
50	Efficacy and tolerability of tocilizumab in rheumatoid arthritis patients seen in daily clinical practice in Japan: results from a retrospective study (REACTION study). <i>Modern Rheumatology</i> , 2011, 21, 122-133.	1.8	65
51	Efficacy of combination therapy of anti-TNF- $\alpha$ antibody infliximab and methotrexate in refractory entero-Behçet's disease. <i>Modern Rheumatology</i> , 2011, 21, 184-191.	1.8	69
52	The REAL database reveals no significant risk of serious infection during treatment with a methotrexate dose of more than 8 mg/week in patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2011, 21, 444-448.	1.8	16
53	Etanercept overcomes P-glycoprotein-induced drug resistance in lymphocytes of patients with intractable rheumatoid arthritis. <i>Modern Rheumatology</i> , 2010, 20, 139-146.	1.8	20
54	Japan College of Rheumatology 2009 guidelines for the use of tocilizumab, a humanized anti-interleukin-6 receptor monoclonal antibody, in rheumatoid arthritis. <i>Modern Rheumatology</i> , 2009, 19, 351-357.	1.8	75

#	ARTICLE	IF	CITATIONS
55	Successful Cardiac Resynchronization Therapy in a 3-Year-Old Girl With Isolated Left Ventricular Non-Compaction and Narrow QRS Complex. <i>Circulation Journal</i> , 2009, 73, 2173-2177.	1.6	29
56	Retrospective clinical study on the notable efficacy and related factors of infliximab therapy in a rheumatoid arthritis management group in Japan: one-year clinical outcomes (RECONFIRM-2). <i>Modern Rheumatology</i> , 2008, 18, 146-152.	1.8	61
57	Discontinuation of infliximab in rheumatoid arthritis patients in clinical remission. <i>Modern Rheumatology</i> , 2008, 18, 460-464.	1.8	42
58	Retrospective clinical study on the notable efficacy and related factors of infliximab therapy in a rheumatoid arthritis management group in Japan: one-year outcome of joint destruction (RECONFIRM-2). <i>Modern Rheumatology</i> , 2008, 18, 447-454.	1.8	40
59	Enhanced effect of high-dose leukocytapheresis using a large filter in rheumatoid arthritis. <i>Modern Rheumatology</i> , 2007, 17, 481-485.	1.8	15
60	A multicenter phase I/II trial of rituximab for refractory systemic lupus erythematosus. <i>Modern Rheumatology</i> , 2007, 17, 191-197.	1.8	107
61	Retrospective clinical study on the notable efficacy and related factors of infliximab therapy in a rheumatoid arthritis management group in Japan (RECONFIRM). <i>Modern Rheumatology</i> , 2007, 17, 28-32.	1.8	56
62	Human urinary trypsin inhibitor bolus infusion improved severe interstitial pneumonia in mixed connective tissue disease. <i>Modern Rheumatology</i> , 2005, 15, 374-380.	1.8	5
63	Overcoming treatment unresponsiveness mediated by P-glycoprotein overexpression on lymphocytes in refractory active systemic lupus erythematosus. <i>Modern Rheumatology</i> , 2005, 15, 28-32.	1.8	15
64	NON-FUNCTIONING MALIGNANT ISLET CELL TUMOR WITH AGENESIS OF DORSAL PANCREAS-A CASE REPORT-. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association)</i> , 2004, 65, 790-795.	0.0	3
65	A CASE OF GIST OF THE DUODENUM.. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical)</i>	0.0	0
66	Efficacy of mizoribine treatment in patients with Sjögren's syndrome: an open pilot trial. <i>Modern Rheumatology</i> , 2003, 13, 339-345.	1.8	2
67	Severe skin ulceration associated with Wegener's granulomatosis: successful treatment with hyperbaric oxygen and prostaglandin E1. <i>Modern Rheumatology</i> , 2003, 13, 346-349.	1.8	0
68	<i>Pneumocystis carinii</i> pneumonia in patients with connective tissue diseases. <i>Japanese Journal of Clinical Immunology</i> , 2002, 25, 310-318.	0.0	3
69	Infrequent microsatellite instability in biliary tract cancer. <i>Journal of Surgical Oncology</i> , 2001, 76, 121-126.	1.7	27
70	A Case of Retroperitoneal Nonfunctioning Paraganglioma. <i>Nihon Gekakei Rengo Gakkaishi (Journal of)</i>	0.0	0
71	Aberrations of the K-ras, p53, and APC genes in extrahepatic bile duct cancer. , 2000, 73, 158-163.		35
72	Microsatellite instability in gallbladder carcinoma: two independent genetic pathways of gallbladder carcinogenesis. <i>Journal of Gastroenterology</i> , 2000, 35, 768-774.	5.1	50

#	ARTICLE	IF	CITATIONS
73	Intercellular adhesion molecule-1 (ICAM-1) mediated gene delivery to rheumatoid synovial cells using the Fab fragments of anti-ICAM-1 monoclonal antibody. Japanese Journal of Clinical Immunology, 2000, 23, 533-537.	0.0	1
74	Assessment of the expression of p53, MIB-1 (Ki-67 antigen), and argyrophilic nucleolar organizer regions in carcinoma of the extrahepatic bile duct. , 1998, 82, 86-95.		44
75	Constitutive Chemokine Production Results in Activation of Leukocyte Function-Associated Antigen-1 on Adult T-Cell Leukemia Cells. Blood, 1998, 91, 3909-3919.	1.4	75
76	Assessment of the expression of p53, MIB-1 (Ki-67 antigen), and argyrophilic nucleolar organizer regions in carcinoma of the extrahepatic bile duct. Cancer, 1998, 82, 86-95.	4.1	1
77	RUPTURE OF AN ANEURYSM OF THE INFERIOR PANCREATODUODENAL ARTERY OCCURRED AFTER OPERATION FOR RECTAL CANCER -A CASE REPORT-. Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Tj ETQq1d.0.7843b4 rgBT /O		
78	Clinical Usefulness of CYFRA 21-1 As a Tumor Marker In Patients With Esophageal Squamous Cell Carcinoma. Nihon Gekakei Rengo Gakkaishi (Journal of Japanese College of Surgeons), 1998, 23, 766-771.	0.0	0
79	A CASE OF PERIAPPENDICULAR ACTINOMYCOSIS. The Journal of the Japanese Practical Surgeon Society, 1997, 58, 2080-2083.	0.0	0
80	Long esophageal myotomy with a fundic patch procedure for treating diffuse esophageal spasm: Report of a case. Surgery Today, 1993, 23, 360-365.	1.5	3
81	B-Cell Interactions in the Spontaneous Activation of B Cells in Autoimmune NZB Mice. Microbiology and Immunology, 1991, 35, 741-753.	1.4	4
82	The usefulness of cyclophosphamide pretreatment for subrenal capsule assay against human esophageal cancer. The Japanese Journal of Surgery, 1991, 21, 184-192.	0.2	3
83	Establishment of an Î±-Fetoprotein-producing Gastric Cancer Cell Line in Serum-free Media. Japanese Journal of Cancer Research, 1991, 82, 883-885.	1.7	11
84	Establishment of an esophageal squamous cell carcinoma tumor line and development of serum squamous cell carcinoma-related antigen in athymic nude mice. Journal of Surgical Oncology, 1990, 44, 225-228.	1.7	1
85	A CASE OF PORCELAIN GALLBLADDER AND REVIEW OF 100 CASES IN JAPAN. The Journal of the Japanese Practical Surgeon Society, 1986, 47, 673-679.	0.0	0
86	A CASE OF POST BLUNT ABDOMINAL TRAUMATIC STENOSIS OF THE SMALL INTESTINE. The Journal of the Japanese Practical Surgeon Society, 1985, 46, 1649-1653.	0.0	0
87	A CASE OF CAVERNOUS HEMANGIOMA OF THE LIVER. The Journal of the Japanese Practical Surgeon Society, 1983, 44, 577-581.	0.0	0
88	FOUR CASES OF THE NONPARASITIC LIVER CYST. The Journal of the Japanese Practical Surgeon Society, 1979, 40, 461-469.	0.0	0