Adam Bailey

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3976368/adam-bailey-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

312 6,589 31 70 g-index

335 9,104 4.7 3.89 ext. papers ext. citations avg, IF L-index

| # | Paper | IF | Citations |
|-----|--|-----|-----------|
| 312 | Emulating the impact of additional proton proton interactions in the ATLAS simulation by presampling sets of inelastic Monte Carlo events. <i>Computing and Software for Big Science</i> , 2022 , 6, 1 | 6 | O |
| 311 | Performance of the ATLAS Level-1 topological trigger in Run 2. European Physical Journal C, 2022 , 82, 1 | 4.2 | 0 |
| 310 | Operation and performance of the ATLAS semiconductor tracker in LHC Run[2. <i>Journal of Instrumentation</i> , 2022 , 17, P01013 | 1 | 1 |
| 309 | Search for exotic decays of the Higgs boson into b\$\$ overline{b} \$\$ and missing transverse momentum in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1 | 5.4 | О |
| 308 | Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13[\$\$text {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2022, 82, 1 | 4.2 | O |
| 307 | Search for new phenomena in three- or four-lepton events in pp collisions at s=13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2022 , 824, 136832 | 4.2 | О |
| 306 | Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fbf of pp collision data at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1 | 5.4 | O |
| 305 | AtlFast3: The Next Generation of Fast Simulation in ATLAS. <i>Computing and Software for Big Science</i> , 2022 , 6, 1 | 6 | О |
| 304 | Measurement of the energy response of the ATLASIcalorimeter to chargedIpions from \$\$W^{pm }rightarrow tau ^{pm }(rightarrow pi ^{pm }nu _{tau })nu _{tau }\$\$ events in RunI2 data. <i>European Physical Journal C</i> , 2022 , 82, 1 | 4.2 | O |
| 303 | The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1 | 4.2 | |
| 302 | Search for associated production of a Z boson with an invisibly decaying Higgs boson or dark matter candidates at s=13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2022 , 137066 | 4.2 | O |
| 301 | Measurement of the nuclear modification factor for muons from charm and bottom hadrons in Pb+Pb collisions at 5.02 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2022 , 137077 | 4.2 | 0 |
| 300 | A search for an unexpected asymmetry in the production of e+tand e⊞ pairs in proton proton collisions recorded by the ATLAS detector at s=13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2022 , 137106 | 4.2 | |
| 299 | Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\$\$qrt{s} = 7\$\$$, 8 and 13 TeV. <i>European Physical Journal C</i> , 2022 , 82, 1 | 4.2 | 1 |
| 298 | Design and production of the high voltage electrode grids and electron extraction region for the LZ dual-phase xenon time projection chamber. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment,</i> 2021 , 165955 | 1.2 | O |
| 297 | Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using (sqrt{s} = 13hbox { TeV}) protonproton collision data. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 2 |
| 296 | Measurement of the t(overline $\{t\}$)t(overline $\{t\}$) production cross section in pp collisions at (sqrt $\{s\}$) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | O |

| 295 | Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 2 |
|-------------|---|-----|----|
| 294 | Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at (sqrt{s} = 13,{text {TeV}}) with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 7 |
| 293 | Measurement of light-by-light scattering and search for axion-like particles with 2.2 nbfl of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 5 |
| 292 | Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 1 |
| 291 | Search for Dark Matter Produced in Association with a Dark Higgs Boson Decaying into W^{\{\mathbb{H}}}W^{\{?}} or ZZ in Fully Hadronic Final States from sqrt[s]=13 TeV pp Collisions Recorded with the ATLAS Detector. <i>Physical Review Letters</i> , 2021 , 126, 121802 | 7.4 | 2 |
| 2 90 | Longitudinal Flow Decorrelations in Xe+Xe Collisions at sqrt[s_{NN}]=5.44 TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2021 , 126, 122301 | 7.4 | 2 |
| 289 | Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 6 |
| 288 | Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at (sqrt{mathrm{s}}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 8 |
| 287 | Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in protonBroton collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 5 |
| 286 | Measurement of the CP-violating phase $\$$ phi _s $\$$ in $\$$ B_{s}^{0} rightarrow J/psi phi $\$$ decays in ATLAS at 13 \square TeV. European Physical Journal C, 2021 , 81, | 4.2 | 1 |
| 285 | Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton proton collisions. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 2 |
| 284 | Search for heavy resonances decaying into a pair of Z bosons in the (ell ^+ell ^-ell M+ell M-) and (ell ^+ell ^-nu {{bar{nu }}}) final states using 139 (mathrm {fb}^{-1}) of protonproton collisions at (sqrt{s} = 13,)TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 8 |
| 283 | Search for new phenomena in final states with b-jets and missing transverse momentum in (sqrt{mathrm{s}}) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 6 |
| 282 | Measurement of the associated production of a Higgs boson decaying into b-quarks with a vector boson at high transverse momentum in pp collisions at s=13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 816, 136204 | 4.2 | 5 |
| 281 | Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the (ell ell bb) and (ell ell WW) final states in pp collisions at (sqrt{s}=13) (text {TeV}) with the ATLAS detector. European Physical Journal C, 2021, 81, 1 | 4.2 | 7 |
| 280 | Observation of photon-induced W+Wiproduction in pp collisions at s=13 TeV using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 816, 136 | 190 | О |
| 279 | Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1 | 5.4 | 3 |
| 278 | Search for new phenomena in events with an energetic jet and missing transverse momentum in pp collisions at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , 2021 , 103, | 4.9 | 10 |

| 277 | Measurements of W+W \blacksquare \blacksquare jet production cross-sections in pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | O |
|-----|---|------|----|
| 276 | Search for charged Higgs bosons decaying into a top quark and a bottom quark at (sqrt{mathrm{s}}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 8 |
| 275 | Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at (sqrt{s}=13,text {TeV}). European Physical Journal C, 2021, 81, 1 | 4.2 | 0 |
| 274 | Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a \square epton in pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 6 |
| 273 | Search for charged-lepton-flavour violation in Z-boson decays with the ATLAS detector. <i>Nature Physics</i> , 2021 , 17, 819-825 | 16.2 | 4 |
| 272 | Search for Displaced Leptons in sqrt[s]=13 TeV pp Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2021 , 127, 051802 | 7.4 | 2 |
| 271 | Test of the universality of Land Lepton couplings in W-boson decays with the ATLAS detector. <i>Nature Physics</i> , 2021 , 17, 813-818 | 16.2 | 1 |
| 270 | Two-particle azimuthal correlations in photonuclear ultraperipheral Pb+Pb collisions at 5.02 TeV with ATLAS. <i>Physical Review C</i> , 2021 , 104, | 2.7 | 2 |
| 269 | Search for supersymmetry in events with four or more charged leptons in 139 fb[] of (sqrt{s}) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 2 |
| 268 | Determination of the parton distribution functions of the proton from ATLAS measurements of differential WH and Z boson production in association with jets. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 1 |
| 267 | Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 0 |
| 266 | A search for the decays of stopped long-lived particles at (sqrt{mathrm{s}}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 1 |
| 265 | Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at (sqrt{s}=13) TeV. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 13 |
| 264 | Performance of the ATLAS RPC detector and Level-1 muon barrel trigger at (b)=13 TeV. <i>Journal of Instrumentation</i> , 2021 , 16, P07029 | 1 | 1 |
| 263 | Measurement of hadronic event shapes in high-pT multijet final states at ($sqrt{s}$) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 3 |
| 262 | A search for the dimuon decay of the Standard Model Higgs boson with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 812, 135980 | 4.2 | 21 |
| 261 | Measurement of the jet mass in high transverse momentum Z(-bb?)[production at s=13TeV using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 812, 135991 | 4.2 | |
| 260 | Medium-Induced Modification of Z-Tagged Charged Particle Yields in Pb+Pb Collisions at 5.02©TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2021 , 126, 072301 | 7.4 | 3 |

(2021-2021)

| 259 | Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fbd of (sqrt{s}) = 13 TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 8 |
|-----|---|-----|----|
| 258 | Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton p roton collisions at ATLAS. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 5 |
| 257 | Measurements of WH and ZH production in the (H rightarrow bbar{b}) decay channel in pp collisions at (13,text {Te}text {V}) with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 7 |
| 256 | Search for dark matter in association with an energetic photon in pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 5 |
| 255 | Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at (sqrt{s}=13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | O |
| 254 | The ATLAS Fast TracKer system. <i>Journal of Instrumentation</i> , 2021 , 16, P07006 | 1 | O |
| 253 | Measurement of single top-quark production in association with a W boson in the single-lepton channel at (sqrt{s} = 8,text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 1 |
| 252 | Jet energy scale and resolution measured in protonproton collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 11 |
| 251 | Evidence for Higgs boson decays to a low-mass dilepton system and a photon in pp collisions at s=13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 819, 136412 | 4.2 | 2 |
| 250 | Measurements of sensor radiation damage in the ATLAS inner detector using leakage currents. Journal of Instrumentation, 2021, 16, P08025 | 1 | 1 |
| 249 | Measurements of the inclusive and differential production cross sections of a top-quark \exists ntiquark pair in association with a Z boson at ($sqrt{s} = 13$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 1 |
| 248 | Exclusive dimuon production in ultraperipheral Pb+Pb collisions at sNN=5.02TeV with ATLAS. <i>Physical Review C</i> , 2021 , 104, | 2.7 | 2 |
| 247 | Search for New Phenomena in Final States with Two Leptons and One or No b-Tagged Jets at sqrt[s]=13 TeV Using the ATLAS Detector. <i>Physical Review Letters</i> , 2021 , 127, 141801 | 7.4 | 1 |
| 246 | Search for dark matter produced in association with a single top quark in (sqrt{s}=13) TeV (pp) collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 4 |
| 245 | Search for resonances decaying into photon pairs in 139 fb1 of pp collisions at s=13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 822, 136651 | 4.2 | 3 |
| 244 | Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at (sqrt{mathrm{s}}) = 13 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | 2 |
| 243 | Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 1 |
| 242 | Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | O |

| 241 | Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | O |
|-----|---|-----|----|
| 240 | Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV using displaced vertices in the ATLAS inner detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | О |
| 239 | Search for charginofieutralino pair production in final states with three leptons and missing transverse momentum in \$\$sqrt{s} = 13\$\$©TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 1 |
| 238 | Configuration and performance of the ATLAS b-jet triggers in Run 2. <i>European Physical Journal C</i> , 2021 , 81, 1 | 4.2 | 1 |
| 237 | Search for Lepton-Flavor Violation in Z-Boson Decays with Leptons with the ATLAS Detector <i>Physical Review Letters</i> , 2021 , 127, 271801 | 7.4 | O |
| 236 | Measurement of b-quark fragmentation properties in jets using the decay $BH \rightarrow KH$ in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1 | 5.4 | O |
| 235 | Performance of the upgraded PreProcessor of the ATLAS Level-1 Calorimeter Trigger. <i>Journal of Instrumentation</i> , 2020 , 15, P11016-P11016 | 1 | 2 |
| 234 | Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using (sqrt{s}) = 13 TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5.4 | 7 |
| 233 | Search for Higgs boson decays into two new low-mass spin-0 particles in the 4b channel with the ATLAS detector using pp collisions at s=13 TeV. <i>Physical Review D</i> , 2020 , 102, | 4.9 | 9 |
| 232 | Search for Higgs Boson Decays into a Z Boson and a Light Hadronically Decaying Resonance Using 13 TeV pp Collision Data from the ATLAS Detector. <i>Physical Review Letters</i> , 2020 , 125, 221802 | 7.4 | 6 |
| 231 | Higgs boson production cross-section measurements and their EFT interpretation in the (4ell) decay channel at (sqrt{s}=)13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1 | 4.2 | 12 |
| 230 | Combination of the W boson polarization measurements in top quark decays using ATLAS and CMS data at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5.4 | 2 |
| 229 | Search for heavy neutral Higgs bosons produced in association with b-quarks and decaying into b-quarks at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , 2020 , 102, | 4.9 | 10 |
| 228 | Search for long-lived, massive particles in events with a displaced vertex and a muon with large impact parameter in pp collisions at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , 2020 , 102, | 4.9 | 12 |
| 227 | Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in (sqrt{s}) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5.4 | 8 |
| 226 | Search for chargino-neutralino production with mass splittings near the electroweak scale in three-lepton final states in s=13 TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2020 , 101, | 4.9 | 17 |
| 225 | Projected WIMP sensitivity of the LUX-ZEPLIN dark matter experiment. <i>Physical Review D</i> , 2020 , 101, | 4.9 | 68 |
| 224 | ATLAS data quality operations and performance for 2015\(\textit{D018} \) data-taking. <i>Journal of Instrumentation</i> , 2020 , 15, P04003-P04003 | 1 | 16 |

(2020-2020)

| 223 | Measurement of the Lund Jet Plane Using Charged Particles in 13 TeV Proton-Proton Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2020 , 124, 222002 | 7.4 | 4 |
|-------------|---|-----|----|
| 222 | Test of CP invariance in vector-boson fusion production of the Higgs boson in the H-Æhannel in protonβroton collisions at s=13TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics,</i> 2020 , 805, 135426 | 4.2 | 5 |
| 221 | Measurement of Azimuthal Anisotropy of Muons from Charm and Bottom Hadrons in pp Collisions at sqrt[s]=13 TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2020 , 124, 082301 | 7.4 | 8 |
| 220 | Measurement of the \$\$tbar{t}\$\$ production cross-section and lepton differential distributions in \$\$emu \$\$ dilepton events from pp collisions at \$\$sqrt{s}=13,text {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2020, 80, | 4.2 | 9 |
| 219 | Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb ¹ of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5.4 | 8 |
| 218 | Search for dijet resonances in events with an isolated charged lepton using (sqrt{s}) = 13 TeV proton-proton collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5.4 | 3 |
| 217 | Z boson production in Pb+Pb collisions at sNN=5.02 TeV measured by the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 802, 135262 | 4.2 | 5 |
| 216 | Search for Magnetic Monopoles and Stable High-Electric-Charge Objects in 13 Tev Proton-Proton Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2020 , 124, 031802 | 7.4 | 15 |
| 215 | Measurement of the Z(-細頂) roduction cross-section in pp collisions at ($sqrt{s}$) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5.4 | 2 |
| 214 | Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at (sqrt{s}=8) and 13 TeV. <i>European Physical Journal C</i> , 2020 , 80, 1 | 4.2 | 3 |
| 213 | Transverse momentum and process dependent azimuthal anisotropies in (sqrt{s_{mathrm {NN}}}=8.16) TeV p+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1 | 4.2 | 7 |
| 212 | Search for resonances decaying into a weak vector boson and a Higgs boson in the fully hadronic final state produced in proton p roton collisions at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , 2020 , 102, | 4.9 | 6 |
| 211 | Search for Heavy Resonances Decaying into a Photon and a Hadronically Decaying Higgs Boson in pp Collisions at sqrt[s]=13 TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2020 , 125, 251802 | 7.4 | 3 |
| 21 0 | Observation and Measurement of Forward Proton Scattering in Association with Lepton Pairs Produced via the Photon Fusion Mechanism at ATLAS. <i>Physical Review Letters</i> , 2020 , 125, 261801 | 7.4 | 5 |
| 209 | Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , 2020 , 80, 1 | 4.2 | 30 |
| 208 | Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in (sqrt{s}=13) (text {TeV}) pp collisions using the ATLAS detector. European Physical Journal C, 2020, 80, 1 | 4.2 | 50 |
| 207 | Search for top squarks in events with a Higgs or Z boson using 139 fb(^{-1}) of pp collision data at (sqrt{s}=13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1 | 4.2 | 1 |
| 206 | Evidence for (tbar{t}tbar{t}) production in the multilepton final state in protonproton collisions at (sqrt{s}=13) (text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1 | 4.2 | 8 |

| 205 | Search for heavy diboson resonances in semileptonic final states in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1 | 4.2 | 4 |
|-----|---|-----------------|-----|
| 204 | Search for light long-lived neutral particles produced in pp collisions at (sqrt{s} = 13~mathrm {TeV}) and decaying into collimated leptons or light hadrons with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1 | 4.2 | 8 |
| 203 | Search for a scalar partner of the top quark in the all-hadronic ($t{bar{t}}$) plus missing transverse momentum final state at ($sqrt{s}=13$) TeV with the ATLAS detector. European Physical Journal C, 2020 , 80, 1 | 4.2 | 17 |
| 202 | Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1 | 4.2 | 4 |
| 201 | Determination of jet calibration and energy resolution in protonproton collisions at (sqrt{s} = 8~hbox {TeV}) using the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1 | 4.2 | 3 |
| 200 | Measurement of J/ଢproduction in association with a W∃ boson with pp data at 8 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5.4 | 4 |
| 199 | Search for new resonances in mass distributions of jet pairs using 139 fb 1 of pp collisions at (sqrt{mathrm{s}}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5.4 | 20 |
| 198 | Search for (toverline{t}) resonances in fully hadronic final states in pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5.4 | 6 |
| 197 | Reconstruction and identification of boosted di-Bystems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5.4 | 3 |
| 196 | Evidence for electroweak production of two jets in association with a Zipair in pp collisions at s=13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 803, 135341 | 4.2 | 5 |
| 195 | Combined measurements of Higgs boson production and decay using up to 80 fb ¹ of proton-proton collision data at s=13 TeV collected with the ATLAS experiment. <i>Physical Review D</i> , 2020 , 101, | 4.9 | 121 |
| 194 | Search for displaced vertices of oppositely charged leptons from decays of long-lived particles in pp collisions at s=13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 801, 135114 | 4.2 | 10 |
| 193 | Search for non-resonant Higgs boson pair production in the bblfinal state with the ATLAS detector in pp collisions at s=13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 801, 135145 | 4.2 | 4 |
| 192 | Search for the Higgs boson decays H -æe and H -ælin pp collisions at s=13TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 801, 135 | 1 48 | 9 |
| 191 | Searches for lepton-flavour-violating decays of the Higgs boson in s=13 TeV pp collisions with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 800, 135069 | 4.2 | 13 |
| 190 | Search for flavour-changing neutral currents in processes with one top quark and a photon using 81 fb¶ of pp collisions at s=13TeV with the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 800, 135082 | 4.2 | 6 |
| 189 | Combination of searches for Higgs boson pairs in pp collisions at s=13TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 800, 135103 | 4.2 | 24 |
| 188 | The LUX-ZEPLIN (LZ) experiment. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2020 , 953, 163047 | 1.2 | 57 |

(2020-2020)

| 187 | A search for the Zīdecay mode of the Higgs boson in pp collisions at s=13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 809, 135 | 74.2 | 9 | |
|-----|--|------|----|--|
| 186 | Dijet Resonance Search with Weak Supervision Using sqrt[s]=13 TeV pp Collisions in the ATLAS Detector. <i>Physical Review Letters</i> , 2020 , 125, 131801 | 7.4 | 15 | |
| 185 | Measurement of azimuthal anisotropy of muons from charm and bottom hadrons in Pb+Pb collisions at sNN=5.02 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 807, 135595 | 4.2 | 2 | |
| 184 | Measurements of inclusive and differential cross-sections of combined (toverline{t}gamma) and tW[production in the elthannel at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1 | 5.4 | 2 | |
| 183 | Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5.4 | 8 | |
| 182 | Operation of the ATLAS trigger system in Run 2. <i>Journal of Instrumentation</i> , 2020 , 15, P10004-P10004 | 1 | 19 | |
| 181 | The LUX-ZEPLIN (LZ) radioactivity and cleanliness control programs. <i>European Physical Journal C</i> , 2020 , 80, 1 | 4.2 | 7 | |
| 180 | Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5.4 | 9 | |
| 179 | Measurements of the Higgs boson inclusive and differential fiducial cross sections in the 4(ell) decay channel at (sqrt{s}) = 13 TeV. <i>European Physical Journal C</i> , 2020 , 80, 1 | 4.2 | 9 | |
| 178 | Measurement of the tt□production cross-section in the lepton+jets channel at s=13 TeV with the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 810, 135797 | 4.2 | 4 | |
| 177 | Fluctuations of anisotropic flow in Pb+Pb collisions at (sqrt{{mathrm{s}}_{mathrm{NN}}}) = 5.02 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5.4 | 13 | |
| 176 | Performance of the ATLAS muon triggers in Run 2. <i>Journal of Instrumentation</i> , 2020 , 15, P09015-P0901 | 51 | 13 | |
| 175 | Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in (pp) collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1 | 4.2 | 13 | |
| 174 | Measurement of differential cross sections for single diffractive dissociation in (sqrt{s}) = 8 TeV pp collisions using the ATLAS ALFA spectrometer. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5.4 | 1 | |
| 173 | Measurement of isolated-photon plus two-jet production in pp collisions at ($sqrt{s}$) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5.4 | 2 | |
| 172 | CP Properties of Higgs Boson Interactions with Top Quarks in the tt[over I]H and tH Processes Using H-Bwith the ATLAS Detector. <i>Physical Review Letters</i> , 2020 , 125, 061802 | 7.4 | 15 | |
| 171 | Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at ($sqrt{s}$) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5.4 | 5 | |
| 170 | Search for the HH | 5.4 | 5 | |

| 169 | Observation of the associated production of a top quark and a Z boson in pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5.4 | 5 |
|-----|---|-----|----|
| 168 | Measurement of the transverse momentum distribution of DrellMan lepton pairs in proton collisions at (sqrt{s}=13,)TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1 | 4.2 | 7 |
| 167 | Search for Heavy Higgs Bosons Decaying into Two Tau Leptons with the ATLAS Detector Using pp Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2020 , 125, 051801 | 7.4 | 30 |
| 166 | Searches for electroweak production of supersymmetric particles with compressed mass spectra in s=13 TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2020 , 101, | 4.9 | 31 |
| 165 | Measurement of the azimuthal anisotropy of charged-particle production in Xe+Xe collisions at sNN=5.44 TeV with the ATLAS detector. <i>Physical Review C</i> , 2020 , 101, | 2.7 | 12 |
| 164 | Search for direct stau production in events with two hadronic leptons in s=13 TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2020 , 101, | 4.9 | 13 |
| 163 | Search for long-lived neutral particles produced in pp collisions at s=13 TeV decaying into displaced hadronic jets in the ATLAS inner detector and muon spectrometer. <i>Physical Review D</i> , 2020 , 101, | 4.9 | 11 |
| 162 | Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at ($sqrt{s}$) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1 | 5.4 | 1 |
| 161 | Measurement of soft-drop jet observables in pp collisions with the ATLAS detector at s=13 TeV. <i>Physical Review D</i> , 2020 , 101, | 4.9 | 11 |
| 160 | Measurements of top-quark pair spin correlations in the (emu) channel at ($sqrt{s} = 13$) TeV using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1 | 4.2 | 8 |
| 159 | Measurement of the cross-section and charge asymmetry of W bosons produced in proton collisions at (sqrt{s}=8~text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 11 |
| 158 | Properties of jet fragmentation using charged particles measured with the ATLAS detector in pp collisions at s=13 TeV. <i>Physical Review D</i> , 2019 , 100, | 4.9 | 2 |
| 157 | Observation of Electroweak Production of a Same-Sign W Boson Pair in Association with Two Jets in pp Collisions at sqrt[s]=13 TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2019 , 123, 161801 | 7.4 | 26 |
| 156 | Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at ($sqrt{s}$) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 8 |
| 155 | Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton proton collision data at (sqrt{s} = 13) (text {TeV}). European Physical Journal C, 2019, 79, 1 | 4.2 | 37 |
| 154 | Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 2 |
| 153 | Evidence for the production of three massive vector bosons with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 798, 134913 | 4.2 | 5 |
| 152 | Searches for scalar leptoquarks and differential cross-section measurements in dileptondijet events in protonproton collisions at a centre-of-mass energy of (varvec{sqrt{s}}) = 13 TeV with the ATLAS experiment. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 15 |

(2019-2019)

| 151 | Search for vector-boson resonances decaying to a top quark and bottom quark in the lepton plus jets final state in pp collisions at s=13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 788, 347-370 | 4.2 | 7 |
|-----|--|-----|----|
| 150 | Search for long-lived particles in final states with displaced dimuon vertices in pp collisions at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 99, | 4.9 | 13 |
| 149 | Correlated long-range mixed-harmonic fluctuations measured in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 789, 444-471 | 4.2 | 14 |
| 148 | Observation of electroweak WHZ boson pair production in association with two jets in pp collisions at s=13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 793, 469-492 | 4.2 | 22 |
| 147 | Modelling radiation damage to pixel sensors in the ATLAS detector. <i>Journal of Instrumentation</i> , 2019 , 14, P06012-P06012 | 1 | 5 |
| 146 | Search for invisible Higgs boson decays in vector boson fusion at s=13TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 793, 499-519 | 4.2 | 21 |
| 145 | Search for single production of vector-like quarks decaying into Wb in pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 14 |
| 144 | Combinations of single-top-quark production cross-section measurements and $ fLVVtb $ determinations at (sqrt{s}) = 7 and 8 TeV with the ATLAS and CMS experiments. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 5 |
| 143 | Search for top-quark decays $t \rightarrow Hq$ with 36 fb of pp collision data at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 13 |
| 142 | Measurement of VH, (mathrm{H}to mathrm{b}overline{mathrm{b}}) production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 8 |
| 141 | . Journal of High Energy Physics, 2019 , 2019, 1 | 5.4 | 9 |
| 140 | . Journal of High Energy Physics, 2019 , 2019, 1 | 5.4 | 10 |
| 139 | . Journal of High Energy Physics, 2019 , 2019, 1 | 5.4 | 14 |
| 138 | Search for heavy long-lived multicharged particles in proton-proton collisions at s=13 TeV using the ATLAS detector. <i>Physical Review D</i> , 2019 , 99, | 4.9 | 7 |
| 137 | Properties of g- $bb\Box$ at small opening angles in pp collisions with the ATLAS detector at s=13 TeV. <i>Physical Review D</i> , 2019 , 99, | 4.9 | 2 |
| 136 | Cross-section measurements of the Higgs boson decaying into a pair of Eleptons in proton-proton collisions at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 99, | 4.9 | 29 |
| 135 | Measurements of W and Z boson production in pp collisions at (sqrt{s}=5.02) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 12 |
| 134 | Study of the rare decays of B s 0 and B0 mesons into muon pairs using data collected during 2015 and 2016 with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, | 5.4 | 25 |

| 133 | Performance of top-quark and (varvec{W})-boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 19 |
|-----|---|-----|----|
| 132 | Measurements of inclusive and differential fiducial cross-sections of (tbar{t}gamma) production in leptonic final states at (sqrt{s}=13~text {TeV}) in ATLAS. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 7 |
| 131 | Search for long-lived particles produced in pp collisions at s=13 TeV that decay into displaced hadronic jets in the ATLAS muon spectrometer. <i>Physical Review D</i> , 2019 , 99, | 4.9 | 24 |
| 130 | Search for the Production of a Long-Lived Neutral Particle Decaying within the ATLAS Hadronic Calorimeter in Association with a Z Boson from pp Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2019 , 122, 151801 | 7.4 | 5 |
| 129 | Electron and photon energy calibration with the ATLAS detector using 2015\(\bar{2}\)016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019 , 14, P03017-P03017 | 1 | 25 |
| 128 | Search for four-top-quark production in the single-lepton and opposite-sign dilepton final states in pp collisions at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 99, | 4.9 | 4 |
| 127 | Study of the hard double-parton scattering contribution to inclusive four-lepton production in pp collisions at s=8 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 595-614 | 4.2 | 7 |
| 126 | Search for doubly charged scalar bosons decaying into same-sign boson pairs with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 58 | 4.2 | 20 |
| 125 | Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 21 |
| 124 | In situ calibration of large-radius jet energy and mass in 13 TeV protonproton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 16 |
| 123 | Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 26 |
| 122 | Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at (sqrt{s}) = 13 and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 5 |
| 121 | Measurement of the top quark mass in the (tbar{t}rightarrow) lepton+jets channel from (sqrt{s}=8) TeV ATLAS data and combination with previous results. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 24 |
| 120 | Measurement of the nuclear modification factor for inclusive jets in Pb+Pb collisions at sNN=5.02 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 108-128 | 4.2 | 44 |
| 119 | Search for pair production of Higgs bosons in the (boverline{b}boverline{b}) final state using proton-proton collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 31 |
| 118 | Constraints on mediator-based dark matter and scalar dark energy models using (sqrt{s}) = 13 TeV pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 31 |
| 117 | Comparison of Fragmentation Functions for Jets Dominated by Light Quarks and Gluons from pp and Pb+Pb Collisions in ATLAS. <i>Physical Review Letters</i> , 2019 , 123, 042001 | 7.4 | 12 |
| 116 | Search for high-mass dilepton resonances using 139 fb 1 of pp collision data collected at s=13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 796, 68-87 | 4.2 | 82 |

| 115 | Search for chargino and neutralino production in final states with a Higgs boson and missing transverse momentum at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 100, | 4.9 | 10 | |
|-----|--|-----|----|--|
| 114 | Search for long-lived neutral particles in pp collisions at ($\{sqrt\{s\}\} = 13\sim\{text\{TeV\}\}$) that decay into displaced hadronic jets in the ATLAS calorimeter. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 18 | |
| 113 | Search for heavy particles decaying into a top-quark pair in the fully hadronic final state in pp collisions at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 99, | 4.9 | 12 | |
| 112 | Search for heavy charged long-lived particles in the ATLAS detector in 36.1 fb 1 of proton-proton collision data at s=13 TeV. <i>Physical Review D</i> , 2019 , 99, | 4.9 | 35 | |
| 111 | Search for Higgs boson pair production in the WW(*)WW(*) decay channel using ATLAS data recorded at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 12 | |
| 110 | Observation of Light-by-Light Scattering in Ultraperipheral Pb+Pb Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2019 , 123, 052001 | 7.4 | 41 | |
| 109 | Measurement of prompt photon production in sNN=8.16 TeV p + Pb collisions with ATLAS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 796, 230-252 | 4.2 | 5 | |
| 108 | Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at (sqrt $\{s\}$) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 7 | |
| 107 | Measurement of (W^{pm }Z) production cross sections and gauge boson polarisation in pp collisions at ($sqrt{s} = 13\sim text {TeV}$) with the ATLAS detector. European Physical Journal C, 2019 , 79, 1 | 4.2 | 20 | |
| 106 | Combination of Searches for Invisible Higgs Boson Decays with the ATLAS Experiment. <i>Physical Review Letters</i> , 2019 , 122, 231801 | 7.4 | 45 | |
| 105 | Measurement of the tt ¹ Z and tt ¹ W cross sections in proton-proton collisions at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 99, | 4.9 | 14 | |
| 104 | Searches for third-generation scalar leptoquarks in (sqrt{s}) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 18 | |
| 103 | Search for scalar resonances decaying into Hūn events with and without b-tagged jets produced in proton-proton collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 8 | |
| 102 | Search for low-mass resonances decaying into two jets and produced in association with a photon using pp collisions at s=13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 795, 56-75 | 4.2 | 12 | |
| 101 | Measurement of the production cross section for a Higgs boson in association with a vector boson in the H ->WW? ->Ethannel in pp collisions at s=13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 798, 134949 | 4.2 | 7 | |
| 100 | Search for a right-handed gauge boson decaying into a high-momentum heavy neutrino and a charged lepton in pp collisions with the ATLAS detector at s=13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 798, 134942 | 4.2 | 14 | |
| 99 | Search for diboson resonances in hadronic final states in 139 fb 1 of pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 10 | |
| 98 | Search for excited electrons singly produced in protonproton collisions at \$\$sqrt{s} ~=~13~text {Te}text {V}\$\$ with the ATLAS experiment at the LHC. European Physical Journal C, 2019 , 79, | 4.2 | 3 | |

| 97 | Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at 13[\$\$text {TeV}\$\$. European Physical Journal C, 2019 , 79, | 4.2 | 11 |
|----|---|--------------|----|
| 96 | Measurement of $\$K_S^0$ and $\$Lambda^0$ production in $\$Lambda^0$ dileptonic events in pp collisions at $\$Sart\{s\} = \$$ 7 TeV with the ATLAS detector. European Physical Journal C, 2019 , 79, 1 | 4.2 | 3 |
| 95 | Measurement of the inclusive isolated-photon cross section in pp collisions at (sqrt{s}) = 13 TeV using 36 fbfl of ATLAS data. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 2 |
| 94 | Measurements of gluongluon fusion and vector-boson fusion Higgs boson production cross-sections in the H ->WW? ->eldecay channel in pp collisions at s=13TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 789, 508 | 4.2 3-529 | 27 |
| 93 | Search for pairs of highly collimated photon-jets in pp collisions at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 99, | 4.9 | 5 |
| 92 | Search for squarks and gluinos in final states with hadronically decaying Eleptons, jets, and missing transverse momentum using pp collisions at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 99, | 4.9 | 9 |
| 91 | Measurement of the top-quark mass in (toverline $\{t\}$) + 1-jet events collected with the ATLAS detector in pp collisions at (sqrt $\{s\}$) = 8 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 12 |
| 90 | Measurement of fiducial and differential (W $^+$ W $^-$) production cross-sections at (sqrt{s}=13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 16 |
| 89 | Measurement of ZZ production in the Ifinal state with the ATLAS detector in pp collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 2 |
| 88 | Measurement of (W m)-boson and Z-boson production cross-sections in pp collisions at (sqrt m)-boson and Z-boson production cross-sections in pp collisions at (sqrt m)-boson and Z-boson production cross-sections in pp collisions at (sqrt m)-boson and Z-boson production cross-sections in pp collisions at (sqrt m)-boson and Z-boson production cross-sections in pp collisions at (sqrt m)-boson and Z-boson production cross-sections in pp collisions at (sqrt m)-boson and Z-boson production cross-sections in pp collisions at (sqrt m)-boson and Z-boson production cross-sections in pp collisions at (sqrt m)-boson and Z-boson production cross-sections in pp collisions at (sqrt m)-boson and Z-boson production cross-sections in pp collisions at (sqrt m)-boson and Z-boson production cross-sections in pp collisions at (sqrt m)-boson and Z-boson production cross-sections in pp collisions at (sqrt m)-boson and Z-boson production cross-sections at (sqrt m)-boson at (sqrt m)-boson and Z-boson production cross-section cro | 4.2 | 2 |
| 87 | Measurement of the inclusive cross-section for the production of jets in association with a Z boson in protonproton collisions at 8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 4 |
| 86 | Electron and photon performance measurements with the ATLAS detector using the 2015\(\text{2017} \) LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019 , 14, P12006-P12006 | 1 | 51 |
| 85 | Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 21 |
| 84 | Measurement of (W^pm) boson production in Pb+Pb collisions at ($sqrt{s_{mathrm{NN}}} = 5.02~text{Te}text{V}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 7 |
| 83 | ATLAS b-jet identification performance and efficiency measurement with (t{bar{t}}) events in pp collisions at (sqrt{s}=13) TeV. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 43 |
| 82 | Measurement of flow harmonics correlations with mean transverse momentum in leadlead and protonlead collisions at (sqrt{s_{mathrm{NN}}} = 5.02~hbox {TeV}) with the ATLAS detector. European Physical Journal C, 2019, 79, 1 | 4.2 | 16 |
| 81 | Resolution of the ATLAS muon spectrometer monitored drift tubes in LHC Run 2. <i>Journal of Instrumentation</i> , 2019 , 14, P09011-P09011 | 1 | 3 |
| 80 | Measurement of angular and momentum distributions of charged particles within and around jets in Pb+Pb and pp collisions at sNN=5.02 TeV with the ATLAS detector. <i>Physical Review C</i> , 2019 , 100, | 2.7 | 5 |

| 79 | Dijet azimuthal correlations and conditional yields in pp and p+Pb collisions at sNN=5.02TeV with the ATLAS detector. <i>Physical Review C</i> , 2019 , 100, | 2.7 | 7 |
|----|---|---------------------|-----|
| 78 | Search for electroweak diboson production in association with a high-mass dijet system in semileptonic final states in pp collisions at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 100, | 4.9 | 7 |
| 77 | Search for a heavy charged boson in events with a charged lepton and missing transverse momentum from pp collisions at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 100, | 4.9 | 12 |
| 76 | Measurements of top-quark pair differential and double-differential cross-sections in the (ell)+jets channel with pp collisions at (sqrt{s}=13) TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1 | 4.2 | 13 |
| 75 | Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1 | 5.4 | 7 |
| 74 | Search for heavy charged long-lived particles in protonproton collisions at s=13TeV using an ionisation measurement with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 788, 96-116 | 4.2 | 17 |
| 73 | Search for Higgs boson decays into a pair of light bosons in the bblfinal state in pp collision at s=13TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 1-21 | 4.2 | 20 |
| 72 | Measurement of photonJet transverse momentum correlations in 5.02 TeV Pb + Pb and pp collisions with ATLAS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 789, 167-190 | 4.2 | 15 |
| 71 | Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb1 of pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 81 |
| 70 | Chromatographic separation of radioactive noble gases from xenon. Astroparticle Physics, 2018, 97, 80- | 8 7 .4 | 11 |
| 69 | Liquid xenon scintillation measurements and pulse shape discrimination in the LUX dark matter detector. <i>Physical Review D</i> , 2018 , 97, | 4.9 | 11 |
| 68 | Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 23 |
| 67 | Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the B b final state in pp collisions at s=13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 783, 392-414 | 4.2 | 33 |
| 66 | Study and mitigation of spurious electron emission from cathodic wires in noble liquid time projection chambers. <i>Astroparticle Physics</i> , 2018 , 103, 49-61 | 2.4 | 13 |
| 65 | Search for W? -≵b decays in the hadronic final state using pp collisions at s=13TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 781, 327 | - 31 478 | 15 |
| 64 | Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 784, 173-191 | 4.2 | 118 |
| 63 | Calibration, event reconstruction, data analysis, and limit calculation for the LUX dark matter experiment. <i>Physical Review D</i> , 2018 , 97, | 4.9 | 24 |
| 62 | Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the H -aa -ab channel in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1 | 5.4 | 14 |

| 61 | Measurement of the (Zgamma to nu overline{nu}gamma) production cross section in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 6 |
|----|--|-----|----|
| 60 | Prompt and non-prompt elliptic flow in Pb+Pb collisions at Tev with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 784 | 4.2 | 8 |
| 59 | Search for Higgs boson pair production in the channel using collision data recorded at TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 1007 | 4.2 | 21 |
| 58 | Measurement of the suppression and azimuthal anisotropy of muons from heavy-flavor decays in Pb+Pb collisions at sNN=2.76 TeV with the ATLAS detector. <i>Physical Review C</i> , 2018 , 98, | 2.7 | 10 |
| 57 | Search for resonant WZ production in the fully leptonic final state in protonproton collisions at s=13TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 787, 68-88 | 4.2 | 14 |
| 56 | Combination of the Searches for Pair-Produced Vectorlike Partners of the Third-Generation Quarks at sqrt[s]=13 TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2018 , 121, 211801 | 7.4 | 48 |
| 55 | Observation of Centrality-Dependent Acoplanarity for Muon Pairs Produced via Two-Photon Scattering in Pb+Pb Collisions at sqrt[s_{NN}]=5.02 TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2018 , 121, 212301 | 7.4 | 18 |
| 54 | Search for lepton-flavor-violating decays of the Z boson into a llepton and a light lepton with the ATLAS detector. <i>Physical Review D</i> , 2018 , 98, | 4.9 | 5 |
| 53 | Search for Resonant and Nonresonant Higgs Boson Pair Production in the bb[over [][0][+][0][-] Decay Channel in pp Collisions at sqrt[s]=13 TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2018 , 121, 191801 | 7.4 | 23 |
| 52 | Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 15 |
| 51 | Search for Higgs boson pair production in the (upgamma upgamma boverline{b}) final state with 13 TeV pp collision data collected by the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 23 |
| 50 | Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 21 |
| 49 | Measurement of the azimuthal anisotropy of charged particles produced in = 5.02 TeV Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 997 | 4.2 | 21 |
| 48 | Search for pair and single production of vectorlike quarks in final states with at least one Z boson decaying into a pair of electrons or muons in pp collision data collected with the ATLAS detector at s=13 TeV. <i>Physical Review D</i> , 2018 , 98, | 4.9 | 22 |
| 47 | Search for pair production of heavy vectorlike quarks decaying into hadronic final states in pp collisions at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , 2018 , 98, | 4.9 | 19 |
| 46 | Search for lepton-flavor violation in different-flavor, high-mass final states in pp collisions at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , 2018 , 98, | 4.9 | 7 |
| 45 | Search for chargino-neutralino production using recursive jigsaw reconstruction in final states with two or three charged leptons in proton-proton collisions at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , 2018 , 98, | 4.9 | 34 |
| 44 | Comparison between simulated and observed LHC beam backgrounds in the ATLAS experiment at Ebeam=4 TeV. <i>Journal of Instrumentation</i> , 2018 , 13, P12006-P12006 | 1 | 2 |

| 43 | Search for charged Higgs bosons decaying into top and bottom quarks at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 39 |
|----|--|-----|----|
| 42 | Operation and performance of the ATLAS Tile Calorimeter in Run . European Physical Journal C, 2018 , 78, 987 | 4.2 | 13 |
| 41 | Search for heavy resonances decaying to a photon and a hadronically decaying Z/W/H boson in pp collisions at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , 2018 , 98, | 4.9 | 8 |
| 40 | Search for resonances in the mass distribution of jet pairs with one or two jets identified as b-jets in proton-proton collisions at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , 2018 , 98, | 4.9 | 10 |
| 39 | Search for annual and diurnal rate modulations in the LUX experiment. <i>Physical Review D</i> , 2018 , 98, | 4.9 | 27 |
| 38 | Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 16 |
| 37 | LUX trigger efficiency. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2018 , 908, 401-410 | 1.2 | 2 |
| 36 | Combined measurement of differential and total cross sections in the H -ᆋnd the H -∠Z? -⊿☐ decay channels at s=13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 786, 114-133 | 4.2 | 14 |
| 35 | Searches for exclusive Higgs and Z boson decays into J/III(IDS) [land ?(nS) lat s=13TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 786, 134-155 | 4.2 | 14 |
| 34 | Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 9 |
| 33 | Observation of H-bbddecays and VH production with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics,</i> 2018 , 786, 59-86 | 4.2 | 87 |
| 32 | Combination of searches for heavy resonances decaying into bosonic and leptonic final states using 36 fbII of proton-proton collision data at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , 2018 , 98, | 4.9 | 23 |
| 31 | Constraints on off-shell Higgs boson production and the Higgs boson total width in ZZ -¾land ZZ -¾laftinal states with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 786, 223-244 | 4.2 | 28 |
| 30 | Search for charged Higgs bosons decaying via H日 -知n the Bjets and Blepton final states with 36 fbl of pp collision data recorded at (sqrt{s}=13) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 33 |
| 29 | Prompt and non-prompt and suppression at high transverse momentum in Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2018 , 78, 762 | 4.2 | 23 |
| 28 | Probing the Quantum Interference between Singly and Doubly Resonant Top-Quark Production in pp Collisions at sqrt[s]=13 TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2018 , 121, 152002 | 7.4 | 9 |
| 27 | Search for flavor-changing neutral currents in top quark decays t-Hc and t-Hu in multilepton final states in proton-proton collisions at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , 2018 , 98, | 4.9 | 12 |
| 26 | Measurement of the Higgs boson mass in the H -코Z? -᠈4屆 nd H -돲hannels with s=13 TeV pp collisions using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 784, 345-366 | 4.2 | 41 |

| 25 | Measurements of b-jet tagging efficiency with the ATLAS detector using (toverline $\{t\}$) events at (sqrt $\{s\}$ =13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1 | 5.4 | 31 |
|----|---|-----|-----|
| 24 | Search for Higgs bosons produced via vector-boson fusion and decaying into bottom quark pairs in s=13 TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2018 , 98, | 4.9 | 14 |
| 23 | Search for Low-Mass Dijet Resonances Using Trigger-Level Jets with the ATLAS Detector in pp Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2018 , 121, 081801 | 7.4 | 29 |
| 22 | Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at []with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 565 | 4.2 | 34 |
| 21 | Measurement of jet fragmentation in Pb+Pb and pp collisions at sNN=5.02 TeV with the ATLAS detector. <i>Physical Review C</i> , 2018 , 98, | 2.7 | 12 |
| 20 | Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in [collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 625 | 4.2 | 15 |
| 19 | Position reconstruction in LUX. Journal of Instrumentation, 2018, 13, P02001-P02001 | 1 | 21 |
| 18 | Results from a Search for Dark Matter in the Complete LUX Exposure. <i>Physical Review Letters</i> , 2017 , 118, 021303 | 7.4 | 840 |
| 17 | Identification of radiopure titanium for the LZ dark matter experiment and future rare event searches. <i>Astroparticle Physics</i> , 2017 , 96, 1-10 | 2.4 | 19 |
| 16 | Signal yields, energy resolution, and recombination fluctuations in liquid xenon. <i>Physical Review D</i> , 2017 , 95, | 4.9 | 33 |
| 15 | 3D modeling of electric fields in the LUX detector. <i>Journal of Instrumentation</i> , 2017 , 12, P11022-P11022 | 2 1 | 15 |
| 14 | First Searches for Axions and Axionlike Particles with the LUX Experiment. <i>Physical Review Letters</i> , 2017 , 118, 261301 | 7.4 | 76 |
| 13 | Limits on Spin-Dependent WIMP-Nucleon Cross Section Obtained from the Complete LUX Exposure. <i>Physical Review Letters</i> , 2017 , 118, 251302 | 7.4 | 114 |
| 12 | Ultralow energy calibration of LUX detector using Xe127 electron capture. <i>Physical Review D</i> , 2017 , 96, | 4.9 | 26 |
| 11 | Kr83m calibration of the 2013 LUX dark matter search. <i>Physical Review D</i> , 2017 , 96, | 4.9 | 20 |
| 10 | First Results of the LUX Dark Matter Experiment. <i>Nuclear and Particle Physics Proceedings</i> , 2016 , 273-275, 309-313 | 0.4 | 2 |
| 9 | Tritium calibration of the LUX dark matter experiment. <i>Physical Review D</i> , 2016 , 93, | 4.9 | 59 |
| 8 | Improved Limits on Scattering of Weakly Interacting Massive Particles from Reanalysis of 2013 LUX Data. <i>Physical Review Letters</i> , 2016 , 116, 161301 | 7.4 | 277 |

LIST OF PUBLICATIONS

| 7 | Results on the Spin-Dependent Scattering of Weakly Interacting Massive Particles on Nucleons from the Run 3 Data of the LUX Experiment. <i>Physical Review Letters</i> , 2016 , 116, 161302 | 7.4 | 107 |
|---|--|-----|------|
| 6 | FPGA-based trigger system for the LUX dark matter experiment. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment,</i> 2016 , 818, 57-67 | 1.2 | 8 |
| 5 | Results from the LUX dark matter experiment. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment,</i> 2015 , 784, 504-507 | 1.2 | 6 |
| 4 | Radiogenic and muon-induced backgrounds in the LUX dark matter detector. <i>Astroparticle Physics</i> , 2015 , 62, 33-46 | 2.4 | 59 |
| 3 | The LUX Experiment. <i>Physics Procedia</i> , 2015 , 61, 74-76 | | |
| 2 | Radon-related Backgrounds in the LUX Dark Matter Search. <i>Physics Procedia</i> , 2015 , 61, 658-665 | | 6 |
| 1 | First results from the LUX dark matter experiment at the Sanford underground research facility. <i>Physical Review Letters</i> , 2014 , 112, 091303 | 7.4 | 1165 |