

# Liying Xing

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3976398/publications.pdf>

Version: 2024-02-01

24  
papers

361  
citations

1040056

9  
h-index

888059

17  
g-index

24  
all docs

24  
docs citations

24  
times ranked

375  
citing authors

#	ARTICLE	IF	CITATIONS
1	Sex-specific prediction value of common carotid artery diameter for stroke risk in a hypertensive population: a cross-sectional study. <i>Quantitative Imaging in Medicine and Surgery</i> , 2022, 12, 1428-1437.	2.0	1
2	Sex difference in the correlation between carotid artery diameter and prevalence of stroke: Insights from a Chinese population. <i>International Journal of Cardiology</i> , 2022, 353, 103-108.	1.7	4
3	Incremental significance and sex discrepancies of neck circumference on the odds of ischaemic stroke: a multistage, population-based, cross-sectional study from Northeast China. <i>BMJ Open</i> , 2022, 12, e056932.	1.9	0
4	Epidemiology of stroke in urban northeast China: A population-based study 2018â€“2019. <i>International Journal of Stroke</i> , 2021, 16, 73-82.	5.9	15
5	Status and disparities of diabetes among urban and rural residents aged 40 years and older: insight from a population-based study in northeast China, 2017â€“2019. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, 800-808.	3.7	5
6	High Burden of Carotid Atherosclerosis in Rural Northeast China: A Population-Based Study. <i>Frontiers in Neurology</i> , 2021, 12, 597992.	2.4	12
7	Trajectories of body mass index and risk of incident hypertension among a normal body mass index population: A prospective cohort study. <i>Journal of Clinical Hypertension</i> , 2021, 23, 1212-1220.	2.0	8
8	Epidemiological features of hypertension among ischemic survivors in Northeast China: insights from a population-based study, 2017â€“2019. <i>BMC Public Health</i> , 2021, 21, 1648.	2.9	3
9	High prevalence of stroke and uncontrolled associated risk factors are major public health challenges in rural northeast China: A population-based study. <i>International Journal of Stroke</i> , 2020, 15, 399-411.	5.9	32
10	Epidemiology of atrial fibrillation in northeast China: a cross-sectional study, 2017â€“2019. <i>Heart</i> , 2020, 106, 590-595.	2.9	28
11	Value of triglyceride-glucose index for the estimation of ischemic stroke risk: Insights from a general population. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 245-253.	2.6	74
12	Trends in Prevalence, Awareness, Treatment, and Control of Hypertension in Rural Northeast China: 2008 to 2018. <i>BioMed Research International</i> , 2020, 2020, 1-8.	1.9	11
13	Estimate of prevalent ischemic stroke from triglyceride glucose-body mass index in the general population. <i>BMC Cardiovascular Disorders</i> , 2020, 20, 483.	1.7	36
14	Epidemiology of dyslipidemia and associated cardiovascular risk factors in northeast China: A cross-sectional study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 2262-2270.	2.6	34
15	The Association of Stage 1 Hypertension Defined by the 2017 ACC/AHA Guideline with Stroke and Its Subtypes among Elderly Chinese. <i>BioMed Research International</i> , 2020, 2020, 1-8.	1.9	2
16	Response to â€œLetter to the editor about â€˜Value of triglyceride-glucose index for the estimation of ischemic stroke risk: Insights from a general populationâ€™â€™. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 1046-1047.	2.6	1
17	Hypertension Among Hemorrhagic Stroke Patients in Northeast China: A Population-Based Study 2017-2019. <i>Medical Science Monitor</i> , 2020, 26, e926581.	1.1	2
18	Hypertension Among Hemorrhagic Stroke Patients in Northeast China: A Population-Based Study 2017â€“2019. <i>Medical Science Monitor</i> , 2020, 26, e926581.	1.1	5

#	ARTICLE	IF	CITATIONS
19	Short-Term and Long-Term Blood Pressure Changes and the Risk of All-Cause and Cardiovascular Mortality. BioMed Research International, 2019, 2019, 1-15.	1.9	6
20	Prevalence of Obesity and Associated Risk Factors and Cardiometabolic Comorbidities in Rural Northeast China. BioMed Research International, 2019, 2019, 1-9.	1.9	25
21	Subclinical left ventricular dysfunction assessed by two-dimensional speckle tracking echocardiography in asymptomatic patients with carotid stenosis. International Journal of Cardiovascular Imaging, 2019, 35, 2205-2212.	1.5	6
22	Prevalence of first-degree atrioventricular block and the associated risk factors: a cross-sectional study in rural Northeast China. BMC Cardiovascular Disorders, 2019, 19, 214.	1.7	7
23	<p>&Umlaut;Urban&Umlaut;Rural disparities in status of hypertension in northeast China: a population-based study, 2017&Umlaut;2019&lt;/p>. Clinical Epidemiology, 2019, Volume 11, 801-820.	3.0	24
24	Trends in status of hypertension in rural northeast China. Journal of Hypertension, 2019, 37, 1596-1605.	0.5	20