

Ho-Kyoung Yoon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3976740/publications.pdf>

Version: 2024-02-01

44
papers

1,010
citations

430874

18
h-index

454955

30
g-index

45
all docs

45
docs citations

45
times ranked

1699
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparison of the Usefulness of the PHQ-8 and PHQ-9 for Screening for Major Depressive Disorder: Analysis of Psychiatric Outpatient Data. <i>Psychiatry Investigation</i> , 2019, 16, 300-305.	1.6	151
2	Advanced Circadian Phase in Mania and Delayed Circadian Phase in Mixed Mania and Depression Returned to Normal after Treatment of Bipolar Disorder. <i>EBioMedicine</i> , 2016, 11, 285-295.	6.1	111
3	Cortical thickness, cortical and subcortical volume, and white matter integrity in patients with their first episode of major depression. <i>Journal of Affective Disorders</i> , 2014, 155, 42-48.	4.1	93
4	Social capital, socioeconomic status, and depression in community-living elderly. <i>Journal of Psychiatric Research</i> , 2018, 98, 133-140.	3.1	68
5	Exposure to dim artificial light at night increases REM sleep and awakenings in humans. <i>Chronobiology International</i> , 2016, 33, 117-123.	2.0	65
6	Relationships between hand-grip strength, socioeconomic status, and depressive symptoms in community-dwelling older adults. <i>Journal of Affective Disorders</i> , 2019, 252, 263-270.	4.1	43
7	Relationship of depression, chronic disease, self-rated health, and gender with health care utilization among community-living elderly. <i>Journal of Affective Disorders</i> , 2018, 241, 402-410.	4.1	39
8	Molecular circadian rhythm shift due to bright light exposure before bedtime is related to subthreshold bipolarity. <i>Scientific Reports</i> , 2016, 6, 31846.	3.3	35
9	Local gyrification index in patients with major depressive disorder and its association with tryptophan hydroxylase-2 (TPH2) polymorphism. <i>Human Brain Mapping</i> , 2017, 38, 1299-1310.	3.6	35
10	Tinnitus, depression, and suicidal ideation in adults: A nationally representative general population sample. <i>Journal of Psychiatric Research</i> , 2018, 98, 124-132.	3.1	34
11	Normative data and psychometric properties of the Patient Health Questionnaire-9 in a nationally representative Korean population. <i>BMC Psychiatry</i> , 2020, 20, 194.	2.6	33
12	Association of CLOCK, ARNTL, PER2, and GNB3 polymorphisms with diurnal preference in a Korean population. <i>Chronobiology International</i> , 2016, 33, 1455-1463.	2.0	25
13	Emotional labor and depressive mood in service and sales workers: Interactions with gender and job autonomy. <i>Psychiatry Research</i> , 2018, 267, 490-498.	3.3	25
14	Evidence for Association between the Brain-Derived Neurotrophic Factor Gene and Panic Disorder: A Novel Haplotype Analysis. <i>Psychiatry Investigation</i> , 2015, 12, 112.	1.6	22
15	Social support moderates association between posttraumatic growth and trauma-related psychopathologies among victims of the Sewol Ferry Disaster. <i>Psychiatry Research</i> , 2019, 272, 507-514.	3.3	21
16	Impact of the COVID-19 Pandemic on Korean Adolescents' Mental Health and Lifestyle Factors. <i>Journal of Adolescent Health</i> , 2022, 71, 270-276.	2.5	21
17	Impact of Exposure to Dim Light at Night on Sleep in Female and Comparison with Male Subjects. <i>Psychiatry Investigation</i> , 2018, 15, 520-530.	1.6	19
18	High Altitude Remains Associated with Elevated Suicide Rates after Adjusting for Socioeconomic Status: A Study from South Korea. <i>Psychiatry Investigation</i> , 2014, 11, 492.	1.6	19

#	ARTICLE	IF	CITATIONS
19	Association between weekend catch-up sleep and high-sensitivity C-reactive protein levels in adults: a population-based study. <i>Sleep</i> , 2020, 43, .	1.1	17
20	Measurement-based Treatment of Residual Symptoms Using Clinically Useful Depression Outcome Scale: Korean Validation Study. <i>Clinical Psychopharmacology and Neuroscience</i> , 2017, 15, 28-34.	2.0	15
21	Vesicular monoamine transporter 1 gene polymorphism and white matter integrity in major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 77, 138-145.	4.8	13
22	A Comparison of Personality Characteristics and Psychiatric Symptomatology between Upper Airway Resistance Syndrome and Obstructive Sleep Apnea Syndrome. <i>Psychiatry Investigation</i> , 2015, 12, 183.	1.6	12
23	The association between substance P and white matter integrity in medication-naive patients with major depressive disorder. <i>Scientific Reports</i> , 2017, 7, 9707.	3.3	11
24	Intimate partner violence and incidence of depression in married women: A longitudinal study of a nationally representative sample. <i>Journal of Affective Disorders</i> , 2019, 245, 305-311.	4.1	11
25	Inaccuracy between subjective reports and objective measures of sleep duration and clinical correlates in bipolar disorder. <i>Journal of Affective Disorders</i> , 2019, 250, 226-230.	4.1	10
26	Decrease in fMRI brain activation during working memory performed after sleeping under 10 lux light. <i>Scientific Reports</i> , 2016, 6, 36731.	3.3	9
27	Amisulpride Switching in Schizophrenic Patients Who Showed Suboptimal Effect and/or Tolerability to Current Antipsychotics in a Naturalistic Setting: An Explorative Study. <i>Clinical Psychopharmacology and Neuroscience</i> , 2016, 14, 371-377.	2.0	9
28	Eye Movement Desensitization and Reprocessing to Facilitate Posttraumatic Growth: A Prospective Clinical Pilot Study on Ferry Disaster Survivors. <i>Clinical Psychopharmacology and Neuroscience</i> , 2017, 15, 320-327.	2.0	8
29	Therapeutic Application of Transcutaneous Auricular Vagus Nerve Stimulation in Primary Insomnia. <i>Chronobiology in Medicine</i> , 2019, 1, 51-54.	0.4	5
30	A Genome-Wide Association Study Identifies <i>UTRN</i> Gene Polymorphism for Restless Legs Syndrome in a Korean Population. <i>Psychiatry Investigation</i> , 2017, 14, 830.	1.6	5
31	Correlates of poor sleep based upon wrist actigraphy data in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2021, 141, 385-389.	3.1	4
32	Korean Guidelines for the Pharmacological Treatment of Social Anxiety Disorder: Initial Treatment Strategies. <i>Psychiatry Investigation</i> , 2018, 15, 147-155.	1.6	4
33	Natural Course of Posttraumatic Symptoms in Late-Adolescent Maritime Disaster Survivors: Results of A 12-Month Follow-Up Study. <i>Psychiatry Investigation</i> , 2018, 15, 574-583.	1.6	4
34	Emotional Changes and Protective Factors of Emotional Workers in the Public and Private Sector. <i>Psychiatry Investigation</i> , 2020, 17, 645-653.	1.6	4
35	Recurrence of Panic Attacks after Influenza Vaccination: Two Case Reports. <i>Clinical Psychopharmacology and Neuroscience</i> , 2016, 14, 396-398.	2.0	4
36	Assessment of life factors affecting the experience of depressive symptoms in adolescents: a secondary analysis using the Korea Youth Risk Behavior Survey. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2021, 15, 50.	2.5	3

#	ARTICLE	IF	CITATIONS
37	Association between Antipsychotic-Related Restless Legs Syndrome and the RORA Gene Polymorphism in Schizophrenia. Korean Journal of Schizophrenia Research, 2013, 16, 93.	0.3	1
38	Association between Tardive Dyskinesia and Polymorphisms of TNF- α Gene in Korean Schizophrenia Patients. Korean Journal of Schizophrenia Research, 2013, 16, 38.	0.3	1
39	Second-to-fourth digit length ratio as a measure of harm avoidance. Personality and Individual Differences, 2016, 97, 30-34.	2.9	1
40	Insomnia in Emotional Labor: Its Role in Autonomic Nervous System Regulation. Psychiatry Investigation, 2021, 18, 889-894.	1.6	0
41	Pharmacological Treatment for Rapid Eye Movement Sleep Behavior Disorder. Chronobiology in Medicine, 2021, 3, 97-101.	0.4	0
42	Characteristics of Residual Symptoms in Korean Patients with Major Depressive Disorder: A Validation Study for the Korean Version of Depression Residual Symptom Scale. Psychiatry Investigation, 2018, 15, 178-185.	1.6	0
43	Comparison of Morning and Evening/Night Dosing on the Efficacy of Escitalopram in Major Depressive Disorder at Naturalistic Setting. Chronobiology in Medicine, 2019, 1, 152-156.	0.4	0
44	Finding a Composite Measure for Data From Wrist Actigraphy in Bipolar Disorder. Innovation in Aging, 2021, 5, 337-337.	0.1	0