

Vladimir Matchkov

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3977259/publications.pdf>

Version: 2024-02-01

91
papers

2,687
citations

172457

29
h-index

197818

49
g-index

92
all docs

92
docs citations

92
times ranked

2904
citing authors

#	ARTICLE	IF	CITATIONS
1	Hypothesis for the Initiation of Vasomotion. <i>Circulation Research</i> , 2001, 88, 810-815.	4.5	240
2	Vasomotion – what is currently thought?. <i>Acta Physiologica</i> , 2011, 202, 253-269.	3.8	206
3	Hypertension and physical exercise: The role of oxidative stress. <i>Medicina (Lithuania)</i> , 2016, 52, 19-27.	2.0	132
4	Disruption of Na ⁺ , HCO ₃ ⁻ Cotransporter NBCn1 (slc4a7) Inhibits NO-Mediated Vasorelaxation, Smooth Muscle Ca ²⁺ Sensitivity, and Hypertension Development in Mice. <i>Circulation</i> , 2011, 124, 1819-1829.	1.6	124
5	Bestrophin-3 (Vitelliform Macular Dystrophy 2-Like 3 Protein) Is Essential for the cGMP-Dependent Calcium-Activated Chloride Conductance in Vascular Smooth Muscle Cells. <i>Circulation Research</i> , 2008, 103, 864-872.	4.5	88
6	Loss-of-activity-mutation in the cardiac chloride-bicarbonate exchanger AE3 causes short QT syndrome. <i>Nature Communications</i> , 2017, 8, 1696.	12.8	88
7	A Cyclic GMP-dependent Calcium-activated Chloride Current in Smooth-muscle Cells from Rat Mesenteric Resistance Arteries. <i>Journal of General Physiology</i> , 2004, 123, 121-134.	1.9	87
8	Vascular smooth muscle cell phenotype is defined by Ca ²⁺ -dependent transcription factors. <i>FEBS Journal</i> , 2013, 280, 5488-5499.	4.7	83
9	Junctional and nonjunctional effects of heptanol and glycyrrhetic acid derivatives in rat mesenteric small arteries. <i>British Journal of Pharmacology</i> , 2004, 142, 961-972.	5.4	79
10	K _V 7 channels are involved in hypoxia-induced vasodilatation of porcine coronary arteries. <i>British Journal of Pharmacology</i> , 2014, 171, 69-82.	5.4	65
11	Specialized Functional Diversity and Interactions of the Na,K-ATPase. <i>Frontiers in Physiology</i> , 2016, 7, 179.	2.8	65
12	Intracellular Ca ²⁺ Signalling and Phenotype of Vascular Smooth Muscle Cells. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2012, 110, 42-48.	2.5	62
13	Analysis of effects of connexin-mimetic peptides in rat mesenteric small arteries. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006, 291, H357-H367.	3.2	59
14	TMEM16A knockdown abrogates two different Ca ²⁺ -activated Cl ⁻ currents and contractility of smooth muscle in rat mesenteric small arteries. <i>Pflügers Archiv European Journal of Physiology</i> , 2014, 466, 1391-1409.	2.8	59
15	Interaction Between Na ⁺ /K ⁺ -Pump and Na ⁺ /Ca ²⁺ -Exchanger Modulates Intercellular Communication. <i>Circulation Research</i> , 2007, 100, 1026-1035.	4.5	52
16	Rebaudioside A directly stimulates insulin secretion from pancreatic beta cells: a glucose-dependent action via inhibition of ATP-sensitive K ⁺ channels*. <i>Diabetes, Obesity and Metabolism</i> , 2008, 10, 1074-1085.	4.4	47
17	Distinct ± 2 Na,K-ATPase membrane pools are differently involved in early skeletal muscle remodeling during disuse. <i>Journal of General Physiology</i> , 2016, 147, 175-188.	1.9	47
18	Membrane lipid rafts are disturbed in the response of rat skeletal muscle to short-term disuse. <i>American Journal of Physiology - Cell Physiology</i> , 2017, 312, C627-C637.	4.6	46

#	ARTICLE	IF	CITATIONS
19	A model of smooth muscle cell synchronization in the arterial wall. American Journal of Physiology - Heart and Circulatory Physiology, 2007, 293, H229-H237.	3.2	45
20	NS11021, a novel opener of large- Ca^{2+} -activated K^{+} channels, enhances erectile responses in rats. British Journal of Pharmacology, 2009, 158, 1465-1476.	5.4	45
21	Vasomotion has chloride-dependency in rat mesenteric small arteries. Pflugers Archiv European Journal of Physiology, 2008, 457, 389-404.	2.8	44
22	Activation of a cGMP-sensitive calcium-dependent chloride channel may cause transition from calcium waves to whole cell oscillations in smooth muscle cells. American Journal of Physiology - Heart and Circulatory Physiology, 2007, 293, H215-H228.	3.2	41
23	Bestrophin is important for the rhythmic but not the tonic contraction in rat mesenteric small arteries. Cardiovascular Research, 2011, 91, 685-693.	3.8	39
24	Chronic selective serotonin reuptake inhibition modulates endothelial dysfunction and oxidative state in rat chronic mild stress model of depression. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2015, 309, R814-R823.	1.8	39
25	Effects of cGMP on Coordination of Vascular Smooth Muscle Cells of Rat Mesenteric Small Arteries. Journal of Vascular Research, 2005, 42, 301-311.	1.4	34
26	Antiphase oscillations of endothelium and smooth muscle $[\text{Ca}^{2+}]_i$ in vasomotion of rat mesenteric small arteries. Cell Calcium, 2007, 42, 536-547.	2.4	34
27	Association Between Endothelial Dysfunction and Depression-Like Symptoms in Chronic Mild Stress Model of Depression. Psychosomatic Medicine, 2014, 76, 268-276.	2.0	34
28	Distribution of cGMP-dependent and cGMP-independent Ca^{2+} -activated Cl^{-} conductances in smooth muscle cells from different vascular beds and colon. Pflugers Archiv European Journal of Physiology, 2005, 451, 371-379.	2.8	31
29	Transport and Function of Chloride in Vascular Smooth Muscles. Journal of Vascular Research, 2013, 50, 69-87.	1.4	30
30	Intravital investigation of rat mesenteric small artery tone and blood flow. Journal of Physiology, 2017, 595, 5037-5053.	2.9	30
31	Cyclodextrin-Scaffolded Alamethicin with Remarkably Efficient Membrane Permeabilizing Properties and Membrane Current Conductance. Journal of Physical Chemistry B, 2012, 116, 7652-7659.	2.6	28
32	The Ca^{2+} isoform of the Na,K-pump is important for intercellular communication, agonist-induced contraction, and EDHF-like response in rat mesenteric arteries. American Journal of Physiology - Heart and Circulatory Physiology, 2012, 303, H36-H46.	3.2	24
33	Isoform-Specific Na,K-ATPase Alterations Precede Disuse-Induced Atrophy of Rat Soleus Muscle. BioMed Research International, 2015, 2015, 1-11.	1.9	24
34	The bestrophin- and TMEM16A-associated Ca^{2+} -activated Cl^{-} channels in vascular smooth muscles. Channels, 2014, 8, 361-369.	2.8	23
35	The role of Ca^{2+} activated Cl^{-} channels in blood pressure control. Current Opinion in Pharmacology, 2015, 21, 127-137.	3.5	23
36	Chronic Mild Stress-Induced Depression-Like Symptoms in Rats and Abnormalities in Catecholamine Uptake in Small Arteries. Psychosomatic Medicine, 2012, 74, 278-287.	2.0	22

#	ARTICLE	IF	CITATIONS
37	Heterogeneity and weak coupling may explain the synchronization characteristics of cells in the arterial wall. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2008, 366, 3483-3502.	3.4	21
38	Smooth muscle Ca^{2+} sensitization causes hypercontractility of middle cerebral arteries in mice bearing the familial hemiplegic migraine type 2 associated mutation. Journal of Cerebral Blood Flow and Metabolism, 2019, 39, 1570-1587.	4.3	21
39	Downregulation of L-type Ca^{2+} channel in rat mesenteric arteries leads to loss of smooth muscle contractile phenotype and inward hypertrophic remodeling. American Journal of Physiology - Heart and Circulatory Physiology, 2014, 306, H1287-H1301.	3.2	20
40	Myogenic response of rat femoral small arteries in relation to wall structure and $[Ca^{2+}]_i$. American Journal of Physiology - Heart and Circulatory Physiology, 2002, 283, H118-H125.	3.2	19
41	Na-K-ATPase regulates intercellular communication in the vascular wall via cSrc kinase-dependent connexin43 phosphorylation. American Journal of Physiology - Cell Physiology, 2017, 312, C385-C397.	4.6	19
42	KATP-channel-induced vasodilation is modulated by the Na,K-pump activity in rabbit coronary small arteries. British Journal of Pharmacology, 2004, 143, 872-880.	5.4	16
43	Negative News: Cl^{-} and HCO_3^{-} in the Vascular Wall. Physiology, 2016, 31, 370-383.	3.1	16
44	The $\hat{\pm}$ isoform Na,K-ATPase modulates contraction of rat mesenteric small artery via cSrc-dependent Ca^{2+} sensitization. Acta Physiologica, 2018, 224, e13059.	3.8	16
45	Mechanisms of cellular synchronization in the vascular wall. Mechanisms of vasomotion. Danish Medical Bulletin, 2010, 57, B4191.	0.3	16
46	Involvement of transglutaminase 2 and voltage-gated potassium channels in cystamine vasodilatation in rat mesenteric small arteries. British Journal of Pharmacology, 2016, 173, 839-855.	5.4	15
47	The V-ATPase is expressed in the choroid plexus and mediates cAMP-induced intracellular pH alterations. Physiological Reports, 2017, 5, e13072.	1.7	15
48	Variable Contribution of TMEM16A to Tone in Murine Arterial Vasculature. Basic and Clinical Pharmacology and Toxicology, 2018, 123, 30-41.	2.5	15
49	A Single Simulated Heliox Dive Modifies Endothelial Function in the Vascular Wall of ApoE Knockout Male Rats More Than Females. Frontiers in Physiology, 2019, 10, 1342.	2.8	15
50	Abnormal neurovascular coupling as a cause of excess cerebral vasodilation in familial migraine. Cardiovascular Research, 2020, 116, 2009-2020.	3.8	15
51	PTPRG is an ischemia risk locus essential for HCO_3^{-} -dependent regulation of endothelial function and tissue perfusion. ELife, 2020, 9, .	6.0	15
52	Role of Peripheral Vascular Resistance for the Association Between Major Depression and Cardiovascular Disease. Journal of Cardiovascular Pharmacology, 2015, 65, 299-307.	1.9	14
53	Circulating Ouabain Modulates Expression of Claudins in Rat Intestine and Cerebral Blood Vessels. International Journal of Molecular Sciences, 2020, 21, 5067.	4.1	14
54	Activation of the kidney sodium chloride cotransporter by the $\hat{2}$ -adrenergic receptor agonist salbutamol increases blood pressure. Kidney International, 2021, 100, 321-335.	5.2	14

#	ARTICLE	IF	CITATIONS
55	Transglutaminase 2 Inhibitor LDN 27219 Age-Dependently Lowers Blood Pressure and Improves Endothelium-Dependent Vasodilation in Resistance Arteries. <i>Hypertension</i> , 2021, 77, 216-227.	2.7	12
56	Rat mesenteric small artery neurogenic dilatation is predominantly mediated by I_2^{AD} adrenoceptors <i>in vivo</i> . <i>Journal of Physiology</i> , 2019, 597, 1819-1831.	2.9	10
57	Skeletal Muscle Na,K-ATPase as a Target for Circulating Ouabain. <i>International Journal of Molecular Sciences</i> , 2020, 21, 2875.	4.1	10
58	Involvement of the Na ⁺ ,K ⁺ -ATPase isoforms in control of cerebral perfusion. <i>Experimental Physiology</i> , 2019, 104, 1023-1028.	2.0	9
59	A characterization of the electrophysiological properties of the cardiomyocytes from ventricle, atrium and sinus venosus of the snake heart. <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 2020, 190, 63-73.	1.5	9
60	Isoform-specific Na,K-ATPase and membrane cholesterol remodeling in motor endplates in distinct mouse models of myodystrophy. <i>American Journal of Physiology - Cell Physiology</i> , 2020, 318, C1030-C1041.	4.6	9
61	Migraine-Associated Mutation in the Na,K-ATPase Leads to Disturbances in Cardiac Metabolism and Reduced Cardiac Function. <i>Journal of the American Heart Association</i> , 2022, 11, e021814.	3.7	9
62	The Na,K-ATPase-Dependent Src Kinase Signaling Changes with Mesenteric Artery Diameter. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2489.	4.1	8
63	Perivascular Adipose Tissue Contributes to the Modulation of Vascular Tone <i>in vivo</i> . <i>Journal of Vascular Research</i> , 2019, 56, 320-332.	1.4	8
64	The Na,K-ATPase in vascular smooth muscle cells. <i>Current Topics in Membranes</i> , 2019, 83, 151-175.	0.9	8
65	A paradoxical increase of force development in saphenous and tail arteries from heterozygous ANO1 knockout mice. <i>Physiological Reports</i> , 2020, 8, e14645.	1.7	8
66	Chronic Ouabain Prevents Na,K-ATPase Dysfunction and Targets AMPK and IL-6 in Disused Rat Soleus Muscle. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3920.	4.1	8
67	Extracellular Calcium-Dependent Modulation of Endothelium Relaxation in Rat Mesenteric Small Artery: The Role of Potassium Signaling. <i>BioMed Research International</i> , 2015, 2015, 1-11.	1.9	7
68	Aberrant sinus node firing during I_2^{AD} adrenergic stimulation leads to cardiac arrhythmias in diabetic mice. <i>Acta Physiologica</i> , 2020, 229, e13444.	3.8	7
69	NBCn1 Increases NH ₄ ⁺ Reabsorption Across Thick Ascending Limbs, the Capacity for Urinary NH ₄ ⁺ Excretion, and Early Recovery from Metabolic Acidosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 852-865.	6.1	7
70	Impaired Mineral Ion Metabolism in a Mouse Model of Targeted Calcium-Sensing Receptor (CaSR) Deletion from Vascular Smooth Muscle Cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2022, 33, 1323-1340.	6.1	7
71	Effect of ischemic preconditioning and a Kv7 channel blocker on cardiac ischemia-reperfusion injury in rats. <i>European Journal of Pharmacology</i> , 2020, 866, 172820.	3.5	6
72	Treatment with the vascular disrupting agent combretastatin is associated with impaired AQP2 trafficking and increased urine output. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2012, 303, R186-R198.	1.8	5

#	ARTICLE	IF	CITATIONS
73	Does Src Kinase Mediated Vasoconstriction Impair Penumbral Reperfusion?. Stroke, 2021, 52, e250-e258.	2.0	4
74	Phenylephrine-Induced Cardiovascular Changes in the Anesthetized Mouse: An Integrated Assessment of in vivo Hemodynamics Under Conditions of Controlled Heart Rate. Frontiers in Physiology, 2022, 13, 831724.	2.8	4
75	Endothelium in Diseased States. BioMed Research International, 2014, 2014, 1-2.	1.9	3
76	Trophic sympathetic influence weakens pro-contractile role of Cl ⁻ channels in rat arteries during postnatal maturation. Scientific Reports, 2020, 10, 20002.	3.3	3
77	Demand creates its own supply: The Na/K-ATPase controls metabolic reserve and flexibility. Acta Physiologica, 2021, 232, e13673.	3.8	3
78	Reply from Vladimir V. Matchkov and Christian Aalkjaer. Journal of Physiology, 2017, 595, 6785-6787.	2.9	2
79	Pro-contractile role of chloride in arterial smooth muscle: Postnatal decline potentially governed by sympathetic nerves. Experimental Physiology, 2019, 104, 1018-1022.	2.0	2
80	The snake heart pacemaker is localized near the sinoatrial valve. Journal of Experimental Biology, 2021, 224, .	1.7	2
81	Inherited Ventricular Arrhythmia in Zebrafish: Genetic Models and Phenotyping Tools. Reviews of Physiology, Biochemistry and Pharmacology, 2021, , 1.	1.6	1
82	Stress adaptation in rats associate with reduced expression of cerebrovascular K _v 7.4 channels and biphasic neurovascular responses. Stress, 2022, 25, 227-234.	1.8	1
83	Opto-mechanical microbridles for the determination of structural and functional properties of small resistance arteries. , 2014, , .		0
84	Ultrasensitive Photonic Microsystem Enabling Sub-micrometric Monitoring of Arterial Oscillations for Advanced Cardiovascular Studies. Frontiers in Physiology, 2019, 10, 940.	2.8	0
85	Vascular microdomain signalling and possible novel treatments in cardiovascular diseases. Experimental Physiology, 2019, 104, 1011-1012.	2.0	0
86	Na ⁺ /K ⁺ -ATPase pump modulates intercellular communication via interaction with other membrane transporters in vascular smooth muscle cells.. FASEB Journal, 2007, 21, A912.	0.5	0
87	siRNA-mediated knockdown of endogenously expressed bestrophin in smooth muscles.. FASEB Journal, 2007, 21, .	0.5	0
88	The $\alpha 2$ isoform of the Na ⁺ /K ⁺ -ATPase pump is involved in synchronization of smooth muscle cells in the arterial wall.. FASEB Journal, 2010, 24, 976.16.	0.5	0
89	Downregulation of L-type calcium channels increase media thickness and change smooth muscle phenotype in rat resistance arteries in vivo.. FASEB Journal, 2010, 24, 985.16.	0.5	0
90	Vasomotion in rat small mesenteric arteries is bestrophin-dependent.. FASEB Journal, 2010, 24, 1002.29.	0.5	0

#	ARTICLE	IF	CITATIONS
91	Role of bestrophinâ€³ protein in endoplasmic reticulum (ER)â€³stress response and its regulation by reactive oxygen species (ROS) and ERK1/2 in kidney proximal tubule cells (PTC).. FASEB Journal, 2010, 24, 770.1.	0.5	0