

Masanobu Oshima

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3977683/masanobu-oshima-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126
papers

14,328
citations

54
h-index

119
g-index

132
ext. papers

15,747
ext. citations

9.7
avg, IF

5.96
L-index

#	Paper	IF	Citations
126	Genetic Alterations and Microenvironment that Drive Malignant Progression of Colorectal Cancer: Lessons from Mouse and Organoid Models.. <i>Journal of Cancer Prevention</i> , 2022 , 27, 1-6	3	0
125	Nano-scale physical properties characteristic to metastatic intestinal cancer cells identified by high-speed scanning ion conductance microscope. <i>Biomaterials</i> , 2021 , 121256	15.6	5
124	FOXO3 is a latent tumor suppressor for FOXO3-positive and cytoplasmic-type gastric cancer cells. <i>Oncogene</i> , 2021 , 40, 3072-3086	9.2	6
123	Interleukin-11-expressing fibroblasts have a unique gene signature correlated with poor prognosis of colorectal cancer. <i>Nature Communications</i> , 2021 , 12, 2281	17.4	9
122	A genome-scale CRISPR screen reveals factors regulating Wnt-dependent renewal of mouse gastric epithelial cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	7
121	Malignant subclone drives metastasis of genetically and phenotypically heterogenous cell clusters through fibrotic niche generation. <i>Nature Communications</i> , 2021 , 12, 863	17.4	8
120	Pericentromeric noncoding RNA changes DNA binding of CTCF and inflammatory gene expression in senescence and cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	4
119	Chronic liver disease enables gut Enterococcus faecalis colonization to promote liver carcinogenesis.. <i>Nature Cancer</i> , 2021 , 2, 1039-1054	15.4	6
118	Autophagy regulates levels of tumor suppressor enzyme protein phosphatase 6. <i>Cancer Science</i> , 2020 , 111, 4371-4380	6.9	6
117	Loss of wild-type p53 promotes mutant p53-driven metastasis through acquisition of survival and tumor-initiating properties. <i>Nature Communications</i> , 2020 , 11, 2333	17.4	16
116	Inflammatory and mitogenic signals drive interleukin 23 subunit alpha (IL23A) secretion independent of IL12B in intestinal epithelial cells. <i>Journal of Biological Chemistry</i> , 2020 , 295, 6387-6400	5.4	9
115	NF- κ B-induced NOX1 activation promotes gastric tumorigenesis through the expansion of SOX2-positive epithelial cells. <i>Oncogene</i> , 2019 , 38, 4250-4263	9.2	32
114	CRISPR-Cas9-mediated gene knockout in intestinal tumor organoids provides functional validation for colorectal cancer driver genes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 15635-15644	11.5	55
113	Interleukin 1 Up-regulates MicroRNA 135b to Promote Inflammation-Associated Gastric Carcinogenesis in Mice. <i>Gastroenterology</i> , 2019 , 156, 1140-1155.e4	13.3	28
112	Stat3 is indispensable for damage-induced crypt regeneration but not for Wnt-driven intestinal tumorigenesis. <i>FASEB Journal</i> , 2019 , 33, 1873-1886	0.9	4
111	Mutant p53 in colon cancer. <i>Journal of Molecular Cell Biology</i> , 2019 , 11, 267-276	6.3	82
110	Spred1 Safeguards Hematopoietic Homeostasis against Diet-Induced Systemic Stress. <i>Cell Stem Cell</i> , 2018 , 22, 713-725.e8	18	16

109	Functional loss of p53 cooperates with the in vivo microenvironment to promote malignant progression of gastric cancers. <i>Scientific Reports</i> , 2018 , 8, 2291	4.9	16
108	The inflammatory microenvironment that promotes gastrointestinal cancer development and invasion. <i>Advances in Biological Regulation</i> , 2018 , 68, 39-45	6.2	22
107	Hyperactive gp130/STAT3-driven gastric tumorigenesis promotes submucosal tertiary lymphoid structure development. <i>International Journal of Cancer</i> , 2018 , 143, 167-178	7.5	23
106	Inflammasome Adaptor ASC Suppresses Apoptosis of Gastric Cancer Cells by an IL18-Mediated Inflammation-Independent Mechanism. <i>Cancer Research</i> , 2018 , 78, 1293-1307	10.1	39
105	Combined Mutation of , and Effectively Drives Metastasis of Intestinal Cancer. <i>Cancer Research</i> , 2018 , 78, 1334-1346	10.1	53
104	Clinical Utility of a STAT3-Regulated miRNA-200 Family Signature with Prognostic Potential in Early Gastric Cancer. <i>Clinical Cancer Research</i> , 2018 , 24, 1459-1472	12.9	29
103	Stemness Is Enhanced in Gastric Cancer by a SET/PP2A/E2F1 Axis. <i>Molecular Cancer Research</i> , 2018 , 16, 554-563	6.6	26
102	Laser Microdissection of Cellular Compartments for Expression Analyses in Cancer Models. <i>Methods in Molecular Biology</i> , 2018 , 1725, 143-153	1.4	
101	Dietary intake of pyrolyzed deketene curcumin inhibits gastric carcinogenesis. <i>Journal of Functional Foods</i> , 2018 , 50, 192-200	5.1	8
100	Estrogen-related receptor gamma functions as a tumor suppressor in gastric cancer. <i>Nature Communications</i> , 2018 , 9, 1920	17.4	48
99	Gut Microbiota Promotes Obesity-Associated Liver Cancer through PGE-Mediated Suppression of Antitumor Immunity. <i>Cancer Discovery</i> , 2017 , 7, 522-538	24.4	198
98	Nardilysin regulates inflammation, metaplasia, and tumors in murine stomach. <i>Scientific Reports</i> , 2017 , 7, 43052	4.9	10
97	Cell competition with normal epithelial cells promotes apical extrusion of transformed cells through metabolic changes. <i>Nature Cell Biology</i> , 2017 , 19, 530-541	23.4	112
96	Identification of a TLR2-regulated gene signature associated with tumor cell growth in gastric cancer. <i>Oncogene</i> , 2017 , 36, 5134-5144	9.2	41
95	Intestinal cancer progression by mutant p53 through the acquisition of invasiveness associated with complex glandular formation. <i>Oncogene</i> , 2017 , 36, 5885-5896	9.2	36
94	A novel role for OATP2A1/SLCO2A1 in a murine model of colon cancer. <i>Scientific Reports</i> , 2017 , 7, 16567	4.9	23
93	Requisite role of vasohibin-2 in spontaneous gastric cancer formation and accumulation of cancer-associated fibroblasts. <i>Cancer Science</i> , 2017 , 108, 2342-2351	6.9	13
92	Inflammation in gastric cancer: Interplay of the COX-2/prostaglandin E2 and Toll-like receptor/MyD88 pathways. <i>Cancer Science</i> , 2016 , 107, 391-7	6.9	129

91	Myeloid Differentiation Factor 88 Signaling in Bone Marrow-Derived Cells Promotes Gastric Tumorigenesis by Generation of Inflammatory Microenvironment. <i>Cancer Prevention Research</i> , 2016 , 9, 253-63	3.2	24
90	18Eglycyrrhetic acid suppresses gastric cancer by activation of miR-149-3p-Wnt-1 signaling. <i>Oncotarget</i> , 2016 , 7, 71960-71973	3.3	37
89	NOTUM is a potential pharmacodynamic biomarker of Wnt pathway inhibition. <i>Oncotarget</i> , 2016 , 7, 12386-12392	3.9	17
88	Novel oral transforming growth factor- β signaling inhibitor EW-7197 eradicates CML-initiating cells. <i>Cancer Science</i> , 2016 , 107, 140-8	6.9	20
87	Suppressing TGF β signaling in regenerating epithelia in an inflammatory microenvironment is sufficient to cause invasive intestinal cancer. <i>Cancer Research</i> , 2015 , 75, 766-76	10.1	56
86	Dipeptide species regulate p38MAPK-Smad3 signalling to maintain chronic myelogenous leukaemia stem cells. <i>Nature Communications</i> , 2015 , 6, 8039	17.4	40
85	MicroRNA-29c mediates initiation of gastric carcinogenesis by directly targeting ITGB1. <i>Gut</i> , 2015 , 64, 203-14	19.2	116
84	Therapeutic activity of glycoengineered anti-GM2 antibodies against malignant pleural mesothelioma. <i>Cancer Science</i> , 2015 , 106, 102-7	6.9	7
83	Ink4a/Arf-Dependent Loss of Parietal Cells Induced by Oxidative Stress Promotes CD44-Dependent Gastric Tumorigenesis. <i>Cancer Prevention Research</i> , 2015 , 8, 492-501	3.2	11
82	Inhibition of Eatenin and STAT3 with a curcumin analog suppresses gastric carcinogenesis in vivo. <i>Gastric Cancer</i> , 2015 , 18, 774-83	7.6	18
81	Canolol inhibits gastric tumors initiation and progression through COX-2/PGE2 pathway in K19-C2mE transgenic mice. <i>PLoS ONE</i> , 2015 , 10, e0120938	3.7	24
80	Impact of inflammation-metaplasia-adenocarcinoma sequence and inflammatory microenvironment in esophageal carcinogenesis using surgical rat models. <i>Annals of Surgical Oncology</i> , 2014 , 21, 2012-9	3.1	29
79	TNF- α /TNFR1 signaling promotes gastric tumorigenesis through induction of Noxo1 and Gna14 in tumor cells. <i>Oncogene</i> , 2014 , 33, 3820-9	9.2	89
78	Context-dependent activation of Wnt signaling by tumor suppressor RUNX3 in gastric cancer cells. <i>Cancer Science</i> , 2014 , 105, 418-24	6.9	27
77	The role of PGE2-associated inflammatory responses in gastric cancer development. <i>Seminars in Immunopathology</i> , 2013 , 35, 139-50	12	31
76	Functional role of CD44v-xCT system in the development of spasmolytic polypeptide-expressing metaplasia. <i>Cancer Science</i> , 2013 , 104, 1323-9	6.9	62
75	The unfolded protein response is activated in Helicobacter-induced gastric carcinogenesis in a non-cell autonomous manner. <i>Laboratory Investigation</i> , 2013 , 93, 112-22	5.9	24
74	Requirement of SLD5 for early embryogenesis. <i>PLoS ONE</i> , 2013 , 8, e78961	3.7	11

73	The inflammatory network in the gastrointestinal tumor microenvironment: lessons from mouse models. <i>Journal of Gastroenterology</i> , 2012 , 47, 97-106	6.9	81
72	STAT3-driven upregulation of TLR2 promotes gastric tumorigenesis independent of tumor inflammation. <i>Cancer Cell</i> , 2012 , 22, 466-78	24.3	196
71	Inflammation-induced repression of tumor suppressor miR-7 in gastric tumor cells. <i>Oncogene</i> , 2012 , 31, 3949-60	9.2	97
70	Claudin-4 deficiency results in urothelial hyperplasia and lethal hydronephrosis. <i>PLoS ONE</i> , 2012 , 7, e52237	3.7	57
69	Prostaglandin E2 signaling and bacterial infection recruit tumor-promoting macrophages to mouse gastric tumors. <i>Gastroenterology</i> , 2011 , 140, 596-607.e7	13.3	90
68	Adenomatous polyposis coli heterozygous knockout mice display hypoactivity and age-dependent working memory deficits. <i>Frontiers in Behavioral Neuroscience</i> , 2011 , 5, 85	3.5	19
67	Activation of epidermal growth factor receptor signaling by the prostaglandin E(2) receptor EP4 pathway during gastric tumorigenesis. <i>Cancer Science</i> , 2011 , 102, 713-9	6.9	48
66	Suppression of colon cancer metastasis by Aes through inhibition of Notch signaling. <i>Cancer Cell</i> , 2011 , 19, 125-37	24.3	167
65	CD44 variant regulates redox status in cancer cells by stabilizing the xCT subunit of system xc(-) and thereby promotes tumor growth. <i>Cancer Cell</i> , 2011 , 19, 387-400	24.3	796
64	Cox-2 deletion in myeloid and endothelial cells, but not in epithelial cells, exacerbates murine colitis. <i>Carcinogenesis</i> , 2011 , 32, 417-26	4.6	42
63	Activation of Bmp2-Smad1 signal and its regulation by coordinated alteration of H3K27 trimethylation in Ras-induced senescence. <i>PLoS Genetics</i> , 2011 , 7, e1002359	6	48
62	CD44+ slow-cycling tumor cell expansion is triggered by cooperative actions of Wnt and prostaglandin E2 in gastric tumorigenesis. <i>Cancer Science</i> , 2010 , 101, 673-8	6.9	116
61	Inflammation, tumor necrosis factor and Wnt promotion in gastric cancer development. <i>Future Oncology</i> , 2010 , 6, 515-26	3.6	33
60	Mouse models of gastric tumors: Wnt activation and PGE2 induction. <i>Pathology International</i> , 2010 , 60, 599-607	1.8	21
59	Identification of tumor-initiating cells in a highly aggressive brain tumor using promoter activity of nucleostemin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 17163-8	11.5	75
58	Induction of prostaglandin E2 pathway promotes gastric hamartoma development with suppression of bone morphogenetic protein signaling. <i>Cancer Research</i> , 2009 , 69, 2729-33	10.1	24
57	Mouse gastric tumor models with prostaglandin E2 pathway activation show similar gene expression profiles to intestinal-type human gastric cancer. <i>BMC Genomics</i> , 2009 , 10, 615	4.5	25
56	Prostaglandin E2, Wnt, and BMP in gastric tumor mouse models. <i>Cancer Science</i> , 2009 , 100, 1779-85	6.9	41

55	Hepatocellular carcinoma development induced by conditional beta-catenin activation in Lkb1+/- mice. <i>Cancer Science</i> , 2009 , 100, 2046-53	6.9	32
54	Matrix metalloproteinase 7 is required for tumor formation, but dispensable for invasion and fibrosis in SMAD4-deficient intestinal adenocarcinomas. <i>Laboratory Investigation</i> , 2009 , 89, 98-105	5.9	28
53	The interleukin-6 family cytokine interleukin-11 regulates homeostatic epithelial cell turnover and promotes gastric tumor development. <i>Gastroenterology</i> , 2009 , 136, 967-77	13.3	70
52	Induction and down-regulation of Sox17 and its possible roles during the course of gastrointestinal tumorigenesis. <i>Gastroenterology</i> , 2009 , 137, 1346-57	13.3	54
51	HMGA1 is induced by Wnt/beta-catenin pathway and maintains cell proliferation in gastric cancer. <i>American Journal of Pathology</i> , 2009 , 175, 1675-85	5.8	61
50	Activated macrophages promote Wnt signalling through tumour necrosis factor-alpha in gastric tumour cells. <i>EMBO Journal</i> , 2008 , 27, 1671-81	13	230
49	Roles of cyclooxygenase-2 and microsomal prostaglandin E synthase-1 expression and beta-catenin activation in gastric carcinogenesis in N-methyl-N-nitrosourea-treated K19-C2mE transgenic mice. <i>Cancer Science</i> , 2008 , 99, 2356-64	6.9	28
48	Stromal fibroblasts activated by tumor cells promote angiogenesis in mouse gastric cancer. <i>Journal of Biological Chemistry</i> , 2008 , 283, 19864-71	5.4	138
47	Platelet-type 12-lipoxygenase accelerates tumor promotion of mouse epidermal cells through enhancement of cloning efficiency. <i>Carcinogenesis</i> , 2008 , 29, 440-7	4.6	23
46	Blocking TNF-alpha in mice reduces colorectal carcinogenesis associated with chronic colitis. <i>Journal of Clinical Investigation</i> , 2008 , 118, 560-70	15.9	610
45	Chromosomal instability by beta-catenin/TCF transcription in APC or beta-catenin mutant cells. <i>Oncogene</i> , 2007 , 26, 3511-20	9.2	67
44	Chemokine receptor CXCR3 promotes colon cancer metastasis to lymph nodes. <i>Oncogene</i> , 2007 , 26, 4679-88	17.6	176
43	SMAD4-deficient intestinal tumors recruit CCR1+ myeloid cells that promote invasion. <i>Nature Genetics</i> , 2007 , 39, 467-75	36.3	221
42	Suppression of tubulin polymerization by the LKB1-microtubule-associated protein/microtubule affinity-regulating kinase signaling. <i>Journal of Biological Chemistry</i> , 2007 , 282, 23532-40	5.4	42
41	Increased level of serum vascular endothelial growth factor by long-term exposure to hypergravity. <i>Experimental Animals</i> , 2007 , 56, 309-13	1.8	7
40	Destruction of pancreatic beta-cells by transgenic induction of prostaglandin E2 in the islets. <i>Journal of Biological Chemistry</i> , 2006 , 281, 29330-6	5.4	39
39	Carcinogenesis in mouse stomach by simultaneous activation of the Wnt signaling and prostaglandin E2 pathway. <i>Gastroenterology</i> , 2006 , 131, 1086-95	13.3	170
38	Accelerated onsets of gastric hamartomas and hepatic adenomas/carcinomas in Lkb1+/-p53-/- compound mutant mice. <i>Oncogene</i> , 2006 , 25, 1816-20	9.2	29

37	Hypergravity induces expression of cyclooxygenase-2 in the heart vessels. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 330, 928-33	3.4	19
36	A targeted mutation of Nkd1 impairs mouse spermatogenesis. <i>Journal of Biological Chemistry</i> , 2005 , 280, 2831-9	5.4	37
35	Hyperplastic gastric tumors with spasmolytic polypeptide-expressing metaplasia caused by tumor necrosis factor-alpha-dependent inflammation in cyclooxygenase-2/microsomal prostaglandin E synthase-1 transgenic mice. <i>Cancer Research</i> , 2005 , 65, 9147-51	10.1	55
34	ROCK-I regulates closure of the eyelids and ventral body wall by inducing assembly of actomyosin bundles. <i>Journal of Cell Biology</i> , 2005 , 168, 941-53	7.3	257
33	The threshold level of adenomatous polyposis coli protein for mouse intestinal tumorigenesis. <i>Cancer Research</i> , 2005 , 65, 8622-7	10.1	40
32	Pivotal role of CXCR3 in melanoma cell metastasis to lymph nodes. <i>Cancer Research</i> , 2004 , 64, 4010-7	10.1	223
31	Hepatocarcinogenesis in mice with beta-catenin and Ha-ras gene mutations. <i>Cancer Research</i> , 2004 , 64, 48-54	10.1	154
30	Hyperplastic gastric tumors induced by activated macrophages in COX-2/mPGES-1 transgenic mice. <i>EMBO Journal</i> , 2004 , 23, 1669-78	13	203
29	Simultaneous expression of COX-2 and mPGES-1 in mouse gastrointestinal hamartomas. <i>British Journal of Cancer</i> , 2004 , 90, 701-4	8.7	26
28	Development of spontaneous tumours and intestinal lesions in Fhit gene knockout mice. <i>British Journal of Cancer</i> , 2004 , 91, 1571-4	8.7	18
27	Targeted disruption of the mouse rho-associated kinase 2 gene results in intrauterine growth retardation and fetal death. <i>Molecular and Cellular Biology</i> , 2003 , 23, 5043-55	4.8	216
26	Colonic polyposis caused by mTOR-mediated chromosomal instability in Apc ⁺ /Delta716 Cdx2 ^{+/-} compound mutant mice. <i>Nature Genetics</i> , 2003 , 35, 323-30	36.3	199
25	Requirement for tumor suppressor Apc in the morphogenesis of anterior and ventral mouse embryo. <i>Developmental Biology</i> , 2003 , 253, 230-46	3.1	46
24	Cooperation of cyclooxygenase 1 and cyclooxygenase 2 in intestinal polyposis. <i>Cancer Research</i> , 2003 , 63, 4872-7	10.1	67
23	COX selectivity and animal models for colon cancer. <i>Current Pharmaceutical Design</i> , 2002 , 8, 1021-34	3.3	69
22	Cyclooxygenase 2- and prostaglandin E(2) receptor EP(2)-dependent angiogenesis in Apc(Delta716) mouse intestinal polyps. <i>Cancer Research</i> , 2002 , 62, 506-11	10.1	214
21	Lack of tumorigenesis in the mouse liver after adenovirus-mediated expression of a dominant stable mutant of beta-catenin. <i>Cancer Research</i> , 2002 , 62, 1971-7	10.1	122
20	Gastrointestinal hamartomatous polyposis in Lkb1 heterozygous knockout mice. <i>Cancer Research</i> , 2002 , 62, 2261-6	10.1	133

19	Hepatocellular carcinoma caused by loss of heterozygosity in Lkb1 gene knockout mice. <i>Cancer Research</i> , 2002 , 62, 4549-53	10.1	90
18	Cyclooxygenase-2 expression in fibroblasts and endothelial cells of intestinal polyps. <i>Cancer Research</i> , 2002 , 62, 6846-9	10.1	71
17	Morphologic and molecular analysis of estrogen-induced pituitary tumorigenesis in targeted disruption of transforming growth factor-beta receptor type II and/or p27 mice. <i>Endocrine</i> , 2001 , 16, 55-65		4
16	Acceleration of intestinal polyposis through prostaglandin receptor EP2 in Apc(Delta 716) knockout mice. <i>Nature Medicine</i> , 2001 , 7, 1048-51	50.5	511
15	Optimization of the helper-dependent adenovirus system for production and potency in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 1002-7	11.5	181
14	Impaired extrapyramidal function caused by the targeted disruption of retinoid X receptor RXRgamma1 isoform. <i>Genes To Cells</i> , 1999 , 4, 219-28	2.3	29
13	Intestinal polyposis in mice with a dominant stable mutation of the beta-catenin gene. <i>EMBO Journal</i> , 1999 , 18, 5931-42	13	946
12	Gastric and duodenal polyps in Smad4 (Dpc4) knockout mice. <i>Cancer Research</i> , 1999 , 59, 6113-7	10.1	144
11	Estrogen-induced tumorigenesis in the pituitary gland of TGF-beta(+/-) knockout mice. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 1998 , 1407, 79-83	6.9	18
10	Intestinal tumorigenesis in compound mutant mice of both Dpc4 (Smad4) and Apc genes. <i>Cell</i> , 1998 , 92, 645-56	56.2	507
9	Nuclear translocation of beta-catenin in hereditary and carcinogen-induced intestinal adenomas. <i>Carcinogenesis</i> , 1998 , 19, 543-9	4.6	61
8	Suppression of intestinal polyp development by low-fat and high-fiber diet in Apc(delta716) knockout mice. <i>Carcinogenesis</i> , 1997 , 18, 1863-5	4.6	42
7	Early embryonic lethality caused by targeted disruption of the mouse selenocysteine tRNA gene (Trsp). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997 , 94, 5531-4	11.5	258
6	Early embryonic lethality caused by targeted disruption of the mouse thioredoxin gene. <i>Developmental Biology</i> , 1996 , 178, 179-85	3.1	432
5	TGF-beta receptor type II deficiency results in defects of yolk sac hematopoiesis and vasculogenesis. <i>Developmental Biology</i> , 1996 , 179, 297-302	3.1	574
4	Suppression of intestinal polyposis in Apc delta716 knockout mice by inhibition of cyclooxygenase 2 (COX-2). <i>Cell</i> , 1996 , 87, 803-9	56.2	2046
3	Effects of 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine on intestinal polyp development in Apc delta 716 knockout mice. <i>Molecular Carcinogenesis</i> , 1996 , 15, 11-7	5	15
2	Effects of docosahexaenoic acid (DHA) on intestinal polyp development in Apc delta 716 knockout mice. <i>Carcinogenesis</i> , 1995 , 16, 2605-7	4.6	57

- 1 Loss of Apc heterozygosity and abnormal tissue building in nascent intestinal polyps in mice carrying a truncated Apc gene. *Proceedings of the National Academy of Sciences of the United States of America*, **1995**, 92, 4482-6 11.5 470