

Dario Narducci

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3979167/dario-narducci-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

141
papers

1,938
citations

23
h-index

39
g-index

155
ext. papers

2,229
ext. citations

3.7
avg. IF

5.2
L-index

#	Paper	IF	Citations
141	Recent Advances on Thermoelectric Silicon for Low-Temperature Applications.. <i>Materials</i> , 2022 , 15,	3.5	2
140	Economic Convenience of Hybrid Thermoelectric-Photovoltaic Solar Harvesters. <i>ACS Applied Energy Materials</i> , 2021 , 4, 4029-4037	6.1	3
139	Practical development of efficient thermoelectric Photovoltaic hybrid systems based on wide-gap solar cells. <i>Applied Energy</i> , 2021 , 300, 117343	10.7	8
138	Exceptional thermoelectric power factors in hyperdoped, fully dehydrogenated nanocrystalline silicon thin films. <i>Applied Physics Letters</i> , 2021 , 119, 263903	3.4	2
137	High Power Thermoelectric Generator Based on Vertical Silicon Nanowires. <i>Nano Letters</i> , 2020 , 20, 4748-4753	11.53	35
136	On the mechanism ruling the morphology of silicon nanowires obtained by one-pot metal-assisted chemical etching. <i>Nanotechnology</i> , 2020 , 31, 404002	3.4	4
135	Impact of synthetic conditions on the anisotropic thermal conductivity of poly(3,4-ethylenedioxythiophene) (PEDOT): A molecular dynamics investigation. <i>Physical Review Materials</i> , 2020 , 4,	3.2	7
134	Simultaneous materials and layout optimization of non-imaging optically concentrated solar thermoelectric generators. <i>Energy</i> , 2020 , 194, 116867	7.9	4
133	Hierarchically nanostructured thermoelectric materials: challenges and opportunities for improved power factors. <i>European Physical Journal B</i> , 2020 , 93, 1	1.2	3
132	Modelling the simultaneous increase of the conductivity and the Seebeck coefficient in highly B-doped nc-Si. <i>Materials Today: Proceedings</i> , 2019 , 8, 706-712	1.4	2
131	Thermoelectric harvesters and the internet of things: technological and economic drivers. <i>JPhys Energy</i> , 2019 , 1, 024001	4.9	17
130	Synergy between defects, charge neutrality and energy filtering in hyper-doped nanocrystalline materials for high thermoelectric efficiency. <i>Nanoscale</i> , 2019 , 11, 7667-7673	7.7	11
129	Interplay between synthetic conditions and micromorphology in poly(3,4-ethylenedioxythiophene):tosylate (PEDOT:Tos): an atomistic investigation. <i>Physical Chemistry Chemical Physics</i> , 2019 , 21, 8580-8586	3.6	7
128	Nanostructured potential well/barrier engineering for realizing unprecedentedly large thermoelectric power factors. <i>Materials Today Physics</i> , 2019 , 11, 100159	8	12
127	Thermoelectrics: From history, a window to the future. <i>Materials Science and Engineering Reports</i> , 2019 , 138, 100501	30.9	190
126	Hybrid Solar Harvesters: Technological Challenges, Economic Issues, and Perspectives. <i>Springer Series in Materials Science</i> , 2018 , 137-151	0.9	2
125	A Primer on Photovoltaic Generators. <i>Springer Series in Materials Science</i> , 2018 , 63-90	0.9	2

124	Hybrid Photovoltaic/Thermoelectric Generators: Materials Issues. <i>Springer Series in Materials Science</i> , 2018 , 103-116	0.9	2
123	A Primer on Thermoelectric Generators. <i>Springer Series in Materials Science</i> , 2018 , 11-43	0.9	2
122	Solar Thermoelectric Generators. <i>Springer Series in Materials Science</i> , 2018 , 45-61	0.9	2
121	PdGe contact fabrication on Ga-doped Ge: Influence of implantation-mediated defects. <i>Scripta Materialia</i> , 2018 , 150, 66-69	5.6	1
120	Phonon Scattering in Silicon by Multiple Morphological Defects: A Multiscale Analysis. <i>Journal of Electronic Materials</i> , 2018 , 47, 5148-5157	1.9	8
119	Efficiency at Maximum Power of Dissipative Thermoelectric Generators: A Finite-time Thermodynamic Analysis. <i>Journal of Materials Engineering and Performance</i> , 2018 , 27, 6274-6278	1.6	5
118	Hybrid Photovoltaic/Thermoelectric Generators: Theory of Operation. <i>Springer Series in Materials Science</i> , 2018 , 91-102	0.9	0
117	Experimental Determination of Power Losses and Heat Generation in Solar Cells for Photovoltaic-Thermal Applications. <i>Journal of Materials Engineering and Performance</i> , 2018 , 27, 6291-6298	1.6	6
116	Modulation of charge transport properties in poly(3,4-ethylenedioxythiophene) nanocomposites for thermoelectric applications. <i>Journal Physics D: Applied Physics</i> , 2018 , 51, 034002	3	2
115	Suitability of Electrical Coupling in Solar Cell Thermoelectric Hybridization. <i>Designs</i> , 2018 , 2, 32	1.8	4
114	Fabrication of Silicon Nanowire Forests for Thermoelectric Applications by Metal-Assisted Chemical Etching. <i>Journal of Materials Engineering and Performance</i> , 2018 , 27, 6279-6285	1.6	5
113	Photovoltaic/Thermoelectric/Thermodynamic Co-Generation. <i>Springer Series in Materials Science</i> , 2018 , 117-136	0.9	
112	Efficiency enhancement of a-Si and CZTS solar cells using different thermoelectric hybridization strategies. <i>Energy</i> , 2017 , 131, 230-238	7.9	23
111	A Special Section on Thermoelectrics. <i>Journal of Nanoscience and Nanotechnology</i> , 2017 , 17, 1543-1546	1.3	
110	Silicon for Thermoelectric Energy Harvesting Applications. <i>Advanced Micro & Nanosystems</i> , 2017 , 55-91		1
109	Theoretical Analysis of Two Novel Hybrid Thermoelectric-Photovoltaic Systems Based on Cu ₂ ZnSnS ₄ /Solar Cells. <i>Journal of Nanoscience and Nanotechnology</i> , 2017 , 17, 1608-615	1.3	7
108	Annealing of Heavily Boron-Doped Silicon: Effect on Electrical and Thermoelectric Properties. <i>Journal of Nanoscience and Nanotechnology</i> , 2017 , 17, 1657-662	1.3	4
107	Tuning PEDOT:Tos Thermoelectric Properties Through Nanoparticle Inclusion. <i>Journal of Nanoscience and Nanotechnology</i> , 2017 , 17, 1579-585	1.3	3

106	PdGe contact fabrication on Se-doped Ge. <i>Scripta Materialia</i> , 2017 , 139, 104-107	5.6	3
105	Energy Filtering and Thermoelectrics: Artifact or Artifice?. <i>Journal of Nanoscience and Nanotechnology</i> , 2017 , 17, 1663-667	1.3	9
104	Hybrid Photovoltaic-Thermoelectric Solar Cells: State of the Art and Challenges 2017 , 139-181		1
103	Nanosilicon and thermoelectricity 2017 , 555-574		
102	Nanosilicon and thermoelectricity. <i>Series in Materials Science and Engineering</i> , 2017 , 555-574		
101	Challenges and Perspectives in Tandem Thermoelectric Photovoltaic Solar Energy Conversion. <i>IEEE Nanotechnology Magazine</i> , 2016 , 15, 348-355	2.6	21
100	Smart integration of silicon nanowire arrays in all-silicon thermoelectric micro-nanogenerators. <i>Semiconductor Science and Technology</i> , 2016 , 31, 084001	1.8	28
99	A Monte Carlo Study on the Effect of Energy Barriers on the Thermoelectric Properties of Si. <i>Energy Harvesting and Systems</i> , 2016 , 3, 323-328	4.4	1
98	Enhanced phonon scattering by nanovoids in high thermoelectric power factor polysilicon thin films. <i>Applied Physics Letters</i> , 2016 , 109, 253104	3.4	19
97	Effect of the Annealing on the Low-Temperature Charge Transport Properties of Heavily Boron-Doped Nanocrystalline Silicon Films for Thermoelectric Applications. <i>Energy Harvesting and Systems</i> , 2016 , 3, 329-333	4.4	
96	Parametric modeling of energy filtering by energy barriers in thermoelectric nanocomposites. <i>Journal of Applied Physics</i> , 2015 , 117, 035102	2.5	24
95	Explicitly Accounting for the Heat Sink Strengths in the Thermal Matching of Thermoelectric Devices. A Unified Practical Approach. <i>Materials Today: Proceedings</i> , 2015 , 2, 474-482	1.4	3
94	Boron Diffusion in Silicon in the Presence of Grain Boundaries and Voids. <i>Materials Today: Proceedings</i> , 2015 , 2, 583-587	1.4	2
93	Monte Carlo study of the Electron Transport Properties of an Array of Si Nanocrystals. <i>Materials Today: Proceedings</i> , 2015 , 2, 491-496	1.4	1
92	Thermal and UV Hydrosilylation of Alcohol-Based Bifunctional Alkynes on Si (111) surfaces: How surface radicals influence surface bond formation. <i>Scientific Reports</i> , 2015 , 5, 11299	4.9	21
91	Compact Model for Thermoelectric Power Factor Enhancement by Energy Barriers in a Two-phase Composite Semiconductor. <i>Materials Today: Proceedings</i> , 2015 , 2, 497-503	1.4	4
90	Analysis of Thermal Losses for a Variety of Single-Junction Photovoltaic Cells: An Interesting Means of Thermoelectric Heat Recovery. <i>Journal of Electronic Materials</i> , 2015 , 44, 1809-1813	1.9	9
89	Surface modification strategies on mesoporous silica nanoparticles for anti-biofouling zwitterionic film grafting. <i>Advances in Colloid and Interface Science</i> , 2015 , 226, 166-86	14.3	46

88	Influence of Grain Size on the Thermoelectric Properties of Polycrystalline Silicon Nanowires. <i>Journal of Electronic Materials</i> , 2015 , 44, 371-376	1.9	7
87	Conditions for beneficial coupling of thermoelectric and photovoltaic devices. <i>Journal of Materials Research</i> , 2015 , 30, 2663-2669	2.5	15
86	Formation of stable Si-O-C submonolayers on hydrogen-terminated silicon(111) under low-temperature conditions. <i>Beilstein Journal of Nanotechnology</i> , 2015 , 6, 19-26	3	42
85	Silicon de novo: energy filtering and enhanced thermoelectric performances of nanocrystalline silicon and silicon alloys. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 12176-12185	7.1	35
84	Power Factor Enhancement by Inhomogeneous Distribution of Dopants in Two-Phase Nanocrystalline Systems. <i>Journal of Electronic Materials</i> , 2014 , 43, 1896-1904	1.9	19
83	Paradoxical Enhancement of the Power Factor of Polycrystalline Silicon as a Result of the Formation of Nanovoids. <i>Journal of Electronic Materials</i> , 2014 , 43, 3812-3816	1.9	23
82	Nanovoid Formation and Dynamics in He ⁺ -Implanted Nanocrystalline Silicon. <i>Journal of Electronic Materials</i> , 2014 , 43, 3852-3856	1.9	6
81	Preferential formation of Si-O-C over Si-C linkage upon thermal grafting on hydrogen-terminated silicon (111). <i>Chemistry - A European Journal</i> , 2014 , 20, 15151-8	4.8	35
80	Enhancement of the power factor in two-phase siliconBoron nanocrystalline alloys. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2014 , 211, 1255-1258	1.6	26
79	Nanograin Effects on the Thermoelectric Properties of Poly-Si Nanowires. <i>Journal of Electronic Materials</i> , 2013 , 42, 2393-2401	1.9	4
78	Phonon scattering enhancement in silicon nanolayers. <i>Journal of Materials Science</i> , 2013 , 48, 2779-2784	4.3	6
77	Synergizing nucleic acid aptamers with 1-dimensional nanostructures as label-free field-effect transistor biosensors. <i>Biosensors and Bioelectronics</i> , 2013 , 50, 278-93	11.8	28
76	Simultaneous increase in electrical conductivity and Seebeck coefficient in highly boron-doped nanocrystalline Si. <i>Nanotechnology</i> , 2013 , 24, 205402	3.4	110
75	Strain-induced generation of silicon nanopillars. <i>Nanotechnology</i> , 2013 , 24, 335302	3.4	6
74	Biased Diffusion and Rectified Brownian Motion at the Nanoscale Driving Mobile Sensing Automata for the Early Diagnosis of Endogenous Diseases 2012 , 1-25		
73	Impact of energy filtering and carrier localization on the thermoelectric properties of granular semiconductors. <i>Journal of Solid State Chemistry</i> , 2012 , 193, 19-25	3.3	131
72	Nano and Giga Challenges in Electronics Photonics and Renewable Energy (NGC2011) Moscow-Zelenograd, Russia, September 12-16, 2011. <i>Nanoscale Research Letters</i> , 2012 , 7, 326	5	
71	Thermoelectric Properties of p and n-type Nanocrystalline Silicon Nanowires with High Doping Levels. <i>Materials Research Society Symposia Proceedings</i> , 2012 , 1408, 67		1

70	Using evidence from nanocavities to assess the vibrational properties of external surfaces. <i>Journal of Physics Condensed Matter</i> , 2012 , 24, 104005	1.8	1
69	High figures of merit in degenerate semiconductors. Energy filtering by grain boundaries in heavily doped polycrystalline silicon 2012 ,		8
68	Ultradense silicon nanowire arrays produced via top-down planar technology. <i>Microelectronic Engineering</i> , 2011 , 88, 877-881	2.5	16
67	Do we really need high thermoelectric figures of merit? A critical appraisal to the power conversion efficiency of thermoelectric materials. <i>Applied Physics Letters</i> , 2011 , 99, 102104	3.4	88
66	Effect of Nanocavities on the Thermoelectric Properties of Polycrystalline Silicon. <i>Materials Research Society Symposia Proceedings</i> , 2011 , 1329, 1		1
65	Crossbar architecture for tera-scale integration. <i>Semiconductor Science and Technology</i> , 2011 , 26, 045005.8	1.8	7
64	Enhanced Thermoelectric Properties of Strongly Degenerate Polycrystalline Silicon upon Second Phase Segregation. <i>Materials Research Society Symposia Proceedings</i> , 2011 , 1314, 1		13
63	Thermodynamic Efficiency, Power Output and Performance Indices of Classic and Nanostructured Thermoelectric Materials. <i>Journal of Nanoengineering and Nanomanufacturing</i> , 2011 , 1, 63-70		2
62	Biosensing at the Nanoscale: There's Plenty of Room Inside. <i>Science of Advanced Materials</i> , 2011 , 3, 426-435	4.5	17
61	Terascale integration via a redesign of the crossbar based on a vertical arrangement of poly-Si nanowires. <i>Semiconductor Science and Technology</i> , 2010 , 25, 095011	1.8	12
60	Assigning chemical configurations to the XPS features observed at pristine (1 0 0) Si surface resulting after etching in HF aqueous solution. <i>Applied Surface Science</i> , 2010 , 256, 6330-6339	6.7	5
59	Adsorption equilibria and kinetics of H ₂ at nearly ideal (2×)Si(100) inner surfaces. <i>Surface Science</i> , 2010 , 604, 1215-1220	1.8	2
58	A tool for the spectroscopic investigation of hydrogen-silicon interaction. <i>Surface and Interface Analysis</i> , 2010 , 42, 1307-1310	1.5	1
57	Comparing the IR spectra of H-terminated inner and outer silicon surfaces. <i>Surface and Interface Analysis</i> , 2010 , 42, 1321-1325	1.5	3
56	Encapsulating Eu ³⁺ complex doped layers to improve Si-based solar cell efficiency. <i>Progress in Photovoltaics: Research and Applications</i> , 2009 , 17, 519-525	6.8	65
55	Nanocavities in silicon: An infrared investigation of internal surface reconstruction after hydrogen implantation. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2009 , 159-160, 173-176	3.1	7
54	Sputter-induced trap states at oxidized and grafted silicon surfaces: A comparative study. <i>Thin Solid Films</i> , 2009 , 517, 1944-1948	2.2	
53	Evidence for H ₂ at high pressure in the silicon nanocavities after dipping in HF solution. <i>Surface Science</i> , 2009 , 603, 2188-2192	1.8	8

52	Hydrogen injection and retention in nanocavities of single-crystalline silicon. <i>Journal Physics D: Applied Physics</i> , 2009 , 42, 062001	3	6
51	Fractal Nanotechnology. <i>Nanoscale Research Letters</i> , 2008 , 3, 381-385	5	22
50	Chemical, energetic, and geometric heterogeneity of device-quality (1 0 0) surfaces of single crystalline silicon after HFaq etching. <i>Applied Surface Science</i> , 2008 , 254, 5781-5790	6.7	15
49	Litho-to-Nano Link 2008 , 1890-1900		1
48	Vibrational study on styrene functionalized porous silicon: A method for determining the relative yield of different grafting routes. <i>Surface Science</i> , 2007 , 601, 2836-2839	1.8	7
47	Dynamic barrier height modulation analysis of metal/insulator/semiconductor junctions built on silicon surfaces modified by covalent organic layers. <i>Surface Science</i> , 2007 , 601, 2845-2849	1.8	1
46	Solution based, RuHCl(CO)(PPh ₃) ₃ catalyzed hydrosilylation of alkynes onto Si(100) surfaces. <i>Surface Science</i> , 2007 , 601, 2840-2844	1.8	4
45	Metallization of grafted silicon surfaces: Sputtering-related damage effects. <i>Surface Science</i> , 2007 , 601, 2855-2858	1.8	3
44	Combined IR and XPS analysis of the native (1 0 0) surface of single-crystalline silicon after HFaq etching. <i>Surface and Interface Analysis</i> , 2007 , 39, 836-844	1.5	12
43	An introduction to nanotechnologies: what's in it for us?. <i>Veterinary Research Communications</i> , 2007 , 31 Suppl 1, 131-7	2.9	26
42	Investigation of gas/surface interactions at self-assembled silicon surfaces acting as gas sensors. <i>Applied Surface Science</i> , 2003 , 212-213, 491-496	6.7	11
41	Morphology changes of Si(0 0 1) surfaces during wet chemical halogenation. <i>Applied Surface Science</i> , 2003 , 212-213, 595-600	6.7	3
40	On the re-oxidation of silicon(0 0 1) surfaces modified by self-assembled monolayers. <i>Applied Surface Science</i> , 2003 , 212-213, 649-653	6.7	3
39	Experimental evidence and computational analysis of the electronic density modulation induced by gaseous molecules at Si(001) surfaces upon self-assembling organic monolayer. <i>Applied Surface Science</i> , 2001 , 175-176, 379-385	6.7	14
38	Modulation of Si(100) electronic surface density due to supramolecular interactions of gaseous molecules with self-assembled organic monolayers. <i>Materials Science and Engineering C</i> , 2001 , 15, 253-255	8.3	5
37	Interaction of Small Molecules with Silicon Surfaces. <i>Solid State Phenomena</i> , 2001 , 85-86, 337-352	0.4	1
36	Surface microcharacterization of silicon wafers by the light-beam-induced current technique in the planar configuration and by attenuated total reflection spectroscopy. <i>The Philosophical Magazine: Physics of Condensed Matter B, Statistical Mechanics, Electronic, Optical and Magnetic Properties</i> , 2000 , 80, 579-585		3
35	Chemically induced disordering of Si (100) surfaces upon SC1/SC2 etching analysed by high-resolution transmission electron microscopy. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2000 , 73, 154-157	3.1	5

34	Final evidence for H termination of HF-treated Si surfaces: a comparative study by high-energy and vibrational spectroscopies. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2000 , 73, 240-243	3.1	
33	Surface microcharacterization of silicon wafers by the light-beam-induced current technique in the planar configuration and by attenuated total reflection spectroscopy. <i>The Philosophical Magazine: Physics of Condensed Matter B, Statistical Mechanics, Electronic, Optical and Magnetic Properties</i> , 2000 , 81, 573-587		2
32	Geometrical reconstructions and electronic relaxations of silicon surfaces. I. An electron density topological study of H-covered and clean Si(111)(1 \times 1) surfaces. <i>Journal of Chemical Physics</i> , 2000 , 112, 887-899	3.9	15
31	Modeling of aerosol-assisted chemical vapor co-deposition of NiO and carbon nanotubes. <i>European Physical Journal Special Topics</i> , 1999 , 09, Pr8-741-Pr8-747		2
30	Recent achievements in semiconductor defect passivation. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 1997 , 45, 126-133	3.1	4
29	Preparation, Micromorphology and Stability of Tin Dioxide Thin Films. <i>Solid State Phenomena</i> , 1996 , 51-52, 435-440	0.4	1
28	Modelling of Specular Reflection Infrared Spectra of Oxide Films for Microstructural Analysis. <i>Solid State Phenomena</i> , 1996 , 51-52, 289-294	0.4	
27	Transmission electron microscopy investigation of tin sub-oxide nucleation upon SnO ₂ deposition on silicon. <i>Applied Physics Letters</i> , 1996 , 68, 1207-1208	3.4	23
26	CO ₂ monitoring by solid-state limiting-current sensors. <i>Sensors and Actuators B: Chemical</i> , 1995 , 25, 636-638	3.3	4
25	Stereochemical random networks. A contribution to a structurally aware hopping theory in oxide glasses. <i>Journal of Non-Crystalline Solids</i> , 1995 , 181, 251-260	3.9	
24	Interfacial issues in the design and making of solid-state chemical sensors. <i>Sensors and Actuators B: Chemical</i> , 1995 , 24, 266-269	8.5	2
23	Infrared specular reflection spectra of copper-zinc phosphate glasses. <i>Vibrational Spectroscopy</i> , 1994 , 7, 169-173	2.1	16
22	CO determination in air by YSZ-based sensors. <i>Sensors and Actuators B: Chemical</i> , 1994 , 19, 566-568	8.5	6
21	Paramagnetic point defects in SnO ₂ and their reactivity with the surrounding gases. Part 1. Interaction of oxygen lattice centres with vapour-phase H ₂ O, air, inert and combustible gases, as revealed by electron paramagnetic resonance spectroscopy. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1993 , 89, 3711-3719		18
20	Electron paramagnetic resonance study of the interaction of the ZnO surface with air and air-reducing gas mixtures. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1992 , 88, 1691-1694		29
19	Contribution to the interpretation of the thermodynamic and kinetic behaviour of chlorine gas solid-state potentiometric sensors. <i>Sensors and Actuators B: Chemical</i> , 1992 , 7, 637-641	8.5	3
18	Defect Clustering and Boron Electrical Deactivation in p-Doped Polycrystalline Diamond Films. <i>Journal of the Electrochemical Society</i> , 1991 , 138, 2446-2451	3.9	16
17	Coordination of zinc and copper in phosphate glasses by EXAFS. <i>Journal of Non-Crystalline Solids</i> , 1991 , 136, 198-204	3.9	23

16	Boron diffusivity in nonimplanted diamond single crystals measured by impedance spectroscopy. <i>Journal of Applied Physics</i> , 1990 , 68, 1184-1186	2.5	11
15	Thick Film ZnO Resistive Gas Sensors: Analysis of Their Kinetic Behavior. <i>Journal of the Electrochemical Society</i> , 1989 , 136, 1945-1948	3.9	147
14	Infrared microcharacterization of grain boundaries in polycrystalline silicon. <i>Solid State Communications</i> , 1989 , 69, 457-460	1.6	8
13	Short-range order of Zn and Cu in metaphosphate glasses by X-ray diffraction. <i>Journal of Non-Crystalline Solids</i> , 1989 , 111, 221-227	3.9	23
12	Electron spin resonance investigation of the electronic structure of hopping centres and the polaronic conduction in iron-containing phosphate glasses. <i>Journal of the Chemical Society Faraday Transactions I</i> , 1989 , 85, 4099		1
11	Electrical Characterization of Metal Contacts on Diamond Thin Films. <i>Materials Research Society Symposia Proceedings</i> , 1989 , 162, 333		9
10	Electrical Behavior of Diffused Impurities in Diamond Single Crystals. <i>Materials Research Society Symposia Proceedings</i> , 1989 , 162, 365		
9	On the Influence of the Cottrell Atmosphere on the Recombination Losses at Grain Boundaries in Polycrystalline Silicon. <i>Springer Proceedings in Physics</i> , 1989 , 115-121	0.2	3
8	Effect of Impurity Segregation on the Electrical Properties of Grain Boundaries in Polycrystalline Silicon. <i>NATO ASI Series Series B: Physics</i> , 1989 , 105-121		5
7	Influence of Extended Defects and Native Impurities on the Electrical Properties of Directionally Solidified Polycrystalline Silicon. <i>Journal of the Electrochemical Society</i> , 1988 , 135, 155-165	3.9	65
6	Temperature-dependent activation energy for polaronic conduction in copper-doped zinc phosphate glasses. <i>Physica Scripta</i> , 1988 , 38, 92-99	2.6	
5	Electrical activity of extended defects in polycrystalline silicon. <i>Revue De Physique Appliquée</i> , 1988 , 23, 101-104		4
4	Optical and spectromagnetical properties of phosphate glasses containing ruthenium and titanium ions. <i>Journal of the Chemical Society Faraday Transactions I</i> , 1987 , 83, 705		3
3	Spectromagnetic evidence for spatial correlation of copper centres in phosphate glasses and its effect on the charge-transport processes. <i>Journal of the Chemical Society Faraday Transactions I</i> , 1987 , 83, 3587		6
2	Recombination effects and impurity segregation at grain boundaries in polycrystalline silicon. <i>Revue De Physique Appliquée</i> , 1987 , 22, 631-636		7
1	High temperature standard gibbs free energy determinations for Co-o systems by e.m.f. measurements. A statistical approach to evaluate the reliability of the current methods. <i>Materials Chemistry and Physics</i> , 1985 , 12, 377-388	4.4	8