

Heidi Crane

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3979936/publications.pdf>

Version: 2024-02-01

157
papers

7,250
citations

87888

38
h-index

62596

80
g-index

163
all docs

163
docs citations

163
times ranked

8976
citing authors

#	ARTICLE	IF	CITATIONS
1	The temporal relationship of alcohol use and subsequent self-reported health status among people with HIV. , 2023, 9, 100020.		0
2	Feasibility of implementing a same-day electronic screening tool for clinical assessment to measure patient-reported outcomes for eliciting actionable information on adherence to HIV medication and related factors in a busy Canadian urban HIV clinic. International Journal of STD and AIDS, 2022, 33, 247-256.	1.1	4
3	Patterns of E-Cigarette Use Among Primary Care Patients at an Urban Community Center. Journal of Community Health, 2022, 47, 1-8.	3.8	3
4	Syphilis Testing and Diagnosis Among People With Human Immunodeficiency Virus (HIV) Engaged in Care at 4 US Clinical Sites, 2014-2018. Clinical Infectious Diseases, 2022, 75, 483-492.	5.8	7
5	HIV, Aging, and Comorbidities Research in Clinical Cohorts: 3 Lessons Learned Using Examples From the CNICS Cohort. Journal of Acquired Immune Deficiency Syndromes (1999), 2022, 89, S10-S14.	2.1	1
6	Current Antiretroviral Treatment Among People With Human Immunodeficiency Virus in the United States: Findings from the Centers for AIDS Research Network of Integrated Clinic Systems Cohort. Clinical Infectious Diseases, 2022, 75, 715-718.	5.8	2
7	Utility and Impact of the Implementation of Same-Day, Self-administered Electronic Patient-Reported Outcomes Assessments in Routine HIV Care in two North American Clinics. AIDS and Behavior, 2022, , 1.	2.7	11
8	Tobacco smoking and binge alcohol use are associated with incident venous thromboembolism in an HIV cohort. HIV Medicine, 2022, 23, 1051-1060.	2.2	1
9	Factors Associated With Severity of COVID-19 Disease in a Multicenter Cohort of People With HIV in the United States, Marchâ€“December 2020. Journal of Acquired Immune Deficiency Syndromes (1999), 2022, 90, 369-376.	2.1	24
10	Development and Validation of a Model for Prediction of End-Stage Liver Disease in People With HIV. Journal of Acquired Immune Deficiency Syndromes (1999), 2022, 89, 396-404.	2.1	1
11	Multicenter Development and Validation of a Model for Predicting Retention in Care Among People with HIV. AIDS and Behavior, 2022, 26, 3279-3288.	2.7	5
12	Hospitalization Rates and Causes Among Persons With HIV in the United States and Canada, 2005â€“2015. Journal of Infectious Diseases, 2021, 223, 2113-2123.	4.0	12
13	Patient acceptability and usability of a self-administered electronic patient-reported outcome assessment in HIV care: relationship with health behaviors and outcomes. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2021, 33, 1167-1177.	1.2	7
14	Risk of Incident Diabetes Mellitus, Weight Gain, and Their Relationships With Integrase Inhibitorâ€“Based Initial Antiretroviral Therapy Among Persons With Human Immunodeficiency Virus in the United States and Canada. Clinical Infectious Diseases, 2021, 73, e2234-e2242.	5.8	59
15	Timing of Antiretroviral Therapy Initiation and Risk of Cancer Among Persons Living With Human Immunodeficiency Virus. Clinical Infectious Diseases, 2021, 72, 1900-1909.	5.8	22
16	Changing Patterns of Alcohol Use and Probability of Unsuppressed Viral Load Among Treated Patients with HIV Engaged in Routine Care in the United States. AIDS and Behavior, 2021, 25, 1072-1082.	2.7	11
17	Meta-analysis of sample-level dbGaP data reveals novel shared genetic link between body height and Crohnâ€™s disease. Human Genetics, 2021, 140, 865-877.	3.8	3
18	HIV Viremia and Risk of Stroke Among People Living with HIV Who Are Using Antiretroviral Therapy. Epidemiology, 2021, 32, 457-464.	2.7	10

#	ARTICLE	IF	CITATIONS
19	Prevalence and impact of comorbid chronic pain and cigarette smoking among people living with HIV. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021, 33, 1-9.	1.2	1
20	Trends in Hepatocellular Carcinoma Incidence and Risk Among Persons With HIV in the US and Canada, 1996-2015. <i>JAMA Network Open</i> , 2021, 4, e2037512.	5.9	26
21	Brief Report: Weight Gain Following ART Initiation in ART-Naïve People Living With HIV in the Current Treatment Era. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021, 86, 339-343.	2.1	45
22	Estimating HIV transmissions in a large U.S. clinic-based sample: effects of time and syndemic conditions. <i>Journal of the International AIDS Society</i> , 2021, 24, e25679.	3.0	4
23	Harmonizing healthcare and other resource measures for evaluating economic costs in substance use disorder research. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2021, 16, 32.	2.2	1
24	Development and Validation of a Multivariable Prediction Model for Missed HIV Health Care Provider Visits in a Large US Clinical Cohort. <i>Open Forum Infectious Diseases</i> , 2021, 8, ofab130.	0.9	5
25	Internalized HIV Stigma Predicts Suboptimal Retention in Care Among People Living with HIV in the United States. <i>AIDS Patient Care and STDs</i> , 2021, 35, 188-193.	2.5	13
26	Decreased Alcohol Consumption in an Implementation Study of Computerized Brief Intervention among HIV Patients in Clinical Care. <i>AIDS and Behavior</i> , 2021, 25, 4074-4084.	2.7	12
27	Longitudinal Associations of Syndemic Conditions with Antiretroviral Therapy Adherence and HIV Viral Suppression Among HIV-Infected Patients in Primary Care. <i>AIDS Patient Care and STDs</i> , 2021, 35, 220-230.	2.5	6
28	Substance use and HIV stage at entry into care among people with HIV. <i>Archives of Public Health</i> , 2021, 79, 153.	2.4	2
29	Effectiveness of a smoking cessation algorithm integrated into HIV primary care: Study protocol for a randomized controlled trial. <i>Contemporary Clinical Trials</i> , 2021, 110, 106551.	1.8	2
30	Drug and alcohol use among people living with HIV in care in the United States by geographic region. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021, 33, 1569-1576.	1.2	15
31	Prevalence of and Factors Associated With Genital and Extragenital Chlamydia and Gonorrhea Among Transgender Women in HIV Care in the United States, 2005 to 2016. <i>Sexually Transmitted Diseases</i> , 2021, 48, 410-416.	1.7	5
32	Elevated plasma von Willebrand factor levels are associated with subsequent ischemic stroke in persons with treated HIV infection. <i>Open Forum Infectious Diseases</i> , 2021, 8, ofab521.	0.9	5
33	Correlates of psychological intimate partner violence with HIV care outcomes on patients in HIV care. <i>BMC Public Health</i> , 2021, 21, 1824.	2.9	1
34	The Human Immunodeficiency Virus (HIV) Index: Using a Patient-Reported Outcome on Engagement in HIV Care to Explain Suboptimal Retention in Care and Virologic Control. <i>Clinical Infectious Diseases</i> , 2021, 73, e2175-e2183.	5.8	5
35	Individual and poly-substance use and condomless sex among HIV-uninfected adults reporting heterosexual sex in a multi-site cohort. <i>BMC Public Health</i> , 2021, 21, 2002.	2.9	3
36	Intersecting Epidemics: Incident Syphilis and Drug Use in Women Living with HIV in the United States (2005-2016). <i>Clinical Infectious Diseases</i> , 2020, 71, 2405-2413.	5.8	7

#	ARTICLE	IF	CITATIONS
37	HIV-related stigma, depression, and social support are associated with health-related quality of life among patients newly entering HIV care. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2020, 32, 681-688.	1.2	20
38	Impact of Abstinence and of Reducing Illicit Drug Use Without Abstinence on Human Immunodeficiency Virus Viral Load. <i>Clinical Infectious Diseases</i> , 2020, 70, 867-874.	5.8	19
39	Association Between Chronic Hepatitis C Virus Infection and Myocardial Infarction Among People Living With HIV in the United States. <i>American Journal of Epidemiology</i> , 2020, 189, 554-563.	3.4	4
40	How Do Treatment Priorities Differ Between Patients in HIV Care and Their Providers? A Mixed-Methods Study. <i>AIDS and Behavior</i> , 2020, 24, 1170-1180.	2.7	11
41	Clinic-Level Factors Associated With Retention in Care Among People Living With Human Immunodeficiency Virus in a Multisite US Cohort, 2010â€“2016. <i>Clinical Infectious Diseases</i> , 2020, 71, 2592-2598.	5.8	5
42	Cardiovascular disease risk among transgender women living with HIV in the United States. <i>PLoS ONE</i> , 2020, 15, e0236177.	2.5	7
43	Internalized HIV stigma predicts subsequent viremia in US HIV patients through depressive symptoms and antiretroviral therapy adherence. <i>Aids</i> , 2020, 34, 1665-1671.	2.2	12
44	Substantial decline in heavily treated therapy-experienced persons with HIV with limited antiretroviral treatment options. <i>Aids</i> , 2020, 34, 2051-2059.	2.2	16
45	Genetic architecture of cardiometabolic risks in people living with HIV. <i>BMC Medicine</i> , 2020, 18, 288.	5.5	11
46	Antiretroviral drug class and anaemia risk in the current treatment era among people living with HIV in the USA: a clinical cohort study. <i>BMJ Open</i> , 2020, 10, e031487.	1.9	4
47	Anemia risk factors among people living with HIV across the United States in the current treatment era: a clinical cohort study. <i>BMC Infectious Diseases</i> , 2020, 20, 238.	2.9	21
48	Physical activity trends and metabolic health outcomes in people living with HIV in the US, 2008â€“2015. <i>Progress in Cardiovascular Diseases</i> , 2020, 63, 170-177.	3.1	15
49	The PROSPER-HIV Study: A Research Protocol to Examine Relationships Among Physical Activity, Diet Intake, and Symptoms in Adults Living With HIV. <i>Journal of the Association of Nurses in AIDS Care</i> , 2020, 31, 346-352.	1.0	8
50	Weight gain among treatmentâ€“naïve persons with HIV starting integrase inhibitors compared to nonâ€“nucleoside reverse transcriptase inhibitors or protease inhibitors in a large observational cohort in the United States and Canada. <i>Journal of the International AIDS Society</i> , 2020, 23, e25484.	3.0	148
51	Factors Associated with HIV Disclosure Status Among iENGAGE Cohort of New to HIV Care Patients. <i>AIDS Patient Care and STDs</i> , 2020, 34, 213-227.	2.5	1
52	Capturing Relevant Patient Data in Clinical Encounters Through Integration of an Electronic Patient-Reported Outcome System Into Routine Primary Care in a Boston Community Health Center: Development and Implementation Study. <i>Journal of Medical Internet Research</i> , 2020, 22, e16778.	4.3	7
53	Measuring engagement in HIV care: Measurement invariance in three racial/ethnic patient groups.. <i>Health Psychology</i> , 2020, 39, 622-631.	1.6	3
54	Depressive Symptoms and Engagement in Human Immunodeficiency Virus Care Following Antiretroviral Therapy Initiation. <i>Clinical Infectious Diseases</i> , 2019, 68, 475-481.	5.8	23

#	ARTICLE	IF	CITATIONS
55	Who Will Show? Predicting Missed Visits Among Patients in Routine HIV Primary Care in the United States. <i>AIDS and Behavior</i> , 2019, 23, 418-426.	2.7	30
56	Accuracy of electronic health record data for the diagnosis of chronic obstructive pulmonary disease in persons living with HIV and uninfected persons. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 140-147.	1.9	14
57	Development and content validation of the Multifactorial assessment of perceived social support (MAPSS), a brief, patient-reported measure of social support for use in HIV care. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2019, 31, 1-9.	1.2	10
58	Mortality following myocardial infarction among HIV-infected persons: the Center for AIDS Research Network Of Integrated Clinical Systems (CNICS). <i>BMC Medicine</i> , 2019, 17, 149.	5.5	22
59	Self-reported antiretroviral therapy adherence and viral load in criminal justice-involved populations. <i>BMC Infectious Diseases</i> , 2019, 19, 913.	2.9	6
60	Systems Pharmacology Identifies an Arterial Wall Regulatory Gene Network Mediating Coronary Artery Disease Side Effects of Antiretroviral Therapy. <i>Circulation Genomic and Precision Medicine</i> , 2019, 12, e002390.	3.6	9
61	Physical Functioning Among Patients Aging With Human Immunodeficiency Virus (HIV) Versus HIV Uninfected: Feasibility of Using the Short Physical Performance Battery in Clinical Care of People Living With HIV Aged 50 or Older. <i>Open Forum Infectious Diseases</i> , 2019, 6, ofz038.	0.9	16
62	Ancillary service needs among persons new to HIV care and the relationship between needs and late presentation to care. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2019, 31, 1131-1139.	1.2	3
63	Effectiveness of Direct-Acting Antiviral Therapy in Patients With Human Immunodeficiency Virus-Hepatitis C Virus Coinfection in Routine Clinical Care: A Multicenter Study. <i>Open Forum Infectious Diseases</i> , 2019, 6, ofz100.	0.9	15
64	The influence of the "good" patient ideal on engagement in HIV care. <i>PLoS ONE</i> , 2019, 14, e0214636.	2.5	15
65	Association Between Bilirubin, Atazanavir, and Cardiovascular Disease Events Among People Living With HIV Across the United States. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019, 81, e141-e147.	2.1	9
66	Virologic Failure Among People Living With HIV Initiating Dolutegravir-Based Versus Other Recommended Regimens in Real-World Clinical Care Settings. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019, 81, 572-577.	2.1	12
67	Marijuana Use Is Not Associated With Changes in Opioid Prescriptions or Pain Severity Among People Living With HIV and Chronic Pain. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019, 81, 231-237.	2.1	15
68	Internalized HIV Stigma Is Associated With Concurrent Viremia and Poor Retention in a Cohort of US Patients in HIV Care. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019, 82, 116-123.	2.1	29
69	Detecting Disengagement From HIV Care Before It Is Too Late: Development and Preliminary Validation of a Novel Index of Engagement in HIV Care. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019, 81, 145-152.	2.1	18
70	Alcohol Use Patterns and Subsequent Sexual Behaviors Among Women, Men who have Sex with Men and Men who have Sex with Women Engaged in Routine HIV Care in the United States. <i>AIDS and Behavior</i> , 2019, 23, 1634-1646.	2.7	16
71	HIV Standard of Care for ART Adherence and Retention in Care Among HIV Medical Care Providers Across Four CNICS Clinics in the US. <i>AIDS and Behavior</i> , 2019, 23, 947-956.	2.7	7
72	Physical Activity Intensity is Associated with Symptom Distress in the CNICS Cohort. <i>AIDS and Behavior</i> , 2019, 23, 627-635.	2.7	21

#	ARTICLE	IF	CITATIONS
73	Development and content validation of measures assessing adherence barriers and behaviors for use in clinical care. <i>Research in Social and Administrative Pharmacy</i> , 2019, 15, 1168-1176.	3.0	6
74	Do Symptoms of Depression Interact with Substance Use to Affect HIV Continuum of Care Outcomes?. <i>AIDS and Behavior</i> , 2019, 23, 580-591.	2.7	22
75	Low-density lipoprotein cholesterol response after statin initiation among persons living with human immunodeficiency virus. <i>Journal of Clinical Lipidology</i> , 2018, 12, 988-998.e5.	1.5	15
76	Recent Abacavir Use Increases Risk of Type 1 and Type 2 Myocardial Infarctions Among Adults With HIV. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 78, 62-72.	2.1	43
77	Predictors of Longitudinal Trajectories of Alcohol Consumption in People with HIV. <i>Alcoholism: Clinical and Experimental Research</i> , 2018, 42, 561-570.	2.4	23
78	Excess Clinical Comorbidity Among HIV-Infected Patients Accessing Primary Care in US Community Health Centers. <i>Public Health Reports</i> , 2018, 133, 109-118.	2.5	41
79	Influence of Substance Use Disorders on 2-Year HIV Care Retention in the United States. <i>AIDS and Behavior</i> , 2018, 22, 742-751.	2.7	30
80	Brief Report: Reduced Use of Illicit Substances, Even Without Abstinence, Is Associated With Improved Depressive Symptoms Among People Living With HIV. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 79, 283-287.	2.1	9
81	HIV DNA levels and decay in a cohort of 111 long-term virally suppressed patients. <i>Aids</i> , 2018, 32, 2113-2118.	2.2	41
82	Criminal justice measures for economic data harmonization in substance use disorder research. <i>Health and Justice</i> , 2018, 6, 17.	2.1	5
83	Identifying Risk of Viral Failure in Treated HIV-Infected Patients Using Different Measures of Adherence: The Antiretroviral Therapy Cohort Collaboration. <i>Journal of Clinical Medicine</i> , 2018, 7, 328.	2.4	4
84	Evaluating the Population Impact on Racial/Ethnic Disparities in HIV in Adulthood of Intervening on Specific Targets: A Conceptual and Methodological Framework. <i>American Journal of Epidemiology</i> , 2018, 187, 316-325.	3.4	13
85	Brief Report: The Association of Chronic Pain and Long-Term Opioid Therapy With HIV Treatment Outcomes. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 79, 77-82.	2.1	47
86	Development and Content Validation of a Patient-Reported Sexual Risk Measure for Use in Primary Care. <i>Journal of General Internal Medicine</i> , 2018, 33, 1661-1668.	2.6	8
87	Differentiation of Type 1 and Type 2 Myocardial Infarctions Among HIV-Infected Patients Requires Adjudication Due to Overlap in Risk Factors. <i>AIDS Research and Human Retroviruses</i> , 2018, 34, 916-921.	1.1	2
88	Trajectories of Depressive Symptoms Among a Population of HIV-Infected Men and Women in Routine HIV Care in the United States. <i>AIDS and Behavior</i> , 2018, 22, 3176-3187.	2.7	18
89	Reconciling the evaluation of co-morbidities among HIV care patients in two large data systems: the Medical Monitoring Project and CFAR Network of Integrated Clinical Systems. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2018, 30, 1551-1559.	1.2	3
90	HIV Viral Suppression Trends Over Time Among HIV-Infected Patients Receiving Care in the United States, 1997 to 2015. <i>Annals of Internal Medicine</i> , 2018, 169, 376.	3.9	91

#	ARTICLE	IF	CITATIONS
91	HIV Provider Documentation and Actions Following Patient Reports of At-risk Behaviors and Conditions When Identified by a Web-Based Point-of-Care Assessment. <i>AIDS and Behavior</i> , 2017, 21, 3111-3121.	2.7	26
92	Identifying HIV care enrollees at-risk for cannabis use disorder. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2017, 29, 846-850.	1.2	12
93	Comparison of dynamic monitoring strategies based on CD4 cell counts in virally suppressed, HIV-positive individuals on combination antiretroviral therapy in high-income countries: a prospective, observational study. <i>Lancet HIV</i> , 2017, 4, e251-e259.	4.7	10
94	Incident AIDS or Death After Initiation of Human Immunodeficiency Virus Treatment Regimens Including Raltegravir or Efavirenz Among Adults in the United States. <i>Clinical Infectious Diseases</i> , 2017, 64, 1591-1596.	5.8	14
95	Survival of HIV-positive patients starting antiretroviral therapy between 1996 and 2013: a collaborative analysis of cohort studies. <i>Lancet HIV</i> , 2017, 4, e349-e356.	4.7	805
96	Cardiovascular Risk Prediction in Patients With Human Immunodeficiency Virus—Reply. <i>JAMA Cardiology</i> , 2017, 2, 1048.	6.1	2
97	Increased Risk of Myocardial Infarction in HIV-Infected Individuals in North America Compared With the General Population. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017, 75, 568-576.	2.1	110
98	Prevalence and Factors Associated with Hazardous Alcohol Use Among Persons Living with HIV Across the US in the Current Era of Antiretroviral Treatment. <i>AIDS and Behavior</i> , 2017, 21, 1914-1925.	2.7	102
99	Assessing and Refining Myocardial Infarction Risk Estimation Among Patients With Human Immunodeficiency Virus. <i>JAMA Cardiology</i> , 2017, 2, 155.	6.1	96
100	Types of Myocardial Infarction Among Human Immunodeficiency Virus-Infected Individuals in the United States. <i>JAMA Cardiology</i> , 2017, 2, 260.	6.1	61
101	Co-calibration of two self-reported measures of adherence to antiretroviral therapy. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2017, 29, 464-468.	1.2	4
102	Not all non-drinkers with HIV are equal: demographic and clinical comparisons among current non-drinkers with and without a history of prior alcohol use disorders [*] . <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2017, 29, 177-184.	1.2	12
103	Associations Between At-Risk Alcohol Use, Substance Use, and Smoking with Lipohypertrophy and Lipotrophy Among Patients Living with HIV. <i>AIDS Research and Human Retroviruses</i> , 2017, 33, 534-545.	1.1	6
104	The Role of Current and Historical Alcohol Use in Hepatic Fibrosis Among HIV-Infected Individuals. <i>AIDS and Behavior</i> , 2017, 21, 1878-1884.	2.7	12
105	Validity assessment of the PROMIS fatigue domain among people living with HIV. <i>AIDS Research and Therapy</i> , 2017, 14, 21.	1.7	13
106	Cohort profile: seek, test, treat and retain United States criminal justice cohort. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2017, 12, 24.	2.2	27
107	Prevalence and Predictors of Substance Use Disorders Among HIV Care Enrollees in the United States. <i>AIDS and Behavior</i> , 2017, 21, 1138-1148.	2.7	145
108	A Comparison of Adherence Timeframes Using Missed Dose Items and Their Associations with Viral Load in Routine Clinical Care: Is Longer Better?. <i>AIDS and Behavior</i> , 2017, 21, 470-480.	2.7	8

#	ARTICLE	IF	CITATIONS
109	Viral Failure Among Persons Living with HIV Initiating Dolutegravir-Based vs. Other Recommended Regimens in Real-World Clinical Care Settings. <i>Open Forum Infectious Diseases</i> , 2017, 4, S39-S39.	0.9	1
110	Mind the Gap: Gaps in Antidepressant Treatment, Treatment Adjustments, and Outcomes among Patients in Routine HIV Care in a Multisite U.S. Clinical Cohort. <i>PLoS ONE</i> , 2017, 12, e0166435.	2.5	23
111	A Web-Based Data Collection Platform for Multisite Randomized Behavioral Intervention Trials: Development, Key Software Features, and Results of a User Survey. <i>JMIR Research Protocols</i> , 2017, 6, e115.	1.0	1
112	Implementation of Computer-delivered Brief Alcohol Intervention in HIV Clinical Settings: Who Agrees to Participate?. <i>Journal of Addiction Research & Therapy</i> , 2016, 07, .	0.2	8
113	Short Communication: Effect of Antiretroviral Therapy on Circulating Damage-Associated Molecular Pattern Molecules and CD4 Immune Reconstitution in HIV-Infected Individuals. <i>AIDS Research and Human Retroviruses</i> , 2016, 32, 876-878.	1.1	6
114	Poorly Controlled HIV Infection: An Independent Risk Factor for Liver Fibrosis. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016, 72, 437-443.	2.1	43
115	Provider perceptions of the value of same-day, electronic patient-reported measures for use in clinical HIV care. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2016, 28, 1428-1433.	1.2	24
116	HIV and Hepatitis C Virus Screening Practices in a Geographically Diverse Sample of American Community Health Centers. <i>AIDS Patient Care and STDs</i> , 2016, 30, 237-246.	2.5	10
117	Association Between Depressive Disorders and Incident Acute Myocardial Infarction in Human Immunodeficiency Virus-Infected Adults. <i>JAMA Cardiology</i> , 2016, 1, 929.	6.1	36
118	Suitability of the PROMIS alcohol use short form for screening in a HIV clinical care setting. <i>Drug and Alcohol Dependence</i> , 2016, 164, 113-119.	3.2	13
119	HIV primary care providers' Screening, knowledge, attitudes and behaviors related to alcohol interventions. <i>Drug and Alcohol Dependence</i> , 2016, 161, 59-66.	3.2	39
120	Content validity of Patient-Reported Outcomes Measurement Information System (PROMIS) items in the context of HIV clinical care. <i>Quality of Life Research</i> , 2016, 25, 293-302.	3.1	22
121	Cause-Specific Mortality in HIV-Positive Patients Who Survived Ten Years after Starting Antiretroviral Therapy. <i>PLoS ONE</i> , 2016, 11, e0160460.	2.5	86
122	Disparities in Depressive Symptoms and Antidepressant Treatment by Gender and Race/Ethnicity among People Living with HIV in the United States. <i>PLoS ONE</i> , 2016, 11, e0160738.	2.5	40
123	A Randomized Controlled Trial Protocol to Evaluate the Effectiveness of an Integrated Care Management Approach to Improve Adherence Among HIV-Infected Patients in Routine Clinical Care: Rationale and Design. <i>JMIR Research Protocols</i> , 2016, 5, e156.	1.0	2
124	Latent class profiles of internalizing and externalizing psychosocial health indicators are differentially associated with sexual transmission risk: Findings from the CFAR network of integrated clinical systems (CNICS) cohort study of HIV-infected men engaged in primary care in the United States. <i>Health Psychology</i> , 2015, 34, 951-959.	1.6	17
125	Ascertainment and Verification of End-Stage Renal Disease and End-Stage Liver Disease in the North American AIDS Cohort Collaboration on Research and Design. <i>AIDS Research and Treatment</i> , 2015, 2015, 1-11.	0.7	12
126	Self-report measures of medication adherence behavior: recommendations on optimal use. <i>Translational Behavioral Medicine</i> , 2015, 5, 470-482.	2.4	524

#	ARTICLE	IF	CITATIONS
127	The Role of Technical Advances in the Adoption and Integration of Patient-reported Outcomes in Clinical Care. <i>Medical Care</i> , 2015, 53, 153-159.	2.4	183
128	Patient and provider priorities for self-reported domains of HIV clinical care. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2015, 27, 1255-1264.	1.2	51
129	Unannounced Telephone-Based Pill Counts: A Valid and Feasible Method for Monitoring Adherence. <i>AIDS and Behavior</i> , 2014, 18, 2265-2273.	2.7	21
130	The Authors Reply. <i>American Journal of Epidemiology</i> , 2014, 180, 450-450.	3.4	0
131	Lessons Learned From the Design and Implementation of Myocardial Infarction Adjudication Tailored for HIV Clinical Cohorts. <i>American Journal of Epidemiology</i> , 2014, 179, 996-1005.	3.4	40
132	Cohort Profile: Antiretroviral Therapy Cohort Collaboration (ART-CC). <i>International Journal of Epidemiology</i> , 2014, 43, 691-702.	1.9	64
133	Beyond Core Indicators of Retention in HIV Care: Missed Clinic Visits Are Independently Associated With All-Cause Mortality. <i>Clinical Infectious Diseases</i> , 2014, 59, 1471-1479.	5.8	134
134	Impact of Risk Factors for Specific Causes of Death in the First and Subsequent Years of Antiretroviral Therapy Among HIV-Infected Patients. <i>Clinical Infectious Diseases</i> , 2014, 59, 287-297.	5.8	136
135	Evaluation of the Single-Item Self-Rating Adherence Scale for Use in Routine Clinical Care of People Living with HIV. <i>AIDS and Behavior</i> , 2013, 17, 307-318.	2.7	133
136	HIV Infection and the Risk of Acute Myocardial Infarction. <i>JAMA Internal Medicine</i> , 2013, 173, 614.	5.1	1,074
137	Substance Use Among HIV-Infected Patients Engaged in Primary Care in the United States: Findings From the Centers for AIDS Research Network of Integrated Clinical Systems Cohort. <i>American Journal of Public Health</i> , 2013, 103, 1457-1467.	2.7	166
138	Patient Reported Outcomes in Routine Care: Advancing Data Capture for HIV Cohort Research. <i>Clinical Infectious Diseases</i> , 2012, 54, 141-147.	5.8	77
139	Early Retention in HIV Care and Viral Load Suppression. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012, 59, 86-93.	2.1	197
140	Multimorbidity Patterns in HIV-Infected Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012, 61, 600-605.	2.1	139
141	U.S. Trends in Antiretroviral Therapy Use, HIV RNA Plasma Viral Loads, and CD4 T-Lymphocyte Cell Counts Among HIV-Infected Persons, 2000 to 2008. <i>Annals of Internal Medicine</i> , 2012, 157, 325.	3.9	106
142	Integrating a web-based, patient-administered assessment into primary care for HIV-infected adults. <i>Journal of AIDS and HIV Research (Online)</i> , 2012, 4, 47-55.	0.4	74
143	Migrating from a legacy fixed-format measure to CAT administration: calibrating the PHQ-9 to the PROMIS depression measures. <i>Quality of Life Research</i> , 2011, 20, 1349-1357.	3.1	51
144	Routine, Self-Administered, Touch-Screen, Computer-Based Suicidal Ideation Assessment Linked to Automated Response Team Notification in an HIV Primary Care Setting. <i>Clinical Infectious Diseases</i> , 2010, 50, 1165-1173.	5.8	89

#	ARTICLE	IF	CITATIONS
145	Measuring depression levels in HIV-infected patients as part of routine clinical care using the nine-item Patient Health Questionnaire (PHQ-9). <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2010, 22, 874-885.	1.2	59
146	Optimal timing of routine vaccination in HIV-infected persons. <i>Current HIV/AIDS Reports</i> , 2009, 6, 93-99.	3.1	7
147	Lipoatrophy and lipohypertrophy are independently associated with hypertension [*] . <i>HIV Medicine</i> , 2009, 10, 496-503.	2.2	33
148	Lipoatrophy among HIV-infected patients is associated with higher levels of depression than lipohypertrophy. <i>HIV Medicine</i> , 2008, 9, 780-786.	2.2	29
149	Cohort profile: the Centers for AIDS Research Network of Integrated Clinical Systems. <i>International Journal of Epidemiology</i> , 2008, 37, 948-955.	1.9	242
150	Initiating Highly Active Antiretroviral Therapy with Newer Protease Inhibitors Is Associated with Better Survival Compared to First-Generation Protease Inhibitors or Nevirapine. <i>AIDS Patient Care and STDs</i> , 2007, 21, 920-929.	2.5	12
151	Routine Collection of Patient-Reported Outcomes in an HIV Clinic Setting: The First 100 Patients. <i>Current HIV Research</i> , 2007, 5, 109-118.	0.5	128
152	Amprenavir and didanosine are associated with declining kidney function among patients receiving tenofovir. <i>Aids</i> , 2007, 21, 1431-1439.	2.2	39
153	Antiretroviral medications associated with elevated blood pressure among patients receiving highly active antiretroviral therapy. <i>Aids</i> , 2006, 20, 1019-1026.	2.2	148
154	Diabetes Case Identification Methods Applied to Electronic Medical Record Systems: Their Use in HIV-Infected Patients. <i>Current HIV Research</i> , 2006, 4, 97-106.	0.5	30
155	A Single-Item Measure of Health-Related Quality-of-Life for HIV-Infected Patients in Routine Clinical Care. <i>AIDS Patient Care and STDs</i> , 2006, 20, 161-174.	2.5	44
156	Painful Linear Nodules. <i>Archives of Dermatology</i> , 2002, 138, 973-b-978.	1.4	0
157	Anatomic site-specific gonorrhea and chlamydia testing and incidence among people with HIV engaged in care at four United States clinical centers, 2014-2018. <i>Open Forum Infectious Diseases</i> , 0, , .	0.9	0