
## Musa Toyin Yakubu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3980824/publications.pdf

Version: 2024-02-01



| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Anti-hyperprolactinemic activities of aqueous extract of Uvaria chamae (P. Beauv) roots and<br>associated biochemical changes in chlorpromazine-induced hyperprolactinemic female Wistar rats.<br>Journal of Ethnopharmacology, 2021, 271, 113863. | 4.1 | 1         |
| 2  | Chromatographic fractions from Chrysophyllum albidum stem bark boost antioxidant enzyme activity<br>and ameliorate some markers of diabetes complications. Journal of Traditional and Complementary<br>Medicine, 2021, 11, 336-342.                | 2.7 | 6         |
| 3  | Aqueous extract of Digitaria exilis grains ameliorate diabetes in streptozotocin-induced diabetic male<br>Wistar rats. Journal of Ethnopharmacology, 2020, 249, 112383.  | 4.1 | 20        |
| 4  | Antidiarrhoeal activity of fractions of aqueous extract of Mangifera indica L. leaves in castor<br>oil-induced diarrhoeal female Wistar rats. Journal of Medicinal Plants for Economic Development,<br>2020, 4, .                                  | 0.4 | 1         |
| 5  | Impact of groundwater samples and leachates from Gbagede dumpsite, Amoyo, Kwara State, Nigeria, on<br>testes and prostate of male Wistar rats: A biochemical and histological study. Andrologia, 2020, 52,<br>e13801.                              | 2.1 | 2         |
| 6  | Identification and characterization of anti-diabetic principle in Senna alata (Linn.) flower using alloxan-induced diabetic male Wistar rats. Journal of Ethnopharmacology, 2020, 261, 112997.   | 4.1 | 11        |
| 7  | Diuretic activity of ethanol extract of Mirabilis jalapa (Linn.) leaf in normal male Wistar rats. Journal of Medicinal Plants for Economic Development, 2019, 3, .   | 0.4 | 2         |
| 8  | Function indices of liver and kidney and haematological parameters of male Wistar rats after oral<br>administration of aqueous extract of Terminalia avicennioides root barks. Comparative Clinical<br>Pathology, 2019, 28, 305-310.               | 0.7 | 1         |
| 9  | <i>Brysocarpus coccineus</i> (Schum & Thonn) root reinstates sexual competence and testicular function in paroxetine-induced sexual dysfunction in male Wistar rats. Andrologia, 2018, 50, e12980.   | 2.1 | 15        |
| 10 | Effects of 1:1 Mixture of Anogeissus leiocarpus and Terminalia avicennioides Root Bark Extracts on<br>Haematological Parameters, Liver and Kidney Function Indices of Male Rats. Iranian Journal of<br>Toxicology, 2018, 12, 41-45.                | 0.3 | 2         |
| 11 | Parquetina nigrescens leaves: chemical profile and influence on the physical and biochemical indices of sexual activity of male Wistar rats. Journal of Integrative Medicine, 2017, 15, 64-76.   | 3.1 | 24        |
| 12 | Fertility enhancing activity and toxicity profile of aqueous extract of <i>Chasmanthera dependens</i> roots in male rats. Andrologia, 2017, 49, e12775.  | 2.1 | 7         |
| 13 | Aphrodisiac activity of aqueous extract of Anthonotha macrophylla P. Beauv. leaves in female Wistar<br>rats. Journal of Integrative Medicine, 2016, 14, 400-408.   | 3.1 | 10        |
| 14 | Lophirones B and C prevent aflatoxin B <sub>1</sub> -induced oxidative stress and DNA fragmentation in rat hepatocytes. Pharmaceutical Biology, 2016, 54, 1962-1970.   | 2.9 | 18        |
| 15 | Aqueous extract of Carpolobia lutea root ameliorates paroxetine-induced anti-androgenic activity in<br>male rats. Middle East Fertility Society Journal, 2015, 20, 192-197.  | 1.5 | 16        |
| 16 | Antidiarrhoeal activity of aqueous extract of Mangifera indica L. leaves in female albino rats. Journal of Ethnopharmacology, 2015, 163, 135-141.  | 4.1 | 40        |
| 17 | Amelioration of pancreatic and renal derangements in streptozotocin-induced diabetic rats by polyphenol extracts of Ginger (Zingiber officinale) rhizome. Pathophysiology, 2015, 22, 203-209.  | 2.2 | 24        |
| 18 | Carpolobia lutea roots restore sexual arousal and performance in paroxetine-induced sexually impaired male rats. Revista Internacional De AndrologÃa, 2014, 12, 90-99.   | 0.3 | 8         |

| #  | Article  | IF         | CITATIONS     |
|----|--|------------|---------------|
| 19 | Toxicity of aqueous root extract of Cochlospermum planchonii (an anti-malarial herb) in selected tissues of mice. Comparative Clinical Pathology, 2013, 22, 1211-1218.   | 0.7        | 5             |
| 20 | Diethylnitrosamine-induced redox imbalance in rat microsomes: protective role of polyphenolic-rich extract from <i>Sorghum bicolor</i> grains. Journal of Basic and Clinical Physiology and Pharmacology, 2013, 24, 41-49. | 1.3        | 12            |
|    | Protective Effect of Free and Bound Polyphenol Extracts from Ginger ( <i>Zingiber) Tj ETQq1 1 0.784314 rgBT /</i>  | Overlock 1 | 0 Tf 50 672 1 |
| 21 | Streptozotocin-Induced Diabetic Rats. Evidence-based Complementary and Alternative Medicine, 2013, 2013. 1-7.  | 1.2        | 30            |
| 22 | Cytotoxic activity of aqueous extracts of Anogeissus leiocarpus and Terminalia avicennioides root barks against Ehrlich Ascites Carcinoma cells. Indian Journal of Pharmacology, 2013, 45, 381.                            | 0.7        | 22            |
| 23 | Effects of aqueous extract of Musa paradisiaca root on testicular function parameters of male rats.<br>Journal of Basic and Clinical Physiology and Pharmacology, 2013, 24, 1-7.   | 1.3        | 10            |
| 24 | Effect of a 60â€Ðay Oral Gavage of a Crude Alkaloid Extract From <i>Chromolaena odorata</i> Leaves on Hormonal and Spermatogenic Indices of Male Rats. Journal of Andrology, 2012, 33, 1199-1207.                          | 2.0        | 26            |
| 25 | Toxicity profile of ethanolic extract of Azadirachta indica stem bark in male Wistar rats. Asian Pacific<br>Journal of Tropical Biomedicine, 2012, 2, 811-817.   | 1.2        | 71            |
| 26 | Antimicrobial Activity of the Solvent Fractions from <em>Bulbine Natalensis</em> Tuber.<br>Tropical Journal of Obstetrics and Gynaecology, 2012, 9, 459-64.  | 0.3        | 5             |
| 27 | <em>Garcinia Kola</em> Seeds: Is the Aqueous Extract a True Aphrodisiac in Male Wistar<br>Rats?. Tropical Journal of Obstetrics and Gynaecology, 2012, 9, 530-5.   | 0.3        | 21            |
| 28 | Effects of Post-coital Administration of Alkaloids from Senna alata (Linn. Roxb) Leaves on some Fetal<br>and Maternal Outcomes of Pregnant Rats. Journal of Reproduction and Infertility, 2012, 13, 211-7.                 | 1.0        | 10            |
| 29 | Electrophilic, Free Radical and Reactive Oxygen Species Scavenging and Detoxification Potentials of Lophiraalata Stem Bark Extract. Free Radicals and Antioxidants, 2011, 1, 40-47.  | 0.3        | 8             |
| 30 | Pro-sexual effects of aqueous extracts of Massularia acuminata root in male Wistar rats. Andrologia, 2011, 43, 334-340.  | 2.1        | 17            |
| 31 | Effect of Aqueous Extract of <i>Massularia acuminata</i> Stem on Sexual Behaviour of Male Wistar<br>Rats. Evidence-based Complementary and Alternative Medicine, 2011, 2011, 1-10.   | 1.2        | 65            |
| 32 | In vitro and in vivo antioxidant activities of the aqueous extract of Celosia argentea leaves. Indian<br>Journal of Pharmacology, 2011, 43, 278.   | 0.7        | 30            |
| 33 | Aqueous extract of Securidaca longepedunculata root induce redox imbalance in male rat liver and kidney. Human and Experimental Toxicology, 2010, 29, 679-688.   | 2.2        | 11            |
| 34 | Effect of aqueous extract of Leonotis leonurus (L.) R. Br. leaves in male Wistar rats. Human and<br>Experimental Toxicology, 2010, 29, 377-384.  | 2.2        | 29            |
| 35 | Toxicological evaluation of Tetracarpidium conophorum nut oil-based diet in rats. Food and Chemical<br>Toxicology, 2010, 48, 898-902.  | 3.6        | 7             |
| 36 | Abortifacient Potential of Aqueous Extract of Senna alata Leaves in Rats. Reproduction and Contraception, 2010, 21, 163-177.   | 0.1        | 29            |

Musa Toyin Yakubu

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Antidiarrheal activity of aqueous extract of Hermannia incana Cav. leaves in Wistar rats. Methods and<br>Findings in Experimental and Clinical Pharmacology, 2010, 32, 27.                          | 0.8 | 3         |
| 38 | Toxicological Evaluation of the Essential Oil from <i>Mentha longifolia</i> L.<br>subsp. <i>capensis</i> Leaves in Rats. Journal of Medicinal Food, 2009, 12, 669-674.                              | 1.5 | 23        |
| 39 | Mode of cellular toxicity of aqueous extract of Fadogia agrestis (Schweinf. Ex Hiern) stem in male rat<br>liver and kidney. Human and Experimental Toxicology, 2009, 28, 469-478.                   | 2.2 | 32        |
| 40 | Physicochemical Properties of the Oil from the Fruit of <i>Blighia sapida</i> and Toxicological Evaluation of the Oil-Based Diet in Wistar Rats. Journal of Medicinal Food, 2009, 12, 1127-1135.    | 1.5 | 13        |
| 41 | Toxicological implications of aqueous extract of Bambusa vulgaris leaves in pregnant Dutch rabbits.<br>Human and Experimental Toxicology, 2009, 28, 591-598.  | 2.2 | 12        |
| 42 | Erectile Dysfunction Management Options in Nigeria. Journal of Sexual Medicine, 2009, 6, 1090-1102.   | 0.6 | 22        |
| 43 | Effect of aqueous extract of <i>Bulbine natalensis</i> (Baker) stem on the sexual behaviour of male rats. Journal of Developmental and Physical Disabilities, 2009, 32, 629-636.                    | 3.6 | 61        |
| 44 | Reproductive toxicologic evaluations of Bulbine natalensis Baker stem extract in albino rats.<br>Theriogenology, 2009, 72, 322-332.   | 2.1 | 20        |
| 45 | Effect of Bulbine natalensis Baker Stem Extract on the Functional Indices and Histology of the Liver<br>and Kidney of Male Wistar Rats. Journal of Medicinal Food, 2009, 12, 814-820.               | 1.5 | 29        |
| 46 | Effect of aqueous extract of Bulbine natalensis Baker stem on haematological and serum lipid profile of male Wistar rats. Indian Journal of Experimental Biology, 2009, 47, 283-8.                  | 0.0 | 5         |
| 47 | Effects of oral administration of aqueous extract of Fadogia agrestis (Schweinf. Ex Hiern) stem on some testicular function indices of male rats. Journal of Ethnopharmacology, 2008, 115, 288-292. | 4.1 | 45        |
| 48 | Androgenic potentials of aqueous extract of Massularia acuminata (G. Don) Bullock ex Hoyl. stem in<br>male Wistar rats. Journal of Ethnopharmacology, 2008, 118, 508-513.                           | 4.1 | 81        |
| 49 | Anti-anaemic potentials of aqueous extract of Sorghum bicolor (L.) moench stem bark in rats. Journal of Ethnopharmacology, 2007, 111, 651-656.  | 4.1 | 33        |
| 50 | Evaluation of antiandrogenic potentials of aqueous extract of Chromolaena odoratum (L.) K. R. leaves<br>in male rats. Andrologia, 2007, 39, 235-243.  | 2.1 | 37        |
| 51 | Aphrodisiac potentials of the aqueous extract of Fadogia agrestis (Schweinf. Ex Hiern) stem in male<br>albino rats. Asian Journal of Andrology, 2005, 7, 399-404.                                   | 1.6 | 171       |