## Musa Toyin Yakubu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3980824/publications.pdf

Version: 2024-02-01

		361413	3	395702	
51	1,203	20		33	
papers	citations	h-index		g-index	
			ľ		
				1000	
51	51	51		1080	
all docs	docs citations	times ranked		citing authors	

#	Article	IF	CITATIONS
1	Aphrodisiac potentials of the aqueous extract of Fadogia agrestis (Schweinf. Ex Hiern) stem in male albino rats. Asian Journal of Andrology, 2005, 7, 399-404.	1.6	171
2	Androgenic potentials of aqueous extract of Massularia acuminata (G. Don) Bullock ex Hoyl. stem in male Wistar rats. Journal of Ethnopharmacology, 2008, 118, 508-513.	4.1	81
3	Toxicity profile of ethanolic extract of Azadirachta indica stem bark in male Wistar rats. Asian Pacific Journal of Tropical Biomedicine, 2012, 2, 811-817.	1.2	71
4	Effect of Aqueous Extract of <i>Massularia acuminata </i> Stem on Sexual Behaviour of Male Wistar Rats. Evidence-based Complementary and Alternative Medicine, 2011, 2011, 1-10.	1.2	65
5	Effect of aqueous extract of <i>Bulbine natalensis</i> (Baker) stem on the sexual behaviour of male rats. Journal of Developmental and Physical Disabilities, 2009, 32, 629-636.	3.6	61
6	Effects of oral administration of aqueous extract of Fadogia agrestis (Schweinf. Ex Hiern) stem on some testicular function indices of male rats. Journal of Ethnopharmacology, 2008, 115, 288-292.	4.1	45
7	Antidiarrhoeal activity of aqueous extract of Mangifera indica L. leaves in female albino rats. Journal of Ethnopharmacology, 2015, 163, 135-141.	4.1	40
8	Evaluation of antiandrogenic potentials of aqueous extract of Chromolaena odoratum (L.) K. R. leaves in male rats. Andrologia, 2007, 39, 235-243.	2.1	37
9	Anti-anaemic potentials of aqueous extract of Sorghum bicolor (L.) moench stem bark in rats. Journal of Ethnopharmacology, 2007, 111, 651-656.	4.1	33
10	Mode of cellular toxicity of aqueous extract of Fadogia agrestis (Schweinf. Ex Hiern) stem in male rat liver and kidney. Human and Experimental Toxicology, 2009, 28, 469-478.	2.2	32
11	In vitro and in vivo antioxidant activities of the aqueous extract of Celosia argentea leaves. Indian Journal of Pharmacology, 2011, 43, 278.	0.7	30
12	Protective Effect of Free and Bound Polyphenol Extracts from Ginger ( <i>Zingiber) Tj ETQq0 0 0 rgBT /Overlock 10 Streptozotocin-Induced Diabetic Rats. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-7.</i>	0 Tf 50 31: 1.2	2 Td (officina 30
13	Effect of Bulbine natalensis Baker Stem Extract on the Functional Indices and Histology of the Liver and Kidney of Male Wistar Rats. Journal of Medicinal Food, 2009, 12, 814-820.	1.5	29
14	Effect of aqueous extract of Leonotis leonurus (L.) R. Br. leaves in male Wistar rats. Human and Experimental Toxicology, 2010, 29, 377-384.	2.2	29
15	Abortifacient Potential of Aqueous Extract of Senna alata Leaves in Rats. Reproduction and Contraception, 2010, 21, 163-177.	0.1	29
16	Effect of a 60â€Day Oral Gavage of a Crude Alkaloid Extract From <i>Chromolaena odorata</i> Leaves on Hormonal and Spermatogenic Indices of Male Rats. Journal of Andrology, 2012, 33, 1199-1207.	2.0	26
17	Amelioration of pancreatic and renal derangements in streptozotocin-induced diabetic rats by polyphenol extracts of Ginger (Zingiber officinale) rhizome. Pathophysiology, 2015, 22, 203-209.	2.2	24
18	Parquetina nigrescens leaves: chemical profile and influence on the physical and biochemical indices of sexual activity of male Wistar rats. Journal of Integrative Medicine, 2017, 15, 64-76.	3.1	24

#	Article	IF	CITATIONS
19	Toxicological Evaluation of the Essential Oil from <i>Mentha longifolia</i> L. subsp. <i>capensis</i> Leaves in Rats. Journal of Medicinal Food, 2009, 12, 669-674.	1.5	23
20	Erectile Dysfunction Management Options in Nigeria. Journal of Sexual Medicine, 2009, 6, 1090-1102.	0.6	22
21	Cytotoxic activity of aqueous extracts of Anogeissus leiocarpus and Terminalia avicennioides root barks against Ehrlich Ascites Carcinoma cells. Indian Journal of Pharmacology, 2013, 45, 381.	0.7	22
22	<em>Garcinia Kola</em> Seeds: Is the Aqueous Extract a True Aphrodisiac in Male Wistar Rats?. Tropical Journal of Obstetrics and Gynaecology, 2012, 9, 530-5.	0.3	21
23	Reproductive toxicologic evaluations of Bulbine natalensis Baker stem extract in albino rats. Theriogenology, 2009, 72, 322-332.	2.1	20
24	Aqueous extract of Digitaria exilis grains ameliorate diabetes in streptozotocin-induced diabetic male Wistar rats. Journal of Ethnopharmacology, 2020, 249, 112383.	4.1	20
25	Lophirones B and C prevent aflatoxin B $<$ sub $>$ 1 $<$ /sub $>$ -induced oxidative stress and DNA fragmentation in rat hepatocytes. Pharmaceutical Biology, 2016, 54, 1962-1970.	2.9	18
26	Pro-sexual effects of aqueous extracts of Massularia acuminata root in male Wistar rats. Andrologia, 2011, 43, 334-340.	2.1	17
27	Aqueous extract of Carpolobia lutea root ameliorates paroxetine-induced anti-androgenic activity in male rats. Middle East Fertility Society Journal, 2015, 20, 192-197.	1.5	16
28	<i>Brysocarpus coccineus</i> (Schum & Endown) root reinstates sexual competence and testicular function in paroxetine-induced sexual dysfunction in male Wistar rats. Andrologia, 2018, 50, e12980.	2.1	15
29	Physicochemical Properties of the Oil from the Fruit of (i) Blighia sapida (i) and Toxicological Evaluation of the Oil-Based Diet in Wistar Rats. Journal of Medicinal Food, 2009, 12, 1127-1135.	1.5	13
30	Toxicological implications of aqueous extract of Bambusa vulgaris leaves in pregnant Dutch rabbits. Human and Experimental Toxicology, 2009, 28, 591-598.	2.2	12
31	Diethylnitrosamine-induced redox imbalance in rat microsomes: protective role of polyphenolic-rich extract from <i>Sorghum bicolor</i> grains. Journal of Basic and Clinical Physiology and Pharmacology, 2013, 24, 41-49.	1.3	12
32	Aqueous extract of Securidaca longepedunculata root induce redox imbalance in male rat liver and kidney. Human and Experimental Toxicology, 2010, 29, 679-688.	2,2	11
33	Identification and characterization of anti-diabetic principle in Senna alata (Linn.) flower using alloxan-induced diabetic male Wistar rats. Journal of Ethnopharmacology, 2020, 261, 112997.	4.1	11
34	Effects of aqueous extract of Musa paradisiaca root on testicular function parameters of male rats. Journal of Basic and Clinical Physiology and Pharmacology, 2013, 24, 1-7.	1.3	10
35	Aphrodisiac activity of aqueous extract of Anthonotha macrophylla P. Beauv. leaves in female Wistar rats. Journal of Integrative Medicine, 2016, 14, 400-408.	3.1	10
36	Effects of Post-coital Administration of Alkaloids from Senna alata (Linn. Roxb) Leaves on some Fetal and Maternal Outcomes of Pregnant Rats. Journal of Reproduction and Infertility, 2012, 13, 211-7.	1.0	10

3

#	Article	IF	Citations
37	Electrophilic, Free Radical and Reactive Oxygen Species Scavenging and Detoxification Potentials of Lophiraalata Stem Bark Extract. Free Radicals and Antioxidants, 2011, 1, 40-47.	0.3	8
38	Carpolobia lutea roots restore sexual arousal and performance in paroxetine-induced sexually impaired male rats. Revista Internacional De AndrologÃa, 2014, 12, 90-99.	0.3	8
39	Toxicological evaluation of Tetracarpidium conophorum nut oil-based diet in rats. Food and Chemical Toxicology, 2010, 48, 898-902.	3.6	7
40	Fertility enhancing activity and toxicity profile of aqueous extract of <i>Chasmanthera dependens </i> li>roots in male rats. Andrologia, 2017, 49, e12775.	2.1	7
41	Chromatographic fractions from Chrysophyllum albidum stem bark boost antioxidant enzyme activity and ameliorate some markers of diabetes complications. Journal of Traditional and Complementary Medicine, $2021, 11, 336-342$ .	2.7	6
42	Antimicrobial Activity of the Solvent Fractions from <em>Bulbine Natalensis</em> Tuber. Tropical Journal of Obstetrics and Gynaecology, 2012, 9, 459-64.	0.3	5
43	Toxicity of aqueous root extract of Cochlospermum planchonii (an anti-malarial herb) in selected tissues of mice. Comparative Clinical Pathology, 2013, 22, 1211-1218.	0.7	5
44	Effect of aqueous extract of Bulbine natalensis Baker stem on haematological and serum lipid profile of male Wistar rats. Indian Journal of Experimental Biology, 2009, 47, 283-8.	0.0	5
45	Antidiarrheal activity of aqueous extract of Hermannia incana Cav. leaves in Wistar rats. Methods and Findings in Experimental and Clinical Pharmacology, 2010, 32, 27.	0.8	3
46	Diuretic activity of ethanol extract of Mirabilis jalapa (Linn.) leaf in normal male Wistar rats. Journal of Medicinal Plants for Economic Development, 2019, 3, .	0.4	2
47	Impact of groundwater samples and leachates from Gbagede dumpsite, Amoyo, Kwara State, Nigeria, on testes and prostate of male Wistar rats: A biochemical and histological study. Andrologia, 2020, 52, e13801.	2.1	2
48	Effects of 1:1 Mixture of Anogeissus leiocarpus and Terminalia avicennioides Root Bark Extracts on Haematological Parameters, Liver and Kidney Function Indices of Male Rats. Iranian Journal of Toxicology, 2018, 12, 41-45.	0.3	2
49	Function indices of liver and kidney and haematological parameters of male Wistar rats after oral administration of aqueous extract of Terminalia avicennioides root barks. Comparative Clinical Pathology, 2019, 28, 305-310.	0.7	1
50	Antidiarrhoeal activity of fractions of aqueous extract of Mangifera indica L. leaves in castor oil-induced diarrhoeal female Wistar rats. Journal of Medicinal Plants for Economic Development, 2020, 4, .	0.4	1
51	Anti-hyperprolactinemic activities of aqueous extract of Uvaria chamae (P. Beauv) roots and associated biochemical changes in chlorpromazine-induced hyperprolactinemic female Wistar rats. Journal of Ethnopharmacology, 2021, 271, 113863.	4.1	1