Ping Li

List of Publications by Year
in descending order

28 papers	449 citations	840585 11 h-index	752573 20 g-index
28 all docs	28 docs citations	28 times ranked	471 citing authors

#	ARTICLE	IF	CITATIONS
1	Efficacy and Safety of Tangshen Formula on Patients with Type 2 Diabetic Kidney Disease: A Multicenter Double-Blinded Randomized Placebo-Controlled Trial. PLoS ONE, 2015, 10, e0126027.	1.1	61
2	Tangshen formula attenuates hepatic steatosis by inhibiting hepatic lipogenesis and augmenting fatty acid oxidation in db/db mice. International Journal of Molecular Medicine, 2016, 38, 1715-1726.	1.8	49
3	Therapeutic Effects of Tangshen Formula on Diabetic Nephropathy in Rats. PLoS ONE, 2016, 11, e0147693.	1.1	43
4	Tangshen formula modulates gut Microbiota and reduces gut-derived toxins in diabetic nephropathy rats. Biomedicine and Pharmacotherapy, 2020, 129, 110325.	2.5	34
5	Attenuation of Diabetic Nephropathy in Otsuka Long-Evans Tokushima Fatty (OLETF) Rats with a Combination of Chinese Herbs (Tangshen Formula). Evidence-based Complementary and Alternative Medicine, 2011, 2011, 1-8.	0.5	30
6	Tangshen Formula Attenuates Diabetic Nephropathy by Promoting ABCA1-Mediated Renal Cholesterol Efflux in db/db Mice. Frontiers in Physiology, 2018, 9, 343.	1.3	27
7	Role of Transient Receptor Potential Canonical Channel 6 (TRPC6) in Diabetic Kidney Disease by Regulating Podocyte Actin Cytoskeleton Rearrangement. Journal of Diabetes Research, 2020, 2020, 1-11.	1.0	24
8	Tangshen formula attenuates diabetic renal injuries by upregulating autophagy via inhibition of PLZF expression. PLoS ONE, 2017, 12, e0171475.	1.1	21
9	Synergistic Effect of the *MTHFR* C677T and *EPHX2* G860A Polymorphism on the Increased Risk of Ischemic Stroke in Chinese Type 2 Diabetic Patients. Journal of Diabetes Research, 2017, 2017, 1-8.	1.0	19
10	Chinese Herbal Medicine in Ameliorating Diabetic Kidney Disease via Activating Autophagy. Journal of Diabetes Research, 2019, 2019, 1-10.	1.0	15
11	Transcriptional Profile of Kidney from Type 2 Diabetic db/db Mice. Journal of Diabetes Research, 2017, 2017, 1-12.	1.0	14
12	Association between *MYH9* and *APOL1* Gene Polymorphisms and the Risk of Diabetic Kidney Disease in Patients with Type 2 Diabetes in a Chinese Han Population. Journal of Diabetes Research, 2018, 2018, 1-6.	1.0	12
13	Protective Role of Tangshen Formula on the Progression of Renal Damage in *db/db* Mice by TRPC6/Talin1 Pathway in Podocytes. Journal of Diabetes Research, 2020, 2020, 1-19.	1.0	12
14	Effects of Apolipoprotein E Isoforms in Diabetic Nephropathy of Chinese Type 2 Diabetic Patients. Journal of Diabetes Research, 2017, 2017, 1-6.	1.0	10
15	Association of *EPHX2* R287Q Polymorphism with Diabetic Nephropathy in Chinese Type 2 Diabetic Patients. Journal of Diabetes Research, 2018, 2018, 1-6.	1.0	10
16	A Network Pharmacology-Based Strategy for Unveiling the Mechanisms of Tripterygium Wilfordii Hook F against Diabetic Kidney Disease. Journal of Diabetes Research, 2020, 2020, 1-14.	1.0	10
17	A novel and comprehensive strategy for quality control in complex Chinese medicine formula using UHPLC-Q-Orbitrap HRMS and UHPLC-MS/MS combined with network pharmacology analysis: Take Tangshen formula as an example. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2021, 1183, 122889.	1.2	10
18	Interaction of MTHFR C677T polymorphism with smoking in susceptibility to diabetic nephropathy in Chinese men with type 2 diabetes. Journal of Human Genetics, 2019, 64, 23-28.	1.1	9

#	ARTICLE	IF	CITATIONS
19	Morroniside Promotes PGC-1α-Mediated Cholesterol Efflux in Sodium Palmitate or High Glucose-Induced Mouse Renal Tubular Epithelial Cells. BioMed Research International, 2021, 2021, 1-14.	0.9	8
20	Association between LXR-α and ABCA1 Gene Polymorphisms and the Risk of Diabetic Kidney Disease in Patients with Type 2 Diabetes Mellitus in a Chinese Han Population. Journal of Diabetes Research, 2020, 2020, 1-7.	1.0	6
21	UPLC–MS/MS method for the determination of the herb composition of Tangshen formula and the <i>in vivo</i> pharmacokinetics of its metabolites in rat plasma. Phytochemical Analysis, 2022, 33, 402-426.	1.2	6
22	Association of Epoxide Hydrolase 2 Gene Arg287Gln with the Risk for Primary Hypertension in Chinese. International Journal of Hypertension, 2020, 2020, 1-7.	0.5	5
23	Analysis of the role and mechanism of EGCG in septic cardiomyopathy based on network pharmacology. PeerJ, 2022, 10, e12994.	0.9	5
24	Association between <i>PNPLA2</i> Gene Polymorphisms and the Risk of Diabetic Kidney Disease in a Chinese Han Population with Type 2 Diabetes. Journal of Diabetes Research, 2020, 2020, 1-7.	1.0	3
25	Tangshen Formula Attenuates Colonic Structure Remodeling in Type 2 Diabetic Rats. Evidence-based Complementary and Alternative Medicine, 2017, 2017, 1-9.	0.5	2
26	A Network Pharmacology-Based Approach for Exploring Key Active Compounds and Pharmacological Mechanisms of Tangshen Formula for Treatment of Diabetic Nephropathy. Journal of Diabetes Research, 2021, 2021, 1-17.	1.0	2
27	Protective Effect of Tangshen Formula (ç³—è,¾æ—¹) on Interstitial Cells of Cajal in Colon of Diabetic Rats. Chinese Journal of Integrative Medicine, 2022, 28, 43-51.	0.7	2
28	Effect of Tangshen formula on alleviating oxidative renal injury in UUO mice by downregulated expression of NADPH oxidase. Journal of Radiation Research and Applied Sciences, 2022, 15, 65-71.	0.7	0