

# Ping Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3983039/publications.pdf>

Version: 2024-02-01

28  
papers

449  
citations

949033

11  
h-index

843174

20  
g-index

28  
all docs

28  
docs citations

28  
times ranked

487  
citing authors

#	ARTICLE	IF	CITATIONS
1	Protective Effect of Tangshen Formula (芍药-地黄汤) on Interstitial Cells of Cajal in Colon of Diabetic Rats. Chinese Journal of Integrative Medicine, 2022, 28, 43-51.	0.7	2
2	Analysis of the role and mechanism of EGCG in septic cardiomyopathy based on network pharmacology. PeerJ, 2022, 10, e12994.	0.9	5
3	UPLC-MS/MS method for the determination of the herb composition of Tangshen formula and the <i>in vivo</i> pharmacokinetics of its metabolites in rat plasma. Phytochemical Analysis, 2022, 33, 402-426.	1.2	6
4	Effect of Tangshen formula on alleviating oxidative renal injury in UUO mice by downregulated expression of NADPH oxidase. Journal of Radiation Research and Applied Sciences, 2022, 15, 65-71.	0.7	0
5	A Network Pharmacology-Based Approach for Exploring Key Active Compounds and Pharmacological Mechanisms of Tangshen Formula for Treatment of Diabetic Nephropathy. Journal of Diabetes Research, 2021, 2021, 1-17.	1.0	2
6	Morroniside Promotes PGC-1 $\alpha$ -Mediated Cholesterol Efflux in Sodium Palmitate or High Glucose-Induced Mouse Renal Tubular Epithelial Cells. BioMed Research International, 2021, 2021, 1-14.	0.9	8
7	A novel and comprehensive strategy for quality control in complex Chinese medicine formula using UHPLC-Q-Orbitrap HRMS and UHPLC-MS/MS combined with network pharmacology analysis: Take Tangshen formula as an example. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2021, 1183, 122889.	1.2	10
8	A Network Pharmacology-Based Strategy for Unveiling the Mechanisms of Tripterygium Wilfordii Hook F against Diabetic Kidney Disease. Journal of Diabetes Research, 2020, 2020, 1-14.	1.0	10
9	Association between <i>PNPLA2</i> Gene Polymorphisms and the Risk of Diabetic Kidney Disease in a Chinese Han Population with Type 2 Diabetes. Journal of Diabetes Research, 2020, 2020, 1-7.	1.0	3
10	Tangshen formula modulates gut Microbiota and reduces gut-derived toxins in diabetic nephropathy rats. Biomedicine and Pharmacotherapy, 2020, 129, 110325.	2.5	34
11	Association of Epoxide Hydrolase 2 Gene Arg287Gln with the Risk for Primary Hypertension in Chinese. International Journal of Hypertension, 2020, 2020, 1-7.	0.5	5
12	Role of Transient Receptor Potential Canonical Channel 6 (TRPC6) in Diabetic Kidney Disease by Regulating Podocyte Actin Cytoskeleton Rearrangement. Journal of Diabetes Research, 2020, 2020, 1-11.	1.0	24
13	Protective Role of Tangshen Formula on the Progression of Renal Damage in <i>db/db</i> Mice by TRPC6/Talin1 Pathway in Podocytes. Journal of Diabetes Research, 2020, 2020, 1-19.	1.0	12
14	Association between <i>LXR1</i> and <i>ABCA1</i> Gene Polymorphisms and the Risk of Diabetic Kidney Disease in Patients with Type 2 Diabetes Mellitus in a Chinese Han Population. Journal of Diabetes Research, 2020, 2020, 1-7.	1.0	6
15	Chinese Herbal Medicine in Ameliorating Diabetic Kidney Disease via Activating Autophagy. Journal of Diabetes Research, 2019, 2019, 1-10.	1.0	15
16	Interaction of MTHFR C677T polymorphism with smoking in susceptibility to diabetic nephropathy in Chinese men with type 2 diabetes. Journal of Human Genetics, 2019, 64, 23-28.	1.1	9
17	Association of <i>EPHX2</i> R287Q Polymorphism with Diabetic Nephropathy in Chinese Type 2 Diabetic Patients. Journal of Diabetes Research, 2018, 2018, 1-6.	1.0	10
18	Tangshen Formula Attenuates Diabetic Nephropathy by Promoting <i>ABCA1</i> -Mediated Renal Cholesterol Efflux in <i>db/db</i> Mice. Frontiers in Physiology, 2018, 9, 343.	1.3	27

#	ARTICLE	IF	CITATIONS
19	Association between <i>MYH9</i> and <i>APOL1</i> Gene Polymorphisms and the Risk of Diabetic Kidney Disease in Patients with Type 2 Diabetes in a Chinese Han Population. <i>Journal of Diabetes Research</i> , 2018, 2018, 1-6.	1.0	12
20	Transcriptional Profile of Kidney from Type 2 Diabetic db/db Mice. <i>Journal of Diabetes Research</i> , 2017, 2017, 1-12.	1.0	14
21	Effects of Apolipoprotein E Isoforms in Diabetic Nephropathy of Chinese Type 2 Diabetic Patients. <i>Journal of Diabetes Research</i> , 2017, 2017, 1-6.	1.0	10
22	Synergistic Effect of the <i>MTHFR</i> C677T and <i>EPHX2</i> G860A Polymorphism on the Increased Risk of Ischemic Stroke in Chinese Type 2 Diabetic Patients. <i>Journal of Diabetes Research</i> , 2017, 2017, 1-8.	1.0	19
23	Tangshen Formula Attenuates Colonic Structure Remodeling in Type 2 Diabetic Rats. <i>Evidence-based Complementary and Alternative Medicine</i> , 2017, 2017, 1-9.	0.5	2
24	Tangshen formula attenuates diabetic renal injuries by upregulating autophagy via inhibition of PLZF expression. <i>PLoS ONE</i> , 2017, 12, e0171475.	1.1	21
25	Therapeutic Effects of Tangshen Formula on Diabetic Nephropathy in Rats. <i>PLoS ONE</i> , 2016, 11, e0147693.	1.1	43
26	Tangshen formula attenuates hepatic steatosis by inhibiting hepatic lipogenesis and augmenting fatty acid oxidation in db/db mice. <i>International Journal of Molecular Medicine</i> , 2016, 38, 1715-1726.	1.8	49
27	Efficacy and Safety of Tangshen Formula on Patients with Type 2 Diabetic Kidney Disease: A Multicenter Double-Blinded Randomized Placebo-Controlled Trial. <i>PLoS ONE</i> , 2015, 10, e0126027.	1.1	61
28	Attenuation of Diabetic Nephropathy in Otsuka Long-Evans Tokushima Fatty (OLETF) Rats with a Combination of Chinese Herbs (Tangshen Formula). <i>Evidence-based Complementary and Alternative Medicine</i> , 2011, 2011, 1-8.	0.5	30