Jonathan Himmelfarb

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3984941/jonathan-himmelfarb-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81 7,099 147 44 h-index g-index citations papers 8.1 6.19 158 9,591 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
147	Cross-validation of SARS-CoV-2 responses in kidney organoids and clinical populations. <i>JCI Insight</i> , 2021 ,	9.9	1
146	Precision-porous polyurethane elastomers engineered for application in pro-healing vascular grafts: Synthesis, fabrication and detailed biocompatibility assessment. <i>Biomaterials</i> , 2021 , 279, 121174	15.6	1
145	Bridging the gap between in silico and in vivo by modeling opioid disposition in a kidney proximal tubule microphysiological system. <i>Scientific Reports</i> , 2021 , 11, 21356	4.9	5
144	Body mass index and chronic kidney disease outcomes after acute kidney injury: a prospective matched cohort study. <i>BMC Nephrology</i> , 2021 , 22, 200	2.7	1
143	Assessment of kidney proximal tubular secretion in critical illness. <i>JCI Insight</i> , 2021 , 6,	9.9	1
142	A genome-wide association study suggests correlations of common genetic variants with peritoneal solute transfer rates in patients with kidney failure receiving peritoneal dialysis. <i>Kidney International</i> , 2021 , 100, 1101-1111	9.9	4
141	Rescuing kidney patients from early demise: role of anti-cytokine therapies. <i>Kidney International</i> , 2021 , 100, 1152-1154	9.9	
140	A prospective cohort study of acute kidney injury and kidney outcomes, cardiovascular events, and death. <i>Kidney International</i> , 2021 , 99, 456-465	9.9	19
139	Prediction of Kidney Drug Clearance: A Comparison of Tubular Secretory Clearance and Glomerular Filtration Rate. <i>Journal of the American Society of Nephrology: JASN</i> , 2021 , 32, 459-468	12.7	2
138	Integrating Patient Priorities with Science by Community Engagement in the Kidney Precision Medicine Project. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021 , 16, 660-668	6.9	3
137	The Microbiome and p-Inulin in Hemodialysis: A Feasibility Study <i>Kidney360</i> , 2021 , 2, 445-455	1.8	O
136	Multiphoton-Guided Creation of Complex Organ-Specific Microvasculature. <i>Advanced Healthcare Materials</i> , 2021 , 10, e2100031	10.1	11
135	Achieved blood pressure post-acute kidney injury and risk of adverse outcomes after AKI: A prospective parallel cohort study. <i>BMC Nephrology</i> , 2021 , 22, 270	2.7	O
134	Arteriovenous Fistula Maturation, Functional Patency, and Intervention Rates. <i>JAMA Surgery</i> , 2021 , 156, 1111-1118	5.4	5
133	The Authors Reply. <i>Kidney International Reports</i> , 2020 , 5, 2405-2406	4.1	
132	Open microfluidic coculture reveals paracrine signaling from human kidney epithelial cells promotes kidney specificity of endothelial cells. <i>American Journal of Physiology - Renal Physiology</i> , 2020 , 319, F41-F51	4.3	3
131	Prevalence and Persistence of Uremic Symptoms in Incident Dialysis Patients. <i>Kidney360</i> , 2020 , 1, 86-92	1.8	9

(2020-2020)

130	Health Policy for Dialysis Care in Canada and the United States. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020 , 15, 1669-1677	6.9	3
129	Wearable artificial kidney: problems, progress and prospects. <i>Nature Reviews Nephrology</i> , 2020 , 16, 558	-559	12
128	An Improved Vascularized, Dual-Channel Microphysiological System Facilitates Modeling of Proximal Tubular Solute Secretion. <i>ACS Pharmacology and Translational Science</i> , 2020 , 3, 496-508	5.9	12
127	From Local Explanations to Global Understanding with Explainable AI for Trees. <i>Nature Machine Intelligence</i> , 2020 , 2, 56-67	22.5	851
126	Vascular access-specific health-related quality of life impacts among hemodialysis patients: qualitative development of the hemodialysis access-related quality of life (HARQ) instrument. <i>BMC Nephrology</i> , 2020 , 21, 16	2.7	6
125	Effects of diet and exercise on adipocytokine levels in patients with moderate to severe chronic kidney disease. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020 , 30, 1375-1381	4.5	6
124	Serum trace metal association with response to erythropoiesis stimulating agents in incident and prevalent hemodialysis patients. <i>Scientific Reports</i> , 2020 , 10, 20202	4.9	1
123	Supervised Exercise Intervention and Overall Activity in CKD. <i>Kidney International Reports</i> , 2020 , 5, 1261	-41.270	5
122	Genetic variation implicates plasma angiopoietin-2 in the development of acute kidney injury sub-phenotypes. <i>BMC Nephrology</i> , 2020 , 21, 284	2.7	4
121	The current and future landscape of dialysis. <i>Nature Reviews Nephrology</i> , 2020 , 16, 573-585	14.9	78
120	Microphysiological system modeling of ochratoxin A-associated nephrotoxicity. <i>Toxicology</i> , 2020 , 444, 152582	4.4	10
119	Photoreactive Carboxybetaine Copolymers Impart Biocompatibility and Inhibit Plasticizer Leaching on Polyvinyl Chloride. <i>ACS Applied Materials & Discrete Section</i> , 12, 41026-41037	9.5	8
118	Modelling kidney disease using ontology: insights from the Kidney Precision Medicine Project. <i>Nature Reviews Nephrology</i> , 2020 , 16, 686-696	14.9	17
117	Profiling Nephropathy Risk Variants in Genome-Edited Kidney Organoids with Single-Cell Transcriptomics. <i>Kidney360</i> , 2020 , 1, 203-215	1.8	5
116	Differences in proximal tubular solute clearance across common etiologies of chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 1916-1923	4.3	4
115	Association of Tubular Solute Clearance with Symptom Burden in Incident Peritoneal Dialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020 , 15, 530-538	6.9	2
114	Association Between Early Recovery of Kidney Function After Acute Kidney Injury and Long-term Clinical Outcomes. <i>JAMA Network Open</i> , 2020 , 3, e202682	10.4	28
113	Prospective Cohort Study of Renin-Angiotensin System Blocker Usage after Hospitalized Acute Kidney Injury. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020 , 16, 26-36	6.9	3

112	Soluble ST2 and Galectin-3 and Progression of CKD. <i>Kidney International Reports</i> , 2019 , 4, 103-111	4.1	25
111	Impact of AKI on Urinary Protein Excretion: Analysis of Two Prospective Cohorts. <i>Journal of the American Society of Nephrology: JASN</i> , 2019 , 30, 1271-1281	12.7	18
110	Albuminuria, the High-Density Lipoprotein Proteome, and Coronary Artery Calcification in Type 1 Diabetes Mellitus. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2019 , 39, 1483-1491	9.4	10
109	Integrated epigenomic profiling reveals endogenous retrovirus reactivation in renal cell carcinoma. <i>EBioMedicine</i> , 2019 , 41, 427-442	8.8	16
108	Translational Assessment of Drug-Induced Proximal Tubule Injury Using a Kidney Microphysiological System. <i>CPT: Pharmacometrics and Systems Pharmacology</i> , 2019 , 8, 316-325	4.5	28
107	Integrated Functional Genomic Analysis Enables Annotation of Kidney Genome-Wide Association Study Loci. <i>Journal of the American Society of Nephrology: JASN</i> , 2019 ,	12.7	16
106	Safety and cardiovascular efficacy of spironolactone in dialysis-dependent ESRD (SPin-D): a randomized, placebo-controlled, multiple dosage trial. <i>Kidney International</i> , 2019 , 95, 973-982	9.9	44
105	The association of glycated hemoglobin with mortality and ESKD among persons with diabetes and chronic kidney disease. <i>Journal of Diabetes and Its Complications</i> , 2019 , 33, 296-301	3.2	7
104	Identification of Acute Kidney Injury Subphenotypes with Differing Molecular Signatures and Responses to Vasopressin Therapy. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2019 , 199, 863-872	10.2	42
103	Kidneys on Chips: Emerging Technology for Preclinical Drug Development. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019 , 14, 144-146	6.9	9
102	Relationships Between Clinical Processes and Arteriovenous Fistula Cannulation and Maturation: AlMulticenter Prospective Cohort Study. <i>American Journal of Kidney Diseases</i> , 2018 , 71, 677-689	7.4	38
101	Perioperative THR-184 and AKI after Cardiac Surgery. <i>Journal of the American Society of Nephrology: JASN</i> , 2018 , 29, 670-679	12.7	20
100	Weekly Standard Kt/V and Clinical Outcomes in Home and In-Center Hemodialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018 , 13, 445-455	6.9	11
99	Effect of Anti-Hypertensive Medication History on Arteriovenous Fistula Maturation Outcomes. <i>American Journal of Nephrology</i> , 2018 , 48, 56-64	4.6	3
98	Novel PAradigm to improve Inflammatory burden in end stage Renal disease (rePAIR): study protocol for a randomized controlled trial. <i>Trials</i> , 2018 , 19, 370	2.8	1
97	A 3D Human Renal Cell Carcinoma-on-a-Chip for the Study of Tumor Angiogenesis. <i>Neoplasia</i> , 2018 , 20, 610-620	6.4	40
96	Bioelectrical Impedance Analysis Measures and Clinical Outcomes in CKD. <i>American Journal of Kidney Diseases</i> , 2018 , 72, 662-672	7.4	23
95	GDF-15, Galectin 3, Soluble ST2, and Risk of Mortality and Cardiovascular Events in CKD. <i>American Journal of Kidney Diseases</i> , 2018 , 72, 519-528	7.4	54

94	Chronic kidney disease attenuates the plasma metabolome response to insulin. JCI Insight, 2018, 3,	9.9	11
93	Human kidney on a chip assessment of polymyxin antibiotic nephrotoxicity. JCI Insight, 2018, 3,	9.9	36
92	Reevaluating the role of megalin in renal vitamin D homeostasis using a human cell-derived microphysiological system. <i>ALTEX: Alternatives To Animal Experimentation</i> , 2018 , 35, 504-515	4.3	10
91	Acute Kidney Injury and Risk of Incident Heart Failure Among US Veterans. <i>American Journal of Kidney Diseases</i> , 2018 , 71, 236-245	7.4	27
90	Comparison of the Complexity of Patients Seen by Different Medical Subspecialists in a Universal Health Care System. <i>JAMA Network Open</i> , 2018 , 1, e184852	10.4	94
89	Technology Transfer of the Microphysiological Systems: A Case Study of the Human Proximal Tubule Tissue Chip. <i>Scientific Reports</i> , 2018 , 8, 14882	4.9	40
88	Prediction of Arteriovenous Fistula Clinical Maturation from Postoperative Ultrasound Measurements: Findings from the Hemodialysis Fistula Maturation Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2018 , 29, 2735-2744	12.7	49
87	Fabricating a Kidney Cortex Extracellular Matrix-Derived Hydrogel. <i>Journal of Visualized Experiments</i> , 2018 ,	1.6	7
86	Reconstructing the Human Renal Vascular-Tubular Unit In Vitro. <i>Advanced Healthcare Materials</i> , 2018 , 7, e1801120	10.1	30
85	High-Throughput Screening Enhances Kidney Organoid Differentiation from Human Pluripotent Stem Cells and Enables Automated Multidimensional Phenotyping. <i>Cell Stem Cell</i> , 2018 , 22, 929-940.e4	18	209
84	Human Organ-Specific Endothelial Cell Heterogeneity. <i>IScience</i> , 2018 , 4, 20-35	6.1	115
83	Growth Differentiation Factor-15 and Risk of CKD Progression. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 2233-2240	12.7	82
82	Global Cardiovascular and Renal Outcomes of Reduced GFR. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 2167-2179	12.7	127
81	The CKD Classification System in the Precision Medicine Era. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017 , 12, 346-348	6.9	23
80	Effect of Coenzyme Q on Biomarkers of Oxidative Stress and Cardiac Function in Hemodialysis Patients: The CoQ Biomarker Trial. <i>American Journal of Kidney Diseases</i> , 2017 , 69, 389-399	7.4	42
79	Indication for Dialysis Initiation and Mortality in Patients With Chronic Kidney Failure: A Retrospective Cohort Study. <i>American Journal of Kidney Diseases</i> , 2017 , 69, 41-50	7.4	23
78	Organoid cystogenesis reveals a critical role of microenvironment in human polycystic kidneyldisease. <i>Nature Materials</i> , 2017 , 16, 1112-1119	27	139
77	Circulating levels of soluble Fas (sCD95) are associated with risk for development of a nonresolving acute kidney injury subphenotype. <i>Critical Care</i> , 2017 , 21, 217	10.8	11

76	Human liver-kidney model elucidates the mechanisms of aristolochic acid nephrotoxicity. <i>JCI Insight</i> , 2017 , 2,	9.9	81
75	Histopathology of Veins Obtained at Hemodialysis Arteriovenous Fistula Creation Surgery. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 3076-3088	12.7	27
74	Intimal Hyperplasia, Stenosis, and Arteriovenous Fistula Maturation Failure in the Hemodialysis Fistula Maturation Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 3005-3013	12.7	59
73	Kidney function is associated with an altered protein composition of high-density lipoprotein. <i>Kidney International</i> , 2017 , 92, 1526-1535	9.9	26
72	Clinical Genetic Testing for APOL1: Are we There Yet?. Seminars in Nephrology, 2017, 37, 552-557	4.8	23
71	Identification, Confirmation, and Replication of Novel Urinary MicroRNA Biomarkers in Lupus Nephritis and Diabetic Nephropathy. <i>Clinical Chemistry</i> , 2017 , 63, 1515-1526	5.5	51
70	A Quantitative Approach to Screen for Nephrotoxic Compounds In Vitro. <i>Journal of the American Society of Nephrology: JASN</i> , 2016 , 27, 1015-28	12.7	80
69	Rapid and sensitive analysis of reduced and oxidized coenzyme Q10 in human plasma by ultra performance liquid chromatography-tandem mass spectrometry and application to studies in healthy human subjects. <i>Annals of Clinical Biochemistry</i> , 2016 , 53, 265-73	2.2	11
68	Extended-hours hemodialysis is associated withflower mortality risk in patients with end-stage renal disease. <i>Kidney International</i> , 2016 , 90, 1312-1320	9.9	22
67	Abundance of Drug Transporters in the Human Kidney Cortex as Quantified by Quantitative Targeted Proteomics. <i>Drug Metabolism and Disposition</i> , 2016 , 44, 1920-1924	4	89
66	Diabetes, Kidney Disease, and Cardiovascular Outcomes in the Jackson Heart Study. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016 , 11, 1384-91	6.9	21
65	Acute kidney injury subphenotypes based on creatinine trajectory identifies patients at increased risk of death. <i>Critical Care</i> , 2016 , 20, 372	10.8	29
64	Risk prediction to inform surveillance of chronic kidney disease in the US Healthcare Safety Net: a cohort study. <i>BMC Nephrology</i> , 2016 , 17, 57	2.7	6
63	Dietary Acid Load is Associated With Serum Bicarbonate but not Insulin Sensitivity in Chronic Kidney Disease. <i>Journal of Renal Nutrition</i> , 2016 , 26, 93-102	3	19
62	Racial and Ethnic Disparities in Use of and Outcomes with Home Dialysis in the United States. Journal of the American Society of Nephrology: JASN, 2016 , 27, 2123-34	12.7	45
61	Tubular Secretion in CKD. Journal of the American Society of Nephrology: JASN, 2016 , 27, 2148-55	12.7	58
60	A Novel Three-Dimensional Human Peritubular Microvascular System. <i>Journal of the American Society of Nephrology: JASN</i> , 2016 , 27, 2370-81	12.7	61
59	Association of Vascular Access Type with Mortality, Hospitalization, and Transfer to In-Center Hemodialysis in Patients Undergoing Home Hemodialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016 , 11, 298-307	6.9	22

(2015-2016)

58	Functional Comparison of Human Colonic Carcinoma Cell Lines and Primary Small Intestinal Epithelial Cells for Investigations of Intestinal Drug Permeability and First-Pass Metabolism. <i>Drug Metabolism and Disposition</i> , 2016 , 44, 329-35	4	38
57	Association of FMO3 Variants and Trimethylamine N-Oxide Concentration, Disease Progression, and Mortality in CKD Patients. <i>PLoS ONE</i> , 2016 , 11, e0161074	3.7	31
56	A wearable artificial kidney for patients with end-stage renal disease. JCI Insight, 2016, 1,	9.9	75
55	Storage Time and Urine Biomarker Levels in the ASSESS-AKI Study. <i>PLoS ONE</i> , 2016 , 11, e0164832	3.7	12
54	Association of markers of endothelial dysregulation Ang1 and Ang2 with acute kidney injury in critically ill patients. <i>Critical Care</i> , 2016 , 20, 207	10.8	24
53	Physical activity and metabolic health in chronic kidney disease: a cross-sectional study. <i>BMC Nephrology</i> , 2016 , 17, 187	2.7	10
52	Risk Factors for Rapid Kidney Function Decline Among African Americans: The Jackson Heart Study (JHS). <i>American Journal of Kidney Diseases</i> , 2016 , 68, 229-239	7.4	47
51	Decellularized Human Kidney Cortex Hydrogels Enhance Kidney Microvascular Endothelial Cell Maturation and Quiescence. <i>Tissue Engineering - Part A</i> , 2016 , 22, 1140-1150	3.9	54
50	Markers of kidney disease and risk of subclinical and clinical heart failure in African Americans: the Jackson Heart Study. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, 2057-2064	4.3	6
49	Development of a microphysiological model of human kidney proximal tubule function. <i>Kidney International</i> , 2016 , 90, 627-37	9.9	152
48	A Cluster of Proteins Implicated in Kidney Disease Is Increased in High-Density Lipoprotein Isolated from Hemodialysis Subjects. <i>Journal of Proteome Research</i> , 2015 , 14, 2792-806	5.6	31
47	Maintenance Dialysis throughout the World in Years 1990 and 2010. <i>Journal of the American Society of Nephrology: JASN</i> , 2015 , 26, 2621-33	12.7	123
46	Predictors of treatment with dialysis modalities in observational studies for comparative effectiveness research. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 1208-17	4.3	43
45	Creatinine clearance, walking speed, and muscle atrophy: a cohort study. <i>American Journal of Kidney Diseases</i> , 2015 , 65, 737-47	7.4	40
44	Association of plasma F2-isoprostanes and isofurans concentrations with erythropoiesis-stimulating agent resistance in maintenance hemodialysis patients. <i>BMC Nephrology</i> , 2015 , 16, 79	2.7	7
43	Volume Overload: Prevalence, Risk Factors, and Functional Outcome in Survivors of Septic Shock. Annals of the American Thoracic Society, 2015 , 12, 1837-44	4.7	52
42	Changes in symptom burden and physical performance with initiation of dialysis in patients with chronic kidney disease. <i>Hemodialysis International</i> , 2015 , 19, 147-50	1.7	7
41	Urine matrix metalloproteinase-7 and risk of kidney disease progression and mortality in type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2015 , 29, 1024-31	3.2	15

40	A pilot randomized crossover trial assessing the safety and short-term effects of pomegranate supplementation in hemodialysis patients. <i>Journal of Renal Nutrition</i> , 2015 , 25, 40-9	3	19
39	Associations between single nucleotide polymorphisms in the FAS pathway and acute kidney injury. <i>Critical Care</i> , 2015 , 19, 368	10.8	7
38	Coenzyme Q10 dose-escalation study in hemodialysis patients: safety, tolerability, and effect on oxidative stress. <i>BMC Nephrology</i> , 2015 , 16, 183	2.7	38
37	Effects of chronic kidney disease and uremia on hepatic drug metabolism and transport. <i>Kidney International</i> , 2014 , 85, 522-8	9.9	125
36	Objectives and design of the hemodialysis fistula maturation study. <i>American Journal of Kidney Diseases</i> , 2014 , 63, 104-12	7.4	87
35	Increased concentration of circulating angiogenesis and nitric oxide inhibitors induces endothelial to mesenchymal transition and myocardial fibrosis in patients with chronic kidney disease. International Journal of Cardiology, 2014, 176, 99-109	3.2	67
34	Self-rated health and adverse events in CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014 , 9, 2044-51	6.9	18
33	Provision of antioxidant therapy in hemodialysis (PATH): a randomized clinical trial. <i>Journal of the American Society of Nephrology: JASN</i> , 2014 , 25, 623-33	12.7	50
32	Acute kidney injury is associated with increased hospital mortality after stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014 , 23, 25-30	2.8	47
31	Hemodialysis. New England Journal of Medicine, 2010, 363, 1833-45	59.2	187
30	Uremic toxicity, oxidative stress, and hemodialysis as renal replacement therapy. <i>Seminars in Dialysis</i> , 2009 , 22, 636-43	2.5	90
29	Creating research infrastructure and functionality to address chronic kidney disease: the Kidney Research Institute. <i>Seminars in Nephrology</i> , 2009 , 29, 457-66	4.8	1
28	Acute kidney injury in the elderly: problems and prospects. Seminars in Nephrology, 2009, 29, 658-64	4.8	29
27	Evaluation and initial management of acute kidney injury. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008 , 3, 962-7	6.9	90
26	Oxidative stress in hemodialysis. <i>Contributions To Nephrology</i> , 2008 , 161, 132-137	1.6	41
25	Oxidative stress and inflammation are associated with adiposity in moderate to severe CKD. Journal of the American Society of Nephrology: JASN, 2008, 19, 593-9	12.7	153
24	Gamma-tocopherol and docosahexaenoic acid decrease inflammation in dialysis patients. <i>Journal of Renal Nutrition</i> , 2007 , 17, 296-304	3	79
23	End-stage renal disease measures of quality. <i>Annual Review of Medicine</i> , 2007 , 58, 387-99	17.4	11

(2002-2007)

22	Continuous renal replacement therapy in the treatment of acute renal failure: critical assessment is required. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2007 , 2, 385-9	6.9	18
21	Chronic kidney disease and the public health: gaps in evidence from interventional trials. <i>JAMA - Journal of the American Medical Association</i> , 2007 , 297, 2630-3	27.4	29
20	Cost, quality, and value: the changing political economy of dialysis care. <i>Journal of the American Society of Nephrology: JASN</i> , 2007 , 18, 2021-7	12.7	26
19	Iron regulation. Journal of the American Society of Nephrology: JASN, 2007, 18, 379-81	12.7	14
18	The Importance of Biocompatible Membranes in Dialysis. Seminars in Dialysis, 2007, 9, 481-483	2.5	2
17	Dialytic Therapy in Acute Renal Failure: No Reason for Nihilism. <i>Seminars in Dialysis</i> , 2007 , 9, 230-234	2.5	4
16	Dialysis at a crossroads: reverse engineering renal replacement therapy. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2006 , 1, 896-902	6.9	7
15	Relevance of oxidative pathways in the pathophysiology of chronic kidney disease. <i>Cardiology Clinics</i> , 2005 , 23, 319-30	2.5	54
14	Opinion: What is the Current and Future Status of Interventional Nephrology?. <i>Seminars in Dialysis</i> , 2005 , 18, 375-377	2.5	
13	Hemodialysis complications. <i>American Journal of Kidney Diseases</i> , 2005 , 45, 1122-31	7.4	36
13	Oxidative stress is increased in critically ill patients with acute renal failure. <i>Journal of the American Society of Nephrology: JASN</i> , 2004 , 15, 2449-56	7·4 12.7	177
	Oxidative stress is increased in critically ill patients with acute renal failure. <i>Journal of the American</i>	, , , , , , , , , , , , , , , , , , ,	177
12	Oxidative stress is increased in critically ill patients with acute renal failure. <i>Journal of the American Society of Nephrology: JASN</i> , 2004 , 15, 2449-56 Payment for quality in end-stage renal disease. <i>Journal of the American Society of Nephrology: JASN</i> ,	12.7	177
12	Oxidative stress is increased in critically ill patients with acute renal failure. <i>Journal of the American Society of Nephrology: JASN</i> , 2004 , 15, 2449-56 Payment for quality in end-stage renal disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2004 , 15, 3263-9 Impaired monocyte cytokine production in critically ill patients with acute renal failure. <i>Kidney</i>	12.7	177
12 11 10	Oxidative stress is increased in critically ill patients with acute renal failure. <i>Journal of the American Society of Nephrology: JASN</i> , 2004 , 15, 2449-56 Payment for quality in end-stage renal disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2004 , 15, 3263-9 Impaired monocyte cytokine production in critically ill patients with acute renal failure. <i>Kidney International</i> , 2004 , 66, 2354-60 Linking oxidative stress and inflammation in kidney disease: which is the chicken and which is the	12.7 12.7 9.9	177 19 39
12 11 10	Oxidative stress is increased in critically ill patients with acute renal failure. <i>Journal of the American Society of Nephrology: JASN</i> , 2004 , 15, 2449-56 Payment for quality in end-stage renal disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2004 , 15, 3263-9 Impaired monocyte cytokine production in critically ill patients with acute renal failure. <i>Kidney International</i> , 2004 , 66, 2354-60 Linking oxidative stress and inflammation in kidney disease: which is the chicken and which is the egg?. <i>Seminars in Dialysis</i> , 2004 , 17, 449-54	12.7 12.7 9.9 2.5	177 19 39 97
12 11 10 9	Oxidative stress is increased in critically ill patients with acute renal failure. <i>Journal of the American Society of Nephrology: JASN</i> , 2004 , 15, 2449-56 Payment for quality in end-stage renal disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2004 , 15, 3263-9 Impaired monocyte cytokine production in critically ill patients with acute renal failure. <i>Kidney International</i> , 2004 , 66, 2354-60 Linking oxidative stress and inflammation in kidney disease: which is the chicken and which is the egg?. <i>Seminars in Dialysis</i> , 2004 , 17, 449-54 Oxidative stress in uremia. <i>Current Opinion in Nephrology and Hypertension</i> , 2003 , 12, 593-8 The HEMO study - where do we go from here?. <i>Current Opinion in Nephrology and Hypertension</i> ,	12.7 12.7 9.9 2.5	177 19 39 97 130

4	The elephant in uremia: oxidant stress as a unifying concept of cardiovascular disease in uremia. <i>Kidney International</i> , 2002 , 62, 1524-38	9.9	846
3	Myeloperoxidase-catalyzed 3-chlorotyrosine formation in dialysis patients. <i>Free Radical Biology and Medicine</i> , 2001 , 31, 1163-9	7.8	105
2	Quantitating urea removal in patients with acute renal failure: lost art or forgotten science?. <i>Seminars in Dialysis</i> , 2000 , 13, 147-9	2.5	10
1	A reference tissue atlas for the human kidney		2