Lise Bankir

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3985840/lise-bankir-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69 148 5,923 44 h-index g-index citations papers 161 6,600 6.5 5.57 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
148	Water intake and progression of chronic kidney disease: the CKD-REIN cohort study. <i>Nephrology Dialysis Transplantation</i> , 2021 ,	4.3	6
147	Could an intrarenal Cori cycle participate in the urinary concentrating mechanism?. <i>American Journal of Physiology - Renal Physiology</i> , 2021 , 321, F352-F353	4.3	1
146	Low hydration status may be associated with insulin resistance and fat distribution: analysis of the Korea National Health and Nutrition Examination Survey (KNHANES) 2008-2010. <i>British Journal of Nutrition</i> , 2020 , 1-10	3.6	
145	Medullary and cortical thick ascending limb: similarities and differences. <i>American Journal of Physiology - Renal Physiology</i> , 2020 , 318, F422-F442	4.3	11
144	What can copeptin tell us in patients with autosomal dominant polycystic disease?. <i>Kidney International</i> , 2019 , 96, 19-22	9.9	3
143	Effects of hydration on plasma copeptin, glycemia and gluco-regulatory hormones: a water intervention in humans. <i>European Journal of Nutrition</i> , 2019 , 58, 315-324	5.2	28
142	Renal potassium handling in carriers of the Gly40Ser mutation of the glucagon receptor suggests a role for glucagon in potassium homeostasis. <i>Physiological Reports</i> , 2018 , 6, e13661	2.6	1
141	Association of a Low-Protein Diet With Slower Progression of CKD. <i>Kidney International Reports</i> , 2018 , 3, 105-114	4.1	26
140	Improved protocols for the study of urinary electrolyte excretion and blood pressure in rodents: use of gel food and stepwise changes in diet composition. <i>American Journal of Physiology - Renal Physiology</i> , 2018 , 314, F1129-F1137	4.3	3
139	Plasma copeptin and chronic kidney disease risk in 3 European cohorts from the general population. <i>JCI Insight</i> , 2018 , 3,	9.9	20
138	Glucagon revisited: Coordinated actions on the liver and kidney. <i>Diabetes Research and Clinical Practice</i> , 2018 , 146, 119-129	7.4	6
137	Acute and chronic hyperglycemic effects of vasopressin in normal rats: involvement of V receptors. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2017 , 312, E127-E135	6	25
136	Vasopressin and diabetic nephropathy. Current Opinion in Nephrology and Hypertension, 2017, 26, 311-3	3 18 5	12
135	Antagonism of vasopressin V2 receptor improves albuminuria at the early stage of diabetic nephropathy in a mouse model of type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 929-932	3.2	13
134	Validation of Surrogates of Urine Osmolality in Population Studies. <i>American Journal of Nephrology</i> , 2017 , 46, 26-36	4.6	7
133	Urinary Sodium Concentration Is an Independent Predictor of All-Cause and Cardiovascular Mortality in a Type 2 Diabetes Cohort Population. <i>Journal of Diabetes Research</i> , 2017 , 2017, 5327352	3.9	8
132	Relationship between Sodium Intake and Water Intake: The False and the True. <i>Annals of Nutrition and Metabolism</i> , 2017 , 70 Suppl 1, 51-61	4.5	15

Vasopressin: physiology, assessment and osmosensation. *Journal of Internal Medicine*, **2017**, 282, 284-2970.8 131 Hydration and Chronic Kidney Disease Progression: A Critical Review of the Evidence. American 4.6 130 76 Journal of Nephrology, **2016**, 43, 281-92 Metabolic and Kidney Diseases in the Setting of Climate Change, Water Shortage, and Survival 129 12.7 42 Factors. Journal of the American Society of Nephrology: JASN, 2016, 27, 2247-56 Ricerca di Soggetti Affetti da [berazotemia Familiare non Accompagnata da Un'insufficienza 128 Renale Giornale De Techniche Nefrologiche & Dialitiche, 2016, 28, 300-301 Rehydration with soft drink-like beverages exacerbates dehydration and worsens dehydration-associated renal injury. American Journal of Physiology - Regulatory Integrative and 127 3.2 48 Comparative Physiology, 2016, 311, R57-65 Glucagon actions on the kidney revisited: possible role in potassium homeostasis. American Journal 126 15 4.3 of Physiology - Renal Physiology, 2016, 311, F469-86 Plasma Copeptin, AVP Gene Variants, and Incidence of Type 2 Diabetes in a Cohort From the 5.6 125 52 Community. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 2432-9 Plasma Copeptin, Kidney Outcomes, Ischemic Heart Disease, and All-Cause Mortality in People With 124 14.6 41 Long-standing Type 1 Diabetes. Diabetes Care, 2016, 39, 2288-2295 Urine Osmolarity and Risk of Dialysis Initiation in a CKD Cohort. Annals of Nutrition and Metabolism, 123 4.5 1 **2015**, 66 Suppl 3, 14-7 Vasopressin and hydration play a major role in the development of glucose intolerance and hepatic 10.3 58 steatosis in obese rats. Diabetologia, 2015, 58, 1081-90 Protein- and diabetes-induced glomerular hyperfiltration: role of glucagon, vasopressin, and urea. 121 4.3 65 American Journal of Physiology - Renal Physiology, **2015**, 309, F2-23 Plasma Copeptin and Decline in Renal Function in a Cohort from the Community: The Prospective 120 4.6 28 D.E.S.I.R. Study. American Journal of Nephrology, 2015, 42, 107-14 Hyperosmolarity drives hypertension and CKD--water and salt revisited. Nature Reviews Nephrology 119 14.9 47 , **2014**, 10, 415-20 Comparison between copeptin and vasopressin in a population from the community and in people 118 5.6 87 with chronic kidney disease. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 4656-63 Differential circadian pattern of water and Na excretion rates in the metabolic syndrome. 8 3.6 117 Chronobiology International, 2014, 31, 861-7 Urine osmolarity and risk of dialysis initiation in a chronic kidney disease cohort--a possible titration 116 3.7 target?. PLoS ONE, 2014, 9, e93226 Active urea transport in lower vertebrates and mammals. Sub-Cellular Biochemistry, 2014, 73, 193-226 6 115 5.5 Vasopressin: a novel target for the prevention and retardation of kidney disease?. Nature Reviews 114 14.9 139 Nephrology, 2013, 9, 223-39

113	Water and Kidney Physiology. <i>Nutrition Today</i> , 2013 , 48, S13-S17	1.6	2
112	Impacts of Active Urea Secretion into Pars Recta on Urine Concentration and Urea Excretion Rate. <i>Physiological Reports</i> , 2013 , 1,	2.6	7
111	Copeptin, a marker of vasopressin, in abdominal obesity, diabetes and microalbuminuria: the prospective MalmiDiet and Cancer Study cardiovascular cohort. <i>International Journal of Obesity</i> , 2013 , 37, 598-603	5.5	128
110	Plasma copeptin and renal outcomes in patients with type 2 diabetes and albuminuria. <i>Diabetes Care</i> , 2013 , 36, 3639-45	14.6	59
109	Metabolic changes in summer active and anuric hibernating free-ranging brown bears (Ursus arctos). <i>PLoS ONE</i> , 2013 , 8, e72934	3.7	36
108	Urea transporter UT-B deletion induces DNA damage and apoptosis in mouse bladder urothelium. <i>PLoS ONE</i> , 2013 , 8, e76952	3.7	25
107	Hydratation et fonction rfiale. <i>Medecine Et Nutrition</i> , 2013 , 49, 21-26		
106	New insights into urea and glucose handling by the kidney, and the urine concentrating mechanism. <i>Kidney International</i> , 2012 , 81, 1179-98	9.9	52
105	Polycystic kidney disease: An early urea-selective urine-concentrating defect in ADPKD. <i>Nature Reviews Nephrology</i> , 2012 , 8, 437-9	14.9	12
104	Treatment of the syndrome of inappropriate secretion of antidiuretic hormone with urea in critically ill patients. <i>American Journal of Nephrology</i> , 2012 , 35, 265-70	4.6	34
103	Low water intake and risk for new-onset hyperglycemia. <i>Diabetes Care</i> , 2011 , 34, 2551-4	14.6	103
102	Erythrocyte permeability to urea and water: comparative study in rodents, ruminants, carnivores, humans, and birds. <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 2011 , 181, 65-72	2.2	18
101	Reduced insulin secretion and nocturnal dipping of blood pressure are associated with a disturbed circadian pattern of urine excretion in metabolic syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, E929-33	5.6	9
100	Antinatriuretic effect of vasopressin in humans is amiloride sensitive, thus ENaC dependent. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 753-9	6.9	19
99	Role of thin descending limb urea transport in renal urea handling and the urine concentrating mechanism. <i>American Journal of Physiology - Renal Physiology</i> , 2011 , 301, F1251-9	4.3	38
98	Mutation of the Na(+)-K(+)-2Cl(-) cotransporter NKCC2 in mice is associated with severe polyuria and a urea-selective concentrating defect without hyperreninemia. <i>American Journal of Physiology - Renal Physiology</i> , 2010 , 298, F1405-15	4.3	31
97	Vasopressin V2 receptors, ENaC, and sodium reabsorption: a risk factor for hypertension?. <i>American Journal of Physiology - Renal Physiology</i> , 2010 , 299, F917-28	4.3	82
96	Race, sex, and the regulation of urine osmolality: observations made during water deprivation. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2010 , 299, R977-80	3.2	14

(2003-2009)

95	A case for water in the treatment of polycystic kidney disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009 , 4, 1140-50	6.9	99
94	Nighttime blood pressure and nocturnal dipping are associated with daytime urinary sodium excretion in African subjects. <i>Hypertension</i> , 2008 , 51, 891-8	8.5	125
93	Sodium excretion in response to vasopressin and selective vasopressin receptor antagonists. Journal of the American Society of Nephrology: JASN, 2008, 19, 1721-31	12.7	75
92	Ethnic differences in renal responses to furosemide. <i>Hypertension</i> , 2008 , 52, 241-8	8.5	33
91	Sex difference in urine concentration across differing ages, sodium intake, and level of kidney disease. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2007 , 292, R700-5	3.2	125
90	Ethnic differences in urine concentration: possible relationship to blood pressure. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2007 , 2, 304-12	6.9	60
89	Urea and urine concentrating ability in mice lacking AQP1 and AQP3. <i>American Journal of Physiology - Renal Physiology</i> , 2006 , 291, F429-38	4.3	19
88	Does Tamm-Horsfall protein-uric acid binding play a significant role in urate homeostasis?. <i>Nephrology Dialysis Transplantation</i> , 2006 , 21, 2938-42	4.3	7
87	Long-term effects of vasopressin on the subcellular localization of ENaC in the renal collecting system. <i>Kidney International</i> , 2006 , 69, 1024-32	9.9	38
86	Molecular basis for the dialysis disequilibrium syndrome: altered aquaporin and urea transporter expression in the brain. <i>Nephrology Dialysis Transplantation</i> , 2005 , 20, 1984-8	4.3	79
85	Cyclic AMP-phosphodiesterases inhibitor improves sodium excretion in rats with cirrhosis and ascites. <i>Liver International</i> , 2005 , 25, 403-9	7.9	6
84	Urea and urine concentrating ability: new insights from studies in mice. <i>American Journal of Physiology - Renal Physiology</i> , 2005 , 288, F881-96	4.3	149
83	Vasopressin-V2 receptor stimulation reduces sodium excretion in healthy humans. <i>Journal of the American Society of Nephrology: JASN</i> , 2005 , 16, 1920-8	12.7	97
82	Lack of UT-B in vasa recta and red blood cells prevents urea-induced improvement of urinary concentrating ability. <i>American Journal of Physiology - Renal Physiology</i> , 2004 , 286, F144-51	4.3	71
81	ARE RACIAL DIFFERENCES IN SODIUM AND WATER HANDLING AT NIGHT RELATED TO DIFFERENCES IN THE SUSCEPTIBILITY TO HYPERTENSION?. <i>Journal of Hypertension</i> , 2004 , 22, S216-S21	1 7 ^{1.9}	
80	Diabetes-induced albuminuria: role of antidiuretic hormone as revealed by chronic V2 receptor antagonism in rats. <i>Nephrology Dialysis Transplantation</i> , 2003 , 18, 1755-63	4.3	59
79	Vasopressin increases urinary albumin excretion in rats and humans: involvement of V2 receptors and the renin-angiotensin system. <i>Nephrology Dialysis Transplantation</i> , 2003 , 18, 497-506	4.3	101
78	Effect of salt and water intake on epithelial sodium channel mRNA abundance in the kidney of salt-sensitive Sabra rats. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2003 , 30, 963-5	3	11

77	Influence of plasma amino acid level on vasopressin secretion. <i>Diabetes and Metabolism</i> , 2003 , 29, 352-	·6 5 .4	6
76	Urea-selective concentrating defect in transgenic mice lacking urea transporter UT-B. <i>Journal of Biological Chemistry</i> , 2002 , 277, 10633-7	5.4	175
75	Extracellular cAMP inhibits proximal reabsorption: are plasma membrane cAMP receptors involved?. <i>American Journal of Physiology - Renal Physiology</i> , 2002 , 282, F376-92	4.3	49
74	Aquaporin-2 and urea transporter-A1 are up-regulated in rats with type I diabetes mellitus. <i>Diabetologia</i> , 2001 , 44, 637-45	10.3	42
73	Selective blockade of vasopressin V2 receptors reveals significant V2-mediated water reabsorption in Brattleboro rats with diabetes insipidus. <i>Nephrology Dialysis Transplantation</i> , 2001 , 16, 725-34	4.3	22
72	Chronic exposure to vasopressin upregulates ENaC and sodium transport in the rat renal collecting duct and lung. <i>Hypertension</i> , 2001 , 38, 1143-9	8.5	100
71	Vasopressin and diabetes mellitus. <i>Nephron</i> , 2001 , 87, 8-18	3.3	79
70	Antidiuretic action of vasopressin: quantitative aspects and interaction between V1a and V2 receptor-mediated effects. <i>Cardiovascular Research</i> , 2001 , 51, 372-90	9.9	220
69	Regulation by sodium intake of type 1 angiotensin II receptor mRNAs in the kidney of Sabra rats. <i>Journal of Hypertension</i> , 2000 , 18, 1097-105	1.9	1
68	Massive reduction of urea transporters in remnant kidney and brain of uremic rats. <i>Kidney International</i> , 2000 , 58, 1202-10	9.9	47
67	Renal urea transporters. Direct and indirect regulation by vasopressin. <i>Experimental Physiology</i> , 2000 , 85 Spec No, 243S-252S	2.4	39
66	mRNA expression of renal urea transporters in normal and Brattleboro rats: effect of dietary protein intake. <i>Nephron Experimental Nephrology</i> , 1999 , 7, 44-51		18
65	Vasopressin contributes to hyperfiltration, albuminuria, and renal hypertrophy in diabetes mellitus: study in vasopressin-deficient Brattleboro rats. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 10397-402	11.5	111
64	Low-dose vasopressin restores diuresis both in patients with hepatorenal syndrome and in anuric patients with end-stage heart failure. <i>Journal of Internal Medicine</i> , 1999 , 246, 183-90	10.8	27
63	Contribution of vasopressin to progression of chronic renal failure: study in Brattleboro rats. <i>Life Sciences</i> , 1999 , 65, 991-1004	6.8	56
62	Glucagon receptor gene mutation (Gly40Ser) in human essential hypertension: the PEGASE study. <i>Hypertension</i> , 1999 , 34, 15-7	8.5	25
61	Vasopressin and urinary concentrating activity in diabetes mellitus. <i>Diabetes and Metabolism</i> , 1999 , 25, 213-22	5.4	20
60	Vascular contributions to pathogenesis of acute renal failure. <i>Renal Failure</i> , 1998 , 20, 663-77	2.9	9

59	Integrated function of urea transporters in the mammalian kidney. <i>Nephron Experimental Nephrology</i> , 1998 , 6, 471-9		27
58	Renal tubular and vascular urea transporters: influence of antidiuretic hormone on messenger RNA expression in Brattleboro rats. <i>Journal of the American Society of Nephrology: JASN</i> , 1998 , 9, 1359-66	12.7	39
57	Vasopressin and water conservation: the good and the evil. <i>American Journal of Kidney Diseases</i> , 1997 , 30, xliv-xlvi	7.4	2
56	Low urine flow reduces the capacity to excrete a sodium load in humans. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1997 , 273, R1726-33	3.2	21
55	Expression of type 1 angiotensin II receptor subtypes and angiotensin II-induced calcium mobilization along the rat nephron. <i>Journal of the American Society of Nephrology: JASN</i> , 1997 , 8, 1658-6	5 7 2.7	89
54	Direct and indirect cost of urea excretion. <i>Kidney International</i> , 1996 , 49, 1598-607	9.9	44
53	Type 1 angiotensin II receptor subtypes in kidney of normal and salt-sensitive hypertensive rats. <i>Hypertension</i> , 1996 , 27, 392-8	8.5	6
52	Cyclic AMP is a hepatorenal link influencing natriuresis and contributing to glucagon-induced hyperfiltration in rats. <i>Journal of Clinical Investigation</i> , 1996 , 98, 2251-8	15.9	35
51	Characterization of SR 121463A, a highly potent and selective, orally active vasopressin V2 receptor antagonist. <i>Journal of Clinical Investigation</i> , 1996 , 98, 2729-38	15.9	195
50	Vasopressin increases glomerular filtration rate in conscious rats through its antidiuretic action. Journal of the American Society of Nephrology: JASN, 1996, 7, 842-51	12.7	77
49	Evidence for distinct vascular and tubular urea transporters in the rat kidney. <i>Journal of the American Society of Nephrology: JASN</i> , 1996 , 7, 852-60	12.7	76
48	Influence of glucagon on GFR and on urea and electrolyte excretion: direct and indirect effects. <i>American Journal of Physiology - Renal Physiology</i> , 1995 , 269, F225-35	4.3	24
47	Role of Urine Concentration in the Progression of Renal Failure1 1993 , 216-225		
46	Renal synthesis of arginine in chronic renal failure: in vivo and in vitro studies in rats with 5/6 nephrectomy. <i>Kidney International</i> , 1993 , 44, 676-83	9.9	40
45	Localization of urea and ornithine production along mouse and rabbit nephrons: functional significance. <i>American Journal of Physiology - Renal Physiology</i> , 1992 , 263, F878-85	4.3	13
44	Morphometric analysis of kidney hypertrophy in rats after chronic potassium depletion. <i>American Journal of Physiology - Renal Physiology</i> , 1992 , 262, F656-67	4.3	24
43	Effects of glucagon on glomerular filtration rate and urea and water excretion. <i>American Journal of Physiology - Renal Physiology</i> , 1992 , 263, F24-36	4.3	15
42	Influence of the level of hydration on the renal response to a protein meal. <i>Kidney International</i> , 1992 , 42, 1207-16	9.9	38

41	Differences in rat kidney morphology between males, females and testosterone-treated females. <i>Kidney and Blood Pressure Research</i> , 1991 , 14, 92-102	3.1	30
40	Vasopressin-dependent kidney hypertrophy: role of urinary concentration in protein-induced hypertrophy and in the progression of chronic renal failure. <i>American Journal of Kidney Diseases</i> , 1991 , 17, 661-5	7.4	33
39	Vasopressin is involved in renal effects of high-protein diet: study in homozygous Brattleboro rats. <i>American Journal of Physiology - Renal Physiology</i> , 1991 , 260, F96-100	4.3	9
38	Tamm-Horsfall protein excretion during chronic alterations in urinary concentration and protein intake in the rat. <i>Kidney and Blood Pressure Research</i> , 1991 , 14, 236-45	3.1	18
37	Vasopressin and urinary concentration: additional risk factors in the progression of chronic renal failure. <i>American Journal of Kidney Diseases</i> , 1991 , 17, 20-6	7.4	7
36	Localization of arginine synthesis along rat nephron. <i>American Journal of Physiology - Renal Physiology</i> , 1990 , 259, F916-23	4.3	31
35	Effect of water intake on the progression of chronic renal failure in the 5/6 nephrectomized rat. <i>American Journal of Physiology - Renal Physiology</i> , 1990 , 258, F973-9	4.3	73
34	Arginine vasopressin gene regulation in the homozygous Brattleboro rat. <i>Journal of Clinical Investigation</i> , 1990 , 86, 14-6	15.9	14
33	The role of the kidney in the maintenance of water balance. <i>Baillierels Clinical Endocrinology and Metabolism</i> , 1989 , 3, 249-311		27
32	Production of urea from arginine in pars recta and collecting duct of the rat kidney. <i>Kidney and Blood Pressure Research</i> , 1989 , 12, 302-12	3.1	16
31	Contribution of leucine to oxidative metabolism of the rat medullary thick ascending limb. <i>Pflugers Archiv European Journal of Physiology</i> , 1988 , 411, 676-80	4.6	9
30	Adaptation of the rat kidney to altered water intake and urine concentration. <i>Pflugers Archiv European Journal of Physiology</i> , 1988 , 412, 42-53	4.6	55
29	A standard nomenclature for structures of the kidney. The Renal Commission of the International Union of Physiological Sciences (IUPS). <i>Kidney International</i> , 1988 , 33, 1-7	9.9	161
28	Role of the urinary concentrating process in the renal effects of high protein intake. <i>Kidney International</i> , 1988 , 34, 4-12	9.9	40
27	A standard nomenclature for structures of the kidney. <i>Pflugers Archiv European Journal of Physiology</i> , 1988 , 411, 113-120	4.6	26
26	Effect of high protein intake on sodium, potassium-dependent adenosine triphosphatase activity in the thick ascending limb of Henle's loop in the rat. <i>Clinical Science</i> , 1988 , 74, 319-29	6.5	31
25	Functional adaptation of thick ascending limb and internephron heterogeneity to urine concentration. <i>Kidney International</i> , 1987 , 31, 549-55	9.9	29
24	Thick ascending limbanatomy and function: role in urine concentrating mechanisms. <i>Advances in Nephrology From the Necker Hospital</i> , 1987 , 16, 69-102		7

23	Possible role of the thick ascending limb and of the urine concentrating mechanism in the protein-induced increase in GFR and kidney mass. <i>Kidney International, Supplement</i> , 1987 , 22, S57-61		1
22	Quick isolation of rat medullary thick ascending limbs. Enzymatic and metabolic characterization. <i>Pflugers Archiv European Journal of Physiology</i> , 1986 , 407, 228-34	4.6	40
21	Influence of chronic ADH treatment on adenylate cyclase and ATPase activity in distal nephron segments of diabetes insipidus Brattleboro rats. <i>Pflugers Archiv European Journal of Physiology</i> , 1985 , 405, 216-22	4.6	20
20	Selective ADH-induced hypertrophy of the medullary thick ascending limb in Brattleboro rats. <i>Kidney International</i> , 1985 , 28, 456-66	9.9	59
19	Urinary concentrating ability: insights from comparative anatomy. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1985 , 249, R643-66	3.2	76
18	Effect of long- and short-term antidiuretic hormone availability on internephron heterogeneity in the adult rat. <i>American Journal of Physiology - Renal Physiology</i> , 1984 , 246, F879-88	4.3	9
17	Effects of osmolality and antidiuretic hormone on prostaglandin synthesis by renal papilla. Study in Brattleboro rats with diabetes insipidus. <i>Pflugers Archiv European Journal of Physiology</i> , 1984 , 400, 96-9	4.6	8
16	Stimulation of tubular reabsorption of magnesium and calcium by antidiuretic hormone in conscious rats. Study in Brattleboro rats with hereditary hypothalamic diabetes insipidus. <i>Pflugers Archiv European Journal of Physiology</i> , 1984 , 402, 458-64	4.6	18
15	Organization of the Medullary Circulation: Functional Implications 1984, 84-106		3
14	Papillary plasma flow in rats. II. Hormonal control. <i>Pflugers Archiv European Journal of Physiology</i> , 1983 , 398, 253-8	4.6	16
13	ADH-induced changes in the epithelium of the thick ascending limb in Brattleboro rats with hereditary hypothalamic diabetes insipidus. <i>Annals of the New York Academy of Sciences</i> , 1982 , 394, 424	-345	22
12	Homozygous Brattleboro rats lack normal nephron heterogeneity as a consequence of their urine concentrating defect. <i>Annals of the New York Academy of Sciences</i> , 1982 , 394, 524-8	6.5	7
11	Papillary plasma flow in rats. I. Relation to urine osmolality in normal and Brattleboro rats with hereditary diabetes insipidus. <i>Pflugers Archiv European Journal of Physiology</i> , 1982 , 394, 211-6	4.6	26
10	ADH-dependent nephron heterogeneity in rats with hereditary hypothalamic diabetes insipidus. American Journal of Physiology - Renal Physiology, 1981 , 240, F372-80	4.3	10
9	Renal function and concentrating ability in a desert rodent: the gundi (Ctenodactylus vali). <i>Pflugers Archiv European Journal of Physiology</i> , 1981 , 390, 138-44	4.6	37
8	Altered PGE2 production by glomeruli and papilla of rats with hereditary diabetes insipidus. <i>Prostaglandins</i> , 1980 , 20, 349-65		21
7	The vascular organization of the kidney of Psammomys obesus. <i>Anatomy and Embryology</i> , 1979 , 155, 149-60		39
6	Measurement of glomerular blood flow in rabbits and rats: erroneous findings with 15-micron microspheres. <i>Kidney International</i> , 1979 , 15, 126-33	9.9	39

5	The measurement of glomerular blood flow in the rat kidney: influence of microsphere size. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1978 , 5, 559-65	3	16
4	Anatomical and functional heterogeneity of nephrons in the rabbit: microdissection studies and SNGFR measurements. <i>Pflugers Archiv European Journal of Physiology</i> , 1976 , 366, 89-93	4.6	13
3	Methods for measurement of renal blood flow in man. Seminars in Nuclear Medicine, 1974, 4, 39-50	5.4	7
2	Radioactive microsphere distribution and single glomerular blood flow in the normal rabbit kidney. <i>Pflugers Archiv European Journal of Physiology</i> , 1973 , 342, 111-23	4.6	26
1	Collection of lymph from kidneys homotransplanted in man: cell transformation in vivo. <i>Nature</i> , 1971 , 232, 633-4	50.4	30