## Anake Kijjoa

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3985852/publications.pdf

Version: 2024-02-01

		117625	182427
153	4,206 citations	34	51
papers	citations	h-index	g-index
159	159	159	4579
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Phycobiliproteins from cyanobacteria: Chemistry and biotechnological applications. Biotechnology Advances, 2019, 37, 422-443.	11.7	233
2	Drugs and Cosmetics from the Sea. Marine Drugs, 2004, 2, 73-82.	4.6	204
3	Can Some Marine-Derived Fungal Metabolites Become Actual Anticancer Agents?. Marine Drugs, 2015, 13, 3950-3991.	4.6	104
4	Antibacterial and Antibiofilm Activities of Tryptoquivalines and Meroditerpenes Isolated from the Marine-Derived Fungi Neosartorya paulistensis, N. laciniosa, N. tsunodae, and the Soil Fungi N. fischeri and N. siamensis. Marine Drugs, 2014, 12, 822-839.	4.6	85
5	Marine-Derived Compounds with Potential Use as Cosmeceuticals and Nutricosmetics. Molecules, 2020, 25, 2536.	3.8	71
6	New Isocoumarin Derivatives and Meroterpenoids from the Marine Sponge-Associated Fungus Aspergillus similanensis sp. nov. KUFA 0013. Marine Drugs, 2014, 12, 5160-5173.	4.6	70
7	Sartorymensin, a new indole alkaloid, and new analogues of tryptoquivaline and fiscalins produced by Neosartorya siamensis (KUFC 6349). Tetrahedron, 2012, 68, 3253-3262.	1.9	67
8	Antibacterial and antibiofilm activities of the metabolites isolated from the culture of the mangrove-derived endophytic fungus Eurotium chevalieri KUFA 0006. Phytochemistry, 2017, 141, 86-97.	2.9	67
9	Bioactive meroditerpenes and indole alkaloids from the soil fungus Neosartorya fischeri (KUFC 6344), and the marine-derived fungi Neosartorya laciniosa (KUFC 7896) and Neosartorya tsunodae (KUFC 9213). Tetrahedron, 2013, 69, 8583-8591.	1.9	66
10	A New Cyclic Hexapeptide and a New Isocoumarin Derivative from the Marine Sponge-Associated Fungus Aspergillus similanensis KUFA 0013. Marine Drugs, 2015, 13, 1432-1450.	4.6	63
11	Cytotoxic Activity of Lupane-Type Triterpenes fromGlochidion sphaerogynumandGlochidion eriocarpumTwo of which Induce Apoptosis. Planta Medica, 2005, 71, 208-213.	1.3	62
12	Protoberberine alkaloids from Coscinium fenestratum. Phytochemistry, 1992, 31, 1403-1407.	2.9	59
13	Eurocristatine, a new diketopiperazine dimer from the marine sponge-associated fungus Eurotium cristatum. Phytochemistry Letters, 2012, 5, 717-720.	1.2	55
14	The in vitro anticancer activity of the crude extract of the sponge-associated fungus Eurotium cristatum and its secondary metabolites. Journal of Natural Pharmaceuticals, $2010,1,25.$	0.8	53
15	Anticancer and cancer preventive compounds from edible marine organisms. Seminars in Cancer Biology, 2017, 46, 55-64.	9.6	53
16	Chemistry of the fumiquinazolines and structurally related alkaloids. Natural Product Reports, 2019, 36, 7-34.	10.3	51
17	Clerodane derivatives from Polyalthia viridis. Phytochemistry, 1990, 29, 653-655.	2.9	50
18	Merodrimanes and Other Constituents from Talaromyces thailandiasis. Journal of Natural Products, 2007, 70, 1200-1202.	3.0	48

#	Article	IF	CITATIONS
19	Bis-Indolyl Benzenoids, Hydroxypyrrolidine Derivatives and Other Constituents from Cultures of the Marine Sponge-Associated Fungus Aspergillus candidus KUFA0062. Marine Drugs, 2018, 16, 119.	4.6	48
20	Chiral Stationary Phases Based on Small Molecules: An Update of the Last 17 Years. Separation and Purification Reviews, 2018, 47, 89-123.	5.5	46
21	Targeting antimicrobial drug resistance with marine natural products. International Journal of Antimicrobial Agents, 2020, 56, 106005.	2.5	45
22	Further alkyl and alkenylphenols of Knema laurina and knema austrosiamensis: location of the double bond in the alkenyl side chains. Phytochemistry, 1996, 43, 1333-1337.	2.9	44
23	Xanthones from Cratoxylum maingayi. Phytochemistry, 1998, 49, 2159-2162.	2.9	44
24	Phytochemical and pharmacological properties of essential oils from <i>Cedrus</i> species. Natural Product Research, 2018, 32, 1415-1427.	1.8	44
25	Stilbenes and other constituents of Knema austrosiamensis. Phytochemistry, 1993, 32, 433-438.	2.9	42
26	Immunomodulatory Activity of Xanthones from Calophyllum teysmanniivar.inuphylloide. Planta Medica, 1999, 65, 368-371.	1.3	42
27	Artelastocarpin and Carpelastofuran, Two New Flavones, and Cytotoxicities of Prenyl Flavonoids from Artocarpus elasticus against Three Cancer Cell Lines. Planta Medica, 2001, 67, 867-870.	1.3	42
28	Anticancer Activity Evaluation of Kuanoniamines A and C Isolated from the Marine Sponge Oceanapia sagittaria, Collected from the Gulf of Thailand. Marine Drugs, 2007, 5, 6-22.	4.6	42
29	A New Ergosterol Analog, a New Bis-Anthraquinone and Anti-Obesity Activity of Anthraquinones from the Marine Sponge-Associated Fungus Talaromyces stipitatus KUFA 0207. Marine Drugs, 2017, 15, 139.	4.6	41
30	Marine natural flavonoids: chemistry and biological activities. Natural Product Research, 2019, 33, 3260-3272.	1.8	41
31	Polyoxygenated cyclohexene derivatives from Ellipeiopsis cherrevensis. Phytochemistry, 2002, 59, 543-549.	2.9	40
32	Antifungal Activity Evaluation of the Constituents of Haliclona baeri and Haliclona cymaeformis, Collected from the Gulf of Thailand. Marine Drugs, 2007, 5, 40-51.	4.6	39
33	Prenylflavonoids from Artocarpus elasticus. Phytochemistry, 1996, 43, 691-694.	2.9	36
34	Secondary Metabolites from a Culture of the Fungus Neosartorya pseudofischeri and Their In Vitro Cytostatic Activity in Human Cancer Cells. Planta Medica, 2012, 78, 1767-1776.	1.3	35
35	A New Meroditerpene and a New Tryptoquivaline Analog from the Algicolous Fungus Neosartorya takakii KUFC 7898. Marine Drugs, 2015, 13, 3776-3790.	4.6	35
36	New Cyclotetrapeptides and a New Diketopiperzine Derivative from the Marine Sponge-Associated Fungus Neosartorya glabra KUFA 0702. Marine Drugs, 2016, 14, 136.	4.6	34

#	Article	IF	CITATIONS
37	Antitumor Activity of Quinazolinone Alkaloids Inspired by Marine Natural Products. Marine Drugs, 2018, 16, 261.	4.6	34
38	Marine Natural Products as Models to Circumvent Multidrug Resistance. Molecules, 2016, 21, 892.	3.8	33
39	A New Dihydrochromone Dimer and Other Secondary Metabolites from Cultures of the Marine Sponge-Associated Fungi Neosartorya fennelliae KUFA 0811 and Neosartorya tsunodae KUFC 9213. Marine Drugs, 2017, 15, 375.	4.6	33
40	Chemical Diversity and Biological Activities of Marine Sponges of the Genus Suberea: A Systematic Review. Marine Drugs, 2019, 17, 115.	4.6	33
41	Lignans and other constituents of knema furfuracea. Phytochemistry, 1990, 29, 1985-1988.	2.9	32
42	Enantiomeric Resolution and Docking Studies of Chiral Xanthonic Derivatives on Chirobiotic Columns. Molecules, 2018, 23, 142.	3.8	32
43	Constituents of Knema laurinaand Knema tenuinerviassp. setosa. Planta Medica, 1991, 57, 575-577.	1.3	31
44	Redox Reaction of Artemisinin with Ferrous and Ferric Ions in Aqueous Buffer Chemical and Pharmaceutical Bulletin, 2001, 49, 1541-1546.	1.3	31
45	Improved methodologies for synthesis of prenylated xanthones by microwave irradiation and combination of heterogeneous catalysis (K10 clay) with microwave irradiation. Tetrahedron, 2009, 65, 3848-3857.	1.9	31
46	Aqueous extract of dioscorea opposita thunb. normalizes the hypertension in 2K1C hypertensive rats. BMC Complementary and Alternative Medicine, 2014, 14, 36.	3.7	31
47	Antimicrobial Activity of Untenospongin B, a Metabolite from the Marine Sponge Hippospongia communis collected from the Atlantic Coast of Morocco. Marine Drugs, 2004, 2, 147-153.	4.6	30
48	The binding of xanthone derivatives to transthyretin. Biochemical Pharmacology, 2005, 70, 1861-1869.	4.4	30
49	Bacillisporins D and E, New Oxyphenalenone Dimers from Talaromyces bacillisporus. Planta Medica, 2006, 72, 957-960.	1.3	30
50	In vitro Anticancer Activity and Antioxidant Properties of Essential Oils from Populus alba L. and Rosmarinus officinalis L. from South Eastern Anatolia of Turkey. Indian Journal of Pharmaceutical Education and Research, 2017, 51, s498-s503.	0.6	30
51	Ocotea quixos, American cinnamon. Journal of Ethnopharmacology, 1981, 4, 233-236.	4.1	29
52	Neofiscalin A and fiscalin C are potential novel indole alkaloid alternatives for the treatment of multidrug-resistant Gram-positive bacterial infections. FEMS Microbiology Letters, 2016, 363, fnw150.	1.8	29
53	Chemistry and Biological Activities of the Marine Sponges of the Genera Mycale (Arenochalina), Biemna and Clathria. Marine Drugs, 2018, 16, 214.	4.6	29
54	Effects of Puerarin on the Ovariectomy-Induced Depressive-Like Behavior in ICR Mice and Its Possible Mechanism of Action. Molecules, 2019, 24, 4569.	3.8	29

#	Article	IF	CITATIONS
55	Effects of natural prenylated flavones in the phenotypical ER (+) MCF-7 and ER (â^') MDA-MB-231 human breast cancer cells. Toxicology Letters, 2006, 164, 24-36.	0.8	28
56	SULFATION PATHWAYS: Sources and biological activities of marine sulfated steroids. Journal of Molecular Endocrinology, 2018, 61, T211-T231.	2.5	28
57	Marine-Derived Indole Alkaloids and Their Biological and Pharmacological Activities. Marine Drugs, 2022, 20, 3.	4.6	28
58	A new bicyclic sesquiterpene from the marine sponge associated fungus Emericellopsis minima. Phytochemistry Letters, 2012, 5, 68-70.	1.2	26
59	Arylalkanones from Horsfieldia glabra. Phytochemistry, 1988, 27, 3988-3989.	2.9	25
60	Clerodanes from Polyalthia viridis. Phytochemistry, 1993, 34, 457-460.	2.9	25
61	Tetillapyrone and Nortetillapyrone, Two Unusual Hydroxypyran-2-ones from the Marine SpongeTetillajaponica. Journal of Natural Products, 2001, 64, 1056-1058.	3.0	25
62	Lanostanes and friedolanostanes from the bark of Garcinia speciosa. Phytochemistry, 2004, 65, 393-398.	2.9	25
63	Artelastin is a cytotoxic prenylated flavone that disturbs microtubules and interferes with DNA replication in MCF-7 human breast cancer cells. Life Sciences, 2005, 77, 293-311.	4.3	25
64	Potential of four marine-derived fungi extracts as anti-proliferative and cell death-inducing agents in seven human cancer cell lines. Asian Pacific Journal of Tropical Medicine, 2015, 8, 798-806.	0.8	25
65	Marine Natural Peptides: Determination of Absolute Configuration Using Liquid Chromatography Methods and Evaluation of Bioactivities. Molecules, 2018, 23, 306.	3.8	25
66	Chemical Diversity and Biological Activities of Meroterpenoids from Marine Derived-Fungi: A Comprehensive Update. Marine Drugs, 2020, 18, 317.	4.6	25
67	A biphenyl type neolignan and a biphenyl ether from Magnolia henryi. Phytochemistry, 1989, 28, 1284-1286.	2.9	24
68	Dolabranes from Endospermum diadenum. Phytochemistry, 1995, 40, 191-193.	2.9	23
69	Further prenylflavonoids from Artocarpus elasticus. Phytochemistry, 1998, 47, 875-878.	2.9	23
70	New Polyketides and New Benzoic Acid Derivatives from the Marine Sponge-Associated Fungus Neosartorya quadricincta KUFA 0081. Marine Drugs, 2016, 14, 134.	4.6	23
71	Natural Products from Medicinal Plants with Anti-Human Coronavirus Activities. Molecules, 2021, 26, 1754.	3.8	23
72	2,5-Diaryl-3,4-dimethyltetrahydrofuran lignans from Talauma hodgsonii. Phytochemistry, 1998, 48, 1079-1081.	2.9	22

#	Article	IF	CITATIONS
73	Immunomodulatory effects of Abnormal Savda Munsiq, a traditional Uighur medicine, on the combined stress mice. Journal of Ethnopharmacology, 2009, 122, 42-47.	4.1	22
74	Cytotoxic meroterpenoids from the macroalga Cystoseira abies-marina. Phytochemistry Letters, 2013, 6, 593-597.	1.2	22
75	1,3-diaryl-propanes and propan-2-ols from Virola species. Phytochemistry, 1981, 20, 1385-1388.	2.9	21
76	A New Linalool Derivative and Other Constituents fromPiper ribesoides. Planta Medica, 1989, 55, 193-194.	1.3	21
77	16-Hydroxy-3,13Z-kolavadien-16,15-olide fromPolyalthia viridis. Planta Medica, 1989, 55, 205-206.	1.3	21
78	Dibromotyrosine Derivatives, a Maleimide, Aplysamine-2 and Other Constituents of the Marine Sponge Pseudoceratina purpurea. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2005, 60, 904-908.	0.7	21
79	Cytotoxic and Antiproliferative Effects of Preussin, a Hydroxypyrrolidine Derivative from the Marine Sponge-Associated Fungus Aspergillus candidus KUFA 0062, in a Panel of Breast Cancer Cell Lines and Using 2D and 3D Cultures. Marine Drugs, 2019, 17, 448.	4.6	21
80	Xanthones from Calophyllum teysmannii var. inophylloide. Phytochemistry, 2000, 55, 833-836.	2.9	20
81	Chemical constituents of the plants of the genus Cleistanthus and their biological activity. Phytochemistry Reviews, 2007, 6, 175-182.	6.5	20
82	Secondary Metabolites from the Culture of the Marine Sponge-Associated Fungi Talaromyces tratensis and Sporidesmium circinophorum. Planta Medica, 2016, 82, 888-896.	1.3	20
83	Effects of dietary supplementation of Gracilaria sp. extracts on fillet quality, oxidative stress, and immune responses in European seabass (Dicentrarchus labrax). Journal of Applied Phycology, 2019, 31, 761-770.	2.8	20
84	Synthesis of New Proteomimetic Quinazolinone Alkaloids and Evaluation of Their Neuroprotective and Antitumor Effects. Molecules, 2019, 24, 534.	3.8	20
85	Kleeb Bua Daeng, a Thai Traditional Herbal Formula, Ameliorated Unpredictable Chronic Mild Stress-Induced Cognitive Impairment in ICR Mice. Molecules, 2019, 24, 4587.	3.8	20
86	Further constituents of Achillea ageratum. Phytochemistry, 1999, 51, 555-558.	2.9	19
87	Clionasterol: A Potent Inhibitor of Complement Component C1. Planta Medica, 2003, 69, 174-176.	1.3	19
88	Effects of the Ethanol Extract of Dipterocarpus alatus Leaf on the Unpredictable Chronic Mild Stress-Induced Depression in ICR Mice and Its Possible Mechanism of Action. Molecules, 2019, 24, 3396.	3.8	19
89	Dolabranes from Endospermum diadenum. Phytochemistry, 1994, 37, 197-200.	2.9	18
90	Xanthones from Calophyllum teysmannii var. inophylloide. Phytochemistry, 2000, 53, 1021-1024.	2.9	18

#	Article	IF	CITATIONS
91	Chromone Derivatives and Other Constituents from Cultures of the Marine Sponge-Associated Fungus Penicillium erubescens KUFA0220 and Their Antibacterial Activity. Marine Drugs, 2018, 16, 289.	4.6	18
92	Sartoryglabrins, analogs of ardeemins, from Neosartorya glabra. Natural Product Communications, 2011, 6, 807-12.	0.5	18
93	New chiral stationary phases based on xanthone derivatives for liquid chromatography. Chirality, 2017, 29, 430-442.	2.6	17
94	Marine-Derived Compounds with Anti-Alzheimer's Disease Activities. Marine Drugs, 2021, 19, 410.	4.6	17
95	Germacranes and flavonoids from Achillea ageratum. Phytochemistry, 1997, 45, 111-115.	2.9	16
96	Cytotoxicities of Xanthones and Cinnamate Esters from Hypericum hookerianum. Planta Medica, 2005, 71, 680-682.	1.3	16
97	Erubescensoic Acid, a New Polyketide and a Xanthonopyrone SPF-3059-26 from the Culture of the Marine Sponge-Associated Fungus Penicillium erubescens KUFA 0220 and Antibacterial Activity Evaluation of Some of Its Constituents. Molecules, 2019, 24, 208.	3.8	16
98	Bioactive Secondary Metabolites from a Thai Collection of Soil and Marine-Derived Fungi of the Genera Neosartorya and Aspergillus. Current Drug Delivery, 2016, 13, 378-388.	1.6	16
99	Marine-derived fungi extracts enhance the cytotoxic activity of doxorubicin in nonsmall cell lung cancer cells A459. Pharmacognosy Research (discontinued), 2017, 9, 92.	0.6	16
100	Further Halotyrosine Derivatives from the Marine Sponge Suberea aff. praetensa. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2002, 57, 732-738.	1.4	15
101	Behavioral, Neurochemical and Neuroendocrine Effects of Abnormal Savda Munziq in the Chronic Stress Mice. Evidence-based Complementary and Alternative Medicine, 2012, 2012, 1-8.	1.2	14
102	Antibacterial and EGFR-Tyrosine Kinase Inhibitory Activities of Polyhydroxylated Xanthones from Garcinia succifolia. Molecules, 2014, 19, 19923-19934.	3.8	14
103	Traditional Uighur Medicine Karapxa decoction, inhibits liver xanthine oxidase and reduces serum uric acid concentrations in hyperuricemic mice and scavenges free radicals in vitro. BMC Complementary and Alternative Medicine, 2015, 15, 131.	3.7	14
104	A New Meroterpene, A New Benzofuran Derivative and Other Constituents from Cultures of the Marine Sponge-Associated Fungus Acremonium persicinum KUFA 1007 and Their Anticholinesterase Activities. Marine Drugs, 2019, 17, 379.	4.6	14
105	Prenylated phenylbutyrolactones from cultures of a marine sponge-associated fungus Aspergillus flavipes KUFA1152. Phytochemistry, 2021, 185, 112709.	2.9	14
106	Metabolites from Marine-Derived Fungi as Potential Antimicrobial Adjuvants. Marine Drugs, 2021, 19, 475.	4.6	14
107	Crude extracts of marine-derived and soil fungi of the genus Neosartorya exhibit selective anticancer activity by inducing cell death in colon, breast and skin cancer cell lines. Pharmacognosy Research (discontinued), 2016, 8, 8.	0.6	14
108	5,7-Dihydroxychromones and 8-hydroxytetrahydrochromones from Horsfieldia irya. Phytochemistry, 2002, 61, 995-998.	2.9	13

#	Article	IF	Citations
109	Bioactive Friedolanostanes and 11(10â†'8)-Abeolanostanes from the Bark of Garcinias peciosa. Journal of Natural Products, 2004, 67, 2043-2047.	3.0	13
110	Inhibition of inflammatory responses by a series of novel dolabrane derivatives. European Journal of Pharmacology, 1996, 312, 97-105.	3.5	11
111	1,17-Dideoxyagelorin A and B, New Bromotyrosine Derivatives and Analogs from the Marine Sponge Suberea aff. praetensa. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2001, 56, 1116-1119.	1.4	11
112	Secondary metabolites from a marine sponge Cliona patera. Biochemical Systematics and Ecology, 2008, 36, 493-496.	1.3	11
113	Aspergillus siamensis sp. nov. from soil in Thailand. Mycoscience, 2013, 54, 401-405.	0.8	11
114	Transcription profiling of the Neurospora crassa response to a group of synthetic (thio)xanthones and a natural acetophenone. Genomics Data, 2015, 4, 26-32.	1.3	11
115	Chemical Constituents and Antidepressant-Like Effects in Ovariectomized Mice of the Ethanol Extract of Alternanthera philoxeroides. Molecules, 2018, 23, 2202.	3.8	11
116	Anthraquinones, Diphenyl Ethers, and Their Derivatives from the Culture of the Marine Sponge-Associated Fungus Neosartorya spinosa KUFA 1047. Marine Drugs, 2021, 19, 457.	4.6	11
117	Indole-Containing Pyrazino[2,1- <i>b</i> ]quinazoline-3,6-diones Active against <i>Plasmodium</i> and Trypanosomatids. ACS Medicinal Chemistry Letters, 2022, 13, 225-235.	2.8	11
118	An unusual glucoside from Cleistanthus gracilis. Phytochemistry, 2006, 67, 1789-1792.	2.9	10
119	Clerodanes and other constituents of Cleidion spiciflorum. Phytochemistry, 2006, 67, 1029-1033.	2.9	10
120	Spiculisporic Acid E, a New Spiculisporic Acid Derivative and Ergosterol Derivatives from the Marine-Sponge Associated Fungus <i>Talaromyces trachyspermus</i> (KUFA 0021). Natural Product Communications, 2014, 9, 1934578X1400900.	0.5	10
121	The Fungal Metabolite Eurochevalierine, a Sequiterpene Alkaloid, Displays Anti-Cancer Properties through Selective Sirtuin 1/2 Inhibition. Molecules, 2018, 23, 333.	3.8	10
122	New chiral stationary phases for liquid chromatography based on small molecules: Development, enantioresolution evaluation and chiral recognition mechanisms. Chirality, 2020, 32, 81-97.	2.6	10
123	Fish performance, intestinal bacterial community, digestive function and skin and fillet attributes during cold storage of gilthead seabream (Sparus aurata) fed diets supplemented with Gracilaria by-products. Aquaculture, 2021, 541, 736808.	3.5	10
124	Chemical diversity, biological activities and biosynthesis of fungal naphthoquinones and their derivatives: A comprehensive update. Journal of Molecular Structure, 2022, 1268, 133711.	3.6	10
125	A eudesmanolide from Picris spinifera. Phytochemistry, 1992, 31, 3635-3636.	2.9	9
126	Differential Activation of Protein Kinase C Isoforms by Euxanthone, Revealed by anIn VivoYeast Phenotypic Assay. Planta Medica, 2002, 68, 1039-1041.	1.3	9

#	Article	IF	CITATIONS
127	Sartoryglabrins, Analogs of Ardeemins, from Neosartorya Glabra. Natural Product Communications, 2011, 6, 1934578X1100600.	0.5	9
128	Can marineâ€derived fungus Neosartorya siamensis KUFA 0017 extract and its secondary metabolites enhance antitumor activity of doxorubicin? An in vitro survey unveils interactions against lung cancer cells. Environmental Toxicology, 2020, 35, 507-517.	4.0	9
129	Petromurin C Induces Protective Autophagy and Apoptosis in FLT3-ITD-Positive AML: Synergy with Gilteritinib. Marine Drugs, 2020, 18, 57.	4.6	9
130	The Potential of Marine Resources in Cosmetics. Current Perspectives on Medicinal and Aromatic Plants (CUPMAP), 2018, 1, 53-66.	0.1	9
131	Bioactive Compounds from Terrestrial and Marine-Derived Fungi of the Genus Neosartorya â€. Molecules, 2022, 27, 2351.	3.8	9
132	Melampolides and germacranolides from Blainvillea gayana. Phytochemistry, 1993, 32, 383-385.	2.9	8
133	Constituents of <i>Polyalthia jucunda </i> . and Their Cytotoxic Effect on Human Cancer Cell Lines. Pharmaceutical Biology, 2007, 45, 575-579.	2.9	8
134	<i>Aspergillus similanensis</i> sp. nov. from a marine sponge in Thailand. Mycotaxon, 2016, 131, 7-15.	0.3	8
135	Enantioseparation, recognition mechanisms and binding of xanthones on human serum albumin by liquid chromatography. Bioanalysis, 2019, 11, 1255-1274.	1.5	8
136	New marine-derived indolymethyl pyrazinoquinazoline alkaloids with promising antimicrobial profiles. RSC Advances, 2020, 10, 31187-31204.	3.6	7
137	1,3-Dioxepine and spiropyran derivatives of viomellein and other dimeric naphthopyranones from cultures of Aspergillus elegans KUFA0015 and their antibacterial activity. Phytochemistry, 2021, 181, 112575.	2.9	7
138	Chiral derivatives of xanthones and benzophenones: Synthesis, enantioseparation, molecular docking, and tumor cell growth inhibition studies. Chirality, 2021, 33, 153-166.	2.6	7
139	Cytotoxicity of Prenylated Xanthones and Other Constituents from the Wood of <i>Garcinia merguensis </i> Negro Planta Medica, 2008, 74, 864-866.	1.3	6
140	Detection of ergosterol using liquid chromatography/electrospray ionization mass spectrometry: Investigation of unusual inâ€source reactions. Rapid Communications in Mass Spectrometry, 2020, 34, e8780.	1.5	6
141	Plasmodium stage-selective antimalarials from Lophira lanceolata stem bark. Phytochemistry, 2020, 174, 112336.	2.9	6
142	Antidementia Effects of Alternanthera philoxeroides in Ovariectomized Mice Supported by NMR-Based Metabolomic Analysis. Molecules, 2021, 26, 2789.	3.8	6
143	Uncommon Terpenoids from Salvia Species: Chemistry, Biosynthesis and Biological Activities. Molecules, 2022, 27, 1128.	3.8	6
144	Constituents of Schisandra verruculosa. and Their Cytotoxic Effect on Human Cancer Cell Lines. Pharmaceutical Biology, 2006, 44, 411-415.	2.9	5

#	Article	IF	CITATIONS
145	Antifungal Activity Evaluation of the Constituents of Haliclona baeri and Haliclona cymaeformis, Collected from the Gulf of Thailand. Marine Drugs, 2007, 5, 40-51.	4.6	5
146	Chemical constituents of Duabanga grandiflora (Lythraceae). Biochemical Systematics and Ecology, 2009, 37, 535-537.	1.3	4
147	A new tetralone from Diospyros cauliflora. Biochemical Systematics and Ecology, 2009, 37, 690-692.	1.3	4
148	Thermal shift assays of marine-derived fungal metabolites from <i>Aspergillus fischeri</i> MMERU 23 against <i>Leishmania major</i> pteridine reductase 1 and molecular dynamics studies. Journal of Biomolecular Structure and Dynamics, 2022, 40, 11968-11976.	3.5	4
149	Anticancer Activity Evaluation of Kuanoniamines A and C Isolated from the Marine Sponge Oceanapia sagittaria, Collected from the Gulf of Thailand. Marine Drugs, 2007, 5, 6-22.	4.6	4
150	Effects of the Bark Resin Extract of Garcinia nigrolineata on Chronic Stress-Induced Memory Deficit in Mice Model and the In Vitro Monoamine Oxidases and $\hat{l}^2$ -Amyloid Aggregation Inhibitory Activities of Its Prenylated Xanthone Constituents. Molecules, 2022, 27, 3014.	3.8	4
151	Determination of the Absolute Configuration of Bioactive Indole-Containing Pyrazino[2,1-b]quinazoline-3,6-diones and Study of Their In Vitro Metabolic Profile. Molecules, 2021, 26, 5070.	3.8	3
152	Meroterpenoids from Marine Microorganisms: Potential Scaffolds for New Chemotherapy Leads. , 2015, , 323-366.		1
153	Laboratory-based toxicity of scale insect pathogen Moelleriella raciborskii (Zimm.) (Hypocreales:) Tj ETQq1 1 0.78	34314 rgB 0.5	T /Overlock O