David Gonzlez-Gmez

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3986252/david-gonzalez-gomez-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

2,120 27 43 g-index

106 2,419 3.3 5.18 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
88	An Online-Based Edu-Escape Room: A Comparison Study of a Multidimensional Domain of PSTs with Flipped Sustainability-STEM Contents. <i>Sustainability</i> , 2021 , 13, 1032	3.6	10
87	A Molecularly Imprinted Polymer for Selective Extraction of Phenolic Acids from Human Urine. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 1577	2.6	2
86	Improving Climate Change Awareness of Preservice Teachers (PSTs) through a University Science Learning Environment. <i>Education Sciences</i> , 2021 , 11, 78	2.2	5
85	Flipped-OCN Method in Mathematics Learning to Analyze the Attitudes of Pre-Service Teachers. <i>Mathematics</i> , 2021 , 9, 607	2.3	2
84	A STEM Course Analysis During COVID-19: A Comparison Study in Performance and Affective Domain of PSTs Between F2F and F2S Flipped Classroom. <i>Frontiers in Psychology</i> , 2021 , 12, 669855	3.4	4
83	Disposable electrochemical sensor combined with molecularly imprinted solid-phase extraction for catabolites detection of flavan-3-ol in urine samples. <i>Talanta</i> , 2021 , 235, 122734	6.2	О
82	Multi-Criteria Decision Analysis Methods for Sustainability Assessment of Renewable Energy Systems and Its Potential Application to Sustainable STEM Education. <i>Green Energy and Technology</i> , 2021 , 39-62	0.6	
81	Adapting to PSTsIPedagogical Changes in Sustainable Mathematics Education through Flipped E-Learning: Ranking Its Criteria with MCDA/F-DEMATEL. <i>Mathematics</i> , 2020 , 8, 858	2.3	11
80	EXAMINING THE EFFECT OF AN ONLINE FORMATIVE ASSESSMENT TOOL (OFAT) OF STUDENTS MOTIVATION AND ACHIEVEMENT FOR A UNIVERSITY SCIENCE EDUCATION. <i>Journal of Baltic Science Education</i> , 2020 , 19, 401-414	1	6
79	The Flipped Learning Model in General Science: Effects on Students Learning Outcomes and Affective Dimensions 2020 , 541-549		1
78	A web-based tool framing a collective method for optimizing the location of a renewable energy facility and its possible application to sustainable STEM education. <i>Journal of Cleaner Production</i> , 2020 , 251, 119747	10.3	13
77	Assessment of sustainability science education criteria in online-learning through fuzzy-operational and multi-decision analysis and professional survey. <i>Heliyon</i> , 2020 , 6, e04706	3.6	8
76	Exploring Pedagogical Content Knowledge (PCK) of Physics Teachers in a Colombian Secondary School. <i>Education Sciences</i> , 2020 , 10, 362	2.2	4
75	Sustainable and Flipped STEM Education: Formative Assessment Online Interface for Observing Pre-Service Teachers Performance and Motivation. <i>Education Sciences</i> , 2020 , 10, 283	2.2	8
74	Prioritizing Elements of Science Education for Sustainable Development with the MCDA-FDEMATEL Method Using the Flipped E-Learning Scheme. <i>Sustainability</i> , 2019 , 11, 3079	3.6	10
73	EduSciFIT: A Computer-Based Blended and Scaffolding Toolbox to Support Numerical Concepts for Flipped Science Education. <i>Education Sciences</i> , 2019 , 9, 116	2.2	7
72	Effects of active learning methodologies on the students@motions, self-efficacy beliefs and learning outcomes in a science distance learning course. <i>Journal of Technology and Science Education</i> , 2019 , 9, 217	1.4	23

(2017-2019)

71	How does a flipped classroom course affect the affective domain toward science course?. <i>Interactive Learning Environments</i> , 2019 , 1-13	3.1	22
70	Optimization of enzyme-assisted aqueous method for the extraction of oil from walnuts using response surface methodology. <i>Journal of Food Processing and Preservation</i> , 2019 , 43, e14218	2.1	4
69	EXAMINATION OF STUDENTS ENGAGEMENT WITH R-SPQ-2F OF LEARNING APPROACH IN FLIPPED SUSTAINABLE SCIENCE COURSE. <i>Journal of Baltic Science Education</i> , 2019 , 18, 880-891	1	12
68	Enhancing science self-efficacy and attitudes of Pre-Service Teachers (PST) through a flipped classroom learning environment. <i>Interactive Learning Environments</i> , 2019 , 1-12	3.1	14
67	Influencia de la metodologa flipped en las emociones sentidas por estudiantes del Grado de Educacia Primaria en clases de ciencias dependiendo del bachillerato cursado 2018 , 29, 77		5
66	The influence of teaching methodologies in the assimilation of density concept in primary teacher trainees. <i>Heliyon</i> , 2018 , 4, e00963	3.6	1
65	The Study of Flipped-Classroom for Pre-Service Science Teachers. <i>Education Sciences</i> , 2018 , 8, 163	2.2	23
64	Quantification and bioaccessibility of intact glucosinolates in broccoli P arthenonland Savoy cabbage D amall <i>Journal of Food Composition and Analysis</i> , 2017 , 61, 40-46	4.1	11
63	Effect of modified atmosphere on postharvest quality of Bweetheart herries. <i>Acta Horticulturae</i> , 2017 , 653-660	0.3	
62	Optimization of osmotic dehydration of cherry by response surface methodology. <i>Acta Horticulturae</i> , 2017 , 661-666	0.3	О
61	Bioactive compounds in sweet cherries: identification, quantification and distribution in different cherry cultivars. <i>Acta Horticulturae</i> , 2017 , 483-490	0.3	1
60	Application of microbial antagonists in combination with sodium bicarbonate to control postharvest diseases of sweet cherries. <i>Acta Horticulturae</i> , 2017 , 529-534	0.3	
59	Evaluation of different postharvest conditions to preserve the amount of bioactive compounds, physicochemical quality parameters and sensory attributes of BweetheartItherries. <i>Acta Horticulturae</i> , 2017 , 581-586	0.3	3
58	Influence of calcium and gibberellic acid preharvest treatments in sweet cherries (Prunus avium L. B urlatµBunburstµAmbrunes᠒and Bweetheart᠒quality and sensory parameters. <i>Acta Horticulturae</i> , 2017 , 603-606	0.3	
57	Feasibility of the determination of three flavan-3-ols metabolites in urine samples via parallel factor analysis of fluorescence emission matrices. <i>Journal of Functional Foods</i> , 2017 , 37, 303-309	5.1	3
56	A web-based scaffolding-learning tool for design students ustainable spatial planning. <i>Architectural Engineering and Design Management</i> , 2017 , 13, 262-277	1.2	5
55	Teaching science contents through a «Flipped» model: An instruction example for Primary Education bachelor students. <i>Ensenanza De Las Ciencias</i> , 2017 , 35, 71	1.6	5
54	Behaviour of fresh cut broccoli under different modified atmosphere conditions. <i>Emirates Journal of Food and Agriculture</i> , 2017 , 29, 188	1	2

53	Fruit chemistry, nutritional benefits and social aspects of cherries. 2017, 420-441		8
52	Development of an HPLC-MS method for the determination of natural pteridines in tomato samples. <i>Analytical Methods</i> , 2016 , 8, 6404-6414	3.2	2
51	Students Perceptions and Emotions Toward Learning in a Flipped General Science Classroom. <i>Journal of Science Education and Technology</i> , 2016 , 25, 747-758	2.8	56
50	Performance and Perception in the Flipped Learning Model: An Initial Approach to Evaluate the Effectiveness of a New Teaching Methodology in a General Science Classroom. <i>Journal of Science Education and Technology</i> , 2016 , 25, 450-459	2.8	105
49	Optimization of broccoli microencapsulation process by complex coacervation using response surface methodology. <i>Innovative Food Science and Emerging Technologies</i> , 2016 , 34, 243-249	6.8	19
48	Impact of decreasing staple food production capacity on food self-sufficiency in poor rural communities in Mexico. <i>Economia Agraria Y Recursos Naturales</i> , 2016 , 16, 33-67	0.9	1
47	Rapid ultrasensitive chemometrics-fluorescence methodology to quantify fluoroquinolones antibiotics residues in surface water. <i>Journal of Water Chemistry and Technology</i> , 2016 , 38, 280-286	0.4	3
46	CONCENTRATIONS OF INTACT GLUCOSINOLATES IN 'PARTHENON' BROCCOLI FLORETS STORED IN MODIFIED ATMOSPHERE PACKAGING AND AIR. <i>Acta Horticulturae</i> , 2015 , 583-588	0.3	
45	A Comprehensive Application To Assist in AcidBase Titration Self-Learning: An Approach for High School and Undergraduate Students. <i>Journal of Chemical Education</i> , 2015 , 92, 855-863	2.4	16
44	Application of experimental design and response surface methodology to optimize the procedure to obtain a bactericide and highly antioxidant aqueous extract from orange peels. <i>Food Control</i> , 2014 , 35, 252-259	6.2	9
43	A Jerte valley cherry product provides beneficial effects on sleep quality. Influence on aging. <i>Journal of Nutrition, Health and Aging</i> , 2013 , 17, 553-60	5.2	31
42	Different postharvest strategies to preserve broccoli quality during storage and shelf life: controlled atmosphere and 1-MCP. <i>Food Chemistry</i> , 2013 , 138, 564-73	8.5	51
41	Comparative study of the nutritional and bioactive compounds content of four walnut (Juglans regia L.) cultivars. <i>Journal of Food Composition and Analysis</i> , 2013 , 31, 232-237	4.1	79
40	Tempranillo-derived grape seed extract induces apoptotic cell death and cell growth arrest in human promyelocytic leukemia HL-60 cells. <i>Food and Function</i> , 2013 , 4, 1759-66	6.1	9
39	Retention of quality and functional values of broccoli ParthenonIstored in modified atmosphere packaging. <i>Food Control</i> , 2013 , 31, 302-313	6.2	55
38	Automatic Web-Based Grading System: Application in an Advanced Instrumental Analysis Chemistry Laboratory. <i>Journal of Chemical Education</i> , 2013 , 90, 308-314	2.4	4
37	Altered commercial controlled atmosphere storage conditions for P arhenon l broccoli plants (Brassica oleracea L. var. italica). Influence on the outer quality parameters and on the health-promoting compounds. <i>LWT - Food Science and Technology</i> , 2013 , 50, 665-672	5.4	38
36	Influence of the industrial processing and the floral origin into the volatile constituents of honeybee-collected pollen. <i>Food Science and Technology International</i> , 2013 , 19, 167-76	2.6	

35	FORCED-AIR PRECOOLING EFFECT ON QUALITY OF DELAYED COLD STORED STONE FRUIT. <i>Acta Horticulturae</i> , 2013 , 491-495	0.3	
34	UHPLC as a suitable methodology for the analysis of carotenoids in food matrix. <i>European Food Research and Technology</i> , 2012 , 235, 1055-1061	3.4	19
33	In vitro assays of the antibacterial and antioxidant activity of aqueous leaf extracts from different Prunus salicina Lindl. cultivars. <i>Food and Chemical Toxicology</i> , 2012 , 50, 2481-6	4.7	23
32	In vitro estimation of the antibacterial activity and antioxidant capacity of aqueous extracts from grape-seeds (Vitis vinifera L.). <i>Food Control</i> , 2012 , 24, 136-141	6.2	114
31	Influence of the microencapsulation on the quality parameters and shelf-life of extra-virgin olive oil encapsulated in the presence of BHT and different capsule wall components. <i>Food Research International</i> , 2012 , 45, 256-261	7	53
30	In-vitro evaluation of the availability of ?-3 and ?-6 fatty acids and tocopherols from microencapsulated walnut oil. <i>Food Research International</i> , 2012 , 48, 316-321	7	36
29	Identification, quantification and comparison of the principal bioactive compounds and external quality parameters of two broccoli cultivars. <i>Journal of Functional Foods</i> , 2012 , 4, 465-473	5.1	35
28	PLS calibration to resolve overlapping peaks of lutein and zeaxanthin in vegetable samples by LC. <i>Czech Journal of Food Sciences</i> , 2012 , 30, 358-363	1.3	7
27	ANTIOXIDANT PHYTOCHEMICALS IN SAVOY CABBAGE (BRASSICA OLERACEA L. VAR. SABAUDA L.). <i>Acta Horticulturae</i> , 2012 , 295-300	0.3	2
26	Micro-encapsulation of refined olive oil: influence of capsule wall components and the addition of antioxidant additives on the shelf life and chemical alteration. <i>Journal of the Science of Food and Agriculture</i> , 2012 , 92, 2689-95	4.3	10
25	The consumption of a Jerte Valley cherry product in humans enhances mood, and increases 5-hydroxyindoleacetic acid but reduces cortisol levels in urine. <i>Experimental Gerontology</i> , 2012 , 47, 573-	% 5	20
24	Physicochemical and bioactive properties evolution during ripening of Ambrun weet cherry cultivar. LWT - Food Science and Technology, 2011, 44, 199-205	5.4	53
23	Influence of the commercial processing and floral origin on bioactive and nutritional properties of honeybee-collected pollen. <i>International Journal of Food Science and Technology</i> , 2011 , 46, 2204-2211	3.8	33
22	Effects of microcapsule constitution on the quality of microencapsulated walnut oil. <i>European Journal of Lipid Science and Technology</i> , 2011 , 113, 1273-1280	3	55
21	Characterization of traditional tomato varieties grown in organic conditions. <i>Spanish Journal of Agricultural Research</i> , 2011 , 9, 444	1.1	22
20	Microencapsulation of extra-virgin olive oil by spray-drying: Influence of wall material and olive quality. <i>European Journal of Lipid Science and Technology</i> , 2010 , 112, 852-858	3	84
19	Sweet cherry phytochemicals: Identification and characterization by HPLC-DAD/ESI-MS in six sweet-cherry cultivars grown in Valle del Jerte (Spain). <i>Journal of Food Composition and Analysis</i> , 2010 , 23, 533-539	4.1	88
18	Fast and accurate alternative UV-chemometric method for the determination of chlorophyll A and B in broccoli (Brassica oleracea Italica) and cabbage (Brassica oleracea Sabauda) plants. <i>Journal of Food Composition and Analysis</i> , 2010 , 23, 809-813	4.1	17

17	Detection and quantification of melatonin and serotonin in eight Sweet Cherry cultivars (Prunus avium L.). <i>European Food Research and Technology</i> , 2009 , 229, 223-229	3.4	87
16	Determination of danofloxacin in milk combining second-order calibration and standard addition method using excitation mission fluorescence data. <i>Food Chemistry</i> , 2009 , 113, 1260-1265	8.5	22
15	A nutraceutical product based on Jerte Valley cherries improves sleep and augments the antioxidant status in humans. <i>European E-journal of Clinical Nutrition and Metabolism</i> , 2009 , 4, e321-e3	23	24
14	Improvement in protein separation in Barretts esophagus samples using two-dimensional capillary electrophoresis analysis in presence of cyclodextrins as buffer additives. <i>Talanta</i> , 2009 , 78, 193-8	6.2	14
13	Chemical cytometry: the chemical analysis of single cells. <i>Analytical and Bioanalytical Chemistry</i> , 2008 , 390, 223-6	4.4	14
12	Instrumentation for medium-throughput two-dimensional capillary electrophoresis with laser-induced fluorescence detection. <i>Analytical Chemistry</i> , 2007 , 79, 765-8	7.8	36
11	HPLC determination of ciprofloxacin, cloxacillin, and ibuprofen drugs in human urine samples. <i>Journal of Separation Science</i> , 2006 , 29, 1969-76	3.4	25
10	Reproducible two-dimensional capillary electrophoresis analysis of Barrett's esophagus tissues. <i>Analytical Chemistry</i> , 2006 , 78, 5977-86	7.8	69
9	Solid-liquid extraction fluorescence line narrowing spectroscopy of fluoroquinolones in aqueous samples. <i>Applied Spectroscopy</i> , 2006 , 60, 1174-80	3.1	3
8	Determination of fluoroquinolones in urine and serum by using high performance liquid chromatography and multiemission scan fluorimetric detection. <i>Talanta</i> , 2006 , 68, 1215-21	6.2	47
7	Strategies for solving matrix effects in the analysis of sulfathiazole in honey samples using three-way photochemically induced fluorescence data. <i>Talanta</i> , 2005 , 65, 806-13	6.2	27
6	HPLC determination of enoxacin, ciprofloxacin, norfloxacin and ofloxacin with photoinduced fluorimetric (PIF) detection and multiemission scanning: application to urine and serum. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005 , 822, 185-93	3.2	79
5	Determinations of fluoroquinolones and nonsteroidal anti-inflammatory drugs in urine by extractive spectrophotometry and photoinduced spectrofluorimetry using multivariate calibration. <i>Analytical Biochemistry</i> , 2005 , 347, 275-86	3.1	36
4	Photoinduced spectrofluorimetric determination of fluoroquinolones in human urine by using three- and two-way spectroscopic data and multivariate calibration. <i>Analytica Chimica Acta</i> , 2005 , 531, 257-266	6.6	42
3	Determination of carbamazepine in serum and pharmaceutical preparations using immobilization on a nylon support and fluorescence detection. <i>Analytica Chimica Acta</i> , 2004 , 506, 161-170	6.6	72
2	Partial least squares multicomponent fluorimetric determination of fluoroquinolones in human urine samples. <i>Talanta</i> , 2004 , 62, 853-60	6.2	48
1	Interference-free analysis using three-way fluorescence data and the parallel factor model. Determination of fluoroquinolone antibiotics in human serum. <i>Analytical Chemistry</i> , 2003 , 75, 2640-6	7.8	88