

Hani Gabra

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3986489/hani-gabra-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66

papers

4,256

citations

26

h-index

65

g-index

69

ext. papers

5,363

ext. citations

10.3

avg, IF

4.77

L-index

#	Paper	IF	Citations
66	Rethinking ovarian cancer: recommendations for improving outcomes. <i>Nature Reviews Cancer</i> , 2011 , 11, 719-25	31.3	893
65	Whole-genome characterization of chemoresistant ovarian cancer. <i>Nature</i> , 2015 , 521, 489-94	50.4	890
64	Adiposity and cancer at major anatomical sites: umbrella review of the literature. <i>BMJ, The</i> , 2017 , 356, j477	5.9	354
63	Randomized phase II placebo-controlled trial of maintenance therapy using the oral triple angiokinase inhibitor BIBF 1120 after chemotherapy for relapsed ovarian cancer. <i>Journal of Clinical Oncology</i> , 2011 , 29, 3798-804	2.2	182
62	Copy number signatures and mutational processes in ovarian carcinoma. <i>Nature Genetics</i> , 2018 , 50, 1262-1270	36.7	155
61	OPCML at 11q25 is epigenetically inactivated and has tumor-suppressor function in epithelial ovarian cancer. <i>Nature Genetics</i> , 2003 , 34, 337-43	36.3	150
60	HDAC4-regulated STAT1 activation mediates platinum resistance in ovarian cancer. <i>Cancer Research</i> , 2011 , 71, 4412-22	10.1	132
59	Risk factors for endometrial cancer: An umbrella review of the literature. <i>International Journal of Cancer</i> , 2019 , 145, 1719-1730	7.5	111
58	Carcinosarcoma of the ovary: 19 years of prospective data from a single center. <i>Cancer</i> , 2004 , 100, 2148-53	5.3	100
57	Weekly dose-dense chemotherapy in first-line epithelial ovarian, fallopian tube, or primary peritoneal carcinoma treatment (ICON8): primary progression free survival analysis results from a GCIg phase 3 randomised controlled trial. <i>Lancet, The</i> , 2019 , 394, 2084-2095	40	88
56	The GAS6-AXL signaling network is a mesenchymal (Mes) molecular subtype-specific therapeutic target for ovarian cancer. <i>Science Signaling</i> , 2016 , 9, ra97	8.8	76
55	Endometrioid epithelial ovarian cancer : 20 years of prospectively collected data from a single center. <i>Cancer</i> , 2008 , 112, 2211-20	6.4	73
54	Obesity and gynaecological and obstetric conditions: umbrella review of the literature. <i>BMJ, The</i> , 2017 , 359, j4511	5.9	71
53	A mathematical-descriptor of tumor-mesoscopic-structure from computed-tomography images annotates prognostic- and molecular-phenotypes of epithelial ovarian cancer. <i>Nature Communications</i> , 2019 , 10, 764	17.4	70
52	Platinum-Based Chemotherapy Induces Methylation Changes in Blood DNA Associated with Overall Survival in Patients with Ovarian Cancer. <i>Clinical Cancer Research</i> , 2017 , 23, 2213-2222	12.9	49
51	Biomarker Assessment of HR Deficiency, Tumor Mutations, and Copy Number in Ovarian Cancer: Associations with Clinical Outcome Following Platinum Monotherapy. <i>Molecular Cancer Research</i> , 2018 , 16, 1103-1111	6.6	42
50	Evolving concepts in the management of drug resistant ovarian cancer: dose dense chemotherapy and the reversal of clinical platinum resistance. <i>Cancer Treatment Reviews</i> , 2013 , 39, 153-60	14.4	40

49	The IgLON family in epithelial ovarian cancer: expression profiles and clinicopathologic correlates. <i>Clinical Cancer Research</i> , 2005 , 11, 5764-8	12.9	40
48	The OPCML tumor suppressor functions as a cell surface repressor-adaptor, negatively regulating receptor tyrosine kinases in epithelial ovarian cancer. <i>Cancer Discovery</i> , 2012 , 2, 156-71	24.4	39
47	Venous thromboembolism, interleukin-6 and survival outcomes in patients with advanced ovarian clear cell carcinoma. <i>European Journal of Cancer</i> , 2015 , 51, 1978-88	7.5	35
46	Rational treatment of chemotherapy-induced peripheral neuropathy with capsaicin 8% patch: from pain relief towards disease modification. <i>Journal of Pain Research</i> , 2019 , 12, 2039-2052	2.9	31
45	The role of interleukin-8 (IL-8) and IL-8 receptors in platinum response in high grade serous ovarian carcinoma. <i>Oncotarget</i> , 2015 , 6, 31593-603	3.3	31
44	TRAP1 downregulation in human ovarian cancer enhances invasion and epithelial-mesenchymal transition. <i>Cell Death and Disease</i> , 2016 , 7, e2522	9.8	31
43	Value of Neoadjuvant Chemotherapy for Newly Diagnosed Advanced Ovarian Cancer: A European Perspective. <i>Journal of Clinical Oncology</i> , 2017 , 35, 587-590	2.2	30
42	Identification of clinically relevant genes on chromosome 11 in a functional model of ovarian cancer tumor suppression. <i>Cancer Research</i> , 2003 , 63, 8648-55	10.1	28
41	Maximal-Effort Cytoreductive Surgery for Ovarian Cancer Patients with a High Tumor Burden: Variations in Practice and Impact on Outcome. <i>Annals of Surgical Oncology</i> , 2019 , 26, 2943-2951	3.1	26
40	Anti-tumour activity of a first-in-class agent NUC-1031 in patients with advanced cancer: results of a phase I study. <i>British Journal of Cancer</i> , 2018 , 119, 815-822	8.7	26
39	Endocrine therapy in epithelial ovarian cancer. <i>Expert Review of Anticancer Therapy</i> , 2017 , 17, 109-117	3.5	25
38	Metabonomic analysis of ovarian tumour cyst fluid by proton nuclear magnetic resonance spectroscopy. <i>Oncotarget</i> , 2016 , 7, 7216-26	3.3	25
37	Identification of proteomic and metabolic signatures associated with chemoresistance of human epithelial ovarian cancer. <i>International Journal of Oncology</i> , 2016 , 49, 1651-65	4.4	25
36	Exploring the clonal evolution of CD133/aldehyde-dehydrogenase-1 (ALDH1)-positive cancer stem-like cells from primary to recurrent high-grade serous ovarian cancer (HGSOC). A study of the Ovarian Cancer Therapy-Innovative Models Prolong Survival (OCTIPS) Consortium. <i>European Journal of Cancer</i> , 2017 , 79, 214-225	7.5	22
35	Dose-Finding Quantitative 18F-FDG PET Imaging Study with the Oral Pan-AKT Inhibitor GSK2141795 in Patients with Gynecologic Malignancies. <i>Journal of Nuclear Medicine</i> , 2015 , 56, 1828-35	8.9	21
34	The Tumor-Suppressor Protein OPCML Potentiates Anti-EGFR- and Anti-HER2-Targeted Therapy in HER2-Positive Ovarian and Breast Cancer. <i>Molecular Cancer Therapeutics</i> , 2017 , 16, 2246-2256	6.1	21
33	Evaluation of 2-deoxy-2-[18F]fluoro-D-glucose- and 3Tdeoxy-3T[18F]fluorothymidine-positron emission tomography as biomarkers of therapy response in platinum-resistant ovarian cancer. <i>Molecular Imaging and Biology</i> , 2012 , 14, 753-61	3.8	21
32	A Complex Network of Tumor Microenvironment in Human High-Grade Serous Ovarian Cancer. <i>Clinical Cancer Research</i> , 2017 , 23, 7621-7632	12.9	20

31	The tumour suppressor OPCML promotes AXL inactivation by the phosphatase PTPRG in ovarian cancer. <i>EMBO Reports</i> , 2018 , 19,	6.5	20
30	A putative biomarker signature for clinically effective AKT inhibition: correlation of in vitro, in vivo and clinical data identifies the importance of modulation of the mTORC1 pathway. <i>Oncotarget</i> , 2015 , 6, 41736-49	3.3	18
29	Dynamics of the Intratumoral Immune Response during Progression of High-Grade Serous Ovarian Cancer. <i>Neoplasia</i> , 2018 , 20, 280-288	6.4	17
28	Methylation of MYLK3 gene promoter region: a biomarker to stratify surgical care in ovarian cancer in a multicentre study. <i>British Journal of Cancer</i> , 2017 , 116, 1287-1293	8.7	14
27	Oncologist-led BRCA TmainstreamingTin the ovarian cancer clinic: A study of 255 patients and its impact on their management. <i>Scientific Reports</i> , 2020 , 10, 3390	4.9	13
26	The molecular genetics of hereditary and sporadic ovarian cancer: implications for the future. <i>British Medical Bulletin</i> , 2014 , 112, 57-69	5.4	13
25	Integrative Analysis of Subcellular Quantitative Proteomics Studies Reveals Functional Cytoskeleton Membrane-Lipid Raft Interactions in Cancer. <i>Journal of Proteome Research</i> , 2016 , 15, 3451-3462	5.6	12
24	Diffusion-weighted MRI in Advanced Epithelial Ovarian Cancer: Apparent Diffusion Coefficient as a Response Marker. <i>Radiology</i> , 2019 , 293, 374-383	20.5	11
23	WWOX sensitises ovarian cancer cells to paclitaxel via modulation of the ER stress response. <i>Cell Death and Disease</i> , 2017 , 8, e2955	9.8	10
22	Anti-tumorigenic and Platinum-Sensitizing Effects of Apolipoprotein A1 and Apolipoprotein A1 Mimetic Peptides in Ovarian Cancer. <i>Frontiers in Pharmacology</i> , 2018 , 9, 1524	5.6	9
21	Characterisation of tumour microvessel density during progression of high-grade serous ovarian cancer: clinico-pathological impact (an OCTIPS Consortium study). <i>British Journal of Cancer</i> , 2018 , 119, 330-338	8.7	9
20	Molecular subtypes of serous borderline ovarian tumor show distinct expression patterns of benign tumor and malignant tumor-associated signatures. <i>Modern Pathology</i> , 2014 , 27, 433-42	9.8	8
19	The next steps in improving the outcomes of advanced ovarian cancer. <i>Womens Health</i> , 2015 , 11, 355-67	3	7
18	[F]Fluciclatide PET as a biomarker of response to combination therapy of pazopanib and paclitaxel in platinum-resistant/refractory ovarian cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 1239-1251	8.8	7
17	Inactivating mutations and X-ray crystal structure of the tumor suppressor OPCML reveal cancer-associated functions. <i>Nature Communications</i> , 2019 , 10, 3134	17.4	7
16	Trametinib versus standard of care in patients with recurrent low-grade serous ovarian cancer (GOG 281/LOGS): an international, randomised, open-label, multicentre, phase 2/3 trial.. <i>Lancet, The</i> , 2022 , 399, 541-553	40	7
15	Combined inhibition of the PI3K/mTOR/MEK pathway induces Bim/Mcl-1-regulated apoptosis in pancreatic cancer cells. <i>Cancer Biology and Therapy</i> , 2019 , 20, 21-30	4.6	7
14	Characterization of the urinary metabolic profile of cholangiocarcinoma in a United Kingdom population. <i>Hepatic Medicine: Evidence and Research</i> , 2019 , 11, 47-67	3.4	6

13	ProGem1: Phase I first-in-human study of the novel nucleotide NUC-1031 in adult patients with advanced solid tumors.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 2576-2576	2.2	6
12	Proteomic analysis of malignant and benign endometrium according to obesity and insulin-resistance status using Reverse Phase Protein Array. <i>Translational Research</i> , 2020 , 218, 57-72	11	5
11	Targeting locoregional peritoneal dissemination in ovarian cancer. <i>Expert Review of Obstetrics and Gynecology</i> , 2009 , 4, 133-147		5
10	Endogenous aldehyde accumulation generates genotoxicity and exhaled biomarkers in esophageal adenocarcinoma. <i>Nature Communications</i> , 2021 , 12, 1454	17.4	5
9	Clinical value of bioelectrical properties of cancerous tissue in advanced epithelial ovarian cancer patients. <i>Scientific Reports</i> , 2018 , 8, 14695	4.9	4
8	The association between obesity and weight loss after bariatric surgery on the vaginal microbiota. <i>Microbiome</i> , 2021 , 9, 124	16.6	3
7	Emerging roles for the GPI-anchored tumor suppressor OPCML in cancers. <i>Cancer Gene Therapy</i> , 2021 , 28, 18-26	5.4	3
6	Targeting the AKT Pathway in Ovarian Cancer 2011 , 73-94		2
5	Epithelial Ovarian Cancer 2012 , 760-775		1
4	ProGem1: A phase I/II study of a first-in-class nucleotide, Acelarin, in patients with advanced solid tumors.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 2531-2531	2.2	1
3	A phase Ib study of NUC1031 and carboplatin for patients with recurrent ovarian cancer.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 5565-5565	2.2	1
2	A Phase Ib Open-Label, Dose-Escalation Study of NUC-1031 in Combination with Carboplatin for Recurrent Ovarian Cancer. <i>Clinical Cancer Research</i> , 2021 , 27, 3028-3038	12.9	1
1	Current clinical trials in ovarian cancer205-222		