## Paul Myles

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3987481/publications.pdf

Version: 2024-02-01

| 405      | 26,095         | 7568         | 150            |
|----------|----------------|--------------|----------------|
| papers   | citations      | h-index      | g-index        |
|          |                |              |                |
| 413      | 413            | 413          | 17112          |
| all docs | docs citations | times ranked | citing authors |
|          |                |              |                |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Bispectral index monitoring to prevent awareness during anaesthesia: the B-Aware randomised controlled trial. Lancet, The, 2004, 363, 1757-1763.   | 13.7 | 1,269     |
| 2  | Consensus Guidelines for the Management of Postoperative Nausea and Vomiting. Anesthesia and Analgesia, 2014, 118, 85-113.   | 2.2  | 1,200     |
| 3  | Epidural anaesthesia and analgesia and outcome of major surgery: a randomised trial. Lancet, The, 2002, 359, 1276-1282.  | 13.7 | 1,047     |
| 4  | A comparison of the analgesic efficacy and side-effects of paravertebral vs epidural blockade for thoracotomy—a systematic review and meta-analysis of randomized trials. British Journal of Anaesthesia, 2006, 96, 418-426. | 3.4  | 650       |
| 5  | Validity and reliability of a postoperative quality of recovery score: the QoR-40. British Journal of Anaesthesia, 2000, 84, 11-15.  | 3.4  | 614       |
| 6  | Patient satisfaction after anaesthesia and surgery: results of a prospective survey of 10,811 patients. British Journal of Anaesthesia, 2000, 84, 6-10.  | 3.4  | 607       |
| 7  | Society for Ambulatory Anesthesia Guidelines for the Management of Postoperative Nausea and Vomiting. Anesthesia and Analgesia, 2007, 105, 1615-1628.  | 2.2  | 600       |
| 8  | Restrictive versus Liberal Fluid Therapy for Major Abdominal Surgery. New England Journal of Medicine, 2018, 378, 2263-2274.   | 27.0 | 561       |
| 9  | Development and Psychometric Evaluation of a Postoperative Quality of Recovery Score.<br>Anesthesiology, 2013, 118, 1332-1340.   | 2.5  | 510       |
| 10 | I. Using the Bland–Altman method to measure agreement with repeated measures. British Journal of Anaesthesia, 2007, 99, 309-311.   | 3.4  | 481       |
| 11 | Measuring acute postoperative pain using the visual analog scale: the minimal clinically important difference and patient acceptable symptom state. British Journal of Anaesthesia, 2017, 118, 424-429.                      | 3.4  | 465       |
| 12 | Tranexamic Acid in Patients Undergoing Coronary-Artery Surgery. New England Journal of Medicine, 2017, 376, 136-148.   | 27.0 | 455       |
| 13 | Transition from acute to chronic pain after surgery. Lancet, The, 2019, 393, 1537-1546.  | 13.7 | 452       |
| 14 | Prehospital Hypertonic Saline Resuscitation of Patients With Hypotension and Severe Traumatic Brain Injury. JAMA - Journal of the American Medical Association, 2004, 291, 1350.   | 7.4  | 400       |
| 15 | Avoidance of Nitrous Oxide for Patients Undergoing Major Surgery. Anesthesiology, 2007, 107, 221-231.  | 2.5  | 397       |
| 16 | Perioperative Fluid Management Strategies in Major Surgery. Anesthesia and Analgesia, 2012, 114, 640-651.  | 2.2  | 384       |
| 17 | Development and Psychometric Testing of a Quality of Recovery Score After General Anesthesia and Surgery in Adults. Anesthesia and Analgesia, 1999, 88, 83-90.   | 2.2  | 374       |
| 18 | Assessment of functional capacity before major non-cardiac surgery: an international, prospective cohort study. Lancet, The, 2018, 391, 2631-2640.   | 13.7 | 317       |

| #  | Article   | lF   | CITATIONS |
|----|---|------|-----------|
| 19 | Epidural analgesia compared with peripheral nerve blockade after major knee surgery: a systematic review and meta-analysis of randomized trials. British Journal of Anaesthesia, 2008, 100, 154-164.  | 3.4  | 305       |
| 20 | Development and Psychometric Testing of a Quality of Recovery Score After General Anesthesia and Surgery in Adults. Anesthesia and Analgesia, 1999, 88, 83-90.  | 2.2  | 294       |
| 21 | Prehospital Rapid Sequence Intubation Improves Functional Outcome for Patients With Severe Traumatic Brain Injury. Annals of Surgery, 2010, 252, 959-965.   | 4.2  | 293       |
| 22 | Hyperbaric or normobaric oxygen for acute carbon monoxide poisoning: a randomised controlled clinical trial. Medical Journal of Australia, 1999, 170, 203-210.  | 1.7  | 290       |
| 23 | Measurement of quality of recovery using the QoR-40: a quantitative systematic review. British Journal of Anaesthesia, 2013, 111, 161-169.  | 3.4  | 286       |
| 24 | Minimal Clinically Important Difference for Three Quality of Recovery Scales. Anesthesiology, 2016, 125, 39-45.   | 2.5  | 276       |
| 25 | Perioperative epidural analgesia for major abdominal surgery for cancer and recurrence-free survival: randomised trial. BMJ: British Medical Journal, 2011, 342, d1491-d1491.                         | 2.3  | 256       |
| 26 | Depth of anaesthesia monitoring: what's available, what's validated and what's next?. British Journal of Anaesthesia, 2006, 97, 85-94.  | 3.4  | 244       |
| 27 | The Pain Visual Analog Scale: Is It Linear or Nonlinear?. Anesthesia and Analgesia, 1999, 89, 1517.   | 2.2  | 240       |
| 28 | The Pain Visual Analog Scale: Is It Linear or Nonlinear?. Anesthesia and Analgesia, 1999, 89, 1517.   | 2,2  | 239       |
| 29 | A Systematic Review of the Safety and Effectiveness of Fast-track Cardiac Anesthesia. Anesthesiology, 2003, 99, 982-987.  | 2.5  | 227       |
| 30 | Risks to healthcare workers following tracheal intubation of patients with COVIDâ€19: a prospective international multicentre cohort study. Anaesthesia, 2020, 75, 1437-1447.                         | 3.8  | 215       |
| 31 | Myocardial protection with volatile anaesthetic agents during coronary artery bypass surgery: a meta-analysis. British Journal of Anaesthesia, 2006, 97, 127-136.                                     | 3.4  | 202       |
| 32 | The Effect of Bispectral Index Monitoring on Long-Term Survival in the B-Aware Trial. Anesthesia and Analgesia, 2010, 110, 816-822.   | 2,2  | 198       |
| 33 | Systematic review and consensus definitions for the Standardised Endpoints in Perioperative Medicine (StEP) initiative: patient comfort. British Journal of Anaesthesia, 2018, 120, 705-711.          | 3.4  | 183       |
| 34 | The safety of addition of nitrous oxide to general anaesthesia in at-risk patients having major non-cardiac surgery (ENIGMA-II): a randomised, single-blind trial. Lancet, The, 2014, 384, 1446-1454. | 13.7 | 178       |
| 35 | Measurement of Disability-free Survival after Surgery. Anesthesiology, 2015, 122, 524-536.  | 2.5  | 176       |
| 36 | Risk of Respiratory Complications and Wound Infection in Patients Undergoing Ambulatory Surgery. Anesthesiology, 2002, 97, 842-847.   | 2.5  | 169       |

| #  | Article   | IF         | CITATIONS     |
|----|---|------------|---------------|
| 37 | Posttraumatic Stress Disorder in Aware Patients from the B-Aware Trial. Anesthesia and Analgesia, 2010, 110, 823-828.   | 2.2        | 153           |
| 38 | Complications and mortality in older surgical patients in Australia and New Zealand (the REASON) Tj ETQq0 0 0   | rgBT /Over | lock 10 Tf 50 |
| 39 | Relation between Quality of Recovery in Hospital and Quality of Life at 3 Months after Cardiac Surgery. Anesthesiology, 2001, 95, 862-867.  | 2.5        | 150           |
| 40 | Stopping vs. Continuing Aspirin before Coronary Artery Surgery. New England Journal of Medicine, 2016, 374, 728-737.  | 27.0       | 148           |
| 41 | Restrictive <i>versus (i) Liberal Transfusion Strategy in the Perioperative and Acute Care Settings. Anesthesiology, 2016, 125, 46-61.</i>  | 2.5        | 140           |
| 42 | Standardizing end points in perioperative trials: towards a core and extended outcome set. British Journal of Anaesthesia, 2016, 116, 586-589.  | 3.4        | 135           |
| 43 | Anaesthetic depth and delirium after major surgery: a randomised clinical trial. British Journal of<br>Anaesthesia, 2021, 127, 704-712.   | 3.4        | 134           |
| 44 | Effect of "Renal-Dose―Dopamine on Renal Function following Cardiac Surgery. Anaesthesia and Intensive Care, 1993, 21, 56-60.  | 0.7        | 133           |
| 45 | Validation of days at home as an outcome measure after surgery: a prospective cohort study in Australia. BMJ Open, 2017, 7, e015828.  | 1.9        | 133           |
| 46 | Quality and Safety Indicators in Anesthesia. Anesthesiology, 2009, 110, 1158-1175.  | 2.5        | 130           |
| 47 | Prophylaxis of postoperative vomiting in children undergoing tonsillectomy: a systematic review and meta-analysis. British Journal of Anaesthesia, 2006, 97, 593-604.   | 3.4        | 126           |
| 48 | Perioperative Fluid Therapy for Major Surgery. Anesthesiology, 2019, 130, 825-832.  | 2.5        | 124           |
| 49 | Interrelationship of preoperative anemia, intraoperative anemia, and red blood cell transfusion as potentially modifiable risk factors for acute kidney injury in cardiac surgery: a historical multicentre cohort study. Canadian Journal of Anaesthesia, 2015, 62, 377-384. | 1.6        | 123           |
| 50 | The Linearity of the Visual Analogue Scale in Patients with Severe Acute Pain. Anaesthesia and Intensive Care, 2005, 33, 54-58.   | 0.7        | 118           |
| 51 | Anaesthetic depth and complications after major surgery: an international, randomised controlled trial. Lancet, The, 2019, 394, 1907-1914.  | 13.7       | 117           |
| 52 | Effect of patient sex on general anaesthesia and recovery. British Journal of Anaesthesia, 2011, 106, 832-839.  | 3.4        | 114           |
| 53 | Simplified postoperative nausea and vomiting impact scale for audit and post-discharge review. British Journal of Anaesthesia, 2012, 108, 423-429.  | 3.4        | 114           |
| 54 | Preoperative $\hat{1}^2$ -Blockade with Propranolol Reduces Biomarkers of Metastasis in Breast Cancer: A Phase II Randomized Trial. Clinical Cancer Research, 2020, 26, 1803-1811.  | 7.0        | 113           |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Quality of life 12 months after coronary artery bypass graft surgery. Heart and Lung: Journal of Acute and Critical Care, 2000, 29, 401-411.   | 1.6  | 111       |
| 56 | Nitrous Oxide and Long-Term Morbidity and Mortality in the ENIGMA Trial. Anesthesia and Analgesia, 2011, 112, 387-393.   | 2.2  | 111       |
| 57 | Systematic review and consensus definitions for the Standardised Endpoints in Perioperative Medicine initiative: patient-centred outcomes. British Journal of Anaesthesia, 2019, 123, 664-670.                     | 3.4  | 111       |
| 58 | Percutaneous tracheostomy in critically ill patients: A prospective, randomized comparison of two techniques. Critical Care Medicine, 2000, 28, 3734-3739.   | 0.9  | 109       |
| 59 | The impact of disability in survivors of critical illness. Intensive Care Medicine, 2017, 43, 992-1001.  | 8.2  | 109       |
| 60 | Adding Ketamine to Morphine for Patient-Controlled Analgesia After Major Abdominal Surgery: A Double-Blinded, Randomized Controlled Trial. Anesthesia and Analgesia, 2001, 93, 116-120.                            | 2.2  | 106       |
| 61 | A Comparison of the Effect of High- and Low-dose Fentanyl on the Incidence of Postoperative<br>Cognitive Dysfunction after Coronary Artery Bypass Surgery in the Elderly. Anesthesiology, 2006, 104,<br>1137-1145. | 2.5  | 106       |
| 62 | Rate of undesirable events at beginning of academic year: retrospective cohort study. BMJ: British Medical Journal, 2009, 339, b3974-b3974.  | 2.3  | 106       |
| 63 | Perioperative Aspirin and Clonidine and Risk of Acute Kidney Injury. JAMA - Journal of the American<br>Medical Association, 2014, 312, 2254.   | 7.4  | 105       |
| 64 | Postoperative complications and mortality in older patients having non ardiac surgery at three Melbourne teaching hospitals. Medical Journal of Australia, 2007, 186, 447-452.                                     | 1.7  | 103       |
| 65 | Remifentanil, Fentanyl, and Cardiac Surgery: A Double-Blinded, Randomized, Controlled Trial of Costs and Outcomes. Anesthesia and Analgesia, 2002, 95, 805-812.  | 2.2  | 98        |
| 66 | Risk factors for severe postoperative nausea and vomiting in a randomized trial of nitrous oxide-based vs nitrous oxide-free anaesthesia. British Journal of Anaesthesia, 2008, 101, 498-505.                      | 3.4  | 97        |
| 67 | Measurement of Quality of Recovery in 5672 Patients after Anaesthesia and Surgery. Anaesthesia and Intensive Care, 2000, 28, 276-280.  | 0.7  | 95        |
| 68 | Chronic postsurgical pain after nitrous oxide anesthesia. Pain, 2011, 152, 2514-2520.  | 4.2  | 95        |
| 69 | Update on the role of paravertebral blocks for thoracic surgery: are they worth it?. Current Opinion in Anaesthesiology, 2009, 22, 38-43.  | 2.0  | 91        |
| 70 | Preoxygenation in healthy volunteers: a graph of oxygen "washin―using end-tidal oxygraphy. British Journal of Anaesthesia, 1994, 72, 116-118.  | 3.4  | 89        |
| 71 | Limitations of body mass index as an obesity measure of perioperative risk. British Journal of Anaesthesia, 2016, 116, 319-321.  | 3.4  | 89        |
| 72 | Mitigating the risks of surgery during the COVID-19 pandemic. Lancet, The, 2020, 396, 2-3.   | 13.7 | 86        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 73 | Sex differences in speed of emergence and quality of recovery after anaesthesia: cohort study. BMJ: British Medical Journal, 2001, 322, 710-711.  | 2.3  | 84        |
| 74 | Postoperative â€~minor' complications. Anaesthesia, 1997, 52, 300-306.  | 3.8  | 83        |
| 75 | Perioperative Epidural Analgesia and Outcome After Major Abdominal Surgery in High-Risk Patients.<br>Anesthesia and Analgesia, 2003, 96, 548-554.                                       | 2.2  | 83        |
| 76 | Integration of the Duke Activity Status Index into preoperativeÂriskÂevaluation: a multicentre prospective cohort study. British Journal of Anaesthesia, 2020, 124, 261-270.            | 3.4  | 83        |
| 77 | Effect of Nitrous Oxide Anesthesia on Plasma Homocysteine and Endothelial Function.<br>Anesthesiology, 2008, 109, 657-663.  | 2.5  | 83        |
| 78 | Fibrinolysis and COVIDâ€19: A plasmin paradox. Journal of Thrombosis and Haemostasis, 2020, 18, 2118-2122.  | 3.8  | 82        |
| 79 | Double-blind randomized controlled trial to determine extent of amnesia with midazolam given immediately before general anaesthesia. British Journal of Anaesthesia, 2005, 94, 300-305. | 3.4  | 80        |
| 80 | Development and validation of a postoperative nausea and vomiting intensity scale. British Journal of Anaesthesia, 2010, 104, 158-166.  | 3.4  | 79        |
| 81 | What makes a good systematic review and meta-analysis?. British Journal of Anaesthesia, 2016, 117, 428-430.   | 3.4  | 78        |
| 82 | An enhanced recovery after surgery program for hip and knee arthroplasty. Medical Journal of Australia, 2015, 202, 363-368.   | 1.7  | 76        |
| 83 | Dexamethasone and Surgical-Site Infection. New England Journal of Medicine, 2021, 384, 1731-1741.   | 27.0 | 76        |
| 84 | Validity of Unplanned Admission to an Intensive Care Unit as a Measure of Patient Safety in Surgical Patients. Anesthesiology, 2005, 103, 1121-1129.                                    | 2.5  | 74        |
| 85 | Reporting of Ethical Approval and Informed Consent in Clinical Research Published in Leading Anesthesia Journals. Anesthesiology, 2003, 99, 1209-1213.                                  | 2.5  | 73        |
| 86 | Effect of nitrous oxide on plasma homocysteine and folate in patients undergoing major surgery. British Journal of Anaesthesia, 2008, 100, 780-786.                                     | 3.4  | 73        |
| 87 | Detection of cognitive decline after coronary surgery: a comparison of computerized and conventional tests. British Journal of Anaesthesia, 2004, 92, 814-820.                          | 3.4  | 72        |
| 88 | Anesthesia and Outcome after Neonatal Surgery. Anesthesiology, 2008, 109, 941-944.  | 2.5  | 69        |
| 89 | Rationale and Design of the Balanced Anesthesia Study. Anesthesia and Analgesia, 2015, 121, 357-365.  | 2.2  | 69        |
| 90 | Tranexamic acid modulates the immune response and reduces postsurgical infection rates. Blood Advances, 2019, 3, 1598-1609.   | 5.2  | 68        |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 91  | Clonidine and Cardiac Surgery: Haemodynamic and Metabolic Effects, Myocardial Ischaemia and Recovery. Anaesthesia and Intensive Care, 1999, 27, 137-147.  | 0.7  | 67        |
| 92  | Aspirin and Tranexamic Acid for Coronary Artery Surgery (ATACAS) Trial: Rationale and design. American Heart Journal, 2008, 155, 224-230.   | 2.7  | 67        |
| 93  | Days at Home after Surgery: An Integrated and Efficient Outcome Measure for Clinical Trials and Quality Assurance. EClinicalMedicine, 2019, 11, 18-26.  | 7.1  | 67        |
| 94  | The impact of COVID-19 critical illness on new disability, functional outcomes and return to work at 6 months: a prospective cohort study. Critical Care, 2021, 25, 382.                                    | 5.8  | 67        |
| 95  | Bradyarrhythmias and Laparoscopy: A Prospective Study of Heart Rate Changes with Laparoscopy. Australian and New Zealand Journal of Obstetrics and Gynaecology, 1991, 31, 171-173.                          | 1.0  | 66        |
| 96  | Fast-Track Cardiac Anesthesia: Choice of Anesthetic Agents and Techniques. Seminars in Cardiothoracic and Vascular Anesthesia, 2005, 9, 5-16.   | 1.0  | 66        |
| 97  | Artifact in the Bispectral Index in a Patient with Severe Ischemic Brain Injury. Anesthesia and Analgesia, 2004, 98, 706-707.   | 2.2  | 65        |
| 98  | A Review of the Risks and Benefits of Nitrous Oxide in Current Anaesthetic Practice. Anaesthesia and Intensive Care, 2004, 32, 165-172.   | 0.7  | 64        |
| 99  | Nitrous oxide and perioperative cardiac morbidity (ENIGMA-II) Trial: Rationale and design. American Heart Journal, 2009, 157, 488-494.e1.   | 2.7  | 60        |
| 100 | Gender and Recovery After General Anesthesia Combined with Neuromuscular Blocking Drugs. Anesthesia and Analgesia, 2006, 102, 291-297.  | 2.2  | 57        |
| 101 | Measuring quality of recovery in perioperative clinical trials. Current Opinion in Anaesthesiology, 2018, 31, 396-401.  | 2.0  | 57        |
| 102 | The Addition of a Tramadol Infusion to Morphine Patient-Controlled Analgesia After Abdominal Surgery: A Double-Blinded, Placebo-Controlled Randomized Trial. Anesthesia and Analgesia, 2002, 95, 1713-1718. | 2.2  | 56        |
| 103 | Contemporary Approaches to Perioperative IV Fluid Therapy. World Journal of Surgery, 2017, 41, 2457-2463.   | 1.6  | 56        |
| 104 | Clinical update: postoperative analgesia. Lancet, The, 2007, 369, 810-812.  | 13.7 | 53        |
| 105 | LUNG MANAGEMENT DURING CARDIOPULMONARY BYPASS: IS CONTINUOUS POSITIVE AIRWAYS PRESSURE BENEFICIAL?. British Journal of Anaesthesia, 1993, 71, 864-868.  | 3.4  | 51        |
| 106 | Hemodynamic Effects, Myocardial Ischemia, and Timing of Tracheal Extubation with Propofol-Based Anesthesia for Cardiac Surgery. Anesthesia and Analgesia, 1997, 84, 12-19.                                  | 2.2  | 51        |
| 107 | Effectiveness of bupropion as an aid to stopping smoking before elective surgery: a randomised controlled trial. Anaesthesia, 2004, 59, 1053-1058.  | 3.8  | 51        |
| 108 | Dreaming during anaesthesia in patients at high risk of awareness. Anaesthesia, 2005, 60, 239-244.  | 3.8  | 51        |

| #   | Article   | IF   | Citations |
|-----|---|------|-----------|
| 109 | Gender differences in outcome in patients with hypotension and severe traumatic brain injury. Injury, 2008, 39, 67-76.  | 1.7  | 51        |
| 110 | Antifibrinolytics in cardiac surgical patients receiving aspirin: a systematic review and meta-analysis. British Journal of Anaesthesia, 2009, 102, 168-178.  | 3.4  | 51        |
| 111 | Association Between Obesity and Wound Infection Following Colorectal Surgery: Systematic Review and Meta-Analysis. Journal of Gastrointestinal Surgery, 2017, 21, 1700-1712.  | 1.7  | 51        |
| 112 | Systematic review and consensus definitions for the Standardized Endpoints in Perioperative Medicine (StEP) initiative: cardiovascular outcomes. British Journal of Anaesthesia, 2021, 126, 56-66.                                      | 3.4  | 51        |
| 113 | Global distribution of access to surgical services. Lancet, The, 2010, 376, 1027-1028.  | 13.7 | 50        |
| 114 | Measurement of Exercise Tolerance before Surgery (METS) study: a protocol for an international multicentre prospective cohort study of cardiopulmonary exercise testing prior to major non-cardiac surgery. BMJ Open, 2016, 6, e010359. | 1.9  | 50        |
| 115 | Is anaesthesia evidence-based? A survey of anaesthetic practice. British Journal of Anaesthesia, 1999, 82, 591-595.   | 3.4  | 49        |
| 116 | More than just morbidity and mortality – quality of recovery and longâ€ŧerm functional recovery after surgery. Anaesthesia, 2020, 75, e143-e150.  | 3.8  | 48        |
| 117 | Hemodynamic Effects, Myocardial Ischemia, and Timing of Tracheal Extubation with Propofol-Based<br>Anesthesia for Cardiac Surgery. Anesthesia and Analgesia, 1997, 84, 12-19.   | 2.2  | 47        |
| 118 | Patient Sex and its Influence on General Anaesthesia. Anaesthesia and Intensive Care, 2009, 37, 207-218.  | 0.7  | 46        |
| 119 | Nitrous Oxide and Serious Long-term Morbidity and Mortality in the Evaluation of Nitrous Oxide in the Gas Mixture for Anaesthesia (ENIGMA)-II Trial. Anesthesiology, 2015, 123, 1267-1280.  | 2.5  | 46        |
| 120 | Systematic review and consensus definitions for the Standardised Endpoints in Perioperative Medicine initiative: clinical indicators. British Journal of Anaesthesia, 2019, 123, 228-237.   | 3.4  | 46        |
| 121 | Using the 6-minute walk test to predict disability-free survival after major surgery. British Journal of Anaesthesia, 2019, 122, 111-119.   | 3.4  | 46        |
| 122 | An Updated Minimal Clinically Important Difference for the QoR-15 Scale. Anesthesiology, 2021, 135, 934-935.  | 2.5  | 46        |
| 123 | Restrictive versus liberal fluid therapy in major abdominal surgery (RELIEF): rationale and design for a multicentre randomised trial. BMJ Open, 2017, 7, e015358.  | 1.9  | 45        |
| 124 | Evidence for compromised data integrity in studies of liberal periâ€operative inspired oxygen. Anaesthesia, 2019, 74, 573-584.  | 3.8  | 45        |
| 125 | Comparison of Patient-Controlled Analgesia and Nurse-Controlled Infusion Analgesia after Cardiac Surgery. Anaesthesia and Intensive Care, 1994, 22, 672-678.  | 0.7  | 44        |
| 126 | Design of the Multicenter Australian Study of Epidural Anesthesia and Analgesia in Major Surgery. Contemporary Clinical Trials, 2000, 21, 244-256.  | 1.9  | 44        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | A Pilot Study for a Prospective, Randomized, Double-Blind Trial of the Influence of Anesthetic Depth on Long-Term Outcome. Anesthesia and Analgesia, 2014, 118, 981-986.   | 2.2 | 44        |
| 128 | Systematic review and consensus definitions for standardised endpoints in perioperative medicine: postoperative cancer outcomes. British Journal of Anaesthesia, 2018, 121, 38-44.   | 3.4 | 44        |
| 129 | Anaesthetists' attitudes towards awareness and depth-of-anaesthesia monitoring. Anaesthesia, 2003, 58, 11-16.  | 3.8 | 43        |
| 130 | Recovery from Bispectral Index-guided Anaesthesia in a Large Randomized Controlled Trial of Patients at High Risk of Awareness. Anaesthesia and Intensive Care, 2005, 33, 443-451.   | 0.7 | 43        |
| 131 | Implication of Major Adverse Postoperative Events and Myocardial Injury on Disability and Survival: A Planned Subanalysis of the ENIGMA-II Trial. Anesthesia and Analgesia, 2018, 127, 1118-1126.                                    | 2.2 | 43        |
| 132 | End-Tidal Oxygen Measurement Compared with Patient Factor Assessment for Determining Preoxygenation Time. Anaesthesia and Intensive Care, 1993, 21, 409-413.   | 0.7 | 42        |
| 133 | La standardisation des critÃ"res d'évaluation en recherche périopératoire. Canadian Journal of<br>Anaesthesia, 2016, 63, 159-168.  | 1.6 | 41        |
| 134 | Systematic review and consensus definitions for the Standardised Endpoints in Perioperative Medicine (StEP) initiative: renal endpoints. British Journal of Anaesthesia, 2018, 121, 1013-1024.                                       | 3.4 | 41        |
| 135 | Prediction of Neurological Outcome Using Bispectral Index Monitoring in Patients with Severe Ischemic-Hypoxic Brain Injury Undergoing Emergency Surgery. Anesthesiology, 2009, 110, 1106-1115.                                       | 2.5 | 40        |
| 136 | Leukocyte DNA Damage and Wound Infection after Nitrous Oxide Administration. Anesthesiology, 2013, 118, 1322-1331.   | 2.5 | 40        |
| 137 | Developing and validating subjective and objective risk-assessment measures for predicting mortality after major surgery: An international prospective cohort study. PLoS Medicine, 2020, 17, e1003253.                              | 8.4 | 40        |
| 138 | Is Fast-Track Cardiac Anesthesia Now the Global Standard of Care?. Anesthesia and Analgesia, 2009, 108, 689-691.   | 2.2 | 39        |
| 139 | Supplemental oxygen and surgical site infection: getting to the truth. British Journal of Anaesthesia, 2017, 119, 13-15.   | 3.4 | 39        |
| 140 | Perioperative structure and process quality and safety indicators: a systematic review. British Journal of Anaesthesia, 2018, 120, 51-66.  | 3.4 | 39        |
| 141 | Endogenous nitric oxide and low systemic vascular resistance after cardiopulmonary bypass. Journal of Cardiothoracic and Vascular Anesthesia, 1997, 11, 571-574.   | 1.3 | 38        |
| 142 | Severe Nausea and Vomiting in the Evaluation of Nitrous Oxide in the Gas Mixture for Anesthesia II Trial. Anesthesiology, 2016, 124, 1032-1040.  | 2.5 | 38        |
| 143 | Core Outcome Measures for Perioperative and Anaesthetic Care (COMPAC): a modified Delphi process to develop a core outcome set for trials in perioperative care and anaesthesia. British Journal of Anaesthesia, 2022, 128, 174-185. | 3.4 | 38        |
| 144 | Prevention of awareness during anaesthesia. Bailliere's Best Practice and Research in Clinical Anaesthesiology, 2007, 21, 345-355.   | 4.0 | 36        |

| #   | Article  | lF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Improving communication when seeking informed consent: a randomised controlled study of a computerâ€based method for providing information to prospective clinical trial participants. Medical Journal of Australia, 2010, 192, 388-392. | 1.7 | 36        |
| 146 | Nitrous Oxide and Serious Morbidity and Mortality in the POISE Trial. Anesthesia and Analgesia, 2013, 116, 1034-1040.  | 2.2 | 36        |
| 147 | Importance of intraoperative oliguria during major abdominal surgery: findings of the Restrictive versus Liberal Fluid Therapy in Major Abdominal Surgery trial. British Journal of Anaesthesia, 2019, 122, 726-733.                     | 3.4 | 36        |
| 148 | Defining the Minimal Clinically Important Difference and Patient-acceptable Symptom State Score for Disability Assessment in Surgical Patients. Anesthesiology, 2020, 132, 1362-1370.  | 2.5 | 36        |
| 149 | Intraoperative cardiac arrest after unrecognized dynamic hyperinflation. British Journal of Anaesthesia, 1995, 74, 340-342.  | 3.4 | 35        |
| 150 | Randomized Trial of Informed Consent and Recruitment for Clinical Trials in the Immediate Preoperative PeriodÂ. Anesthesiology, 1999, 91, 969-969.   | 2.5 | 35        |
| 151 | Coagulation Studies in Preoperative Neurosurgical Patients. Anaesthesia and Intensive Care, 2001, 29, 388-392.   | 0.7 | 34        |
| 152 | Integrating Incident Reporting into an Electronic Patient Record System. Journal of the American Medical Informatics Association: JAMIA, 2007, 14, 175-181.  | 4.4 | 34        |
| 153 | Chronic postsurgical pain in the Evaluation of Nitrous Oxide in the Gas Mixture for Anaesthesia (ENIGMA)-II trial. British Journal of Anaesthesia, 2016, 117, 801-811.   | 3.4 | 34        |
| 154 | Age and other perioperative risk factors for postoperative systemic inflammatory response syndrome after cardiac surgery. British Journal of Anaesthesia, 2017, 119, 637-644.  | 3.4 | 34        |
| 155 | Chemical Dependence in Anaesthetic Registrars in Australia and New Zealand. Anaesthesia and Intensive Care, 1993, 21, 151-155.   | 0.7 | 33        |
| 156 | Perioperative Mortality Risk Score using Pre- and Post-operative Risk Factors in Older Patients. Anaesthesia and Intensive Care, 2009, 37, 392-398.  | 0.7 | 33        |
| 157 | Pros and Cons of Composite Endpoints in Anesthesia Trials. Anesthesiology, 2010, 113, 776-778.   | 2.5 | 33        |
| 158 | Regional anaesthesia and pain management. Anaesthesia, 2010, 65, 38-47.  | 3.8 | 32        |
| 159 | Novel Clinical Trial Designs to Improve the Efficiency of Research. Anesthesiology, 2020, 132, 69-81.  | 2.5 | 32        |
| 160 | Anesthesia for bilateral sequential lung transplantation: Experience of 64 cases. Journal of Cardiothoracic and Vascular Anesthesia, 1997, 11, 177-183.  | 1.3 | 31        |
| 161 | Why we need large randomized studies in anaesthesia. British Journal of Anaesthesia, 1999, 83, 833-834.  | 3.4 | 31        |
| 162 | Quality of Life at Three Years after Cardiac Surgery: Relationship with Preoperative Status and Quality of Recovery. Anaesthesia and Intensive Care, 2006, 34, 176-183.  | 0.7 | 31        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | A Cost-Benefit Analysis of the ENIGMA Trial. Anesthesiology, 2011, 115, 265-272.   | 2.5 | 30        |
| 164 | Postoperative recovery: the importance of the team. Anaesthesia, 2020, 75, e158-e164.  | 3.8 | 30        |
| 165 | Predictors of death and new disability after critical illness: a multicentre prospective cohort study. Intensive Care Medicine, 2021, 47, 772-781.   | 8.2 | 29        |
| 166 | Measurement of quality of recovery after surgery using the 15-item quality of recovery scale: a systematic review and meta-analysis. British Journal of Anaesthesia, 2022, 128, 1029-1039.   | 3.4 | 29        |
| 167 | Part I: Propofol, Thiopental, Sevoflurane, and Isoflurane—A Randomized, Controlled Trial of Effectiveness. Anesthesia and Analgesia, 2000, 91, 1163-1169.  | 2.2 | 28        |
| 168 | Randomized, double-blind study comparing the efficacy of moderate-dose metoclopramide and ondansetron for the prophylactic control of postoperative vomiting in children after tonsillectomy. British Journal of Anaesthesia, 2007, 99, 699-703. | 3.4 | 28        |
| 169 | Clinical factors associated with the non-utilization of an anaesthesia incident reporting system.<br>British Journal of Anaesthesia, 2011, 107, 171-179.   | 3.4 | 28        |
| 170 | Alpha 1-Antitrypsin Deficiency: Circulatory Arrest following Induction of Anaesthesia. Anaesthesia and Intensive Care, 1992, 20, 358-362.  | 0.7 | 27        |
| 171 | Postoperative Nausea and Vomiting. Propofol or Thiopentone: Does Choice of Induction Agent Affect Outcome?. Anaesthesia and Intensive Care, 1996, 24, 355-359.   | 0.7 | 27        |
| 172 | Does anaesthetic technique affect the outcome after transurethral resection of the prostate?. BJU International, 1999, 84, 982-986.  | 2.5 | 27        |
| 173 | A Comparison of Patient Self-administered and Investigator-administered Measurement of Quality of Recovery Using the QoR-40. Anaesthesia and Intensive Care, 2006, 34, 634-638.  | 0.7 | 27        |
| 174 | Ethical and scientific considerations for patient enrollment into concurrent clinical trials. Trials, 2014, 15, 470.   | 1.6 | 27        |
| 175 | Predictors of return to work in survivors of critical illness. Journal of Critical Care, 2018, 48, 21-25.  | 2.2 | 27        |
| 176 | Pilot study of the prevalence, outcomes and detection of occult hypoperfusion in trauma patients. Emergency Medicine Journal, 2010, 27, 470-472.   | 1.0 | 26        |
| 177 | Tranexamic acid in coronary artery surgery: One-year results of the Aspirin and Tranexamic Acid for Coronary Artery Surgery (ATACAS) trial. Journal of Thoracic and Cardiovascular Surgery, 2019, 157, 644-652.e9.                               | 0.8 | 26        |
| 178 | Benefits and Risks of Dexamethasone in Noncardiac Surgery. Anesthesiology, 2021, 135, 895-903.   | 2.5 | 26        |
| 179 | ACEâ€inhibitors, Calcium Antagonists and low Systemic Vascular Resistance following<br>Cardiopulmonary Bypass: A caseâ€control study. Medical Journal of Australia, 1993, 158, 675-677.  | 1.7 | 25        |
| 180 | Does ketorolac cause postoperative renal failure: how do we assess the evidence?. British Journal of Anaesthesia, 1998, 80, 420-421.   | 3.4 | 25        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 181 | Lung transplantation. Current Opinion in Anaesthesiology, 2007, 20, 21-26.   | 2.0 | 25        |
| 182 | Measuring perioperative outcome. Current Opinion in Anaesthesiology, 2016, 29, 733-738.  | 2.0 | 25        |
| 183 | Automated preoperative assessment of endothelial dysfunction and risk stratification for perioperative myocardial injury in patients undergoing non-cardiac surgery. British Journal of Anaesthesia, 2014, 112, 47-56.             | 3.4 | 24        |
| 184 | Perioperative outcomes: Are we asking the right questions?. Canadian Journal of Anaesthesia, 2016, 63, 138-141.  | 1.6 | 23        |
| 185 | Intraâ€operative protective mechanical ventilation in lung transplantation: a randomised, controlled trial. Anaesthesia, 2017, 72, 993-1004.   | 3.8 | 23        |
| 186 | High-sensitivity cardiac troponin I after coronary artery bypass grafting for post-operative decision-making. European Heart Journal, 2022, 43, 2388-2403.   | 2.2 | 23        |
| 187 | A Cohort and Database Study of Airway Management in Patients Undergoing Thyroidectomy for Retrosternal Goitre. Anaesthesia and Intensive Care, 2014, 42, 700-708.  | 0.7 | 22        |
| 188 | Postoperative critical care and high-acuity care provision in the United Kingdom, Australia, and New Zealand. British Journal of Anaesthesia, 2019, 122, 460-469.  | 3.4 | 22        |
| 189 | Intraoperative Patient Warming using Radiant Warming or Forced-air Warming during Long Operations. Anaesthesia and Intensive Care, 2004, 32, 358-361.  | 0.7 | 21        |
| 190 | Survival After IsolatedÂPost-Operative Troponin Elevation. Journal of the American College of Cardiology, 2017, 70, 907-908.   | 2.8 | 21        |
| 191 | DNA methylation patterns from peripheral blood separate coronary artery disease patients with and without heart failure. ESC Heart Failure, 2020, 7, 2468-2478.  | 3.1 | 21        |
| 192 | A Dual-Antigen Enzyme-Linked Immunosorbent Assay Allows the Assessment of Severe Acute Respiratory Syndrome Coronavirus 2 Antibody Seroprevalence in a Low-Transmission Setting. Journal of Infectious Diseases, 2021, 223, 10-14. | 4.0 | 21        |
| 193 | Outcomes following a Shortage of High Dependency Unit Beds for Surgical Patients. Anaesthesia and Intensive Care, 2006, 34, 457-463.   | 0.7 | 20        |
| 194 | Anticoagulation, bleeding and blood transfusion practices in Australasian cardiac surgical practice. Anaesthesia and Intensive Care, 2007, 35, 760-768.  | 0.7 | 20        |
| 195 | Paramedic Tracheal Intubation Using the Intubating Laryngeal Mask Airway. Prehospital Emergency Care, 2008, 12, 30-34.   | 1.8 | 20        |
| 196 | Assessment of an Unplanned Admission to the Intensive Care Unit as a Global Safety Indicator in Surgical Patients. Anaesthesia and Intensive Care, 2008, 36, 190-200.  | 0.7 | 20        |
| 197 | Measuring pain and analgesic response. European Journal of Anaesthesiology, 2011, 28, 399-400.   | 1.7 | 20        |
| 198 | Serum lipid and glucose concentrations with a propofol infusion for cardiac surgery. Journal of Cardiothoracic and Vascular Anesthesia, 1995, 9, 373-378.  | 1.3 | 19        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Intraoperative protective ventilation strategies in lung transplantation. Transplantation Reviews, 2013, 27, 30-35.  | 2.9 | 19        |
| 200 | Avoidance of cardiopulmonary bypass during bilateral sequential lung transplantation using inhaled nitric oxide. Journal of Cardiothoracic and Vascular Anesthesia, 1995, 9, 571-574.                        | 1.3 | 18        |
| 201 | Effect of clonidine pre-medication on propofol requirements during lower extremity vascular surgery: a randomized controlled trial. British Journal of Anaesthesia, 2005, 95, 183-188.                       | 3.4 | 18        |
| 202 | Peak and averaged bicoherence for different EEG patterns during general anaesthesia. BioMedical Engineering OnLine, 2010, 9, 76.   | 2.7 | 18        |
| 203 | Clinically Important Difference in Quality of Recovery Scores. Anesthesia and Analgesia, 2016, 122, 13-14.   | 2.2 | 18        |
| 204 | A Survey of Australian and New Zealand Anaesthetists' Attitudes towards Resuscitation Orders in the Perioperative Setting. Anaesthesia and Intensive Care, 2017, 45, 396-402.                                | 0.7 | 17        |
| 205 | Dexamethasone for Cardiac Surgery trial (DECS-II): Rationale and a novel, practice preference-randomized consent design. American Heart Journal, 2018, 204, 52-57.   | 2.7 | 17        |
| 206 | Systematic review and meta-analysis of the perioperative use of vasoactive drugs on postoperative outcomes after major abdominal surgery. British Journal of Anaesthesia, 2020, 124, 513-524.                | 3.4 | 17        |
| 207 | Untangling the Triple Low. Anesthesiology, 2014, 121, 1-3.   | 2.5 | 17        |
| 208 | Trauma patient managed with the laryngeal mask airway and percutaneous tracheostomy after failed intubation. Medical Journal of Australia, 1994, 161, 640-640.   | 1.7 | 16        |
| 209 | The association among gastric mucosal pH, endotoxemia, and low systemic vascular resistance after cardiopulmonary bypass. Journal of Cardiothoracic and Vascular Anesthesia, 1996, 10, 195-200.              | 1.3 | 16        |
| 210 | Dynamic Hyperinflation: Comparison of Jet Ventilation versus Conventional Ventilation in Patients with Severe End-Stage Obstructive Lung Disease. Anaesthesia and Intensive Care, 1997, 25, 471-475.         | 0.7 | 16        |
| 211 | Awareness during general anaesthesia: is it worth worrying about?. Medical Journal of Australia, 2001, 174, 212-213.   | 1.7 | 16        |
| 212 | Stopping Aspirin Before Coronary Artery Surgery. Circulation, 2011, 123, 571-573.  | 1.6 | 16        |
| 213 | Safety, feasibility, and effect of remote ischemic conditioning in patients undergoing lung transplantation. Journal of Heart and Lung Transplantation, 2014, 33, 1139-1148.                                 | 0.6 | 16        |
| 214 | Association between Oxygen Delivery and Consumption in Patients Undergoing Cardiac Surgery. is There Supply Dependence?. Anaesthesia and Intensive Care, 1996, 24, 651-657.                                  | 0.7 | 15        |
| 215 | Target-Controlled Intravenous Anaesthesia with Bispectral Index Monitoring for Thoracotomy in a Patient with Severely Impaired Left Ventricular Function. Anaesthesia and Intensive Care, 2000, 28, 318-321. | 0.7 | 15        |
| 216 | Relationship between Journal Impact Factor and Levels of Evidence in Anaesthesia. Anaesthesia and Intensive Care, 2005, 33, 567-570.   | 0.7 | 15        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | The early inâ€vivo effects of a single antiâ€emetic dose of dexamethasone on innate immune cell gene expression and activation in healthy volunteers. Anaesthesia, 2018, 73, 955-966.                                     | 3.8 | 15        |
| 218 | Systematic review of perioperative mortality risk prediction models for adults undergoing inpatient nonâ€cardiac surgery. ANZ Journal of Surgery, 2021, 91, 860-870.  | 0.7 | 15        |
| 219 | Association of six-minute walk test distance with postoperative complications in non-cardiac surgery: a secondary analysis of a multicentre prospective cohort study. Canadian Journal of Anaesthesia, 2021, 68, 514-529. | 1.6 | 15        |
| 220 | Case 1—1997 Diagnosis and management of dynamic hyperinflation during lung transplantation. Journal of Cardiothoracic and Vascular Anesthesia, 1997, 11, 100-104.   | 1.3 | 14        |
| 221 | Continuous Measurement of Arterial and End-Tidal Carbon Dioxide during Cardiac Surgery: Pa-ETco2<br>Gradient. Anaesthesia and Intensive Care, 1997, 25, 459-463.  | 0.7 | 14        |
| 222 | Enhanced Recovery after Surgery Program for Elective Abdominal Surgery at Three Victorian Hospitals. Anaesthesia and Intensive Care, 2012, 40, 450-459.   | 0.7 | 14        |
| 223 | Nitrous Oxide. Anesthesiology, 2013, 119, 1-3.  | 2.5 | 14        |
| 224 | SNAP-2 EPICCS: the second Sprint National Anaesthesia Projectâ€"EPIdemiology of Critical Care after Surgery: protocol for an international observational cohort study. BMJ Open, 2017, 7, e017690.                        | 1.9 | 14        |
| 225 | Association of Obesity With Septic Complications After Major Abdominal Surgery. JAMA Network Open, 2019, 2, e1916345.   | 5.9 | 14        |
| 226 | Aspirin in coronary artery surgery: 1-year results of the Aspirin and Tranexamic Acid for Coronary Artery Surgery trial. Journal of Thoracic and Cardiovascular Surgery, 2019, 157, 633-640.                              | 0.8 | 14        |
| 227 | Predicting Outcome in Anaesthesia: Understanding Statistical Methods. Anaesthesia and Intensive Care, 1994, 22, 447-453.  | 0.7 | 13        |
| 228 | Auto-PEEP May Improve Oxygenation During One-Lung Ventilation. Anesthesia and Analgesia, 1996, 83, 1131.  | 2.2 | 13        |
| 229 | Part I: Propofol, Thiopental, Sevoflurane, and Isoflurane—A Randomized, Controlled Trial of Effectiveness. Anesthesia and Analgesia, 2000, 91, 1163-1169.   | 2.2 | 13        |
| 230 | The Australian approach to peri-operative fluid balance. Current Opinion in Anaesthesiology, 2012, 25, 102-110.   | 2.0 | 13        |
| 231 | Prospective observational cohort study on grading the severity of postoperative complications in global surgery research. British Journal of Surgery, 2019, 106, e73-e80.   | 0.3 | 13        |
| 232 | Underutilization of Paravertebral Block in Thoracic Surgery. Journal of Cardiothoracic and Vascular Anesthesia, 2006, 20, 635-638.  | 1.3 | 12        |
| 233 | Preoperative folate and homocysteine status in patients undergoing major surgery. Clinical Nutrition, 2006, 25, 736-745.  | 5.0 | 12        |
| 234 | Perioperative antiplatelet therapy: A knife-edged choice between thrombosis and bleeding still based on consensus rather than evidence. Thrombosis and Haemostasis, 2011, 105, 750-751.                                   | 3.4 | 12        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | A survey of anaesthetists' use of tranexamic acid in noncardiac surgery. Anaesthesia and Intensive Care, 2019, 47, 76-84.  | 0.7 | 12        |
| 236 | Towards a national perioperative clinical quality registry: The diagnostic accuracy of administrative data in identifying major postoperative complications. Anaesthesia and Intensive Care, 2020, 48, 203-212.  | 0.7 | 12        |
| 237 | The opioid-P2Y12 inhibitor interaction: Potential strategies to mitigate the interaction and consideration of alternative analgesic agents in myocardial infarction., 2021, 217, 107665.                         |     | 12        |
| 238 | Effects of lignocaine vs. opioids on antiplatelet activity of ticagrelor: the LOCAL trial. European Heart Journal, 2021, 42, 4025-4036.  | 2.2 | 12        |
| 239 | Development and validation of Arabic version of the postoperative quality of recovery-40 questionnaire. Saudi Journal of Anaesthesia, 2017, 11, 40.  | 0.7 | 12        |
| 240 | Meaningful outcome measures in cardiac surgery. Journal of Extra-Corporeal Technology, 2014, 46, 23-7.   | 0.4 | 12        |
| 241 | Anaesthetic Management for Laparoscopic Sterilisation and Termination of Pregnancy in a Patient with Severe Primary Pulmonary Hypertension. Anaesthesia and Intensive Care, 1994, 22, 465-469.                   | 0.7 | 11        |
| 242 | Double-blind, randomized trial of cessation of smoking after audiotape suggestion during anaesthesia. British Journal of Anaesthesia, 1996, 76, 694-698.   | 3.4 | 11        |
| 243 | Anaesthesia and Postoperative Pain Management for Bilateral Lung Volume Reduction Surgery.<br>Anaesthesia and Intensive Care, 1999, 27, 503-508.   | 0.7 | 11        |
| 244 | LESSONS FROM LUNG TRANSPLANTATION FOR EVERYDAY THROACIC ANESTHESIA. Anesthesiology Clinics, 2001, 19, 581-590.   | 1.4 | 11        |
| 245 | Measurement of systemic oxygen uptake during low-flow anaesthesia with a standard technique vs. a novel method. Anaesthesia, 2002, 57, 654-658.  | 3.8 | 11        |
| 246 | Communication deficiencies in research and monitoring by ethics committees. Internal Medicine Journal, 2006, 36, 86-91.  | 0.8 | 11        |
| 247 | Misleading Turbulent Flow Through Pulmonary Venous Anastomoses During Lung Transplantation.<br>Anesthesia and Analgesia, 2008, 107, 1504-1505.   | 2.2 | 11        |
| 248 | Serious adverse event reporting in investigatorâ€initiated clinical trials. Medical Journal of Australia, 2016, 204, 231-233.  | 1.7 | 11        |
| 249 | Perioperative Management of Patients Treated with Angiotensin-Converting Enzyme Inhibitors and Angiotensin II Receptor Blockers: A Quality Improvement Audit. Anaesthesia and Intensive Care, 2016, 44, 346-352. | 0.7 | 11        |
| 250 | Anemia and iron-restricted erythropoiesis in traumatic critical illness. Journal of Trauma and Acute Care Surgery, 2016, 80, 538-545.  | 2.1 | 11        |
| 251 | Cost-effectiveness of routine transoesophageal echocardiography during cardiac surgery: a discrete-event simulation study. British Journal of Anaesthesia, 2020, 124, 136-145.                                   | 3.4 | 11        |
| 252 | Analgesia for major laparoscopic abdominal surgery: a randomised feasibility trial using intrathecal morphine. Anaesthesia, 2022, , .  | 3.8 | 11        |

| #   | Article   | IF   | Citations |
|-----|---|------|-----------|
| 253 | Part II: Total Episode Costs in a Randomized, Controlled Trial of the Effectiveness of Four Anesthetics. Anesthesia and Analgesia, 2000, 91, 1170-1175.   | 2.2  | 10        |
| 254 | The Pain Visual Analog Scale: Linear or Nonlinear?. Anesthesiology, 2004, 100, 744-744.   | 2.5  | 10        |
| 255 | Analgesia Best Practice After Cardiac Surgery. Anesthesiology Clinics, 2008, 26, 591-602.   | 1.4  | 10        |
| 256 | This Wonder-Working Gas. Anesthesia and Analgesia, 2013, 116, 955-958.  | 2.2  | 10        |
| 257 | Aspirin and clonidine in non-cardiac surgery: acute kidney injury substudy protocol of the Perioperative Ischaemic Evaluation (POISE) 2 randomised controlled trial. BMJ Open, 2014, 4, e004886.      | 1.9  | 10        |
| 258 | Hyperbaric Oxygen in Lower Limb Trauma (HOLLT); protocol for a randomised controlled trial. BMJ Open, 2015, 5, e008381-e008381.   | 1.9  | 10        |
| 259 | Aspirin and coronary artery surgery: an updated meta-analysis. British Journal of Anaesthesia, 2016, 116, 716-717.  | 3.4  | 10        |
| 260 | An open-label, non-inferiority randomized controlled trial of lidocAine Versus Opioids In MyocarDial Infarction study (AVOID-2 study) methods paper. Contemporary Clinical Trials, 2021, 105, 106411. | 1.8  | 10        |
| 261 | Hyperbaric oxygen in carbon monoxide poisoning. BMJ: British Medical Journal, 2000, 321, 109-109.   | 2.3  | 10        |
| 262 | Minimal clinically important difference in days at home up to 30 days after surgery. Anaesthesia, 2021, ,   | 3.8  | 10        |
| 263 | Implementing PROMS for elective surgery patients: feasibility, response rate, degree of recovery and patient acceptability. Journal of Patient-Reported Outcomes, 2022, 6, .                          | 1.9  | 10        |
| 264 | Early extubation after lung transplantation. Journal of Cardiothoracic and Vascular Anesthesia, 1999, 13, 247-248.  | 1.3  | 9         |
| 265 | Epidural block and outcome after major surgery. Medical Journal of Australia, 2002, 177, 536-537.   | 1.7  | 9         |
| 266 | Patients' Knowledge of and Attitudes towards Awareness and Depth of Anaesthesia Monitoring. Anaesthesia and Intensive Care, 2003, 31, 63-68.  | 0.7  | 9         |
| 267 | Restrictive or Liberal Fluid Therapy for Major Abdominal Surgery. New England Journal of Medicine, 2018, 379, 1281-1283.  | 27.0 | 9         |
| 268 | Fibrinolysis and COVIDâ€19: A tale of two sites?. Journal of Thrombosis and Haemostasis, 2020, 18, 2430-2432.   | 3.8  | 9         |
| 269 | Continuous arterial blood gas monitoring during bilateral sequential lung transplantation. Journal of Cardiothoracic and Vascular Anesthesia, 1999, 13, 253-257.                                      | 1.3  | 8         |
| 270 | Generalizability of anaesthesia study populations. British Journal of Anaesthesia, 2014, 113, 535-536.  | 3.4  | 8         |

| #   | Article   | IF   | Citations |
|-----|---|------|-----------|
| 271 | The perioperative administration of dexamethasone and infection (PADDI) trial protocol: rationale and design of a pragmatic multicentre non-inferiority study. BMJ Open, 2019, 9, e030402.  | 1.9  | 8         |
| 272 | International Policy Frameworks for Consent in Minimal-risk Pragmatic Trials. Anesthesiology, 2020, 132, 44-54.   | 2.5  | 8         |
| 273 | Prevalence of asymptomatic SARSâ€CoV â€2 infection in elective surgical patients in Australia: a prospective surveillance study. ANZ Journal of Surgery, 2021, 91, 27-32.   | 0.7  | 8         |
| 274 | Anaesthetists' Knowledge of the QT Interval in a Teaching Hospital. Anaesthesia and Intensive Care, 2005, 33, 773-776.  | 0.7  | 7         |
| 275 | The Effect of Hair Colour on Anaesthetic Requirements and Recovery Time after Surgery. Anaesthesia and Intensive Care, 2012, 40, 683-689.   | 0.7  | 7         |
| 276 | II. Trial registration for anaesthesia studies. British Journal of Anaesthesia, 2013, 110, 2-3.   | 3.4  | 7         |
| 277 | Aspirin before Coronary Artery Surgery. New England Journal of Medicine, 2016, 375, 90-92.  | 27.0 | 7         |
| 278 | Six-Month Outcomes After High-Risk Coronary Artery Bypass Graft Surgery and Preoperative Intra-aortic Balloon Counterpulsation Use: An Inception Cohort Study. Journal of Cardiothoracic and Vascular Anesthesia, 2018, 32, 2067-2073.  | 1.3  | 7         |
| 279 | Auditing the national audit projects: impact and implementation. British Journal of Anaesthesia, 2018, 121, 107-111.  | 3.4  | 7         |
| 280 | A survey of neuraxial analgesic preferences in open and laparoscopic major abdominal surgery amongst anaesthetists in Australia and New Zealand. Anaesthesia and Intensive Care, 2020, 48, 314-317.   | 0.7  | 7         |
| 281 | COVID â€19 risk in elective surgery during a second wave: a prospective cohort study. ANZ Journal of Surgery, 2021, 91, 22-26.  | 0.7  | 7         |
| 282 | Plasmin, Immunity, and Surgical Site Infection. Journal of Clinical Medicine, 2021, 10, 2070.   | 2.4  | 7         |
| 283 | B-Aware:recall of intra-operative events. Lancet, The, 2004, 364, 841-842.  | 13.7 | 6         |
| 284 | I. Stopping trials early. British Journal of Anaesthesia, 2013, 111, 133-135.   | 3.4  | 6         |
| 285 | Defining clinically important perioperative blood loss and transfusion for the Standardised Endpoints for Perioperative Medicine (StEP) collaborative: a protocol for a scoping review. BMJ Open, 2017, 7, e016743.   | 1.9  | 6         |
| 286 | Standardized Renal Endpoints for Perioperative Clinical Trials: The Standardized Endpoints in Perioperative Medicine Initiative. Nephron, 2017, 137, 302-305.   | 1.8  | 6         |
| 287 | Clinical indicators for reporting the effectiveness of patient quality and safety-related interventions: a protocol of a systematic review and Delphi consensus process as part of the international Standardised Endpoints for Perioperative Medicine initiative (StEP). BMJ Open, 2018, 8, e023427. | 1.9  | 6         |
| 288 | Practice patterns and perceptions of Australian and New Zealand anaesthetists towards perioperative oxygen therapy. Anaesthesia and Intensive Care, 2019, 47, 288-294.  | 0.7  | 6         |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 289 | Tranexamic acid rapidly inhibits fibrinolysis, yet transiently enhances plasmin generation in vivo.<br>Blood Coagulation and Fibrinolysis, 2021, 32, 172-179.  | 1.0  | 6         |
| 290 | The frequent insignificance of a "significant― <i>p</i> â€value. Journal of Cardiac Surgery, 2021, 36, 4322-4331.  | 0.7  | 6         |
| 291 | Evidence-based methods to improve anaesthesia and intensive care. Current Opinion in Anaesthesiology, 1999, 12, 221-227.   | 2.0  | 6         |
| 292 | Regional Block and Cancer Recurrence: Too Early to Tell. Anesthesiology, 2007, 107, 354-354.   | 2.5  | 6         |
| 293 | Large Multicentre Trials in Anaesthesia: The ANZCA Clinical Trials Group. Anaesthesia and Intensive Care, 2005, 33, 301-302.   | 0.7  | 6         |
| 294 | Bispectral index monitoring in ischemic-hypoxic brain injury. Journal of Extra-Corporeal Technology, 2009, 41, P15-9.  | 0.4  | 6         |
| 295 | Low-Concentration Norepinephrine Infusion for Major Surgery: A Safety and Feasibility Pilot<br>Randomized Controlled Trial. Anesthesia and Analgesia, 2022, 134, 410-418.  | 2.2  | 6         |
| 296 | Patient Judgement of Change with Elective Surgery Correlates with Patient Reported Outcomes and Quality of Life. Healthcare (Switzerland), 2022, 10, 999.  | 2.0  | 6         |
| 297 | Opioid-free analgesia after surgery. Lancet, The, 2022, 399, 2245-2247.  | 13.7 | 6         |
| 298 | Dexamethasone and clinically significant postoperative nausea and vomiting: a prespecified substudy of the randomised perioperative administration of dexamethasone and infection (PADDI) trial. British Journal of Anaesthesia, 2022, 129, 327-335.   | 3.4  | 6         |
| 299 | Septic discitis as a presentation of endocarditis. Medical Journal of Australia, 1987, 146, 656-657.   | 1.7  | 5         |
| 300 | Haemodynamic Effects and Uptake of Enflurane in Patients Undergoing Cardiac Surgery: Good versus Poor Myocardial Function. Anaesthesia and Intensive Care, 1992, 20, 21-27.  | 0.7  | 5         |
| 301 | Anaesthetic Management of a Patient with Severe Bullous Lung Disease Complicated by Air Leak.<br>Anaesthesia and Intensive Care, 1994, 22, 201-203.  | 0.7  | 5         |
| 302 | Dobutamine-atropine stress echocardiography and central anticholinergic syndrome. Lancet, The, 1994, 344, 1636.  | 13.7 | 5         |
| 303 | Measuring Health Status (Quality of Recovery?) after Anesthesia and Surgery. Anesthesia and Analgesia, 2001, 92, 281.  | 2.2  | 5         |
| 304 | Learning from Incidents and Near-misses Reports. Anesthesiology, 2005, 102, 1287-1287.   | 2.5  | 5         |
| 305 | Accuracy of Dilution of Morphine for Intrathecal Use. Anaesthesia and Intensive Care, 2007, 35, 378-381.   | 0.7  | 5         |
| 306 | Effect of fluid strategy on stroke volume, cardiac output, and fluid responsiveness in adult patients undergoing major abdominal surgery: a sub-study of the Restrictive versus Liberal Fluid Therapy in Major Abdominal Surgery (RELIEF) trial. British Journal of Anaesthesia, 2021, 126, 818-825. | 3.4  | 5         |

| #   | Article   | IF   | Citations |
|-----|---|------|-----------|
| 307 | Postdischarge Functional Capacity, Health-Related Quality of Life, Depression, Anxiety, and Post-traumatic Stress Disorder in Patients Receiving a Long-term Left Ventricular Assist Device. Journal of Cardiac Failure, 2022, 28, 83-92.   | 1.7  | 5         |
| 308 | Protocol for implementation of the â€~AusPROM' recommendations for elective surgery patients: a mixed-methods cohort study. BMJ Open, 2021, 11, e049937.  | 1.9  | 5         |
| 309 | Conflating effect size and minimal clinically important difference. Comment on Br J Anaesth 2021; 126: 1029–37. British Journal of Anaesthesia, 2022, 128, e1-e2.   | 3.4  | 5         |
| 310 | Quality in anesthesia. Minerva Anestesiologica, 2001, 67, 279-83.   | 1.0  | 5         |
| 311 | Single versus Double Occlusive Dressing Technique to Minimize Infusion Thrombophlebitis: Vialon $\hat{A}^{\otimes}$ and Teflon $\hat{A}^{\otimes}$ Cannulae Reassessed. Anaesthesia and Intensive Care, 1991, 19, 525-529.  | 0.7  | 4         |
| 312 | Supplemental Oxygen May Reduce Myocardial Ischemia in Premedicated Patients with Critical Coronary Artery Disease. Anesthesia and Analgesia, 1994, 78, 601.   | 2.2  | 4         |
| 313 | Measurement, monitoring and clinical governance. Medical Journal of Australia, 2005, 183, 543-543.  | 1.7  | 4         |
| 314 | Does the use of statins improve outcomes in coronary artery bypass graft surgery?. Expert Review of Cardiovascular Therapy, 2015, 13, 1285-1288.  | 1.5  | 4         |
| 315 | Is Preoperative Endothelial Dysfunction a Potentially Modifiable Risk Factor for Renal Injury Associated With Noncardiac Surgery?. Journal of Cardiothoracic and Vascular Anesthesia, 2015, 29, 1220-1228.  | 1.3  | 4         |
| 316 | Sez6 levels are elevated in cerebrospinal fluid of patients with inflammatory pain–associated conditions. Pain Reports, 2019, 4, e719.  | 2.7  | 4         |
| 317 | Data on the modulatory effects of a single bolus dexamethasone on the surface marker expression of various leucocyte subsets. Data in Brief, 2020, 32, 106117.  | 1.0  | 4         |
| 318 | Preoperative intravenous iron for cardiac surgery. Lancet, The, 2020, 396, 1883-1884.   | 13.7 | 4         |
| 319 | Perioperative antimicrobial decision making: Focused ethnography study in orthopedic and cardiothoracic surgeries in an Australian hospital. Infection Control and Hospital Epidemiology, 2020, 41, 645-652.  | 1.8  | 4         |
| 320 | Opioid discontinuation after surgery. British Journal of Anaesthesia, 2020, 124, 502-503.   | 3.4  | 4         |
| 321 | The psychometric properties and minimal clinically important difference for disability assessment using WHODAS 2.0 in critically ill patients. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2021, 23, 103-112.   | 0.1  | 4         |
| 322 | Towards a national perioperative outcomes registry: A survey of perioperative electronic medical record utilisation to support quality assurance and research at Australian and New Zealand College of Anaesthetists Clinical Trials Network hospitals in Australia. Anaesthesia and Intensive Care, 2022, , 0310057X2110302. | 0.7  | 4         |
| 323 | Future of Clinical Trial Methodology. Anesthesia and Analgesia, 2022, 134, 668-673.   | 2.2  | 4         |
| 324 | Methylomic and transcriptomic characterization of postoperative systemic inflammatory dysregulation. Translational Research, 2022, 247, 79-98.  | 5.0  | 4         |

| #   | Article   | IF      | Citations    |
|-----|---|---------|--------------|
| 325 | Hospital costs and factors associated with days alive and at home after surgery ( <scp> DAH) Tj ETQq1 1 0.78431</scp>   | .4 rgBT | /Overlock 10 |
| 326 | A systematic review of economic evaluations of preoperative smoking cessation for preventing surgical complications. International Journal of Surgery, 2022, 104, 106742.                         | 2.7     | 4            |
| 327 | A Patient with Sanfilippo Syndrome and Pseudocholinesterase Deficiency, Further Complicated by Post-Tonsillectomy Haemorrhage. Anaesthesia and Intensive Care, 1989, 17, 86-88.                   | 0.7     | 3            |
| 328 | Cardiopulmonary resuscitation in obstructive airways disease. Lancet, The, 1993, 341, 1217.   | 13.7    | 3            |
| 329 | Relation Between Oxygen Consumption and Oxygen Delivery After Cardiac Surgery. Anesthesia and Analgesia, 1995, 81, 430-431.   | 2.2     | 3            |
| 330 | Should smokers be referred to a smokingâ€cessation clinic before undergoing elective surgery?. Medical Journal of Australia, 2004, 180, 126-127.  | 1.7     | 3            |
| 331 | Intraoperative Coronary Thrombosis With Aprotinin in the Prebypass Period. Journal of Cardiothoracic and Vascular Anesthesia, 2007, 21, 558-560.  | 1.3     | 3            |
| 332 | Equivalence and Noninferiority in Anaesthesia Research. Anaesthesia and Intensive Care, 2010, 38, 621-622.  | 0.7     | 3            |
| 333 | Large Randomized Trials to Overcome Barriers to Patient Safety. Anesthesia and Analgesia, 2012, 115, 479-480.   | 2.2     | 3            |
| 334 | Evaluation of Differences in Patient and Physician Perception of Benefit and Risks of Aspirin and Antifibrinolytic Therapy in Cardiac Surgery. Anaesthesia and Intensive Care, 2014, 42, 592-598. | 0.7     | 3            |
| 335 | Acute alcohol intoxication and bispectral index monitoring. Acta Anaesthesiologica Scandinavica, 2015, 59, 1015-1021.   | 1.6     | 3            |
| 336 | Patient and Community Attitudes toward Perioperative Biobanking and Genomic Research. Anaesthesia and Intensive Care, 2017, 45, 384-390.  | 0.7     | 3            |
| 337 | Clinically important analgesic effects. British Journal of Anaesthesia, 2020, 124, e11.   | 3.4     | 3            |
| 338 | The international ENIGMA-II substudy on postoperative cognitive disorders (ISEP). Scientific Reports, 2021, 11, 11631.  | 3.3     | 3            |
| 339 | Credibility of subgroup findings in clinical trials and meta-analyses. British Journal of Anaesthesia, 2021, 127, 11-14.  | 3.4     | 3            |
| 340 | Rationale and design of the intravenous iron for treatment of anemia before cardiac surgery trial. American Heart Journal, 2021, 239, 64-72.  | 2.7     | 3            |
| 341 | Structural validity of the 15-item quality of recovery scale. British Journal of Anaesthesia, 2021, 127, e138-e139.   | 3.4     | 3            |
| 342 | Solving the challenges of large multicenter trials in anesthesia. HSR Proceedings in Intensive Care & Cardiovascular Anesthesia, 2009, 1, 46-53.  | 0.6     | 3            |

| #   | Article  | IF   | Citations |
|-----|--|------|-----------|
| 343 | ACE-inhibitors, calcium antagonists and low systemic vascular resistance following cardiopulmonary bypass. A case-control study. Medical Journal of Australia, 1993, 158, 675-7.   | 1.7  | 3         |
| 344 | Tranexamic acid alters the immunophenotype of phagocytes after lower limb surgery. Thrombosis Journal, 2022, 20, 17.   | 2.1  | 3         |
| 345 | Smoking reduction and tape suggestion. Anaesthesia, 1994, 49, 917-918.   | 3.8  | 2         |
| 346 | Early Hemodynamic Effects of Left Atrial Administration of Epinephrine After Cardiac Transplantation. Anesthesia and Analgesia, 1997, 84, 976-981.   | 2.2  | 2         |
| 347 | Ethics review and clinical trials. Lancet, The, 1998, 351, 1065.   | 13.7 | 2         |
| 348 | Case $8\hat{a}\in "2000$ Intraoperative bispectral index monitoring and early extubation after cardiac surgery in patients with a history of awareness under anesthesia. Journal of Cardiothoracic and Vascular Anesthesia, 2000, 14, 726-730. | 1.3  | 2         |
| 349 | Beta-Blocker management in High-Risk Patients Presenting for Non-Cardiac Surgery: Before and after the POISE Trial. Anaesthesia and Intensive Care, 2012, 40, 319-327.   | 0.7  | 2         |
| 350 | Comparative Effectiveness Research It Is Not. Anesthesiology, 2013, 118, 1231-1233.  | 2.5  | 2         |
| 351 | Nitrous oxide in general anaesthesia – Authors' reply. Lancet, The, 2015, 385, 417-418.  | 13.7 | 2         |
| 352 | Physician Performance Rankings Based on Outcomes, Confirmed by the Same Outcomes. Anesthesia and Analgesia, 2016, 122, 1718-1719.  | 2.2  | 2         |
| 353 | Judging the quality of anaesthesia research. Anaesthesia, 2021, 76, 452-454.   | 3.8  | 2         |
| 354 | Understanding Restrictive Versus Liberal Fluid Therapy for Major Abdominal Surgery Trial Results: Did Liberal Fluids Associate With Increased Endothelial Injury Markers?., 2021, 3, e0316.  |      | 2         |
| 355 | Safety of Nitrous Oxide Anesthesia in a Selected Group of Patients Undergoing Neurosurgery. Journal of Neurosurgical Anesthesiology, 2021, Publish Ahead of Print, .   | 1.2  | 2         |
| 356 | Evaluating interventions to reduce the risk of postoperative delirium. British Journal of Anaesthesia, 2020, 125, 4-6.   | 3.4  | 2         |
| 357 | Antifibrinolytic therapy: evidence, bias, confounding (and politics!). Journal of Extra-Corporeal Technology, 2007, 39, 308-10.  | 0.4  | 2         |
| 358 | Fibrinolysis and Trauma Outcomes. Anesthesiology, 2022, 136, 7-9.  | 2.5  | 2         |
| 359 | Septic discitis â€" a misnomer. Medical Journal of Australia, 1987, 147, 415-415.  | 1.7  | 2         |
| 360 | Inclusion, characteristics, and outcomes of male and female participants in large international perioperative studies. British Journal of Anaesthesia, 2022, , .   | 3.4  | 2         |

| #   | Article   | IF         | Citations         |
|-----|---|------------|-------------------|
| 361 | Postoperative mediastinal emphysema: blame the anaesthetist?. Anaesthesia, 1989, 44, 615-615.   | 3.8        | 1                 |
| 362 | Pulse oximetry. Lancet, The, 1995, 346, 850.  | 13.7       | 1                 |
| 363 | Improving quality of recovery: what anaesthetic techniques make a difference?. Bailliere's Best Practice and Research in Clinical Anaesthesiology, 2001, 15, 621-631.   | 4.0        | 1                 |
| 364 | The MASTER Trial Has Successfully Addressed Requirements of Protocols for Large Trials. Anesthesia and Analgesia, 2003, 97, 922-923.  | 2.2        | 1                 |
| 365 | Use and misuse of outcome data. Lancet, The, 2004, 363, 1912.   | 13.7       | 1                 |
| 366 | Power analysis of gamma frequencies (30 – 47Hz), adjusting for muscle activity (80 –) Tj ETQqC 825-30.  | ) 0 0 rgBT | /Overlock 10<br>1 |
| 367 | P Values. Anesthesia and Analgesia, 2011, 112, 251.   | 2.2        | 1                 |
| 368 | Perioperative use of beta-blockers in vascular and endovascular surgery. British Journal of Anaesthesia, 2017, 118, 948-949.  | 3.4        | 1                 |
| 369 | Improving trial design in cancer anesthesia (onco-anesthesia) research. Canadian Journal of Anaesthesia, 2017, 64, 872-873.   | 1.6        | 1                 |
| 370 | Waist circumference is better than body mass index, but sagittal anterior diameter may be even better: Reply. British Journal of Anaesthesia, 2017, 118, 274-275.   | 3.4        | 1                 |
| 371 | A national perioperative outcomes registry will facilitate quality assurance and research in Australia.<br>Anaesthesia and Intensive Care, 2020, 48, 328-329.   | 0.7        | 1                 |
| 372 | Anaesthesia for major abdominal and urological surgery. , 0, , 223-246.   |            | 1                 |
| 373 | Characterisation of Plasma Mitochondrial DNA, MMP-9 and Neutrophil Elastase in Patients Undergoing Coronary Artery Bypass Grafting: Effects of Tranexamic Acid and Postoperative Pneumonia. Heart Lung and Circulation, 2021, , . | 0.4        | 1                 |
| 374 | Large multicenter trials: what do they achieve and what should be done in perfusion?. Journal of Extra-Corporeal Technology, 2007, 39, 274-7.   | 0.4        | 1                 |
| 375 | A pivotal trial of fluid therapy for major abdominal surgery: need and equipoise. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2011, 13, 278-80.                               | 0.1        | 1                 |
| 376 | The †long shadow' of perioperative complications: association with increased risk of death up to 1 year after surgery. British Journal of Anaesthesia, 2022, , .  | 3.4        | 1                 |
| 377 | EFFECT OF PEEP ON HYPERINFLATION. British Journal of Anaesthesia, 1993, 71, 322.  | 3.4        | O                 |
| 378 | Bier's block. Medical Journal of Australia, 1994, 160, 587-589.   | 1.7        | 0                 |

| #   | Article   | IF   | Citations |
|-----|---|------|-----------|
| 379 | Risk Factors of Transient Atrioventricular Block After Cardiac Surgery. Anesthesia and Analgesia, 1995, 81, 1118.   | 2.2  | O         |
| 380 | Propofol and Early Extubation After Cardiac Surgery. Anesthesia and Analgesia, 1997, 85, 229.   | 2.2  | 0         |
| 381 | Case-Control and Cohort Studies in Anesthesia. Anesthesia and Analgesia, 1998, 86, 1149.  | 2.2  | 0         |
| 382 | Part II: Total Episode Costs in a Randomized, Controlled Trial of the Effectiveness of Four Anesthetics. Anesthesia and Analgesia, 2000, 91, 1170-1175.           | 2.2  | 0         |
| 383 | Choice of opioid analgesics in postoperative care – Authors' Reply. Lancet, The, 2007, 369, 2000.   | 13.7 | 0         |
| 384 | General anesthesia with or without thoracic epidural block for cardiac surgery — A decision analysis. Canadian Journal of Anaesthesia, 2008, 55, 4737371-4737372. | 1.6  | 0         |
| 385 | A Cost-Benefit Analysis of the ENIGMA Trial. Survey of Anesthesiology, 2012, 56, 117.   | 0.1  | 0         |
| 386 | Reply from the authors. British Journal of Anaesthesia, 2013, 111, 678.   | 3.4  | 0         |
| 387 | Antifibrinolytics, Aspirin and Cardiac Surgery: Evidence, Guidelines and Implications for Current Research. Anaesthesia and Intensive Care, 2014, 42, 293-297.    | 0.7  | 0         |
| 388 | Preoperative sepsis and postoperative thrombosis. BMJ, The, 2014, 349, g5444-g5444.   | 6.0  | 0         |
| 389 | Professor Michael Paech—Editor of Anaesthesia and Intensive Care: 2007 to 2016. Anaesthesia and Intensive Care, 2016, 44, 534-534.                                | 0.7  | 0         |
| 390 | Postoperative nausea and vomiting management: cost-effectiveness and patient outcome., 0,, 146-155.   |      | 0         |
| 391 | In Reply. Anesthesiology, 2017, 126, 570-573.   | 2.5  | 0         |
| 392 | In Reply. Anesthesiology, 2017, 127, 205-206.   | 2.5  | 0         |
| 393 | Accurate reporting of clinical trials. Journal of Thoracic and Cardiovascular Surgery, 2019, 158, e45-e46.  | 0.8  | 0         |
| 394 | Functional capacity and preoperative risk evaluation – Authors' reply. Lancet, The, 2019, 393, 1593-1594.   | 13.7 | 0         |
| 395 | IV Fluids for Major Surgery: Reply. Anesthesiology, 2019, 131, 1368-1369.   | 2.5  | 0         |
| 396 | Deep anaesthesia – Authors' reply. Lancet, The, 2020, 396, 666-667.   | 13.7 | 0         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 397 | The impact of distance on post-ICU disability. Australian Critical Care, 2021, , .   | 1.3 | O         |
| 398 | Association between pre-hospital chest pain severity and myocardial injury in ST elevation myocardial infarction: A post-hoc analysis of the AVOID study. IJC Heart and Vasculature, 2021, 37, 100899. | 1.1 | 0         |
| 399 | What's new in trial design: propensity scores, equivalence, and non-inferiority. Journal of Extra-Corporeal Technology, 2009, 41, P6-10.   | 0.4 | 0         |
| 400 | Current trends in the postoperative ventilatory management of patients undergoing cardiac surgery. Annals of Cardiac Anaesthesia, 2002, $5$ , $172-5$ .  | 0.6 | 0         |
| 401 | Title is missing!. , 2020, 17, e1003253.   |     | 0         |
| 402 | Title is missing!. , 2020, 17, e1003253.   |     | 0         |
| 403 | Title is missing!. , 2020, 17, e1003253.   |     | 0         |
| 404 | Title is missing!. , 2020, 17, e1003253.   |     | 0         |
| 405 | Anaesthesia and Pain., 0,, 517-542.  |     | O         |