Sumitra Deb

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3987490/publications.pdf Version: 2024-02-01



SIIMITDA DER

#	Article	IF	CITATIONS
1	Tumor-Derived p53 Mutants Induce NF-κB2 Gene Expression. Molecular and Cellular Biology, 2005, 25, 10097-10110.	2.3	141
2	Modulation of Gene Expression by Tumor-Derived p53 Mutants. Cancer Research, 2004, 64, 7447-7454.	0.9	109
3	Gain-of-function mutant p53 upregulates CXC chemokines and enhances cell migration. Carcinogenesis, 2012, 33, 442-451.	2.8	102
4	Tumor-derived p53 mutants induce oncogenesis by transactivating growth-promoting genes. Oncogene, 2004, 23, 4430-4443.	5.9	100
5	The human oncoprotein MDM2 induces replication stress eliciting early intra-S-phase checkpoint response and inhibition of DNA replication origin firing. Nucleic Acids Research, 2014, 42, 926-940.	14.5	87
6	`Gain of function' phenotype of tumor-derived mutant p53 requires the oligomerization/nonsequence-specific nucleic acid-binding domain. Oncogene, 1998, 16, 3169-3176.	5.9	84
7	p53 mutants induce transcription of NF-κB2 in H1299 cells through CBP and STAT binding on the NF-κB2 promoter and gain of function activity. Archives of Biochemistry and Biophysics, 2012, 518, 79-88.	3.0	58
8	Gain-of-Function Activity of Mutant p53 in Lung Cancer through Up-Regulation of Receptor Protein Tyrosine Kinase Axl. Genes and Cancer, 2012, 3, 491-502.	1.9	55
9	Mutant p53 establishes targetable tumor dependency by promoting unscheduled replication. Journal of Clinical Investigation, 2017, 127, 1839-1855.	8.2	32
10	p53: Its Mutations and Their Impact on Transcription. Sub-Cellular Biochemistry, 2014, 85, 71-90.	2.4	26
11	MDM2 Controls the Timely Expression of Cyclin A to Regulate the Cell Cycle. Molecular Cancer Research, 2009, 7, 1253-1267.	3.4	25
12	Allele specific gain-of-function activity of p53 mutants in lung cancer cells. Biochemical and Biophysical Research Communications, 2012, 428, 6-10.	2.1	24
13	Addiction of lung cancer cells to GOF p53 is promoted by up-regulation of epidermal growth factor receptor through multiple contacts with p53 transactivation domain and promoter. Oncotarget, 2016, 7, 12426-12446.	1.8	18
14	Use of the DNA Fiber Spreading Technique to Detect the Effects of Mutant p53 on DNA Replication. Methods in Molecular Biology, 2013, 962, 147-155.	0.9	16
15	Constitutive Activation of DNA Damage Checkpoint Signaling Contributes to Mutant p53 Accumulation via Modulation of p53 Ubiquitination. Molecular Cancer Research, 2016, 14, 423-436.	3.4	16
16	Gain-of-function p53 activates multiple signaling pathways to induce oncogenicity in lung cancer cells. Molecular Oncology, 2017, 11, 696-711.	4.6	15
17	The oncogenicity of tumor-derived mutant p53 is enhanced by the recruitment of PLK3. Nature Communications, 2021, 12, 704.	12.8	12
18	Preferred binding of gain-of-function mutant p53 to bidirectional promoters with coordinated binding of ETS1 and GABPA to multiple binding sites. Oncotarget, 2014, 5, 417-427.	1.8	12

SUMITRA DEB

#	Article	IF	CITATIONS
19	Human Oncoprotein MDM2 Up-regulates Expression of NF-ÂB2 Precursor p100 Conferring a Survival Advantage to Lung Cells. Genes and Cancer, 2011, 2, 943-955.	1.9	11
20	DNA replication in progenitor cells and epithelial regeneration after lung injury requires the oncoprotein MDM2. JCI Insight, 2019, 4, .	5.0	10
21	ChIP Sequencing to Identify p53 Targets. Methods in Molecular Biology, 2013, 962, 227-236.	0.9	3